

U.S. DEPARTMENT OF AGRICULTURE GRAIN INSPECTION, PACKERS AND STOCKYARDS ADMINISTRATION FEDERAL GRAIN INSPECTION SERVICE FIELD MANAGEMENT DIVISION SCALE TEST REPORT - R.R. TRACK	LAST DATE TESTED	TEST DATE	PAGE OF
			TEST NO.
	MANUFACTURER	MODEL OF SCALE	SCALE CODE NO.
TESTING AGENCY (INSPECTOR'S NAME, ADDRESS)	SCALE CAPACITY	MINIMUM DIVISION	SERIAL NO.
INSPECTOR	SCALE LENGTH	SECTIONAL CAPACITY	SCALE NO.
TELEPHONE	SCALE TYPE		SECTIONAL TEST LOAD
FIELD OFFICE LOCATION	<input type="checkbox"/> FULL ELEC <input type="checkbox"/> MECH <input type="checkbox"/> LEVER TR. HER		
SCALE OWNER	TEST WEIGHT INFORMATION		TYPE
SCALE LOCATION (ADDRESS)	TEST CAR OWNER	I.D. NUMBER	<input type="checkbox"/> COMPOSITE <input type="checkbox"/> L.W.B. <input type="checkbox"/> L.W.B. w/i <input type="checkbox"/> FGIS CAR
	LAST REVERIFICATION DATE	WEIGHT	

TEST RESULTS

SENSITIVITY		DISCRIMINATION		SCALE CONDITION AS FOUND				ZERO BALANCE AS FOUND			
ZERO	CAP.	ZERO	CAP.								

TEST DIRECTION	BAL.	SEC.1R	SEC. 2L	SEC. 2R	SEC. 3L	SEC. 3R	SEC. 4L	SEC. 4R	SEC. 5L	BAL.

SUBSTITUTION STRAIN TEST				PRETEST INSPECTION			
LOAD	CAL. TEST LOAD	INDICATION	ERROR	ENVIRONMENTAL PROTECTION			
				CONDITION OF PIT			
				CONDITION OF APPROACHES			
				CONDITION OF PLATFORM			
				APPROACH & LIVE RAIL GAP			
				KIND OF DRAINAGE			
				ZERO BALANCE CHANGE DURING TEST		lb	

THE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE ARE NOT WITHIN THE ACCURACY REQUIREMENTS PRESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.

REPAIRS, ADJUSTMENTS, MODIFICATIONS OR RECOMMENDATIONS MADE AT THIS TIME:

Return completed form to the above Field Office.

NEXT TEST IN: 30 DAYS 45 DAYS 60 DAYS 90 DAYS 180 DAYS

APPLICABLE TOLERANCE ("x" one)	APPROVAL SEAL APPLIED	DATE:	REJECTION TAG NO.
<input type="checkbox"/> ACCEPTANCE <input type="checkbox"/> MAINTENANCE	3Y		

RECEIPT OF REPORT ACKNOWLEDGED (Signature)	FGIS WITNESS (Signature)

U.S. DEPARTMENT OF AGRICULTURE GRAIN INSPECTION, PACKERS AND STOCKYARDS ADMINISTRATION FEDERAL GRAIN INSPECTION SERVICE FIELD MANAGEMENT DIVISION SCALE TEST REPORT - R.R. TRACK				LAST DATE TESTED	TEST DATE	PAGE	OF
				MANUFACTURER	MODEL OF SCALE	TEST NO.	
TESTING AGENCY (INSPECTOR'S NAME, ADDRESS)				SCALE CAPACITY	MINIMUM DIVISION	SCALE CODE NO.	
INSPECTOR				SCALE LENGTH	SECTIONAL CAPACITY	SERIAL NO.	
TELEPHONE				SCALE TYPE	SECTIONAL TEST LOAD		
FIELD OFFICE LOCATION				<input type="checkbox"/> FULL ELEC. <input type="checkbox"/> MECH <input type="checkbox"/> LEVER TR. <input type="checkbox"/> OTHER	SCALE N.O.		
SCALE OWNER				TEST WEIGHT INFORMATION			
SCALE LOCATION (ADDRESS)				TEST CAR OWNER	I.D. NUMBER	TYPE	
				LAST REVERIFICATION DATE	WEIGHT	<input type="checkbox"/> COMPOSITE <input type="checkbox"/> L.W.B. <input type="checkbox"/> L.W.B. w /j <input type="checkbox"/> FGIS CAR	
TEST RESULTS							
SENSITIVITY		DISCRIMINATION		SCALE CONDITION AS FOUND		ZERO BALANCE AS FOUND	
ZERO	CAP.	ZERO	CAP.				
TEST DIRECTION	BAL.	SEC. 1R	SEC. 2L	SEC. 2R	SEC. 3L	SEC. 3R	SEC. 4L
							SEC. 4R
							SEC. 5L
							BAL.
SUBSTITUTION STRAIN TEST				PRETEST INSPECTION			
LOAD	CAL. TEST LOAD	INDICATION	ERROR	ENVIRONMENTAL PROTECTION			
				CONDITION OF PIT			
				CONDITION OF APPROACHES			
				CONDITION OF PLATFORM			
				APPROACH & LIVE RAIL GAP			
				KIND OF DRAINAGE			
				ZERO BALANCE CHANGE DURING TEST			
THE ERRORS IN THIS SCALE AS INDICATED ABOVE				<input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT WITHIN THE ACCURACY REQUIREMENTS			
PRESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.							
REPAIRS, ADJUSTMENTS, MODIFICATIONS OR RECOMMENDATIONS MADE AT THIS TIME:							
Return completed form to the above Field Office.							
NEXT TEST IN: <input type="checkbox"/> 30 DAYS <input type="checkbox"/> 45 DAYS <input type="checkbox"/> 60 DAYS <input type="checkbox"/> 90 DAYS <input type="checkbox"/> 180 DAYS							
APPROXIMATE TOLERANCE ("x" one)				APPROVAL SEAL APPLIED	DATE	REJECTION TAG NO.	
ACCEPTANCE <input type="checkbox"/> MAINTENANCE				BY			
RECEIPT OF REPORT ACKNOWLEDGED (Signature)				FGIS WITNESS (Signature)			
FORM FGIS-965-1 (10/02) Edition dated (1/2/94) may be used.				FORM APPROVED OMB NO. 0500-0013: According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0500-0013. The time required to complete this information collection is estimated to average 1 hours per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.			

Instructions for Completing Scale Test Reports

- 1 Testing Agency. The name of the organization, name of the person testing, address, and telephone number.
- 2 Field Office Location. The city and state of the field office which has jurisdiction for the scale being tested.
- 3 Scale Owner. Facility name and designation; i.e., Mid-South Grain, House A.
- 4 Scale Location. The street address of the elevator.
- 5 Last Date Tested. Date of the last test.
- 6 Test Date. The month, day, and year of the test.
- 7 Test No. Inspector's assigned serial number, plus consecutive test number for the fiscal year. Cary Brown's assigned serial (which is 1000), the first test of FY 2004, would be: "1001-04", the second would "1002-04", and so forth. In order of testing, regardless whether a hopper, vehicle, or railway track scale test.
- 8 Manufacturer. The name of the company, corporation, person, etc., who manufactured the indicating element.
- 9 Model of scale. The model name, number, or designation which has been assigned by the manufacturer.
- 10 Scale Code No. The code number of the scale which was assigned by the FGIS Policies and Procedures Branch for use in the ADP Scale Test Monitoring System.
- 11 Scale Capacity. The maximum gross load that can be accepted for official weight certification as determined by an official scale inspector.
- 12 Minimum Division. The value of the smallest unit that can be indicated on the primary indicating element during normal weighing.
- 13 Serial No. The nonrepetitive number which was assigned by the manufacturer and affixed to the indicating element or beam.
- 14 Scale Type. Check the appropriate box to indicate whether the scale is full electronic, levertronic, a full capacity beam (FCB) mechanical scale, or a counterpoise (CPB) mechanical scale.
- 15 Scale No. The number assigned to the scale by the owner which usually includes S and/ or R designations to differentiate between shipping and receiving.
- 16 Sectional Capacity. The maximum gross load that can be applied to any one section of the scale without causing structural deflections affecting the accuracy of the scale.
- 17 Platform Size. The length and width of the vehicle scale platform.
- 18 Scale Length. The length of the live track on a railroad track scale.
- 19 Load Cell Capacity. The manufacturer's rated capacity of one of the load cells in the scale system.
- 20 Sectional Test Load. The maximum amount of test standards applied to any one section of a railroad track or vehicle scale.
- 21 Type and Mfg. For vehicle and hopper scales indicate the type of test weights; i.e., fab, basket, cast, etc., and the manufacturer. For railroad track scales check the appropriate box.
- 22 Test Weight Owner. Indicate the test weight owner.
- 23 Total Weight. The total amount of the test weights combined.
- 24 Last Reverification Date. Indicate the month and year of the latest test weight reverification.
- 25 I.D. No. The identification of the test car.
- 26 Number of Weights. The total number of individual weights.
- 27 Sensitivity. The results of the sensitivity check in number of divisions at zero and at capacity.
- 28 Discrimination. The results of the discrimination check in number of divisions at ZERO and at CAPACITY.

- 29 Scale Condition as Found. Indicate the condition of the scale as found. (i.e., water in pit, dirty platform, etc.)
- 30 Zero Balance as Found. The weight indication on the primary indicating element with no load on the load receiving element at the time of starting the official inspection and test.
- 31 Results. Check appropriate box; /x/ ARE-for scales that are within tolerance or have been adjusted to be within tolerance, /x/ ARE NOT-for a scale that cannot be used for official weight certification because it cannot be adjusted or fixed and is consequently REJECTED.
- 32 Remarks. Indicate any repairs, adjustments, modifications, or recommendations. (i.e., scale serviced before test, load cell #2 replaced, A/D converter replaced.)
- 33 Next Test In. Check the appropriate box to indicate approximately when the next test is due.
- 34 Applicable Tolerance. ("X" one.) Indicate which tolerance is to be applied.
- 35 Approval Seal Applied. Indicate the name of the inspector who applied the FGIS Approved Label for Inspected Machinery. If the person is the same as the FGIS witness, just initial.
- 36 Date. Indicate the date of approval.
- 37 Rejection Tag No. Indicate the number of the rejection tag, if applicable.
- 38 Receipt of Report Acknowledged. Signature of the scale owner's representative.
- 39 FGIS Witness. FGIS or delegated official who observed the testing and approval of the scale.
- 40 Test Procedures. See test procedures for railway track scales in Chapter 3 of the FGIS Weighing Handbook.
- 41 Pretest Inspection. [Make appropriate comments for listed scale conditions for vehicle and railroad track scales \(No pretest inspection area \(41](#)

Distribution of Scale Test Reports

"Scale Test Reports" are marked for distribution in the lower right-hand corner of each copy. They shall be distributed as follows:

- 1 Original (white) shall be retained in a separate file at the office (FGIS or State) to which the responsibility for the scale is assigned. The hard copy printed record of the test indications shall be attached to the original.
- 2 First Copy (blue) shall be given or sent to the owner/operator of the scale for their information and records.
- 3 Second Copy (green) shall be sent to the FGIS, Policies and Procedures Branch by the FGIS scale specialist responsible for the scale.
- 4 Third Copy (pink) shall be sent to the FGIS field office, which is responsible for the area in which the scale is located.
- 5 Fourth Copy (yellow) is an extra copy available for an interested party (e.g., State Weights and Measures supervisor or scale service company).

Questions Concerning This Form?

USDA, GIPSA
Field Management Division
Policy and Procedures Branch
1400 Independence Ave. Rm. 2409 N
Washington, DC 20250-3630

Telephone: (202) 690-0961

Fax questions: to (202) 720-1015

Email questions: to william.e.bates@usda.gov

