

# DOCKAGE CHECKTEST

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0580-0013. The time required to complete this information collection is estimated to average 20 minutes per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

NOTE: TEST UNIT OPERATOR - FILL IN SHADED AREAS ONLY

|                |              |          |            |        |          |            |            |
|----------------|--------------|----------|------------|--------|----------|------------|------------|
| DATE           | FIELD OFFICE | AGENCY   |            |        | LOCATION |            |            |
| MACHINE SET UP | AIR NO.      | FEED NO. | RIDDLE NO. | SIEVES | TOP NO.  | MIDDLE NO. | BOTTOM NO. |

### TEST UNIT

| MAKE              |                | MODEL         |                           | SERIAL NO.             |                              |                       | REMARKS |                           |
|-------------------|----------------|---------------|---------------------------|------------------------|------------------------------|-----------------------|---------|---------------------------|
| SAMPLE NO.        | CLEARED        |               | RIDDLE SEPARATION (Grams) | AIR SEPARATION (Grams) | THROUGH BOTTOM SIEVE (Grams) | TOTAL DOCKAGE (Grams) |         | OVER BOTTOM SIEVE (Grams) |
|                   | HOPPER (Secs.) | SIEVE (Secs.) |                           |                        |                              |                       |         |                           |
| 1                 |                |               |                           |                        |                              |                       |         |                           |
| 2                 |                |               |                           |                        |                              |                       |         |                           |
| 3                 |                |               |                           |                        |                              |                       |         |                           |
| AVG.              |                |               |                           |                        |                              |                       |         |                           |
| TEST UNIT AVERAGE |                | %             | %                         | %                      | %                            | %                     |         |                           |
| RESULTS BY:       |                |               |                           |                        | DATE                         |                       |         |                           |

### STANDARD UNIT


| MAKE                  |                | MODEL         |                           | SERIAL NO.             |                              |                       | REMARKS |                           |
|-----------------------|----------------|---------------|---------------------------|------------------------|------------------------------|-----------------------|---------|---------------------------|
| SAMPLE NO.            | CLEARED        |               | RIDDLE SEPARATION (Grams) | AIR SEPARATION (Grams) | THROUGH BOTTOM SIEVE (Grams) | TOTAL DOCKAGE (Grams) |         | OVER BOTTOM SIEVE (Grams) |
|                       | HOPPER (Secs.) | SIEVE (Secs.) |                           |                        |                              |                       |         |                           |
| 1                     |                |               |                           |                        |                              |                       |         |                           |
| 2                     |                |               |                           |                        |                              |                       |         |                           |
| 3                     |                |               |                           |                        |                              |                       |         |                           |
| AVG.                  |                |               |                           |                        |                              |                       |         |                           |
| STANDARD UNIT AVERAGE |                | %             | %                         | %                      | %                            | %                     |         |                           |
| RESULTS BY:           |                |               |                           |                        | DATE                         |                       |         |                           |

### DOCKAGE TESTER SUMMARY

|   | CLEARED        |               | RIDDLE SEPARATION (%) | AIR SEPARATION (%) | THROUGH BOTTOM SIEVE (%) | TOTAL DOCKAGE (%) | OVER BOTTOM SIEVE (%) |
|---|----------------|---------------|-----------------------|--------------------|--------------------------|-------------------|-----------------------|
|   | HOPPER (Secs.) | SIEVE (Secs.) |                       |                    |                          |                   |                       |
| TEST UNIT (Enter average results of test unit)    |                |               |                       |                    |                          |                   |                       |
| STANDARD (Enter average results of standard unit) |                |               |                       |                    |                          |                   |                       |
| DEVIATION   |                |               |                       |                    |                          |                   |                       |
| ALLOWABLE DEVIATION                               |                |               | <b>0.10</b> %         | <b>0.10</b> %      | <b>0.10</b> %            | <b>0.15</b> %     |                       |
| RESULTS   |                |               |                       |                    |                          |                   |                       |

REMARKS

|             |      |
|-------------|------|
| SUMMARY BY: | DATE |
|-------------|------|



INSTRUCTIONS FOR COM  
FORM FGIS-928, "DOCKA

- 1 Date mailed.
- 2 Field office that perf
- 3 Agency that perform
- 4 Location of test unit
- 5 For tests using whea  
For tests using corn,
- 6 For tests using whea  
For tests using corn,
- 7 Make of the test unit
- 8 Model of the test unit
- 9 Serial number of the
- 10 Time elapsed for each
- 11 Time elapsed for each
- 12 Weight of the separate
- 13 Weight of the separate
- 14 Weight of the separate
- 15 Total dockage (riddl
- 16 Weight of the separate
- 17 Averages of the test
- 18 Averages of the test
- 19 Convert the average
- 20 Name of the person
- 21 Date that testing of t
- 22 Test unit operator's
- 23 Standard unit's info
- 24 Test unit's average t
- 25 Standard unit's aver
- 26 Difference ( 24 min
- 27 Allowable deviation
- 28 Indicate IN or OUT
- 29 Remarks
- 30 Name of person who
- 31 Date the summary w

PLETING  
GE CHECKTEST"

formed the test, when applicable.  
ied the test, when applicable.  
dockage tester.  
t, show: air - 4, feed - 6, riddle - 2.  
show: air - 1, feed - 10, riddle - n/a.  
t, show: top - n/a, middle - 2 & I.D. No., bottom - 2 & I.D. No.  
show: top - 3, middle - n/a, bottom - n/a.  
t dockage tester.  
it dockage tester.  
t test unit dockage tester.  
h sample to clear the hopper, shown in whole seconds.  
h sample to clear the middle sieve, shown in whole seconds.  
tion that passes over the riddle, shown to 0.01 g.  
tion that is removed by air, shown to 0.01 g.  
tion that passes through the bottom sieve, shown to 0.01 g.  
e, air, and through-the-bottom), shown to 0.01 g.  
tion that passes over the bottom sieve, shown to 0.01 g.  
unit's hopper and sieve clearance times, shown in whole seconds.  
unit's test results, shown to 0.01 g.  
separation weights to a percentage of the total sample weight, shown to 0.001 %.  
who tested the unit.  
he test unit was completed.  
remarks and RPM information.  
mation and test results.  
est results, shown to 0.01 %.  
age test results, shown to 0.01 %.  
is 25). Show the plus or minus deviation.  
s.  
of tolerance for each type of separation.  
ompleted the Summary section.  
as completed.