According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0583-008%. The time required to complete this information collection is estimated to average 3 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

U.S. DEPARTMENT OF AGRICULTURE FOOD SAFETY AND INSPECTION SERVICE ACCREDITED LABORATORY PROGRAM  RESIDUE CHECK SAMPLE RESULTS  1. LABORATORY NUMBER  2. SAMPLE NUMBER  3. DATE SENT  4. DATE RESULTS MUST BE RECEIVED			INSTRUCTIONS: FSIS or Contract Laboratory: Complete Items 1, 2, 3 and 4. Check box in 5 for general area of analysis.  Accredited Laboratory: Report analytical findings under Item 5. See reverse side for additional instructions.  LABEL					
					OUE DATE TO (202) 690-6632			
5. Amounts for CHC, PCB, and AS must be cor				prected for recovery. All results are to be rounded to two decimals.				
NITROSAMINES		PPB	% Recovery		CHLORINATED HYDROCARBONS	PPM	% Recovery	
051 N-Nitrosodimethylamine		-		102	Alpha-BHC			
052 N-Nitrosodiethylamine				104	Dieldrin			
053 N-Nitrosodipropylamine				106	Endrin			
054 N-Nitrosodibutylamine				108	Lindane			
055 N-Nitrosopiperidine				109	Methoxychlor			
056 N-Nitrosopyrrolidine			:	112	HCB			
057 N-Nitrosomorpholine .			,	113	Mirex			
SULFONAMIDES		РРМ	% Recovery	124	p,p'-DDT			
803 Sulfadimethoxine				126	p,p'-DDE			
805 Sulfamethazine				128	p,p'-TDE			
809 Sulfathiazole				164	Heptachlor Epoxide			
Other:				Othe	r:			
POLYCHLORINATED PPM BIPHENYLS		РРМ	% Recovery		ARSENIC (As)	PPM	% Recovery	
111 All PCBs				401		-		
NAME AND SIGNATURE OF ANALYST						DATE		
REVIEWED AND VERIFIED BY (Na	me, Title, and Signature	е)				DATE		

## INSTRUCTIONS FOR REPORTING RESIDUE CHECK SAMPLE RESULTS

## The following reporting requirements must be followed:

- \* Laboratories may not subcontract out any check samples. If a laboratory is unable to analyze samples, ALP personnel should be notified.
- \* No comments should be made on the Check Sample Results Form.
- \* If check samples are received in poor condition, the Accredited Laboratory Program (ALP) should be notified immediately, by telephone at (202-690-6582) and *in writing*. The ALP may replace samples or an excuse from reporting results may be authorized.
- \* All entries on forms and reports should be clearly *typed* on the original and sent by mail.
- \* Name and title of authorized person signing form should be typed below signature on all forms and reports provided by the ALP.
- \* Check sample results must be received *on or before the due date* indicated on the report form.

  Late results are subject to a CUSUM penalty. Failure to report check sample results could result in revocation of accreditation.
- \* ALP will consider claims regarding check sample results lost in the mail only with acceptable proof of mailing. Acceptable proof of mailing includes receipts from the U.S. Post Office or overnight/express delivery carriers.
- \* Requests for "Excused Absences" for check sample results must be *in writing*, explain the reason for the request, and be received by ALP at the address below *before the due date*.
- \* Laboratories may not be excused more than twice per accreditation period. Any further requests to be excused will be reviewed on a case by case basis by ALP staff.
- \* If a laboratory believes that there was a data processing error on updating CUSUM reports **at FSIS**, the laboratory may request a review. The request must be in **writing** and received by ALP at the address below **within 30 days** of the data of the report in question.
- \* Retain a copy of your Check Sample Results for your records.
- \* All correspondence should be addressed to:

Accredited Laboratory Program USDA, FSIS, OPHS
Room 377 Aerospace Center, Box 17
901 D Street, S.W.
Washington, D.C. 20024

(202) 690-6582