

"Community-based Organization (CBO) Monitoring and Evaluation
Project of RESPECT (CMEP-RESPECT)"

Attachment 5b

90-Day Follow-up Survey

Form Approved
OMB No. 0920-XXXX
Exp. Date: XX/XX/20XX

**“Community-based Organization (CBO) Monitoring and Evaluation Project of RESPECT
(CMEP-RESPECT)”**

90-Day Follow-Up Survey

Public reporting burden of this collection of information is estimated to average 18 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Information Collection Review Office, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX).

CMEP-RESPECT 90-DAY FOLLOW-UP DATA COLLECTION: General Information
(To be completed by staff)

The following section should be completed by CMEP-RESPECT staff.

G1. Client ID: _____ [QDS QA Check: This number cannot be longer than 4 digits]

G2. Staff ID: _____

G3. Data collection date: ___/___/___ [QDS Instructions: drop-down menu]
(MM/DD/YYYY)

G4. Data collection site: _____

G5. Survey administered by: (Choose one)

- Client
- Provider (in-person)
- Provider (on phone)

G6. Data collection method: (Choose one)

- Laptop
- Handheld device
- Hard copy

G7. In the past 3 months, has the client... (Choose all that apply)

- Participated in a face-to-face group discussion about HIV prevention, HIV testing or safer sex practices
- Participated in an on-line discussion about HIV prevention, HIV testing or safer sex practices
- Received condoms or a safe sex kit
- Received HIV Case Management Services
- Received Partner Services
- Received written information about HIV/AIDS or STDs
- Received other HIV prevention services (if yes, specify _____)
- Has not participated in discussions or received materials related HIV/AIDS or STDs Decline to answer
- Decline to answer

G8. In the past 3 months, has the client participated in any HIV intervention programs? (Choose one)

- Yes
- No [QDS Skip: Skip to Q1]
- Decline to answer

G9. If yes, which one(s)? (Choose all that apply) (Note: These interventions may be called a different name at each agency)

- | | |
|---|---------------------------|
| <input type="checkbox"/> Clear | RAPP |
| <input type="checkbox"/> Connect | RESPECT |
| <input type="checkbox"/> d-up: Defend Yourself! | Safe in the City |
| <input type="checkbox"/> Focus on Youth + IMPACT | Safety Counts |
| <input type="checkbox"/> Healthy Relationships | SHIELD |
| <input type="checkbox"/> Holistic Health Recovery Program | SIHLE |
| <input type="checkbox"/> Many Men, Many Voices | SISTA |
| <input type="checkbox"/> MIP | Sister to Sister |
| <input type="checkbox"/> MPowerment | Street Smart |
| <input type="checkbox"/> Nia | Together Learning Choices |
| <input type="checkbox"/> Partnership for Health | VOICES/VOCES |
| <input type="checkbox"/> Popular Opinion Leader | WILLOW |
| <input type="checkbox"/> Project Start | Other (specify): |
| <hr/> | |
| <input type="checkbox"/> PROMISE | Decline to answer |

G10. Did the client and counselor come up with a Risk Reduction Plan during Session 1?

- Yes
- No
- Decline to answer

**CMEP-RESPECT DATA COLLECTION: Client-level Data
(To be completed by client)**

Thank you for agreeing to participate in this survey. This survey is about your attitudes and behaviors regarding sex and sexually transmitted diseases (STDs). Many of the questions are very personal. Your answers will be kept private. Please answer as honestly and openly as you can. Do not hesitate to ask if you need help figuring out dates or if you don't understand a question. There are no right or wrong answers. Let's get started.

HIV & STD Testing, Medical Care, and Other HIV Services

The next set of questions is about your history with HIV and STD testing, medical care, and other HIV services.

1. ***(G204) Have you ever been tested for HIV?** (Choose one)

- Yes
- No [QDS Skip: Skip to Q6]
- Decline to answer

2. **When was your last HIV test?**(If you can't remember then take your best guess) (Choose one)

- 0-3 months ago
- 4-12 months ago
- More than 12 months (1 year) ago
- Decline to answer

3. ***(G205) What was the result of your last HIV test?** (Choose one)

- Negative [QDS Skip: Skip to Q6]
- Positive [QDS Skip: If Q3 is positive, skip (do not ask) Q122 and Q124]
- Don't know [QDS Skip: Skip to Q6]
- Decline to answer

4. **When did you first test positive for HIV?** ____ __/____ ____ (If you do not remember the month or year, please provide your best estimate.) (QDS Instructions: drop down boxes for month and year; year must be after 1985 and month and year cannot be greater than current month and year)

- Decline to answer

5. ***(G208) Have you seen a primary health care provider (doctor, nurse, etc.) for HIV-related care in the last 6 months?** (Choose one)

- Yes

- No
- Decline to answer

6. In the last 3 months (90 days), has a health care provider told you that you have/had any of the following: (Choose all that apply)

- Gonorrhea
- Syphilis
- Chlamydia
- No, I have not been diagnosed with any of these STDs in the last 3 months [QDS QA Check: If any of the first 3 are checked this response should not be enabled]
- Decline to answer [QDS QA Check: If any of the first 4 are checked, 'Decline to Answer' should not be enabled]

7. In the last 3 months (90 days), have you had any of the following STD symptoms: (Choose all that apply)

- Discharge from your genitals
- Pain when you urinate (pee)
- A sore in your genital area
- Rash or redness in your genital area
- No, I have not had any of these symptoms in the last 3 months [QDS QA check: If any of the first 4 are checked this response should not be enabled]
- Decline to answer [QDS QA Check: if any of the first 5 are checked, 'Decline to Answer' should not be enabled]

Drug Use and Living Situation

The next set of questions are about your experience with drugs and your living situation. The questions ask about your experiences over the last 3 months (90 days).

8. In the last 3 months (90 days), have you injected drugs? (This includes illegal drugs and other substances such as silicone, botox, hormones, etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q10]
- Decline to answer

9. In the last 3 months (90 days), when you injected drugs how often did you share needles, syringes or works with someone else? (That is, you let someone else use your needles, syringes or works, or you borrowed someone else's needles, syringes or works to inject drugs. (Choose one)

- Never
- Less than half the time
- Half the time

- More than half the time
- All the time
- Decline to answer

10. In the last 3 months (90 days), were you homeless at any time? (That is, you slept in a shelter for homeless people, on the streets, in a car, another place not intended for sleeping. In other words, you didn't have a permanent address) (Choose one)

- Yes
- No
- Decline to answer

11. In the last 3 months (90 days), were you in jail or prison for more than 24 hours? (Choose one)

- Yes
- No
- Decline to answer

Sexual Risk Behaviors with Male Partners

The next series of questions will ask about sex you have had with MALE partners. These questions are only asking about anal sex you have had with your male partners. They are **NOT** asking about oral sex (giving/getting blow jobs or head).

Anal sex is when one partner puts their penis into the other partner's anus (butt). The anal sex that you have can be insertive, that is when you put your penis into someone's anus (butt). This is often called "topping." Or it can be receptive, that is when your partner puts their penis in your anus (butt). This is often called "bottoming."

Sex with all Male Partners in the Last 3 months (90 days)

The next questions ask about anal sex you've had with your male partners over the last 3 months (90 days). Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

12. In the last 3 months (90 days), have you had anal sex with a male? (Choose one)

- Yes
- No [QDS Skip: Skip to Q48]
- Decline to answer

- 13. In the last 3 months (90 days), how many male partners have you had anal sex with?** (Choose one)
- _____ # partners [QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q12 to having anal sex with a male in the last 3 months; QDS QA Check: If $Q13 \geq 45$ ask the respondent to confirm]
 - Decline to answer
- 14. In the last 3 months (90 days), how many times have you had anal sex with your male partner(s)?** (Choose one)
- _____ # times [QDS QA Check: $Q14 \geq Q13$. If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q13 and Q14; QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q12 to having anal sex with a male in the last 3 months]
 - Decline to answer
- 15. Of the (#) [QDS Instructions: Populate with Q14 # response] times you had anal sex with your male partner(s) during the last 3 months, how many times did you use a condom?** (Choose one)
- _____ # times [QDS QA Check: $Q15 \leq Q14$. If no, then tell respondent that the number of times they used a condom must be less than or equal to the number of times they had sex and have them verify Q14 and Q15; QDS Skip: If $Q15 = Q14$ or $Q15 = 0$, skip (do not ask) Qs 17, 20, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47]
 - Decline to answer
- 16. In the last 3 months (90 days), when you had anal sex with your male partner(s) were you ever the insertive partner?** (That is, you put your penis in your partner's anus [butt].) (Choose one)
- Yes
 - No [QDS Skip: Skip to Q18]
 - Decline to answer
- 17. In the last 3 months (90 days), when you had anal sex with your male partner(s) how often did you use condoms when you were the insertive partner?** (That is, you put your penis in your partner's anus [butt].) (Choose one)
- Never
 - Less than half the time
 - Half the time
 - More than half the time
 - All the time
 - Decline to answer
- 18. In the last 3 months (90 days), when you had anal sex with your male partner(s) were you ever the receptive partner?** (That is, your partner put his penis in your anus [butt].) (Choose one)
- Yes

- No [QDS QA Check: If Q16 = No, Q18 cannot equal No, If it does, ask the client to confirm that for Q12 they responded that they had anal sex with a male sex partner in the last 3 months. Also ask the client to confirm Q16 and Q18; QDS Skip: If Q16 = Yes and Q18 = No, skip to Q21]
- Decline to answer

19. In the last 3 months (90 days), when you had anal sex with your male partner(s), how often were you the receptive partner? (That is, your partner put his penis in your anus [butt].) (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time [QDS QA Check: If Q16 = No, Q18 must = All the time. If Q16 = No and Q19 does not equal All the time, ask the client to confirm Q16; QDS QA Check: If Q16 = Yes and Q18 = Yes, this value choice should not appear or not be enabled]
- Decline to answer

20. In the last 3 months (90 days), when you had anal sex with your male partner(s) how often did you use condoms when you were the receptive partner? (That is, your partner put his penis in your anus [butt].) (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

21. In the last 3 months (90 days), when you had anal sex with your male partner(s) how often were you drunk or high on drugs? (Choose one)

- Never [QDS Skip: If never, skip to Q18]
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

22. In the last 3 months (90 days), when you had anal sex with your male partner(s) while high or drunk, which were you using? (Choose all that apply)

- Amphetamines, meth, speed, crystal, ice or crank
- Heroin (injected, smoked or snorted)
- Painkillers (including Oxycontin, Percocet)
- Club drugs such as GHB (G), Ketamine (K)

- Marijuana
- Cocaine (smoked, snorted, or injected)
- Crack
- Poppers (Amyl nitrate)
- Downers (Valium, Ativan, Xanax)
- Ecstasy (E)
- Hallucinogens such as LSD (acid)
- Alcohol
- Other: _____
- Decline to answer [QDS QA Check: If any of the first 13 are checked, 'Decline to Answer' should not be enabled]

23. In the last 3 months (90 days), when you had anal sex with your male partner(s) while high or drunk, how often did you use condoms? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next questions ask about anal sex with your male primary/main and casual partners.

A primary/main partner is someone you live with, have a special emotional connection with, love, and/or call your boyfriend/girlfriend/husband/wife.

A casual partner is someone you have had sex with but do not consider to be a primary/main partner. A casual partner may be someone you have had sex with one time or many times.

Some of the questions in this section will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

24. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q13 # response] men that you have had anal sex with were primary/main partners? (Choose one)

- _____# primary/main partners [QDS QA Check: Q24 must be less than or equal to Q13. If not, then tell client that the number of primary/main male partners must be less or equal to the total number of male and ask them to confirm their answers to Q13 and Q24; QDS QA check: If Q24 ≥ 10, refer respondent to the definition of primary/main partner and ask them to confirm the number of primary/main partners; QDS QA Check: If response = 0 skip to Q26]
- Decline to answer

25. In the last 3 months (90 days), how often did you use condoms when having anal sex with your male primary/main partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

26. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q13 # response] men that you have had anal sex with were casual partners? (Choose one)

- _____# casual partners [QDS QA Check: $Q24 + Q26 = Q13$. If no, tell client that the number of primary/main partners plus the number of casual partners must equal the total number of male partners. Ask client to confirm Q13, 24, and 26 QDS QA Check: If response = 0 skip to Q28]
- Decline to answer

27. In the last 3 months (90 days), how often did you use condoms when having anal sex with your male casual partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next set of questions is about the characteristics of the male partners you've had anal sex with.

Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

28. In the last 3 months (90 days), did you have anal sex with a male who had an HIV status that was unknown to you? (Choose one)

- Yes
- No [QDS Skip: Skip to Q30]
- Decline to answer

29. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) whose HIV status was unknown to you? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time

- All the time
- Decline to answer

30. In the last 3 months (90 days), did you have anal sex with a male who you knew had an HIV status that was different than yours? (Choose one)

- Yes
- No [QDS Skip: Skip to Q32]
- Decline to answer

31. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) whose HIV status was different than yours? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

32. In the last 3 months (90 days), did you have anal sex with a male only one time? (That is, a one-night stand.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q34]
- Decline to answer

33. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who you had anal sex with only one time? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

34. In the last 3 months (90 days), did you have anal sex with a male who was anonymous? (That is, you do not know their name and you have no way of contacting them.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q36]
- Decline to answer

35. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your anonymous male partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

36. In the last 3 months (90 days), did a male sex partner give you money, drugs, a place to stay, clothing or something else you needed in exchange for anal sex? (Choose one)

- Yes
- No [QDS Skip: Skip to Q38]
- Decline to answer

37. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who gave you money, drugs, a place to stay, clothing or something else you needed in exchange for anal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

38. In the last 3 months (90 days), did you give a male sex partner money, drugs, a place to stay, clothing or something else they needed to in exchange for anal sex? (Some common terms for these men could include 'sex workers', 'prostitutes', 'hustlers', etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q40]
- Decline to answer

39. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who you gave money, drugs, a place to stay, clothing or something else they needed in exchange for anal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

40. In the last 3 months (90 days), did you have anal sex with a male who you knew was an injection drug user? (That is, they injected illegal drugs or other substances such as silicone, botox, hormones, etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q42]
- Decline to answer

41. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who injected drugs? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

42. In the last 3 months (90 days), did you have anal sex with a male who you knew had spent more than 24 hours in jail? (Choose one)

- Yes
- No [QDS Skip: Skip to Q44]
- Decline to answer

43. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who had spent more than 24 hours in jail? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

44. In the last 3 months (90 days), did you have anal sex with a male who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Yes
- No [QDS Skip: Skip to Q46]
- Decline to answer

45. In the last 3 months (90 days), how often did you use condoms when you had anal sex with your male partner(s) who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Never
- Less than half the time

- Half the time
- More than half the time
- All the time
- Decline to answer

46. In the last **3 months** (90 days), did you have anal sex with a male who you knew had one or more of the following STD symptoms: discharge from the genitals, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Yes
- No [QDS Skip: Skip to Q48]
- Decline to answer

47. In the last **3 months** (90 days), how often did you use condoms when you had anal sex with your male partners who you knew had one or more of the following STD symptoms: discharge from the genitals, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

Sexual Risk Behaviors with Female Partners

The next series of questions will ask about sex you have had with FEMALE partners. These questions are only asking about anal or vaginal sex you have had with your female partners. They are **NOT** asking about oral sex (giving/getting blow jobs or head). Anal sex means putting your penis into someone's anus (butt).

Vaginal sex means putting your penis in someone's vagina.

Sex with all Female Partners in the Last 3 months (90 day)

The next questions ask about anal or vaginal sex you've had with your female partners over the last 3 months (90 days). Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

48. In the last **3 months** (90 days), have you had anal **OR** vaginal sex with a female? (Choose one)

- Yes
- No [QDS Skip: Skip to Q81]

Decline to answer

49. In the last 3 months (90 days), how many female partners have you had anal OR vaginal sex with?

(Choose one)

_____ # partners [QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q48 to having anal or vaginal sex with a female in the last 3 month; QDS QA Check: If $49 \geq 45$ ask the respondent to confirm]

Decline to answer

50. In the last 3 months (90 days), how many times have you had anal OR vaginal sex with your female partner(s)?

_____ # times [QDS QA Check: $Q50 \geq Q49$. If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q49 and Q50; QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q48 to having anal or vaginal sex with a female in the last 3 months]

Decline to answer

51. Of the (#) [QDS Instructions: Populate with Q50 # response] times you had anal OR vaginal sex with your female partner(s) during the last 3 months, how many times did you use a condom? (Choose one)

_____ # times (if 0, enter 0) [QDS QA Check: $Q51 \leq Q50$. If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q50 and Q51; QDS QA Skip: If $Q51 = Q50$ or $Q51=0$, do not ask Qs 53, 55, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80]

Decline to answer

52. In the last 3 months (90 days), have you had vaginal sex with your female partner(s)? (Choose one)

Yes

No [QDS Skip: Skip to Q54]

Decline to answer

53. In the last 3 months (90 days), when you had vaginal sex with your female partner(s) how often did you use condoms? (Choose one)

Never

Less than half the time

Half the time

More than half the time

All the time

Decline to answer

54. In the last 3 months (90 days), have you had anal sex with your female partner(s)? (Choose one)

- Yes
- No [QDS QA Check: If Q52 = No, Q54 = No. , ask client to confirm in Q48 that they have had anal or vaginal sex with a female over the last 3 months. Also ask the client to confirm Q52.] [QDS QA Check: If Q52 = Yes and Q54 = no, skip to Q68]
- Decline to answer

55. In the last 3 months (90 days), when you had anal sex with your female partner(s) how often did you use condoms? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

56. In the last 3 months (90 days), when you had anal OR vaginal sex with your female partner(s) how often were you drunk or high on drugs? (Choose one)

- Never [QDS Skip: Skip to Q59]
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

57. In the last 3 months (90 days), when you had anal OR vaginal sex with your female partner(s) while high or drunk, which of the following substances were you using? (Choose all that apply)

- Amphetamines, meth, speed, crystal, ice or crank
- Heroin (injected, smoked or snorted)
- Painkillers (including Oxycontin, Percocet)
- Club drugs such as GHB (G), Ketamine (K)
- Marijuana
- Cocaine (smoked, snorted, or injected)
- Crack
- Poppers (Amyl nitrate)
- Downers (Valium, Ativan, Xanax)
- Ecstasy (E)
- Hallucinogens such as LSD (acid)
- Alcohol
- Other: _____

- Decline to answer [QDS QA Check: If any of the first 13 are checked, 'Decline to Answer' should not be enabled]

58. In the last 3 months (90 days), when you had anal OR vaginal sex with your female partner(s) while high or drunk, how often did you use condoms? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next questions ask about anal or vaginal sex with your female primary/main and casual partners.

A primary/main partner is someone you live with, have a special emotional connection with, love, and/or call your boyfriend/girlfriend/husband/wife.

A casual partner is someone you have had sex with but do not consider to be a primary/main partner. A casual partner may be someone you have had sex with one time or many times.

Some of the questions in this section ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

59. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q49 # response] women that you have had anal OR vaginal sex with were primary/main partners? (Choose one)

- _____# primary/main partners [QDS QA Check: Q59 must be less than or equal to Q49. If not, then tell client that the number of primary/main female partners must be less or equal to the total number of female and ask them to confirm their answers to Q49 and Q59; QDS QA Check: If Q59 ≥ 10, refer respondent to the definition of primary/main partner and ask them to confirm the number of primary/main partners; QDS QA check If response = 0 skip to Q61.]
- Decline to answer

60. In the last 3 months (90 days), how often did you use condoms when having anal OR vaginal sex with your female primary/main partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

61. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q49 # response] women that you have had anal OR vaginal sex with were casual partners? (Choose one)

- _____ # casual partners (If 0, enter 0) [QDS QA Check: $Q59 + Q61 = Q49$. If no, tell client that the number of primary/main partners plus the number of casual partners must equal the total number of total female partners. Ask client to confirm Q49, 59, and 61. QDS QA Check: If response = 0 skip to Q63]
- Decline to answer

62. In the last 3 months (90 days), how often did you use condoms when having anal OR vaginal sex with your female casual partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next set of questions is about the characteristics of the female partners you've had anal or vaginal sex with.

Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

63. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who had an HIV status that was unknown to you? (Choose one)

- Yes
- No [QDS Skip: Skip to Q65]
- Decline to answer

64. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) whose HIV status was unknown to you? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

65. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who you knew had an HIV status that was different than yours? (Choose one)

- Yes
- No [QDS Skip: Skip to Q67]
- Decline to answer

66. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) whose HIV status was different than yours? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

67. In the last 3 months (90 days), did you have anal OR vaginal sex with a female only one time? (That is, a one-night stand.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q69]
- Decline to answer

68. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) that you had anal OR vaginal sex with only one time? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

69. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who was anonymous? (Choose one) (That is, you do not know their name and you have no way of contacting them.)

- Yes
- No [QDS Skip: Skip to Q71]
- Decline to answer

70. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your anonymous female partner(s)? (Choose one)

- Never
- Less than half the time

- Half the time
- More than half the time
- All the time
- Decline to answer

71. In the last 3 months (90 days), did a female sex partner give you money, drugs, a place to stay, clothing or something else you needed in exchange for anal OR vaginal sex? (Choose one)

- Yes
- No [QDS Skip: Skip to Q73]
- Decline to answer

72. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) that gave you money, drugs, a place to stay, clothing or something else you needed in exchange for anal OR vaginal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

73. In the last 3 months (90 days), did you give a female sex partner money, drugs, a place to stay, clothing or something else they needed in exchange for anal OR vaginal sex? (Choose one)

- Yes
- No [QDS Skip: Skip to Q75]
- Decline to answer

74. In the last 3 months (90 days), how often did you use condoms with your female partner(s) that you gave money, drugs, a place to stay, clothing or something else they needed in exchange for anal OR vaginal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

75. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who you knew was an injection drug user? (Choose one) (That is, they injected illegal drugs or other substances such as silicone, botox, hormones, etc.)

- Yes

- No [QDS Skip: Skip to Q77]
- Decline to answer

76. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) who injected drugs? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

77. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Yes
- No [QDS Skip: Skip to Q79]
- Decline to answer

78. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

79. In the last 3 months (90 days), did you have anal OR vaginal sex with a female who you knew had one or more of the following STD symptoms: discharge from the genitals, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Yes
- No [QDS Skip: Skip to Q81]
- Decline to answer

80. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your female partner(s) who you knew had one or more of the following STD symptoms: discharge from the vagina, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Never
- Less than half the time
- Half the time

- More than half the time
- All the time
- Decline to answer

Sexual Risk Behaviors with Transgender Partners

The next series of questions will ask about sex you have had with TRANSGENDER partners. These questions are only asking about anal or vaginal sex you have had with your transgender partners. They are NOT asking about oral sex (giving/getting blow jobs or head).

Anal sex is when one partner puts their penis into the other partner's anus (butt). The anal sex that you have can be insertive, that is when you put your penis into someone's anus (butt). This is often called "topping." Or it can be receptive, that is when your partner puts their penis in your anus (butt). This is often called "bottoming." Vaginal sex means putting your penis in someone's vagina.

Sex with all Transgender Partners in the Last 3 Months (90 days)

The next questions ask about anal or vaginal sex you've had with your transgender partners over the last 3 months (90 days). Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

81. In the last 3 months (90 days), have you had anal OR vaginal sex with a transgender partner?

(Choose one)

- Yes
- No [QDS Skip: Skip to Q120]
- Decline to answer

82. In the last 3 months (90 days), how many transgender sex partners have you had anal OR vaginal sex with? (Choose one)

- _____ # partners [QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q81 to having anal or vaginal sex with a transgender in the last 3 months; QDS QA Check: If Q82 ≥ 45 ask the respondent to confirm]
- Decline to answer

83. In the last 3 months (90 days), how many times have you had anal OR vaginal sex with your transgender partner(s)? (Choose one)

- _____ # times [QDS Check: Q83 ≥ Q82. If no, then tell respondent that the number of times must be greater than or equal to the number of partners and have them verify Q82 and Q83; QDS QA Check: If response = 0 prompt respondent that they answered Yes in Q81 to having anal or vaginal sex with a transgender partner in the last 3 months]

Decline to answer

84. Of the (#) [QDS Instructions: Populate with Q14 # response] times you had anal OR vaginal sex with your transgender partner(s) during the last 3 months, how many times did you use a condom?

_____ # times [QDS QA Check: $Q84 \leq 83$. If not, tell respondent that the number of times that the number of times they used a condom must be less than or equal to the number of times they have had sex and ask them to confirm Q83 and Q84; Q DS QA Skip: If $Q84 = Q83$ or $Q84=0$, skip (do not ask) Qs 86, 89, 92, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119]

Decline to answer

85. In the last 3 months (90 days), have you had vaginal sex with your transgender partner(s)?

(Choose one)

Yes

No [QDS Skip: Skip to Q87]

Decline to answer

86. In the last 3 months (90 days), when you had vaginal sex with your transgender partner(s) how often did you use

condoms? (Choose one)

Never

Less than half the time

Half the time

More than half the time

All the time

Decline to answer

87. In the last 3 months (90 days), have you had anal sex with your transgender partner(s)? (Choose one)

Yes

No [QDS QA Check: If $Q85 = \text{No}$, and $Q87=\text{No}$. If and $Q85$, ask client to confirm in Q81 that they have had anal or vaginal sex with a transgender over the last 3 months. Also ask the client to confirm Q85. Also ask the client to confirm Q85 and Q87; QDS Skip: If $Q85 = \text{Yes}$ and $Q87 = \text{No}$, skip to Q93]

Decline to answer

88. In the last 3 months (90 days), when you had anal sex with your transgender partner(s) were you ever the insertive partner? (That is, you put your penis in your partner's anus [butt].) (Choose one)

Yes

No [QDS Skip: Skip to Q90]

Decline to answer

89. In the last 3 months (90 days), when you had anal sex with your transgender partner(s) how often did you use condoms when you were the insertive partner? (That is, you put your penis in your partner's anus [butt].) (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

90. In the last 3 months (90 days), when you had anal sex with your transgender partner(s) were you ever the receptive partner? (That is, your partner put their penis in your anus [butt].) (Choose one)

- Yes
- No [QDS Check: If Q88 = No, and Q90 = No, ask the client to confirm that for Q87 they responded that they had anal sex with a transgender partner in the last 3 months. Also ask the client to confirm Q88 and Q90; QDS Skip: If Q88 = Yes and Q90 = No, skip to 93]
- Decline to answer

91. In the last 3 months (90 days), when you had anal sex with your transgender partner(s) how often were you the receptive partner? (That is, your partner put their penis in your anus [butt].) (Choose one)

- Less than half the time
- Half the time
- More than half the time
- All the time [QDS QA Check: If Q88 = No, Q91 must = All the time. If Q88 = No and Q91 does not equal All the time, ask the client to confirm Q88; QDS QA Check: If Q88 = Yes and Q90 = Yes, this value choice should not appear or not be enabled]
- Decline to answer

92. In the last 3 months (90 days), when you had anal sex with your transgender partner(s) how often did you use condoms when you were the receptive partner? (That is, your partner put his penis in your anus [butt].) (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

93. In the last 3 months (90 days), when you had anal OR vaginal sex with your transgender partner(s) how often were you drunk or high on drugs? (Choose one)

- Never [QDS Skip: Skip to Q95]
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

94. In the last 3 months (90 days), when you had anal OR vaginal sex with your transgender partner(s) while high or drunk, which of the following substances were you using? (Choose all that apply)

- Amphetamines, meth, speed, crystal, ice or crank
- Heroin (injected, smoked or snorted)
- Painkillers (including Oxycontin, Percocet)
- Club drugs such as GHB (G), Ketamine (K)
- Marijuana
- Cocaine (smoked, snorted, or injected)
- Crack
- Poppers (Amyl nitrate)
- Downers (Valium, Ativan, Xanax)
- Ecstasy (E)
- Hallucinogens such as LSD (acid)
- Alcohol
- Other: _____
- Decline to answer [QDS QA Check: If any of the first 13 are checked, 'Decline to answer' should not be enabled]

95. In the last 3 months (90 days), when you had anal OR vaginal sex with transgender partner(s) while high or drunk, how often did you use condoms? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next questions ask about anal or vaginal sex with your transgender primary/main and casual partners.

A primary/main partner is someone you live with, have a special emotional connection with, love, and/or call your boyfriend/girlfriend/husband/wife.

A casual partner is someone you have had sex with but do not consider to be a primary/main partner. A casual partner may be someone you have had sex with one time or many times.

Some of the questions in this section ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

96. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q82 # response] transgender partners that you have had anal OR vaginal sex with were primary/main partners? (Choose one)

- _____ # primary/main partners [QDS QA check: Q96 must be less than or equal to Q82. If not, tell client that the number of primary/male transgender partners must be less than or equal to the total number of transgender and ask them to confirm their answers to Q82 and Q96; QDS check: If $Q96 \geq 10$, refer respondent to the definition of primary/main partner and ask them to confirm the number of primary/main partners.; QDS QA Check: If response = 0 skip to Q98]
- Decline to answer

97. In the last 3 months (90 days), how often did you use condoms when having anal OR vaginal sex with your transgender primary/main partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

98. In the last 3 months (90 days), how many of the (#) [QDS Instructions: Populate with Q82 # response] transgender partners that you have had anal OR vaginal sex with were casual partners? (Choose one)

- _____ # casual partners (If 0, enter 0) [QDS QA Check: $Q96 + Q98 = Q82$ If no, tell client that the number of primary/main partners plus the number of casual partners must equal the total number of total transgender partners. Ask client to confirm Q82, Q96, and Q100; Q DS QA Check: If response = 0 skip to Q63]
- Decline to answer

99. In the last 3 months (90 days), how often did you use condoms when having anal OR vaginal sex with your transgender casual partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

The next set of questions is about the characteristics of the transgender partners you've had anal or vaginal sex with.

Some of the questions will ask you to report numbers. If your answer is 0 (zero) please enter 0 in the space provided.

100. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who had an HIV status that was unknown to you? (Choose one)

- Yes
- No [QDS Skip: Skip to Q102]
- Decline to answer

101. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) whose HIV status was unknown to you? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

102. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who you knew had an HIV status that was different than yours? (Choose one)

- Yes
- No [QDS Skip: Skip to Q104]
- Decline to answer

103. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) whose HIV status was different than yours? (Choose one)

- Never
- Less than half the time
- Half the time

- More than half the time
- All the time
- Decline to answer

104. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner only one time? (That is, a one-night stand.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q106]
- Decline to answer

105. In the last 3 months (90days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) that you had anal OR vaginal sex with only one time? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

106. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who was anonymous? (That is, you do not know their name and you have no way of contacting them.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q108]
- Decline to answer

107. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your anonymous transgender partner(s)? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

108. In the last 3 months (90 days), did a transgender sex partner give you money, drugs, a place to stay, clothing or something else you needed in exchange for anal OR vaginal sex? (Choose one)

- Yes
- No [QDS Skip: Skip to Q110]
- Decline to answer

109. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) that gave you money, drugs, a place to stay, clothing or something else you needed in exchange for anal OR vaginal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

110. In the last 3 months (90 days), did you give a transgender sex partner money, drugs, a place to stay, clothing or something else they needed in exchange for anal OR vaginal sex? (Some common terms for these individuals could include 'sex workers', 'prostitutes', etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q112]
- Decline to answer

111. In the last 3 months (90 days), how often did you use condoms with transgender partner(s) that you gave money, drugs, a place to stay, clothing or something else they needed in exchange for anal OR vaginal sex? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

112. In the last 3 months (90 days), did you have anal OR vaginal sex a transgender partner who you knew was an injection drug user? (That is, they injected illegal drugs or other substances such as silicone, botox, insulin, hormones, etc.) (Choose one)

- Yes
- No [QDS Skip: Skip to Q114]
- Decline to answer

113. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) who injected drugs? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time

- All the time
- Decline to answer

114. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who you knew had spent more than 24 hours in jail? (Choose one)

- Yes
- No [QDS Skip: Skip to Q116]
- Decline to answer

115. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) who had spent more than 24 hours in jail? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

116. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Yes
- No [QDS Skip: Skip to Q118]
- Decline to answer

117. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) who had syphilis, Chlamydia or gonorrhea? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

118. In the last 3 months (90 days), did you have anal OR vaginal sex with a transgender partner who you knew had one or more of the following STD symptoms: discharge from the penis or vagina, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Yes
- No [QDS Skip: Skip to Q120]
- Decline to answer

119. In the last 3 months (90 days), how often did you use condoms when you had anal OR vaginal sex with your transgender partner(s) who you knew had one or more of the following STD symptoms: discharge from the penis or vagina, pain during urination (peeing), sores in the genital area, rash or redness in the genital area? (Choose one)

- Never
- Less than half the time
- Half the time
- More than half the time
- All the time
- Decline to answer

Correct Condom Use

[QDS Skip: If Q30=0 and Q69=0 and Q105=0, skip to Q143]

This section will ask you about your experience using condoms over the last 3 months (90 days) when you were having vaginal or anal sex.

120. In the last 3 months (90 days) how often did the condom break or slip off either during sex or while you (or your partner) were pulling out? (Choose one)

- Never
- Sometimes
- Always
- Don't know
- Decline to answer

121. In the last 3 months (90 days), how often did you or your partner put the condom on after you had started having sex or take the condom off before you had finished having sex? (Choose one)

- Never
- Sometimes
- Always
- Don't know
- Decline to answer

Perceived HIV Risk

The next set of questions is about how likely you think it is that you will get HIV/STDs or give HIV/STDs to someone else.

122. What do you think is your chance of getting HIV/AIDS in the future if you do not use condoms every time you have sex? (Choose one)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

123. What do you think is your chance of getting an STD in the future if you do not use condoms every time you have sex? (Choose one)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

124. What do you think is your chance of getting HIV/AIDS in the future if you share needles, syringes, or works when you inject drugs? (Choose one)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

125. If you currently have a STD or were to get an STD, what do you think is your chance of giving an STD to your partner(s) in the future if you do not use condoms every time you have sex? (Choose one)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

126. If you are currently HIV-positive or were to become HIV-positive, what do you think is your chance of giving HIV/AIDS to your partner(s) in the future if you do not use condoms every time you have sex? (Choose one)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

127. If you are currently HIV-positive or were to become HIV-positive, what do you think is your chance of giving HIV/AIDS to your partner(s) in the future if you share needles, syringes or works when you inject drugs? (Choose the one answer that best describes your chance)

- No chance
- Unlikely
- Likely
- Certain to happen
- Decline to answer

Risk Reduction Plan

Think back to your RESPECT session and any risk reduction plan that you made with your RESPECT counselor/facilitator. The next set of questions is about this plan.

[QDS Instructions: If G10=No, then skip Q128-Q133]

128. Did you try to follow the Risk Reduction Plan that you developed with your RESPECT counselor?

(Choose one)

- Yes
- No
- Decline to answer

129. In your opinion, were you successful in doing this plan? (Choose one)

- Yes
- No [QDS Skip: Skip to Q131]
- Decline to answer

130. In your opinion, how likely is it that by doing this plan your risk for getting HIV or a STD was reduced? (Choose one) [QDS Skip: Skip to Q133 which will be the last question of the survey]

- Very unlikely
- Unlikely
- Likely
- Very likely
- Decline to answer

131. In your opinion, if you had successfully done this plan, how likely is it that this would have reduced your risk for getting HIV or a STD? (Choose one) [QDS Skip: This question should only asked for those clients who indicated that Q129 = 'unsuccessful']

- Very unlikely
- Unlikely

- Likely
- Very likely
- Decline to answer

132. In your opinion, what was the main reason for not trying or not succeeding with this plan?

(Choose one) [QDS Skip: This question should only be asked for those clients who indicated that Q129 = 'unsuccessful']

- I forgot about it
- I tried something else
- It was too difficult
- It did not seem important
- It would not have reduced my risk
- I was concerned about my partner's reaction
- My partner did not want to do it
- I felt I needed skills, practice or experience to follow through with the plan
- Some other reason
- Decline to answer [QDS QA Check: If any of the first 9 are checked, 'Decline to Answer' should not be enabled]

133. Which of these things made doing this plan difficult over the last 90 days? (Choose all that apply)

- I felt I needed more skills to follow through with plan
- It was hard to remember that I had made the plan
- I needed to change the plan to make it work
- It was uncomfortable for me
- I needed someone to talk to about my plan
- I had concerns about my partner's reactions
- My partner(s) were not cooperative or supportive
- I did not have any difficulty with the plan
- I had another barrier
- Decline to answer [QDS QA Check: If any of the first 9 are checked, 'Decline to Answer' should not be enabled]