GENERAL INSTRUCTIONS FOR COMPLETING THE HIV TEST FORM

- This form is designed to be read by an Optical Character Recognition (OCR) scanner. The legibility of this form depends on the quality of the hand-written and selected information.
- Carefully separate the sheets at the perforations. If the form tears, it may not be readable by the scanner or operator.
- Each part has a top sheet and a bottom carbonless copy. The top copy (white) is the only sheet that should be scanned. The bottom copy (yellow) should **NOT** be scanned; rather it should be used for record keeping purposes.
- **DO NOT** use red ink. Blue or black ink is preferred.
- **DO NOT** fold, staple, wrinkle or tear form(s).
- DO NOT USE WHITE OUT. White out sometimes will cause a mis-read by the scanning software.
- **DO NOT** mark on the bar codes of the Form ID numbers. Marking on the Form ID numbers (barcode) may cause the wrong number to be scanned.
- DO NOT make any stray marks on the form(s), particularly in the fields where answers will appear.
- Part 1 is the only form with a pre-printed code. You must attach a form identification sticker (barcode) located on the back of the carbonless copy (yellow) to Part 2 and/or Part 3 in order to link a client's information.
 - o Part 1 should be used for all testing events
 - o Part 2 should be used to record referral data on **confirmed HIV positive** clients
 - o Part 3 is used by jurisdictions funded to collect HIV Incidence data.

RESPONSE FORMATS

There are three different response formats on the form that you will use to record data: (1) text boxes, (2) check boxes, and (3) radio buttons. Instructions for each one of these formats are listed below.

Text boxes

Text boxes are used to record handwritten information (e.g., codes, dates). When writing letters or numbers in the boxes:

- use all capital letters and write neatly in your best penmanship. **DO NOT** use cursive.
- put only 1 letter or number per box and **DO NOT** have any part of the letter or number touch the edges of the box.

Here are examples of how to write letters and numbers:

LETTERS

A , B , C , D , E , F , G , H , I , J , K , L , M , N , O , P , Q , R , S , T , U , V , W , X , Y , Z

NUMBERS

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9

Check boxes


Check boxes are used to select all options that apply. For example, check boxes are used to record information about "Race."

- use an "X" instead of a check mark because the tail of the check mark might run over into another box.
- keep the "X" within the edges of the box.

Radio buttons

Radio buttons are ovals used to select <u>only one</u> option from among two or more options. For example, radio buttons are used to select "Current Gender." When selecting an option using a radio button:

- fill in the oval completely.
- **DO NOT** mark over area of the oval.





Code 128

000000000


HIV TEST FORM

PART₁



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

	Session [Date (MMDDYYYY) Unique	Agency ID Number	Intervention ID						
ည်										
Agenc)			Site Type							
ď	Site ID	Site Zip Code								
\geq		Client ID	(See codes on reverse) Date of Birth (MMDDYYYY) St	tate County Zip Code						
	1 1									
	Eth	nicity Race — Check all that app								
ţ		c or Latino American Ind./AK Native	Male Yes Female No	Positive Indeterminate Negative Don't know						
Client	Not Hispanic or Latino Don't know Black/African American		Transgender – M2F Don	't know Prelim. Pos. Declined						
	O Declined	Native HI/Pac. Islander	Transgender – F2M Dec							
	Г									
>		Don't know Decli	ned							
	Sample Date									
	(MMDDYYYY)									
est Information	Worker ID									
	Tested anonymously Test Election Tested confidentially		Tested anonymously	Tested anonymously Tested confidentially						
		Tested confidentially Declined testing	Tested confidentially Declined testing	Declined testing						
	Test	Conventional HIV TEST 1	Conventional Rapid HIV TEST 2	Conventional Rapid HIV TEST 3						
	Technology	Rapid HIV IES I 1	Rapid HIV IES I 2 Other	Rapid HIV IES I 3 Other						
	Specimen	Blood: finger stick	Blood: finger stick	Blood: finger stick						
	Type Blood: venipuncture Blood spot		Blood: venipuncture Blood spot	Blood: venipuncture Blood spot						
Jr.L		Oral mucosal transudate	Oral mucosal transudate	Oral mucosal transudate						
		Urine	Urine	Urine						
şşt	Test Result Positive/Reactive Indeterminate NAAT-pos Invalid		Positive/Reactive Indeterminate NAAT-pos Invalid	Positive/Reactive Indeterminate NAAT-pos Invalid						
\vdash		Negative No result	Negative No result	Negative No result						
	Result Provided		◯ Yes ◯ No	Yes No						
	Date Provided									
	(MMDDYYYY)									
	If results not provided,	Declined notificationDid not return/Could not locate	Declined notificationDid not return/Could not locate	Declined notification Did not return/Could not locate						
	why?	Obtained results from another agency	Obtained results from another agency	Obtained results from another agency						
	If rapid reactive, did	Yes Client declined confirmatory test	Yes	Yes						
	client provide	Did not return/Could not locate	Client declined confirmatory test Did not return/Could not locate	Client declined confirmatory test Did not return/Could not locate						
	confirmatory sample?	Referred to another agency Other	Referred to another agency Other	Referred to another agency Other						
	Choose one if: Client was not asked about risk factors Client was asked, but no risk was identified Client declined to discuss risk factors									
ors	If client risk factor information was discussed, please mark all that apply:									
act	In past 12 months has client had:without using a condom? Injection Drug Use (IDU) Other Risk Factor(s)									
sk Factors	Vaginal or Anal Sex Oral Sex with person who is an IDU? Has client used injection drugs in past 12 months?									
Risk I	With Male	with person who is M	SM? (Female if	f marked						
Ü	With Female	with person who is HIV	positive? Did client share dr equipment?	rug injection (see codes on reverse)						
		Session Activity	Local Use F	Fields CDC Use Fields						
	uring this visit, or the client?	ng this visit, was a risk reduction plan developed								
10	Other Session Activities (see codes on reverse)									
			L2 L							
\										





Code 128

000000000

HIV TEST FORM

PART₁



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

Session	Date (MMDDYYYY) Unique	Agency ID Number	Intervention ID							
	, , , , , , , , ,									
Site ID		Cita Type	Site Zin Code							
		Site Type See codes on reverse)	Site Zip Code							
	Client ID	Date of Birth (MMDDYYYY) St	tate County Zip Code							
	nnicity Race — Check all that app									
	d Black/African American Native HI/Pac. Islander	Male Yes Female No Transgender – M2F Transgender – F2M Not	Negative Don't know Prelim. Pos. Declined Not asked							
Sample Date (MMDDYYYY)										
Worker ID										
Test Election	Tested anonymously Tested confidentially Declined testing	Tested anonymously Tested confidentially Declined testing	Tested anonymously Tested confidentially Declined testing							
Test Technology	Conventional Rapid HIV TEST 1 Other	Conventional Rapid HIV TEST 2 Other	Conventional Rapid Other Conventional HIV TEST 3							
Specimen Type	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine							
Test Result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result							
Result Provided	◯ Yes ◯ No	◯ Yes ◯ No	◯ Yes ◯ No							
Date Provided (MMDDYYYY)										
If results not provided, why?	Declined notification Did not return/Could not locate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency							
If rapid reactive, did client provide confirmatory sample?	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other							
Choose one	if: Client was not asked about risk factors	Client was asked, but no risk was identifi	ied Client declined to discuss risk factors							
<u>2</u> 0	If client risk factor information	on was discussed, please mark all that apply:								
Vaginal With Male	In past 12 months has client had:without using a condom? Injection Drug Use (IDU) Vaginal or Anal Sex With Malewith person who is MSM? (Female Only) With Femalewith person who is HIV positive? Did client share drug injection (see codes on reverse)									
with Female	equipment?									
During this visit, for the client?	Session Activity was a risk reduction plan developed Other Session Activities (see codes on reverse	L1 , , , , , ,	Fields CDC Use Fields							

		-	ing Data (Optional)		
Name: _					
Address:_					
Phone: _		Other:			
odes for S	Sto Two		F02.99	Outpatient Facility- Ur	denoven
01	Inpatient Facility		F03	Emergency Room	
01.01	Inpatient Hospital		F04.01	Blood Bank, Plasma C	
01.50 01.88	Inpatient- Drug / Alcohol To In patient Facility- Other	reatment	F04.05 F06	HIV Counseling and T Community Setting	esting Site
01.88	Inpatient Facility- Unknown	n	F06.01		AIDS Service Organization – non clin
02	Outpatient facility		F06.02	Community Setting – S	School/Education Facility
02.03	Outpatient- Private Medical		F06.03		Church/Mosque/Synagogue/Temple
02.04	Outpatient- HIV Specialty (F06.04		Shelter/Transitional housing
02.10 02.12	Outpatient- Prenatal/ OBGY Outpatient- TB Clinic	in Clinic	F06.05 F06.06	Community Setting – C Community Setting – I	
02.19	Outpatient- Drug / Alcohol	Treatment Clinic	F06.07		Bar/Club/Adult Entertainment
02.20	Outpatient- Family Planning		F06.08	Community Setting - I	
02.30	Outpatient- Community Me		F06.09	Community Setting – V	Workplace
02.51 02.58	Outpatient- Community Hea Outpatient- School/University		F06.12 F06.10	Individual Residence Community Setting – Community Setting Set	Community Center
02.60	Outpatient- Health Departm		F06.88	Community Setting – C	
02.61		nent/Public Health Clinic-HIV	F07	Correctional Facility	
02.62	1 1	nent/Public Health Clinic-STD	F88	Facility - Other	
02.88	Outpatient Facility- Other				
	Other Risk factor(s)	, , , , , ,			
1	Exchange sex for drugs/mone While intoxicated and/or high				
2 5	While intoxicated and/or high With person of unknown HIV				
6	With person who exchanges s				
8	With anonymous partner	,			
9		nilia or transfusion/transplant recipient			
1	Sex with transgender				
	Other Session Activities Not Collected				
1.00 3.00	HIV Testing		10.07	Practice – Partner notific	ation
4.00	Referral		10.88	Practice – Other	ution
5.00	Personalized Risk assessment		11.01	Discussion - Sexual risk	
6.00	Elicit Partners		11.02	Discussion – IDU risk re	
7.00	Notification of exposure		11.03	Discussion – HIV testing	
8.01 8.02	Information – HIV/AIDS tran Information-Abstinence/postr		11.04 11.05	Discussion – Other sexua Discussion – Disclosure	
8.03	Information-Other sexually tr		11.06	Discussion – Partner not	
8.04	Information-Viral hepatitis		11.07	Discussion - HIV medic	ation therapy adherence
8.05		HIV/STD counseling and testing	11.08		/postpone sexual activity
8.06	Information-Availability of pa services	artner notification and referral	11.09 11.10	Discussion – IDU risk fr Discussion – HIV/AIDS	
8.07	Information – Living with HI	V/AIDS	11.10	Discussion – HIV/AIDS Discussion – Viral hepat	
8.08	Information – Availability of		11.12	Discussion – Living with	
8.09	Information - Availability of		11.13		of HIV/AIDS counseling testing
8.10	Information - Sexual risk red		11.14		of partner notification and referral
8.11	Information – IDU risk reduct		11.15	services	£ i-1 i
8.12 8.13	Information – IDU risk free b Information – Condom/barrie		11.15 11.16	Discussion – Availability Discussion – Availability	
8.14	Information – Negotiation / C		11.17	Discussion – Availability Discussion – Condom/ba	
8.15	Information – Decision makir		11.18	Discussion - Negotiation	
8.16	Information - Disclosure of H	HIV status	11.19	Discussion - Decision m	aking
8.17	Information – Providing preve	ention services	11.20	Discussion – Providing p	
8.18 8.19	Information – HIV testing Information – Partner notifica	ation	11.21 11.22	Discussion – Alcohol and Discussion – Sexual heal	
8.20	Information – HIV medication		11.23	Discussion – TB testing	
8.21	Information - Alcohol and dr		11.24	Discussion - Stage Base	d Encounter
8.22	Information - Sexual health	-	11.88	Discussion - Other	
8.23	Information – TB testing		12.01	Other testing – Pregnanc	у
8.66 9.01	Information – Other Demonstration – Condom/bar	rier use	12.02 12.03	Other testing – STD Other testing – Viral hep	atitic
9.01 9.02	Demonstration – Condom/bar Demonstration – IDU risk red		12.03	Other testing – Viral nep Other testing – TB	auus
9.03	Demonstration - Negotiation	/ Communication	13.01	Distribution – Male cond	loms
9.04	Demonstration - Decision ma	iking	13.02	Distribution - Female co	ndoms
9.05	Demonstration – Disclosure of		13.03	Distribution – Safe sex k	
9.06 9.07	Demonstration – Providing pr Demonstration – Partner notif		13.04 13.05	Distribution – Safer inject Distribution – Lubricants	
9.88	Demonstration – Other	TOUR OF THE PROPERTY OF THE PR	13.06	Distribution – Education	
0.01	Practice – Condom/barrier use	e	13.07	Distribution - Referral li	sts
0.02	Practice – IDU risk reduction		13.08	Distribution – Role mode	
0.03	Practice – Negotiation / Com	munication	13.09	Distribution – Dental DA	AMS
0.04 0.05	Practice – Decision making Practice – Disclosure of HIV	status	13.88 14.01	Distribution – Other Post-intervention follow	ıın
0.06	Practice – Providing prevention		14.01	Post-intervention booster	
	Ø1		15.00	HIV Testing History Sur	
			89	Other	
				1	
		Code 100		ode 128	Code 128
Co	de 128	Code 128		oue 120	Code 126

Code 128

0000000000

Code 128

000000000

Code 128

000000000

Code 128

000000000