

Attachment 17: REFERENCES

Web-based Skills Training for SBIRT (Screening Brief Intervention and Referral to Treatment)

## References

- Aalto, M., Pekuri, P., & Seppä, K. (2003). Primary health care nurses' and physicians' attitude, knowledge and beliefs regarding brief intervention for heavy drinkers. *Addiction, 96*, 305-311.
- Aalto, M., Pekuri, P., & Seppä, K. (2005). Implementation of brief alcohol intervention in primary health care: Do nurses' and general practitioners' attitudes, skills and knowledge change?. *Drug and Alcohol Review, 24*(6), 555- 558.
- Abdolrasulnia, M., Collins, B. C., Casebeer, L., Wall, T., Spettell, C., Ray, M. N., et al. (2004). Using email reminder to engage physicians in an internet-based CME intervention. *BMC Medical Education, 4*, 17.
- Adams, W. L, Barry, K. L, & Fleming, M. F. (1996). Screening for problem drinking in older primary care patients. *Journal of the American Medical Association, 276*, 1964-1967.
- Archer, L., & Grant, B. F. (1995). What if Americans drank less? The potential effect on the prevalence of alcohol abuse and dependence. *American Journal of Public Health, 85*, 61-66.
- Ajzen (2002). Perceived behavioral control, self-efficacy, locus of control, and the theory of planned behavior. *Journal of Applied Psychology, 32*, 665-683.
- Armitage, C. J. & Conner, M. (2001). Efficacy of the theory of planned behavior: A meta-analytic review. *British Journal of Social Psychology, 40*, 471-499.
- Babor, T. F., Higgins-Biddle, J. C., Dauser, D., Burleson, J. A., Zarkin, G. A., & Bray, J. (2006). Brief interventions for at-risk drinking: Patient outcomes and cost-effectiveness in managed care organizations. *Alcohol & Alcoholism, 41*, 624-631.
- Babor, T. F., Higgins-Biddle, J. C., Higgins, P. S., Gassman, R. A., & Gould, B. E. (2004). Training medical providers to conduct alcohol screening and brief interventions. *Substance Abuse, 25*(1), 17-26.
- Babor, T. F., Higgins-Biddle, J. C., Saunders, J. B., & Monteiro, M. G. (2001). *AUDIT. The Alcohol Use Disorders Identification Test. Guidelines for use in primary care* (2<sup>nd</sup> ed.). Geneva, Switzerland: World Health Organization.
- Babor, T. F., McRee, B. G., Kassebaum, P. A., Grimaldi, P. L., Admed, K., & Bray, J. (2007). Screening, brief intervention, and referral to treatment (SBIRT): Toward a public health approach to the management of substance abuse. *Substance Abuse, 29*, 7-30.
- Baer, J. S., Rosengren, D. B., Dunn, C. W., Wells, E. A., Ogle, R. L., & Hartzler, B. (2004). An evaluation of workshop training in motivational interviewing for addiction and mental health clinicians. *Drug and Alcohol Dependence, 73*, 99-106.
- Bander, K. W., Goldman, D. S., Schwartz, M. A., Rabinowitz, E., & English, J. T. (1987). Survey of attitudes among three specialties in a teaching hospital toward alcoholics. *Journal of Medical Education, 62*, 17-24.
- Berman, A. H., Bergman, H., Palmstierna, T., & Schlyter, F. (2005). Evaluation of the Drug Use Disorders Identification Test (DUDIT) in criminal justice and detoxification settings and in a Swedish population sample. *European Addiction Research, 11*, 22-31.
- Bewick, B. M., Trusler K., Barkham M., Hill A. J., Cahil J., & Mulhern B. (2008). The effectiveness of web-based interventions designed to decrease alcohol consumption—A systematic review. *Preventive Medicine, 47*, 17-26.
- Bigby, J., & Barnes, H. N. (1993). Evaluation of a faculty development program in substance abuse education. *Journal of General Internal Medicine, 8*, 301-305.
- Carballo, J. J., Oquendo, M. A., Giner, L., Garcia-Parajua, P., Iglesias, J. J., Goldberg, P. H., et al. (2006). Prevalence of alcohol misuse among adolescents and young adults evaluated in a primary care setting. *International Journal of Adolescent Medicine and Health, 18*, 197-202.
- Carpenter, K. M., Cohn, L. G., Glynn, L. H., & Stoner, S. (2008). Brief interventions for smoking cessation: Using the internet to train healthcare providers. *International Electronic Journal of Health Education, 11*, 1-12.
- Carpenter, K., Watson, J., Raffety, B., & Chabal, C. (2003). Teaching brief interventions for smoking cessation via an interactive computer-based tutorial. *Journal of Health Psychology, 8*, 149-160.
- CDC (Centers for Disease Control). (2006). *Fact sheet: cigarette smoking-related mortality*. Retrieved April 15, 2009, from [http://www.cdc.gov/tobacco/data\\_statistics/fact\\_sheets/health\\_effects/cig\\_smoking\\_mort.htm](http://www.cdc.gov/tobacco/data_statistics/fact_sheets/health_effects/cig_smoking_mort.htm)
- Chamers T., & Lee D. (2004) Web-based training in corporations: Organizational

- considerations. *International Journal of Instructional Media*, 31, 345-354.
- Chappel, J. N. & Schnoll, S. H. (1977). Physician attitudes: Effect on the treatment of chemically dependent patients. *Journal of the American Medical Association*, 237(21), 2318-2319.
- Chappel, J. N. & Veach, T.L. (1987). Effects of a course on students attitudes towards substance abuse and its treatment. *Journal of Medical Education*, 62, 394-400.
- Chappel, J. N., Veach, T. L., & Krug, R. S. (1985). The substance abuse attitude survey: An instrument for measuring attitudes. *Journal of Studies on Alcohol*, 46, 48-52.
- Clark, R. C., & Mayer, R. E. (2003). *E-Learning and the science of instruction: Proven guidelines for consumers and designers of multimedia learning*. San Francisco: Pfeiffer.
- Davis, D. A., Thomson, M. A., Oxman, A. D. & Haynes, R. B. (1992). Evidence for the effectiveness of CME. A review of 50 randomized control trials. *Journal of the American Medical Association*, 268, 1111–1117.
- Davis, D. A., Thomson, M. A., Oxman, A. D. & Haynes, R. B. (1995). Changing physician performance: A systematic review of the effect of continuing medical education strategies. *Journal of the American Medical Association*, 274, 700–705.
- Dawson, D. A., Grant, B. F., Chou, S. P., & Pickering, R. P. (1995). Subgroup variation in U.S. drinking patterns: Results of the 1992 National Longitudinal Alcohol Epidemiologic Study. *Journal of Substance Abuse*, 7, 331-344.
- Dhalla, S., & Kopec, J. A. (2007). The CAGE questionnaire for alcohol misuse: A review of reliability and validity studies. *Clinical & Investigative Medicine*, 30, 33-41.
- Dieckhaus, K., Vontell, S., Pfeiffer, C., & Williams, A. (2005). The use of standardized patient encounters for evaluation of a clinical education program on the development of HIV/AIDS-related clinical skills. *Journal of HIV/AIDS and Social Services*, 4, 9-26.
- Dumas, J. S. & Redish, J. C. (1999). *A practical guide to usability testing (Revised ed.)*. Portland, OR: Intellect Ltd.
- El-Guebaly, N., Toews, J., Lockyer, J., Armstrong, S., & Hodgins, D. (2000). Medical education in substance-related disorders: Components and outcome. *Addiction*, 95(6), 949-957.
- Farmer, R., & Greenwood, N. (2001). General practitioners' management of problem drinkers: Attitudes, knowledge and practice. *Drugs: Education, Prevention and Policy*, 8, 119-129.
- Faul, F., Erdfelder, E., Lang, A. G., & Buchner, A. (2007). G\*Power 3: A flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behavior Research Methods*, 39, 175-191.
- Fiore, M. C., Jaen, C. R., Baker, T. B., Bailey, W. C., Benowitz, N. L., Curry, S. J., et al. (2008). *Treating tobacco use and dependence: 2008 update. Clinical Practice Guideline*. Rockville, MD: U.S. Department of Health and Human Services.
- Flanagan, J. R., Peterson, M., Dayton, C., Strommer Pace, L., Plank, A., Walker, K., et al. (2002). Email recruitment to use web decision support tools for pneumonia. *Proceedings of the American Medical Informatics Association 2002 Annual Symposium*, 255–259.
- Foster, J. H., & Onyeukwu, C. (2003). The attitudes of forensic nurses to substance using service users. *Journal of Psychiatric and Mental Health Nursing*, 10, 578-584.
- Friedmann, P. D., McCullough, D., Chin, M. H., & Saitz, R. (2000) Screening and intervention for alcohol problems. A national survey of primary care physicians and psychiatrists. *Journal of General Internal Medicine*, 15, 84–91.
- Friedmann P. D., McCullough, D., & Saitz, R. (2001). Screening and intervention for illicit drug abuse: A national survey of primary care physicians and psychiatrists. *Archives of Internal Medicine*, 161, 248-251.
- Gassman, R. A. (2003). Medical specialization, profession, and mediating beliefs that predict stated likelihood of alcohol screening and brief intervention: Targeting educational interventions. *Substance Abuse*, 24(3), 141-156.
- Gerace L., Hughes T., & Spunt, J. (1995) Improving nurses responses towards substance-misusing patients: a clinical evaluation project. *Archives of Psychiatric Nursing*, 9, 286-294.
- Giguere P., & Minotti J. (2003). Developing high-quality web-based training for adult learners. *Educational Technology*, 43, 57-58.
- Grant, B. F. (1993). ICD-10 harmful use of alcohol and the alcohol dependence syndrome: Prevalence and implications. *Addiction*, 88, 413-420.
- Hasin, D. S., Stinson, F. S., Ogburn, E., & Grant, B. F. (2007). Prevalence, correlates, disability,

- and comorbidity of DSM-IV alcohol abuse and dependence in the United States. *Archives of General Psychiatry*, 64, 830-842.
- Hassett J., Ingram A. L., Hassett M., & Marino E. (2003). What do learners like? Ratings of off-the-shelf web-based training courses. *International Journal on E-Learning*, 2, 50-60.
- Humeniuk, R., Ali, R., Babor, T. F., Farrell, M., Formigoni, M. L., Jittiwutikarn, J., et al. (2008). Validation of the alcohol, smoking and substance involvement screening test (ASSIST). *Addiction*, 103(6), 1039-1047.
- Humeniuk, R., Dennington, V., & Ali, R. (2008). The effectiveness of a brief intervention for illicit drugs linked to the alcohol, smoking and substance involvement screening test (ASSIST) in primary health care settings: A technical report of phase III findings for the WHO ASSIST randomized controlled trial. World Health Organization. [http://www.who.int/substance\\_abuse/activities/assist\\_technicalreport\\_phase3\\_final.pdf](http://www.who.int/substance_abuse/activities/assist_technicalreport_phase3_final.pdf).
- Johnson, T. P., Booth, A. L., & Johnson, P. (2005). Physician beliefs about substance misuse and its treatment: Findings from a U.S. survey of primary care practitioners. *Substance Use and Misuse*, 40, 1071-1084.
- Kaner, E. F. S., Wutzke, S., Saunders, J. B., Powell, A., Morawski, J. & Bouix, J. C. (2001). Impact of alcohol education and training on general practitioners' diagnostic and management skills: findings from a World Health Organization Collaborative Study. *Journal of Studies on Alcohol*, 62, 621-627.
- Kelleher, S., & Cotter, P. (2009). A descriptive study on emergency department doctors' and nurses' knowledge and attitudes concerning substance use and substance users. *International Emergency Nursing*, 17, 3-14.
- Kovacs, D. K. (2008) Why develop web-based health information workshops for consumers? *Library Trends*, 53, 348-359.
- Knight, J. R., Sherritt, L., Harris, S. K., Gates, E. C., & Chang, G. (2003). Validity of brief alcohol screening tests among adolescents: A comparison of the AUDIT, POSIT, CAGE, and CRAFFT. *Alcoholism: Clinical and Experimental Research*, 27(1), 67-73.
- Knight, J. R., Sherritt, L., Shrier, L. A., Harris, S. K., and Chang, G. (2002). Validity of the CRAFFT substance abuse screening test among adolescent clinic patients. *Archives of Pediatric Adolescent Medicine*, 156, 607-614.
- Lane, C., Huws-Thomas, M., Hood, K., Rollnick, S., Edwards, K., & Robling, M. (2005). Measuring adaptations of motivational interviewing: The development and validation of the behavior change counseling index (BECCI). *Patient Education and Counseling*, 56, 166-173.
- Lane, C. (2002). The behaviour change counseling index (BECCI): Manual for coding behaviour change counseling. University of Wales College of Medicine.
- Lane, C., Johnson, S., Rollnick, S., Edwards, K., & Lyons, M. (2003). Consulting about lifestyle change: Evaluation of a training course for specialist diabetes nurses. *Practical Diabetes International*, 20, 204-208.
- Lee, D., Chamers, T., & Ely, T. (2005). Web-based training in corporations: Design issues. *International Journal of Instructional Media*, 32, 27-35.
- Litt, I. F. (2002). How to provide effective smoking cessation advice in less than a minute without offending the patient. *Australian Family Physician*, 31, 1087-1094.
- Madigan, D., Clarkson, D., Donell, D., Hunt, E., Keim, M., & Minstrell, J. (1997). Facet-based instruction for statistics. *Journal of Statistics Education*, 52, 11-23.
- Madras, B. K., Compton, W. M., Avula, D., Stegbauer, T., Stein J. B., & Clark H. W. (2009). Screening, brief interventions, referral to treatment (SBIRT) for illicit drug and alcohol use at multiple healthcare sites: Comparison at intake and 6 months later. *Drug and Alcohol Dependence*, 99, 280-295.
- Mayer R. E. (2008). Applying the science of learning: Evidence-based principles for the design of multimedia instruction. *American Psychologist*, 63, 760-769.
- McMahon, R. S., Iwamoto, M., Massoudi, S. M., Yusuf, H. R., Stevenson, J. M., David, F., et al. (2003). Comparison of e-mail, fax, and postal surveys of pediatricians. *Pediatrics*, 111, e299-303. Retrieved April 14, 2009, from <http://pediatrics.aappublications.org/cgi/content/full/111/4/e299>
- Miller, W. R., & Sanchez, V.C. (1994). Motivating young adults for treatment and lifestyle change. In G. S. Howard & P. E. Nathan (Eds.), *Issues in alcohol use and misuse in young adults* (pp. 55-81). Notre Dame, IN: University of Notre Dame Press.

- Mundt, M. P. (2006). Analyzing the costs and benefits of brief intervention. *Alcohol Research and Health, 29*, 34-36.
- Ockene, J. K., Wheeler, E. V., Adams, A., Hurley, T. G., & Herbert, J. (1997). Provider training for patient-centered alcohol counseling in a primary care setting. *Archives of Internal Medicine, 157*(20), 2334-2341.
- Peltzer, K., Seoka, P., Babor, T., & Obot, I. (2006). Training primary care nurses to conduct alcohol screening and brief interventions in South Africa. *Curationis, 29*(2), 16-21.
- Perkins, M. B., Jensen, P. S., Jaccard, J., Gollwitzer, P., Oettingen, G., Pappadopoulos, E., et al. (2007). Applying theory-driven approaches to understanding and modifying clinicians' behavior: What do we know?. *Psychiatric Services, 58*(3), 342-348.
- Piccinelli, M., Tessari, E., Bortolomasi, M., Piasere, O., Semenzin, M., Garzotto, N., et al. (1997). Efficacy of the alcohol use disorders identification test as a screening tool for hazardous alcohol intake and related disorders in primary care: A validity study. *British Medical Journal, 314*, 420-424.
- Proude, E. M., Conigrave, K. M., & Haber, P. S. (2006). Effectiveness of skills-based training using the Drink-less package to increase family practitioner confidence in intervening for alcohol use disorders. *BMC Medical Education, 6*, 8.
- Richmond I., & Foster J. H. (2003) Mental health professionals moral attitudes towards people with co-morbid mental health and substance misuse problems. *Journal of Mental Health, 12*, 391-401.
- Rose, J. S., Herman, D. S., Hagerty, C., Phipps, M. G., Peipert, J. F., & Stein, M. D. (2007). Marijuana use among young women in a primary care setting. *Journal of General Internal Medicine, 22*, 826-829.
- Rosengren, D. B., Baer, J. S., Hartzler, B., Dunn, C., & Wells, E. (2005). The Video Assessment of Simulated Encounters (VASE): Development and validation of a group-administered method for evaluating clinician skills in motivational interviewing. *Drug and Alcohol Dependence, 79*, 321-330.
- Rosengren, D. B., Hartzler, B., Baer, J. S., Wells, E. A., & Dunn, C. W. (2008). The Video Assessment of Simulated Encounters—Revised (VASE-R): Reliability and validity of a revised measure of motivational interviewing skills. *Drug and Alcohol Dependence, 97*, 130-138.
- Rubin, A. (1996). Educational technology: Support for inquiry-based learning. In K. Fulton (Ed.), *Technology infusion and school change: Perspectives and practices*. TERC Research Monograph. Retrieved April 14, 2009, from <http://modelschools.terc.edu/TEMPLATE/Publications/Publications.cfm>
- Shepperd, B. H., Hartwick, J., & Warshaw, P. R. (1988). The theory of reasoned action: A meta-analysis of past research with recommendations for modifications and future research. *Journal of Consumer Research, 15*, 325-343.
- Substance Abuse and Mental Health Services Administration. (2010). Results from the 2009 National Survey on Drug Use and Health: Volume I. Summary of National Findings (Office of Applied Studies, NSDUH Series H-38A, HHS Publication No. SMA 10-4586Findings). Rockville, MD.
- Stillman, P. L., Swanson, D. B., Smeee, S., Stillman, A. E., Ebert, T. H., Emmel, V. S., et al. (1986). Assessing clinical skills of residents with standardized patients. *Annals of Internal Medicine, 105*, 762-771.
- U.S. Preventive Services Task Force. (2004). *Screening and behavioral counseling interventions in primary care to reduce alcohol misuse*. Retrieved April 15, 2009, from <http://www.ahrq.gov/clinic/uspstf/uspstfdrin.htm>
- Volk, R. J., Steinbauer, J. R., & Cantor, S. B. (1996). Patient factors influencing variation in the use of preventive interventions for alcohol abuse by primary care physicians. *Journal of Studies on Alcohol, 57*, 203-209.
- Vu, N. V. & Barrows, H. S. (1994). Use of standardized patients in clinical assessments: Recent developments and measurements findings. *Educational Researcher, 23*, 23-30.
- Vu, N. V., Barrows, H. S., Marcy, M., Verhulst, S., Colliver, J., & Travis, T. (1992). Six years of comprehensive, clinical, performance-based assessment using standardized patients at the Southern Illinois University School of Medicine. *Academic Medicine, 67*, 42-50.
- Weingardt, K. R. (2004). The role of instructional design and technology in the dissemination of empirically supported manual-based therapies. *Clinical psychology: Science and practice 11*, 313-331.
- Weingardt, K. R., & Villafranca, S. W. (2004). Translating research into practice: The role of web-based education. *Journal of Technology in Human Services, 23*, 259-273.

- WHO ASSIST Working Group (2002). The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): Development, reliability and feasibility. *Addiction*, 97, 1183-1194.
- WHO Brief Interventions Study Group. (1996). A cross-national trial of brief interventions with heavy drinkers. *American Journal of Public Health*, 86, 949-955.
- Williams, B. O. (2005). The origins of graphic screen design principles theory or rhetoric? *International Journal of Instructional Media*, 32, 181-193.