


Page 2

N 4 1 4 8 1 1	10, M ()	and platfor induced, the second	A	- 0 - X
	om/s.aspx?sm=cZZ61OnLbvrgcDGFi3BIAQ%3d%3d	, P → 🗟 Ċ × 🔥 SurveyMonkey	Question Buil 遵 Assessment of Domestic Gu 🗙	⊕ ☆ ‡
File Edit View Favorites Tools He	elp			
🗴 🍖 Convert 🔻 🛃 Select				
👍 餐 Web Slice Gallery 🔫			🏠 🔻 🔝 👻 🖃 🖶 🕶 Page 🕶 Safety 🕶	Tools 🔻 🔞 👻 🎬
Assessment of Domestic Guidelin	nes for HIV Testing			<u>^</u>
Section 1. Facilities for Domestic Me	edical Screening of Newly Arriving Refugees			
* 1. For what state do you serve as ref	fugee health coordinator?			
State:	select state			
Of the 7 highest volume facilities that medical screening in these facilities?	t newly arriving refugees complete their domestic me	dical screening in your state, what are	the facility types and percentage of newly arriving refugees who complete the	ir domestic
medical screening in mose facilities:	Facility Ty	pe	Percentage	
Facility #1				E
Facility #2		•		
Facility #3		•		
Facility #4				
Facility #5				
Facility #6				
Facility #7				
**Explain the 'other' facility types s	elected above:			
2.1				
3. Do any facilities provide HIV testing f	for newly arriving refugees?			
Yes (This selection goes to Section 2. D				
No (This selection skips to the end.)				
O Don't know (This selecton skips to the	e end)			
		Prev Next		
				€ 85% -
			Ê 🔒 👾 🗮 🗮 💆 🛄	9:27 PM
				2/5/2014


C Mttp://www.surveymonkey.com/s.aspx?sr	n=cZZ61OnLbvrgcDGFi3BIAQ%3d9	3d 🔎 🗝 🖻 🖒 🗙 🎑 Assessment of l	Domestic G ×	
File Edit View Favorites Tools Help				
× ଐ Convert ▼ 🔂 Select ☆ 🖉 Web Slice Gallery ▼				🖪 🖶 🔻 Page 🕶 Safety 🕶 Tools 🕶 🕢 🎽
Assessment of Domestic Guidelines	s for HIV Testing			
Section 2. Domestic Guidelines for HIV	/ Testing			
4. For newly arriving refugees indicate	if these facilities:			E
a) Provide HIV testing during domestic me	edical screening,			
b) What month and year the facility bega	n HIV testing,			
c) What is the average timeframe from arr	ival into the US to HIV tes	t (e.g. HIV test is provided to refugee	on average 1 month to 2 months post an	rival into the U.S. in this facility),
d) Also, indicate if facility is opt-in, opt-out	don't know or not applica	ble.		
Note: <u>Opt-in</u> is testing offered and the patient is re-				
Opt-out is notifying the patient that the test is norm			fers testing.	
			HIV Test is provided on	Is HIV testing Opt-in, Opt-
Pro	vides HIV testing?	HIV testing began?	average timeframe post	out, don't know, or not
	-		arrival?	applicable?
Facility #1		•		
Facility #2	▼		•	
Facility #3	•	▼	•	
Facility #4			•	
Facility #5				
Facility #6	•		•	•
Facility #7		•		
**Provide reasons for those facilities not providing HIV testing:				
				• • 100% •


Page 3 continued



Page 3 contintued

Assessment of Domestic G × Section 2007 - Section 2			☆ ☆ 🕸
File Edit View Favorites Tools Help			
X 🍕 Convert 🔻 🛃 Select			
🚖 🙆 Web Slice Gallery ▼	🗄 • 🗟 • 🖃 🖶	Page	Tools 🔻 🚷 🕶
6. In facilities that provide HIV testing with culturally sensitive and appropriate counseling in their primary spoken la counseling provided? (Check all that apply.)	nguage, how is the cultu	rally sensitive an	d
Interpreter present in-person			
Interpreter present via phone			
Written materials			
Video			
**Other (please specify)			
· · · · · · · · · · · · · · · · · · ·			
7. In facilities that provide HIV testing with referral to care, treatment and preventive services for all individuals con referred? (Check all that apply.)	irmed to be HIV-infected	, where are the re	efugees
Private Physician			
Health Department			
Designated public health outreach worker who is responsible for finding and counseling people with sexually transmit Intervention Specialist (DIS).	ted diseases and their contact	ts such as <i>Disease</i>	
**Other (please specify)			
· · ·			E
Prev Next			
			100% •





	A T - S T	
	🗲 🛞 🧭 http://www. surveymonkey.com /s.aspx?sm=cZZ61OnLbvrgcDGFi3BI/ 🔎 🗕 🗟 🗙 🧭 Assessment of Domestic G 🗴	☆ 🔅
We Stace Callery * Assessment of Domestic Guidelines for HIV Testing Section 5A. 2010 Aggregate HIV Testing Results (if available) If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate-level testing results with COC, please provide values for callendar year 2010 Total # of refugee arrivals in your state # of refugees for General Called HIV testing # of refugees store of HIV testing # of refugees with callendar year 2010 Total # of refugees with callendar year 2010 Total # of refugees with callendar year 2010 # of refugees with callendar or refused HIV testing # of refugees with callendar year 2010 # of refugees with callendar or refused HIV testing # of refugees with callendar or refused HIV testing # of refugees with callendar or refused HIV testing # of refugees with positive HIV test results who were referred to care & treatment # of refugees age 15 years who were HIV positive Refugees age 15 years who were HIV positive Refugees age 2.65 years who were HIV positive Refugees age 2.65 years who were HIV positive Refugees age 2.65 years who were HIV positive HV positive refugees born in <u>Africa (Sub-Sahara)</u> region (e.g., Uman, Malaysia, etc.) HV positive refugees born in <u>East Asia and Pacific</u> region (e.g., Uman, Malaysia, etc.) HV positive refugees born in <u>East Asia and Pacific</u> and Middle East) region (e.g., Ing. Ina, Jordan, Syria, etc.) HV positive refugees born in <u>Subth and Central Asia</u> region (e.g., Bunan, Nepal, Afghanistan, Paki	File Edit View Favorites Tools Help	
Assessment of Domestic Guidelines for HIV Testing Section 5A. 2010 Aggregate HIV Testing Results (if available) If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate-level testing results with CDC, please provide values for calendar year 2010 Total # of refugee arrivals in your state # of refugees offered HIV testing ## of refugees offered HIV testing ## of refugees of the HIV testing ## of refugees who declined or refused HIV testing ## of refugees who had positive HIV test result # of refugees who had positive test results prior to U.S. arrival ## of refugees who had positive test results prior to U.S. arrival ## of refugees age 15.19 years who were HIV positive Refugees age 30-56 years who were HIV positive Refugees age 30-56 years who were HIV positive HIV positive refugees born in East Asia and Pacific region (e.g., Burna, Thaland, Malaysia, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Ukraine, Midova, Russia, Turkey, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Ukraine, Midova, Russia, Turkey, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Ukraine, Malosa, Russia, Turkey, etc.) HIV positive refugees born in Mear East, Mont Antica and Middel East) region (e.g., Rus, Inadorda, Syria, etc.)	🗴 🍖 Convert 🔻 🔂 Select	
Section 5A 2010 Aggregate HIV Testing Results (if available) If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate-level testing results 13. HIV Testing and Results in calendar year 2010 Total # of refugees arrivals in your state # of refugees <u>offered</u> HIV testing # of refugees strength of HIV testing # of refugees who had positive HIV test result # of refugees who had positive HIV test results by roor to U.S. arrival # of refugees and HIV positive test results prior to U.S. arrival # definitions who were HIV positive Refugees age <u>15.19 years</u> who were HIV positive Refugees age <u>20.64 years</u> who were HIV positive Refugees torn in <u>Africa (Sub-Sahara</u>) region(e.g., Smalla, fthiopia, Democratic Republic of the Congo, Kenya, etc.) HIV positive refugees torn in <u>Africa (Sub-Sahara</u>) region(e.g., Buna, Thailand, Malaysia, etc.) HIV positive refugees torn in <u>Africa (Sub-Sahara</u>) region(e.g., Buna, Thailand, Malaysia, etc.) HIV positive refugees torn in <u>Near East (North Africa and Middle East)</u> region (e.g., Rura, Thailand, Malaysia, etc.) HIV positive refugees torn in <u>Near East (North Africa and Middle East)</u> region (e.g., Rura, Tan, Jordan, Syria, etc.) HIV positive refugees torn in <u>Near East (North Africa and Middle East)</u> region (e.g., Cluba, Columb, etc.) HIV positive refugees torn in <u>Near Ea</u>	hage 🛃 Web Slice Gallery ▼ 🔄 🖶 ▼ Page ▼ Sa	fety 🔻 Tools 🔻 🔞 👻 🥍
If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate-level testing results 14. HV Testing and Results in calendar year 2010 Total # of refugees arrivals in your state	Assessment of Domestic Guidelines for HIV Testing	<u> </u>
with CDC, please provide values for calendar year 2010 13. HIV Testing and Results in calendar year 2010 Total # of refuges arrivals in your state # of refuges activates in your state # of refuges scienced HIV testing # of refuges scienced for HIV testing # of refuges such adgositive HIV testing # of refuges who had positive HIV test result # of refuges with positive HIV test results who were referred to care & treatment # of refuges with positive HIV test results prior to U.S. arrival Fernales, who were HIV positive Males who were HIV positive Refugess age, 215. Years who were HIV positive Refugess age, 20.64 years, who were HIV positive HIV positive refuges born in Africa (Sub-Sahara) region (e.g., Suma, Thailand, Maluysia, et.) HIV positive refuges born in East Asia and Pacific region (e.g., Burna, Thailand, Maluysia, et.) HIV positive refuges born in Europe and Eurosia region (e.g., Ukaine, Moldova, Russia, Turkey, etc.) HIV positive refuges born in South and Central Asia region (e.g., Ukaine, Moldova, Russia, Turkey, etc.) HIV positive refuges born in Kirca (Sub-Sahara) region (e.g., Ukaine, Moldova, Russia, Turkey, etc.) HIV positive refuges born in Kirca (Sub-Sahara) region (e.g., Ukaine, Moldova, Russia, Turkey, etc.) HIV positive refuges bor in Near East (North Africa and Middle East) region (e.g., Ruata,	Section 5A. 2010 Aggregate HIV Testing Results (if available)	
Total # of refugee arrivals in your state		evel testing results
# of refugees offered HIV testing	13. HIV Testing and Results in calendar year <u>2010</u>	
# of refugees Screened for HIV testing	Total # of refugee arrivals in your state	
# of refugees who declined or refused HIV testing	# of refugees <u>Offered</u> HIV testing	
# of refugees who had positive HIV test result # of refugees with positive HIV test results who were referred to care & treatment # of refugees with HIV-positive test results prior to U.S. arrival	# of refugees <u>SCreened</u> for HIV testing	
# of refugees with had positive HIV test results who were referred to care & treatment# of refugees with PIV-positive test results prior to U.S. arrival	# of refugees who declined or refused HIV testing	
# of refugees with positive HIV test results who were referred to care & treatment # of refugees with <u>HIV-positive test results prior to U.S. arrival # of refugees with <u>HIV-positive test results prior to U.S. arrival # Males</u> who were HIV positive # <u>Males</u> who were HIV positive # <u>Males</u> who were HIV positive # <u>Males</u> who were HIV positive # <u>Refugees age <15 years</u> who were HIV positive # Refugees age <u>15 years</u> who were HIV positive Refugees age <u>20-64 years</u> who were HIV positive Refugees age <u>20-64 years</u> who were HIV positive # UV positive refugees born in <u>Africa (Sub-Sahara)</u> region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.) HIV positive refugees born in <u>East Asia and Pacific</u> region (e.g., Burna, Thalland, Malaysia, etc.) HIV positive refugees born in <u>Near East (North Africa and Middle East)</u> region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in <u>Near East (North Africa and Middle East)</u> region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in <u>Western Hemisphere</u> region (e.g., Cload, Colombia, etc.) </u>	leave blank	
# of refugees with HIV-positive test results prior to U.S. arrival	# of refugees who had positive HIV test result	
Fermales who were HIV positive Males who were HIV positive Refugees age <15 Years	# of refugees with positive HIV test results who were referred to care & treatment	E
Males who were HIV positive Refugees age <u>15 years</u> who were HIV positive Refugees age <u>15 years</u> who were HIV positive Refugees age <u>20-64 years</u> who were HIV positive Refugees age <u>10 years</u> who were HIV positive HIV positive refugees born in <u>Africa (Sub-Sahara)</u> region(e.g., Burma, Thailand, Malaysia, etc.) HIV positive refugees born in <u>Near East (North Africa and Middle East)</u> region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in <u>South and Central Asia</u> region (e.g., Cuba, Colombia, etc.) HIV positive refugees born in <u>Western Hemisphere</u> region (e.g., C	# of refugees with HIV-positive test results prior to U.S. arrival	
Refugees age <15 years who were HIV positive	<u>Females</u> who were HIV positive	
Refugees age ≤15 years who were HIV positive	<u>Males</u> who were HIV positive	
Refugees age 15-19 years who were HIV positive Refugees age 20-64 years who were HIV positive Refugees age > 65 years who were HIV positive Image: Refugees age > 65 years who were HIV positive Image: Refugees age > 65 years who were HIV positive Image: Refugees age > 65 years who were HIV positive Image: Refugees age > 65 years who were HIV positive Image: Refugees age > 65 years who were HIV positive Image: Refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.) HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.) HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	leave blank	
Refugees age 20-64 years who were HIV positive	Refugees age <15 years who were HIV positive	
Refugees age > 65 years who were HIV positive	Refugees age <u>15-19 years</u> who were HIV positive	
HIV positive refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.) HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.) HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev	Refugees age <u>20-64 years</u> who were HIV positive	
HIV positive refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.) HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.) HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.) HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iraq, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev	Refugees age <u>> 65 years</u> who were HIV positive	
HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.) HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.) HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iraq, Iraq, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	leave blank	
HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.) HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	HIV positive refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.)	
HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iran, Jordan, Syria, etc.) HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.)	
HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.) HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	HIV positive refugees born in <u>Europe and Eurasia</u> region (e.g., Ukraine, Moldova, Russia, Turkey, etc.)	
HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.) Prev Next	HIV positive refugees born in <u>Near East (North Africa and Middle East)</u> region (e.g., Iraq, Iran, Jordan, Syria, etc.)	
Prev Next	HIV positive refugees born in <u>South and Central Asia</u> region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.)	
	HIV positive refugees born in <u>Western Hemisphere</u> region (e.g., Cuba, Colombia, etc.)	
	Prev Next	
▼ ▼		
		• 95% -

A TO A DESCRIPTION OF A	
🗲 🛞 🧭 http://www.surveymonkey.com/s.aspx?sm=cZZ610nLbvrgcDGFi3Bl/ 🔎 🗝 🗟 🕈 🖉 Assessment of Domestic G 🗴	⋒ ☆ 🥸
File Edit View Favorites Tools Help	
🗶 🍖 Convert 👻 🔂 Select	
🖕 🖉 Web Slice Gallery ▾ 🔁 🖶 ▼ Page ▼ S	afety 🔻 Tools 👻 🔞 👻 🎽
Assessment of Domestic Guidelines for HIV Testing	Â
Section 5B. 2011 Aggregate HIV Testing Results (if available)	
If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate- with CDC, please provide values for calendar year 2011 where possible.	level testing results
14. HIV Testing and Results in calendar year 2011	
Total # of refugee arrivals in your state	
# of refugees <u>Offered</u> HIV testing	
# of refugees <u>SCreened</u> for HIV testing	
# of refugees who declined or refused HIV testing	
leave blank	
# of refugees who had positive HIV test result	
# of refugees with positive HIV test results who were referred to care & treatment	=
# of refugees with HIV-positive test results prior to U.S. arrival	
Females who were HIV positive	
<u>Males</u> who were HIV positive	
leave blank	
Refugees age <15 years who were HIV positive	
Refugees age <u>15-19 years</u> who were HIV positive	
Refugees age <u>20-64 years</u> who were HIV positive	
Refugees age <u>> 65 years</u> who were HIV positive	
leave blank	
HIV positive refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.)	
HIV positive refugees born in <u>East Asia and Pacific</u> region (e.g., Burma, Thailand, Malaysia, etc.)	
HIV positive refugees born in <u>Europe and Eurasia</u> region (e.g., Ukraine, Moldova, Russia, Turkey, etc.)	
HIV positive refugees born in <u>Near East (North Africa and Middle East)</u> region (e.g., Iraq, Iran, Jordan, Syria, etc.)	
HIV positive refugees born in <u>South and Central Asia</u> region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.)	
HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.)	
Prev Next	
	· - € 95% · -

And all the second line in the second is and the second to	
🗲 🛞 🧭 http://www.surveymonkey.com/s.aspx?sm=cZZ610nLbvrgcDGFi3BI/ 🔎 🗝 🗟 🖒 🗙 🎯 Assessment of Domestic G 🗙	6 ☆ 🕸
File Edit View Favorites Tools Help	
🗶 🍖 Convert 👻 🔂 Select	
👍 🖉 Web Slice Gallery 🕶 📾 🔻 🖸 🖶 🔻 Page 🔻 Safe	ty ▼ Tools ▼ 🔞 ▼ 🥍
Assessment of Domestic Guidelines for HIV Testing	<u> </u>
Section 5C. 2012 Aggregate HIV Testing Results (if available)	
If your state health department collects any data related to HIV testing among newly arriving refugees and are able to share any aggregate-lew with CDC, please provide values for calendar year 2012 where possible.	el testing results
15. HIV Testing and Result in calendar year 2012	
Total # of refugee arrivals in your state	
# of refugees Offered HIV testing	
# of refugees <u>SCreened</u> for HIV testing	
# of refugees who declined or refused HIV testing	
leave blank	
# of refugees who had positive HIV test result	
# of refugees with positive HIV test results who were referred to care & treatment	=
# of refugees with HIV-positive test results prior to U.S. arrival	
<u>Females</u> who were HIV positive	
<u>Males</u> who were HIV positive	
leave blank	
Refugees age <15 years who were HIV positive	
Refugees age <u>15-19 years</u> who were HIV positive	
Refugees age <u>20-64 years</u> who were HIV positive	
Refugees age > 65 Years who were HIV positive	
leave blank	
HIV positive refugees born in Africa (Sub-Sahara) region(e.g., Somalia, Ethiopia, Democratic Republic of the Congo, Kenya, etc.)	
HIV positive refugees born in East Asia and Pacific region (e.g., Burma, Thailand, Malaysia, etc.)	
HIV positive refugees born in Europe and Eurasia region (e.g., Ukraine, Moldova, Russia, Turkey, etc.)	
HIV positive refugees born in Near East (North Africa and Middle East) region (e.g., Iraq, Iran, Jordan, Syria, etc.)	
HIV positive refugees born in South and Central Asia region (e.g., Bhutan, Nepal, Afghanistan, Pakistan, etc.)	
HIV positive refugees born in Western Hemisphere region (e.g., Cuba, Colombia, etc.)	
Prev Done	
	-
	95% -

