

NIST Sensor Science Division Short Course Evaluation

Date: _____

Short Course (check one): Photometry Radiation Thermometry

Spectrophotometry Spectroradiometry

Please evaluate the lectures and experiments according to the following criteria:

Tours	Level of detail, usefulness, applicability
Length of course	Photometry full registration: 3.5 days Photometry lecture-only: 2 days Radiation Thermometry: 4 days Spectrophotometry: 4 days Spectroradiometry: 4 days
Time of year	Photometry: end of August Radiation Thermometry: June Spectrophotometry: end of April Spectroradiometry: March
Handouts & textbooks	Suitability, usability, level of detail
Lecture	Relevance, consistency, organization
Lecturer	Preparation, clarity of presentation, knowledge of subject, organization
Notes	Organization, clarity, consistency, level of detail, adequate references
Lab	Relevance, data analysis, organization
Lab instructor	Preparation, clarity of presentation, knowledge of subject, organization
Lab equipment	Capability, preparation, performance, suitability for purpose, ease of use

Short Course in General

Query	Very Poor	Poor	Average	Good	Excellent
Tours	1	2	3	4	5
Length of course	1	2	3	4	5
Time of year	1	2	3	4	5
Handouts & textbooks	1	2	3	4	5
Hotel accommodation	1	2	3	4	5
Banquet	1	2	3	4	5
Conference Facility service	1	2	3	4	5
General Comments:					

NIST Sensor Science Division Short Course Evaluation

Lecture 1

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 2

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 3

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 4

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

NIST Sensor Science Division Short Course Evaluation

Lecture 5

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 6

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 7

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 7S

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

NIST Sensor Science Division Short Course Evaluation

Lecture 8

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 9

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 10

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 11

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

NIST Sensor Science Division Short Course Evaluation

Lecture 12

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 13

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Lecture 14

Query	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
General Comments:					

Laboratory 1

Query	Rating				
	Very Poor	Poor	Average	Good	Excellent
Lab	1	2	3	4	5
Lab instructor	1	2	3	4	5
Notes	1	2	3	4	5
Equipment	1	2	3	4	5
General Comments					

NIST Sensor Science Division Short Course Evaluation

Laboratory 2

Query	Rating				
	Very Poor	Poor	Average	Good	Excellent
Lab	1	2	3	4	5
Lab instructor	1	2	3	4	5
Notes	1	2	3	4	5
Equipment	1	2	3	4	5
General Comments					

Laboratory 3

Query	Rating				
	Very Poor	Poor	Average	Good	Excellent
Lab	1	2	3	4	5
Lab instructor	1	2	3	4	5
Notes	1	2	3	4	5
Equipment	1	2	3	4	5
General Comments					

Uncertainty Calculation Session (Photometry Short Course only)

Query	Rating				
	Very Poor	Poor	Average	Good	Excellent
Lecture	1	2	3	4	5
Lecturer	1	2	3	4	5
Notes	1	2	3	4	5
Would an expanded uncertainty workshop be useful to your goals?				Yes	No
General Comments					

Lecture-only Registration (Photometry Short Course only)

Why did you registered for the 2-day lecture-only Course?	1. Because the full registration was not available.	2. Because I do not need experimental details.
3. Other reason:		

NIST Sensor Science Division Short Course Evaluation

What other subjects should be included in the Short Course?

How can we improve the Short Course?

Would you recommend this Short Course to a colleague? Why or Why not?

What did you like best about the Short Course?

What did you like the least about the Short Course?

Additional Comments

NIST Sensor Science Division Short Course Evaluation

Please leave the evaluation form with Short Course Organizer or Logistics Staff.

Thank you!

Notwithstanding Statement

This collection of information contains Paperwork Reduction Act (PRA) requirements approved by the Office of Management and Budget (OMB). Notwithstanding any other provisions of the law, no person is required to respond to, nor shall any person be subject to a penalty for failure to comply with, a collection of information subject to the requirements of the PRA unless that collection of information displays a currently valid OMB control number. Public reporting burden for this collection is estimated to be 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the National Institute of Standards and Technology, Attn: Benjamin K. Tsai, 301-975-2347, 100 Bureau Drive Stop 8441, Gaithersburg, MD 20899-8441.

OMB Control No. 0693-0031
Expiration Date: 02-29-2012