

MDRO or CDI Infection Event

Page 1 of 4

*Required for saving Facility ID:		**Required for completion Event #:																																																																																											
*Patient ID: Secondary ID:		Social Security #: Medicare #:																																																																																											
Patient Name, Last:		First:	Middle:																																																																																										
*Gender: M F Other		*Date of Birth:																																																																																											
Ethnicity (Specify):		Race (Specify):																																																																																											
Event Details																																																																																													
*Event Type: [For Event Type = BSI, PNEU, SSI, or UTI use the event specific from]		*Date of Event:																																																																																											
Post Procedure Event: Yes No		Date of Procedure:																																																																																											
MDRO/CDI Infection Surveillance: Yes	NHSN Procedure Code:		ICD-9-CM Procedure Code:																																																																																										
*Specific Organism Type: (Select up to 3) <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 10px;"><input type="checkbox"/> CephR-Klebsiella</td> <td style="margin-right: 10px;"><input type="checkbox"/> CRE-E. coli</td> <td style="margin-right: 10px;"><input type="checkbox"/> CRE-Klebsiella</td> <td><input type="checkbox"/> MDR-Acinetobacter</td> <td><input type="checkbox"/> C. difficile</td> </tr> </table>				<input type="checkbox"/> CephR-Klebsiella	<input type="checkbox"/> CRE-E. coli	<input type="checkbox"/> CRE-Klebsiella	<input type="checkbox"/> MDR-Acinetobacter	<input type="checkbox"/> C. difficile																																																																																					
<input type="checkbox"/> CephR-Klebsiella	<input type="checkbox"/> CRE-E. coli	<input type="checkbox"/> CRE-Klebsiella	<input type="checkbox"/> MDR-Acinetobacter	<input type="checkbox"/> C. difficile																																																																																									
*Date Admitted to Facility:		*Location:																																																																																											
*Specific Event Type (used only for CDC defined events):																																																																																													
Specify Criteria Used (check all that apply)																																																																																													
Signs and Symptoms <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;"><input type="checkbox"/> Abscess</td> <td style="width: 33%;"><input type="checkbox"/> Heat</td> <td style="width: 33%;"><input type="checkbox"/> Dysuria</td> <td style="width: 33%;"><input type="checkbox"/> Positive culture</td> </tr> <tr> <td><input type="checkbox"/> Apnea</td> <td><input type="checkbox"/> Hypotension</td> <td><input type="checkbox"/> Fever</td> <td><input type="checkbox"/> Not cultured</td> </tr> <tr> <td><input type="checkbox"/> Bradycardia</td> <td><input type="checkbox"/> Hypothermia</td> <td><input type="checkbox"/> Bilious aspirate</td> <td><input type="checkbox"/> Positive blood culture</td> </tr> <tr> <td><input type="checkbox"/> Cough</td> <td><input type="checkbox"/> Lethargy</td> <td><input type="checkbox"/> Abdominal distension</td> <td><input type="checkbox"/> Blood culture not done or no organisms detected in blood</td> </tr> <tr> <td><input type="checkbox"/> Redness</td> <td><input type="checkbox"/> Nausea</td> <td><input type="checkbox"/> Vomiting</td> <td><input type="checkbox"/> Positive Gram stain when culture is negative or not done</td> </tr> <tr> <td><input type="checkbox"/> Abdominal distension</td> <td></td> <td><input type="checkbox"/> Suprapubic tenderness</td> <td><input type="checkbox"/> Positive culture of pathogen</td> </tr> <tr> <td><input type="checkbox"/> Pain or tenderness</td> <td></td> <td><input type="checkbox"/> Localized swelling</td> <td><input type="checkbox"/> Positive culture of common commensals</td> </tr> <tr> <td><input type="checkbox"/> Purulent drainage or material</td> <td></td> <td><input type="checkbox"/> Wheezing, rales or rhonchi</td> <td><input type="checkbox"/> Other positive laboratory tests⁺</td> </tr> <tr> <td><input type="checkbox"/> New onset/change in sputum, increased secretions or increased suctioning</td> <td></td> <td></td> <td><input type="checkbox"/> > 15 colonies cultured from IV cannula tip using semiquantitative culture method</td> </tr> <tr> <td><input type="checkbox"/> Acute onset of diarrhea (liquid stools for > 12 hours)</td> <td></td> <td></td> <td><input type="checkbox"/> Pneumatosis intestinalis by radiograph</td> </tr> <tr> <td><input type="checkbox"/> Occult or gross blood in stools (with no rectal fissure)</td> <td></td> <td></td> <td><input type="checkbox"/> Portal venous gas (Hepatobiliary gas) by radiograph</td> </tr> <tr> <td><input type="checkbox"/> Surgical evidence of extensive bowel necrosis (>2 cm of bowel affected)</td> <td></td> <td></td> <td><input type="checkbox"/> Pneumoperitoneum by radiograph</td> </tr> <tr> <td><input type="checkbox"/> Surgical evidence of pneumatoisis intestinalis with or without intestinal perforation</td> <td></td> <td></td> <td><input type="checkbox"/> Radiographic evidence of infection⁺</td> </tr> <tr> <td colspan="4" style="text-align: right; padding-top: 10px;">Clinical Diagnosis</td> </tr> <tr> <td colspan="4" style="padding: 5px;"> <input type="checkbox"/> Other evidence of infection found on direct exam, during surgery or by diagnostic testing⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician diagnosis of this event type⁺</td> </tr> </table> </td> </tr> <tr> <td colspan="4" style="padding: 5px;"> <input type="checkbox"/> Other signs and symptoms⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician institutes appropriate antimicrobial therapy⁺</td> </tr> </table> </td> </tr> <tr> <td colspan="4" style="text-align: center; padding-top: 5px;">+ Per specific criteria</td> </tr> <tr> <td colspan="4" style="text-align: center; background-color: #cccccc;">Clostridium difficile Infection</td> </tr> <tr> <td colspan="2" style="padding: 5px;">*Admitted to ICU for CDI complications: Yes No</td> <td colspan="2" style="padding: 5px;">*Surgery for CDI complications: Yes No</td> </tr> <tr> <td colspan="2" style="padding: 5px;">* Secondary Bloodstream Infection: Yes No</td> <td colspan="2" style="padding: 5px;">Event contributed to death? Yes No</td> </tr> <tr> <td colspan="2" style="padding: 5px;">**Died: Yes No</td> <td colspan="2" style="padding: 5px;">Discharge Date: / /</td> </tr> <tr> <td colspan="2" style="padding: 5px;">*Pathogens Identified: Yes No</td> <td colspan="2" style="padding: 5px;">If yes, specify on Page 2</td> </tr> </table>				<input type="checkbox"/> Abscess	<input type="checkbox"/> Heat	<input type="checkbox"/> Dysuria	<input type="checkbox"/> Positive culture	<input type="checkbox"/> Apnea	<input type="checkbox"/> Hypotension	<input type="checkbox"/> Fever	<input type="checkbox"/> Not cultured	<input type="checkbox"/> Bradycardia	<input type="checkbox"/> Hypothermia	<input type="checkbox"/> Bilious aspirate	<input type="checkbox"/> Positive blood culture	<input type="checkbox"/> Cough	<input type="checkbox"/> Lethargy	<input type="checkbox"/> Abdominal distension	<input type="checkbox"/> Blood culture not done or no organisms detected in blood	<input type="checkbox"/> Redness	<input type="checkbox"/> Nausea	<input type="checkbox"/> Vomiting	<input type="checkbox"/> Positive Gram stain when culture is negative or not done	<input type="checkbox"/> Abdominal distension		<input type="checkbox"/> Suprapubic tenderness	<input type="checkbox"/> Positive culture of pathogen	<input type="checkbox"/> Pain or tenderness		<input type="checkbox"/> Localized swelling	<input type="checkbox"/> Positive culture of common commensals	<input type="checkbox"/> Purulent drainage or material		<input type="checkbox"/> Wheezing, rales or rhonchi	<input type="checkbox"/> Other positive laboratory tests ⁺	<input type="checkbox"/> New onset/change in sputum, increased secretions or increased suctioning			<input type="checkbox"/> > 15 colonies cultured from IV cannula tip using semiquantitative culture method	<input type="checkbox"/> Acute onset of diarrhea (liquid stools for > 12 hours)			<input type="checkbox"/> Pneumatosis intestinalis by radiograph	<input type="checkbox"/> Occult or gross blood in stools (with no rectal fissure)			<input type="checkbox"/> Portal venous gas (Hepatobiliary gas) by radiograph	<input type="checkbox"/> Surgical evidence of extensive bowel necrosis (>2 cm of bowel affected)			<input type="checkbox"/> Pneumoperitoneum by radiograph	<input type="checkbox"/> Surgical evidence of pneumatoisis intestinalis with or without intestinal perforation			<input type="checkbox"/> Radiographic evidence of infection ⁺	Clinical Diagnosis				<input type="checkbox"/> Other evidence of infection found on direct exam, during surgery or by diagnostic testing ⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician diagnosis of this event type⁺</td> </tr> </table>				<input type="checkbox"/> Physician diagnosis of this event type ⁺	<input type="checkbox"/> Other signs and symptoms ⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician institutes appropriate antimicrobial therapy⁺</td> </tr> </table>				<input type="checkbox"/> Physician institutes appropriate antimicrobial therapy ⁺	+ Per specific criteria				Clostridium difficile Infection				*Admitted to ICU for CDI complications: Yes No		*Surgery for CDI complications: Yes No		* Secondary Bloodstream Infection: Yes No		Event contributed to death? Yes No		**Died: Yes No		Discharge Date: / /		*Pathogens Identified: Yes No		If yes, specify on Page 2	
<input type="checkbox"/> Abscess	<input type="checkbox"/> Heat	<input type="checkbox"/> Dysuria	<input type="checkbox"/> Positive culture																																																																																										
<input type="checkbox"/> Apnea	<input type="checkbox"/> Hypotension	<input type="checkbox"/> Fever	<input type="checkbox"/> Not cultured																																																																																										
<input type="checkbox"/> Bradycardia	<input type="checkbox"/> Hypothermia	<input type="checkbox"/> Bilious aspirate	<input type="checkbox"/> Positive blood culture																																																																																										
<input type="checkbox"/> Cough	<input type="checkbox"/> Lethargy	<input type="checkbox"/> Abdominal distension	<input type="checkbox"/> Blood culture not done or no organisms detected in blood																																																																																										
<input type="checkbox"/> Redness	<input type="checkbox"/> Nausea	<input type="checkbox"/> Vomiting	<input type="checkbox"/> Positive Gram stain when culture is negative or not done																																																																																										
<input type="checkbox"/> Abdominal distension		<input type="checkbox"/> Suprapubic tenderness	<input type="checkbox"/> Positive culture of pathogen																																																																																										
<input type="checkbox"/> Pain or tenderness		<input type="checkbox"/> Localized swelling	<input type="checkbox"/> Positive culture of common commensals																																																																																										
<input type="checkbox"/> Purulent drainage or material		<input type="checkbox"/> Wheezing, rales or rhonchi	<input type="checkbox"/> Other positive laboratory tests ⁺																																																																																										
<input type="checkbox"/> New onset/change in sputum, increased secretions or increased suctioning			<input type="checkbox"/> > 15 colonies cultured from IV cannula tip using semiquantitative culture method																																																																																										
<input type="checkbox"/> Acute onset of diarrhea (liquid stools for > 12 hours)			<input type="checkbox"/> Pneumatosis intestinalis by radiograph																																																																																										
<input type="checkbox"/> Occult or gross blood in stools (with no rectal fissure)			<input type="checkbox"/> Portal venous gas (Hepatobiliary gas) by radiograph																																																																																										
<input type="checkbox"/> Surgical evidence of extensive bowel necrosis (>2 cm of bowel affected)			<input type="checkbox"/> Pneumoperitoneum by radiograph																																																																																										
<input type="checkbox"/> Surgical evidence of pneumatoisis intestinalis with or without intestinal perforation			<input type="checkbox"/> Radiographic evidence of infection ⁺																																																																																										
Clinical Diagnosis																																																																																													
<input type="checkbox"/> Other evidence of infection found on direct exam, during surgery or by diagnostic testing ⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician diagnosis of this event type⁺</td> </tr> </table>				<input type="checkbox"/> Physician diagnosis of this event type ⁺																																																																																									
<input type="checkbox"/> Physician diagnosis of this event type ⁺																																																																																													
<input type="checkbox"/> Other signs and symptoms ⁺ <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="margin-right: 20px;"><input type="checkbox"/> Physician institutes appropriate antimicrobial therapy⁺</td> </tr> </table>				<input type="checkbox"/> Physician institutes appropriate antimicrobial therapy ⁺																																																																																									
<input type="checkbox"/> Physician institutes appropriate antimicrobial therapy ⁺																																																																																													
+ Per specific criteria																																																																																													
Clostridium difficile Infection																																																																																													
*Admitted to ICU for CDI complications: Yes No		*Surgery for CDI complications: Yes No																																																																																											
* Secondary Bloodstream Infection: Yes No		Event contributed to death? Yes No																																																																																											
**Died: Yes No		Discharge Date: / /																																																																																											
*Pathogens Identified: Yes No		If yes, specify on Page 2																																																																																											

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 32 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.126 (Front) Rev 1 v6.6

MDRO or CDI Infection Event

Page 2 of 4

Pathogen #	Gram-positive Organisms							
	<i>Staphylococcus</i> coagulase-negative (specify):							
		VANC SIRN						
	<i>Enterococcus</i> spp. (specify):	AMP SIRN	CIPRO/LEVO/MOXI SIRN	DAPTO SNS N	DOXY/MINO SIRN	GENTHL [§] SRN	LNZ SIRN	
		STREPHL [§] SRN	TETRA SIRN	TIG SNS N	VANC SIRN			
	<i>Enterococcus faecium</i>	AMP SIRN	CIPRO/LEVO/MOXI SIRN	DAPTO SNS N	DOXY/MINO SIRN	GENTHL [§] SRN	LNZ SIRN	
		QUIDAL SIRN	STREPHL [§] SRN	TETRA SIRN	TIG SNS N	VANC SIRN		
	<i>Staphylococcus aureus</i>	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN	CLIND SIRN	DAPTO SNS N	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN
		LNZ SRN	OX/CEFOX/METH SIRN	QUIDAL SIRN	RIF SIRN	TETRA SIRN	TIG SNS N	TMZ SIRN
	Gram-negative Organisms							
	<i>Acinetobacter</i> spp. (specify):	AMK SIRN	AMPSUL SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN
		GENT SIRN	IMI SIRN	MERO/DORI SIRN		PIP/PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TMZ SIRN	TOBRA SIRN					
	<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB SIRN
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				
	<i>Enterobacter</i> spp. (specify):	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB SIRN
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				
	<i>Klebsiella</i> spp. (specify):	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN
		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB SIRN
		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN	
		TIG SIRN	TMZ SIRN	TOBRA SIRN				

MDRO or CDI Infection Event

Page 3 of 4

Pathogen #	Gram-negative Organisms (continued)									
	<i>Serratia marcescens</i>	AMK SIR N	AMP SIR N	AMPSUL/AMXCLV SIR N	AZT SIR N	CEFAZ SIR N	CEFEP SIR N	CEFOT/CEFTRX SIR N		
		CEFTAZ SIR N	CEFUR SIR N	CEFOX/CETET SIR N	CHLOR SIR N	CIPRO/LEVO/MOXI SIR N		COL/PB SIR N		
		ERTA SIR N	GENT SIR N	IMI SIR N	MERO/DORI SIR N	PIPTAZ SIR N		TETRA/DOXY/MINO SIR N		
		TIG SIR N	TMZ SIR N	TOBRA SIR N						
	<i>Pseudomonas aeruginosa</i>	AMK SIR N	AZT SIR N	CEFEP SIR N	CEFTAZ SIR N	CIPRO/LEVO SIR N	COL/PB SIR N	GENT SIR N		
		IMI SIR N		MERO/DORI SIR N	PIP/PIPTAZ SIR N	TOBRA SIR N				
	<i>Stenotrophomonas maltophilia</i>	LEVO SIR N		TETRA/MINO SIR N	TICLAV SIR N	TMZ SIR N				
Pathogen #	Fungal Organisms									
	<i>Candida</i> spp. (specify):	ANID SIR N	CASPO S NS N	FLUCO S S-DD R N	FLUCY SIR N	ITRA S S-DD R N	MICA S NS N	VORI S S-DD R N		
Pathogen #	Other Organisms									
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N
	Organism 1 (specify)	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

§ GENTHL and STREPHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

Drug Codes:

AMK = amikacin	CEFTRX = ceftriaxone	ERYTH = erythromycin	MICA = micafungin	STREPHL = streptomycin – high level test
AMP = ampicillin	CEFUR= cefuroxime	FLUCO = fluconazole	MINO = minocycline	TETRA = tetracycline
AMPSUL = ampicillin/sulbactam	CETET= cefotetan	FLUCY = flucytosine	MOXI = moxifloxacin	TICLAV = ticarcillin/clavulanic acid
AMXCLV = amoxicillin/clavulanic acid	CHLOR= chloramphenicol	GENT = gentamicin	OX = oxacillin	TIG = tigecycline
ANID = anidulafungin	CIPRO = ciprofloxacin	GENTHL = gentamicin –high level test	PB = polymyxin B	TMZ = trimethoprim/sulfamethoxazole
AZT = aztreonam	CLIND = clindamycin	IMI = imipenem	PIP = piperacillin	TOBRA = tobramycin
CASPO = caspofungin	COL = colistin	ITRA = itraconazole	PIPTAZ = piperacillin/tazobactam	VANC = vancomycin
CEFAZ = cefazolin	DAPTO = daptomycin	LEVO = levofloxacin	QUIDAL = quinupristin/dalfopristin	VORI = voriconazole
CEFEP = cefepime	DORI = doripenem	LNZ = linezolid	RIF = rifampin	
CEFOT = cefotaxime	DOXY = doxycycline	MERO = meropenem		
CEFOX= cefoxitin	ERTA = ertapenem	METH = methicillin		
CEFTAZ = ceftazidime				

MDRO or CDI Infection Event

Page 4 of 4

Custom Fields	
Label _____	Label _____ / _____ / _____ - _____ / _____ -
Comments	

