Form Approved
OMB No. 0920-XXXX
Expiration Date: XX/XX/20XX

Web-Based HIV Behavioral Survey among Men who have Sex with Men

Behavioral Assessment

Public reporting burden of this collection of information is estimated to average 14 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA 0920-New. Do not send the completed form to this address.

The information in this report to the Centers for Disease Control and Prevention (CDC) is authorized by law (Sections 304 and 306 of the Public Health Service Act, 42 USC 242b and 242k). Response to this survey is voluntary. Your cooperation is necessary for the understanding and control of HIV/AIDS. Information in CDC's HIV/AIDS surveillance system that would permit identification of any individual on whom a record is maintained, is collected with a guarantee that it will be held in confidence, will be used only for the purposes stated in the assurance on file at CDC, and will not otherwise be disclosed or released without the consent of the individual in accordance with Section 308(d) of the Public Health Service Act (42 USC 242m(d)).

Web-based HIV Behavioral Survey among Men who have sex with Men: Behavioral Assessment

C. Each group will comp	olete a different set of	e groups: Group A, Group B and Group supplemental questions embedded ntal questions is of similar length].
AUTO4. Group {GROUP		nterview:// {IDATE}
AUTO6. Time Began Core Survey	y::: [24 Ho	ur time HH:MM:SS] {START}
Section A. Demograp	ohics (DM)	
DM- 1.What is the highest le	vel of education you comp l	leted? {HLEDUCAT}
Never attended school	l	
Less than high school		
Some high school		
	or GED	
	ate's Degree, or Technical I	
	e or professional school	
DM-2. What was your house	hold income last year from a	all sources before taxes? That is, the total amoun in your household. {HHINCOM}
Monthly Income	Yearly Income	
0 to \$1667	0 to \$19,999	00
\$1668 to \$3333	\$20,000 to \$39,999	01
\$3334 to \$6,250	\$40,000 to \$74,999	
\$6251 or more	\$75,000 or more	
I prefer not to answer		77
Don't know		П ₉₉

If **DM-2=77 or** DM-2=99, skip to DM-3.

DM-2a. Including yourself, how many people depended on this income? {DEPEND}	r				
[Prefer not to answer = 77; Don't know = 99]					
DM-3. What kind of health insurance or health care coverage do you currently have?					
Health insurancehealth plans people get through employment or purchased government programs (like Medicare and Medicaid) that provide medical carbills.					
Choose all that apply:					
A private health plan (through an employer or purchased directly) $\boxed{}$ 01	{TYP_INSA}				
Medicaid or Medicare	{TYP_INSG}				
Some other Medical Assistance program	{TYP_INSH}				
TRICARE (CHAMPUS)	{TYP_INSD}				
Veterans Administration coverage	{TYP_INSE}				
Some other health care plan	{TYP_INSF}				
I don't currently have any health insurance	{TYP_INSI}				
I prefer not to answer	{TYP_INSB}				
Don't know	{TYP_INSC}				
DM-4. In the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months, have you seen a doctor, nurse, or other health care probability and the past 12 months are prob	ovider about your own				
<i>If DM-4 ≠ 1, skip to DM-5.</i>					
DM-4a.At any of those times you were seen by a doctor or health care provider, wer test? An HIV test checks whether someone has the virus that causes AIDS. {	=				

Ŋ	Yes						
I	prefer not to answer7						
Ι	Don't knowg						
DM-5. I	Oo you consider yourself to be: {IDENTITY}						
I	Homosexual or Gay 1						
I	Heterosexual or Straight2						
I	3 Bisexual						
I	prefer not to answer7						
I	Oon't know 9						
If Grou	p=B, administer SD-1 through SD-4.						
II GIGG	p B, darimister 3B 1 timoagn 3B 1.						
Group	<u>o B.</u>						
SD-1. I	Have you ever told anyone that you are attracted to or	have se	x with 1	nen? {OU	UT_GI}		
ľ	No						
Yes							
I prefer not to answer							
Ι	Oon't know9						
If CD 1	≠ 1, skip to SD-3						
ון טט-ז	- 1, skip to 3D-3						
SD-2. V	Who of the following people have you told that you are	e attract	ed to or	have se	x with me	n?	
		No	Yes	Does Not Apply	I Prefer Not to answer	Don't Know	
1.	Gay, lesbian, or bisexual friends	О	1	8	7	9	
2.	<pre>{OUT_GIA} Friends who are not gay, lesbian, or bisexual {OUT_GIB}</pre>	0	1	8	7	9	
3.	Family members	0 o		8	7	9	
4.	Health care provider	0	1	8	7	9	

SD-3.		uring the past 12 months , have any of the following things happened to you because someone lew or assumed you were attracted to men?
,	a.	You were called names or insulted. {DISC_GIA}
		No \bigcirc 0
		Yes1
		I prefer not to answer \square_7
		Don't know9
	b.	You received poorer services than other people in restaurants, stores, other businesses or agencies. {DISC_GIB}
		$lackbox{No}_0$
		Yes1
		I prefer not to answer
		Don't know
1	C.	You were treated unfairly at work or school. {DISC_GIC}
		No \bigcirc 0
		Yes1
		I prefer not to answer \square_7
		Don't know9
1	d.	You were denied or given lower quality health care. {DISC_GID}
		No
		Yes1
		I prefer not to answer
		Don't know
	e.	You were physically attacked or injured. {DISC_GIE}
		No

	Yes \square_1
	I prefer not to answer
	Don't know
SD-4.	How strongly do you agree or disagree with the following statement: "Most people in my area are tolerant of gays and bisexuals." {TOL_GI}
	Strongly agree
	Agree
	Neither agree nor disagree 03
	Disagree
	Strongly disagree
	I prefer not to answer
	Don't know

Section B. Sexual Behavior (SX)

The next few screens are about having sex with **women**. For these questions, "having sex" means oral, vaginal, or anal sex. Oral sex means mouth on the vagina or penis; vaginal sex means penis in the vagina; and anal sex means penis in the anus (butt).

F	Δm	اد	Δ	50	v D	2	rtn	ers
_		_	_	7	x r	$\overline{}$		-

SX-1. In the past 12 months (since <interview month=""></interview> of << <i>last year</i> >>) have you had oral, vaginal or anal sex with a woman? {M_FSX12M}
No
If $SX-1 \neq 1$, skip to box before $SX-6$.
These questions are about the last time you had oral, vaginal or anal sex with a woman .
SX-2. Was the woman you had sex with that last time a main partner (someone you felt committed to above anyone else) or a casual partner (someone you didn't feel committed to or don't know very well)? {M_FLPTY}
Main sex partner
SX-3. When you had sex that last time, did you have either vaginal or anal sex? {M_FLAVG}
No
If $SX-3 \neq 1$, skip to $SX-5$.

SX-4.	The last time you had sex with a woman, did you have either vaginal or anal sex without using a condom? {M_FLSUNP}
	No \bigcirc 0
	Yes1
	I prefer not to answer
	Don't know
SX-5.	The last time you had sex with this partner, did you know her HIV status? {M_FLKNO}
	No
	Yes
	I prefer not to answer
If SX-	5≠ 1, skip to SX-6.
SX-5a	. What was her HIV status? {M_FLHIV}
	ши — — — — — — — — — — — — — — — — — — —
	HIV-negative
	HIV-positive \square^2
	Indeterminate
	I prefer not to answer

Male Sex Partners

The next screens are about having sex with **men**. For these questions, "having sex" means oral or anal sex. Oral sex means he put his mouth on your penis or you put your mouth on his penis. Anal sex means you put your penis in his anus (butt) or he put his penis in your anus (butt).

SX-6. How	old were you the first time you had oral or anal sex with a man? {M_MDEBUT}
	years [Prefer not to answer = 777; Don't know = 999]
	past 12 months (since <interview month=""></interview> of << <i>last year</i> >>), with how many ent men have you had oral or anal sex? {M_SX12M}
9999]	[Prefer not to answer = 7777; Don't know =
	(0, 7777 or 9999), then skip to SX-22 1, then skip to SX-8.
	past 12 months, this male partner was a: {M_M1SX} Main partner (someone you felt committed to above anyone else) Casual partner (someone you didn't feel committed to or don't know very well) I prefer not to answer Don't know
SX-7a. In the	past 12 months, did you have anal sex with this man?: {M_MM1AS} No Yes I prefer not to answer Don't know
<i>If SX-7a</i> ≠ 1,	skip to box before SX-10.
SX-7b. In the	<pre>past 12 months, did you have anal sex without using a condom? {M_MM1UAS} No Yes</pre>

\square ₇ I prefer not to answer
☐9 Don't know
SX-7c. Did you know his HIV status? {M_MM1HSK}
No \bigcirc_0
Yes 1
I prefer not to answer
If $SX-7c \neq 1$, skip to box before $SX-10$.
SX-7d. What was his HIV status? {M_MM1HST}
HIV-negative \square_1
HIV-positive \square_2
Indeterminate \square_3
I prefer not to answer \square ⁷
If SX -6a = 1, skip to box before SX -10.
SX-8. In the past 12 months , these male partners were: {M_MTYP}
SX-8. In the past 12 months , these male partners were: {M_MTYP} Only main partners (you felt committed to above anyone else)
Only main partners (you felt committed to above anyone else)
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well)
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer Don't know
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer Don't know SX-8a. In the past 12 months, with any of these male partners did you have anal sex? {M_MMHAS}
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer Don't know SX-8a. In the past 12 months, with any of these male partners did you have anal sex? {M_MMHAS} No
Only main partners (you felt committed to above anyone else) Only casual partners (you didn't feel committed to or don't know very well) Both main and casual partners I prefer not to answer Don't know SX-8a. In the past 12 months, with any of these male partners did you have anal sex? {M_MMHAS}

If SX-8a \neq 1, skip to box before SX-10.

SX-8b. In the past 12 months , with any of these male partners did you have anal sex without using a condom? {M_MMHUAS}
No \bigcirc_0
Yes
I prefer not to answer \square_7
Don't know9
If SX-8b ≠ 1, skip to box before SX-10.
SX-9. In the past 12 months , did you have anal sex without using a condom with a man whose HIV status you did not know? {M_MUAUHS}
No \bigcirc 0
Yes
I prefer not to answer \square ⁷
Don't know
SX-9a. In the past 12 months , did you have anal sex without using a condom with a man who was HIV positive? {M_MUAHP}
No \bigcirc 0
Yes
I prefer not to answer \square_7
Don't know9
SX-9b. In the past 12 months , did you have anal sex without using a condom with a man who was HIV negative? {M_MUAHN}
\mathbf{No} \mathbf{Q}_0
Yes1
I prefer not to answer
Don't know9

In the next few screens we're going to ask some questions about your most recent male sex partner- that is, the last guy you had sex with.
To make the questions easier to ask, we'd like you to enter in this partner's initials. If you prefer to leave his initials blank, we will refer to him as "XX".
SX-10a. What is the first initial of his first name? What is the first initial of his last name? {M_MLPNN}
SX-10b. When was the last time you had either oral or anal sex with [<i>initials</i>]? {M_MLCM}
$\frac{1}{(M M / Y Y Y Y)}$ [77/7777 = Prefer not to answer; 99/9999 = Don't know]
SX-11. Was [initials] a main partner (someone you felt committed to above anyone else) or a casual partner (someone you didn't feel committed to or don't know very well)? {M_MLMC}
Main sex partner 1
Casual sex partner 2
I prefer not to answer
Don't know9
SX-12. That last time you had sex with [<i>initials</i>], did you have receptive anal sex where he put his penis in your anus (you were the bottom)? {M_MLRAS}
\mathbf{No} \mathbf{Q}_0
Yes
I prefer not to answer
Don't know
If SX-12 = (0, 7 or 9), skip to SX-14
SX-13. During that last time you had receptive anal sex, did [initials] use a condom? {M_MLRASC}
No
Yes1
I prefer not to answer
Don't know
If CV 12 = (0. 7 av 0) skip to CV 14

SX-13a. Did [initials] use the condom the **whole time**? {M_MLRAST}

\mathbf{No} 0
Yes1
I prefer not to answer
Don't know
SX-14. When you had sex that last time, did you have insertive anal sex where you put your penis in his anus (you were the top)? { M_MLIAS}
No
Yes 1
I prefer not to answer
Don't know
If $SX-14 = (0, 7 \text{ or } 9)$, skip to $SX-16$.
SX-15. During insertive anal sex that last time, did you use a condom? {M_MLIASC}
\mathbf{No} \mathbf{Q} 0
Yes 1
I prefer not to answer7
Don't know
If $SX-15 = (0, 7 \text{ or } 9)$, skip to $SX-16$.
SX-15a. Did you use the condom the whole time ? {M_MLIAST}
No \bigcirc 0
Yes \square_1
I prefer not to answer
Don't know9
SX-16. Before or during the last time you had sex with [<i>initials</i>], did you use: {M_MLHI}
Alcohol1
Drugs \square_2

Both alcohol and drugs 3	
Neither one 4	
I prefer not to answer	
Don't know9	
If SX-16 = 2, skip to SX-16b.	
If $SX-16 = (4, 7 \text{ or } 9)$, skip to $SX-17$.	
For the next questions, a drink of alcohol is a 12 oz beer, a 40 oz beer would count as 3 drinks. A cocktail with 2 shot	
SX-16a. How many alcoholic drinks did you have before of [initials]? {M_MLNALC}	or during sex the last time you had sex with
(PICTURE OF ALCOHOL DRINK SIZE)	
[Prefer Not to Answer = 7777; Don't know =	00001 Number of deinles
[Freier Not to Aliswer = 7777, Don't Know =	9999] Number of drinks
	9999]Number of drinks
If SX-16 = 1, skip to SX-17.	9999] Number of drinks
If SX-16 = 1, skip to SX-17.	
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which o	drugs did you use? Check all that apply .
If $SX-16 = 1$, skip to $SX-17$. SX-16b. That last time you had sex with [initials], which of Marijuana	drugs did you use? Check all that apply . {M_MLSDRA}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the second secon	drugs did you use? Check all that apply . {M_MLSDRA} {M_MLSDRE}
If SX-16 = 1, skip to SX-17.SX-16b. That last time you had sex with [initials], which of the state of	drugs did you use? Check all that apply . {M_MLSDRA} {M_MLSDRE} {M_MLSDRM}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the state of the skip of the sk	drugs did you use? Check all that apply . {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the state of the skip of the state of the state of the skip of the	drugs did you use? Check all that apply. {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG} {M_MLSDRJ}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the state of the skip of the state of the state of the skip of the	drugs did you use? Check all that apply. {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG} {M_MLSDRJ} {M_MLSDRK}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the same of the skip of the same of the sam	drugs did you use? Check all that apply. {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG} {M_MLSDRJ} {M_MLSDRK} {M_MLSDRK}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the state of the stat	drugs did you use? Check all that apply. {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG} {M_MLSDRJ} {M_MLSDRK} {M_MLSDRK} {M_MLSDRF}
If SX-16 = 1, skip to SX-17. SX-16b. That last time you had sex with [initials], which of the state of the stat	drugs did you use? Check all that apply. {M_MLSDRA} {M_MLSDRE} {M_MLSDRM} {M_MLSDRG} {M_MLSDRJ} {M_MLSDRK} {M_MLSDRK} {M_MLSDRK} {M_MLSDRF} {M_MLSDRH}

Crack cocaine
Other drug
I prefer not to answer
Don't know
SX-17. The last time you had sex with [initials], did you know his HIV status? {M_MLKNO}
\mathbf{No} $\boxed{0}$
Yes1
I prefer not to answer
If $SX-17 = 0$ and $Group = C$, $skip$ to $PR-1$. If $SX-17 = 0$ and $Group \neq C$, $skip$ to $SX-18$.
SX-17a. What was [initials]'s HIV status? {M_MLHIV}
HIV-negative
HIV-positive \square_2
Indeterminate3
I prefer not to answer
If Group=C, administer PR-1 through PR-7. If Group \neq C, proceed to SX-18
Group C
PR-1. When you had sex that last time, did you give [<i>initials</i>] things like money or drugs in exchange for sex? {M_MLEG}
No
Yes1
I prefer not to answer
Don't know
PR-2. When you had sex that last time, did [<i>initials</i>] give you things like money or drugs in exchange for sex? {M_MLER}

	No
	Yes1
	I prefer not to answer
	Don't know
PR-3.	Was [initials] younger than you, older than you, or the same age as you? {M_MLRA}
	Younger
	Older 1
	Same age
	I prefer not to answer
	Don't know9
PR-4.	What was [initials]'s age? {M_MLAGE}
	years
	[777 = Refused, 999 = Don't know]
PR-5.	Which of the following best describes [<i>initials</i>]'s racial or ethnic background? {M_MLETH}
	American Indian or Alaska Native 1
	Asian 2
	Black or African American 3
	Hispanic or Latino 4
	Native Hawaiian or Other Pacific Islander 5
	White 6
	I prefer not to answer
	Don't know
PR-6.	As far as you know, has [initials] ever injected drugs like heroin, cocaine, or speed? {M_MLIDU
Would	l you say he:
	Definitely did not
	Probably did not
	Probably did 2

SX-18b. How long have you been having a sexual relationship with [initials]?	
If $SX-18a = 1$, skip to $SX-21$	
Don't know9	
I prefer not to answer	
More than one time \square_2	
One time	
SX-18a. Did you have sex with [initials] one time ('one night stand'), or more than one time?	
I prefer not to answer	
Definitely did	
Probably did2	
Probably did not	
Definitely did not	
Would you say he:	
PR-7. As far as you know, has [<i>initials</i>] ever used crystal meth (tina, crank, ice)? {M_MLPCM}	
Don't know9	
I prefer not to answer	
Definitely did3	

SX-19. As far as you know, during the time you were having a sexual relationship with [initials], did **he** have sex with other people? {M_MLPOL1}

	Would you say he:
	Definitely did not 0
	Probably did not 1
	Probably did2
	Definitely did3
	I prefer not to answer
	Don't know9
SX-	19a. During the time you were having a sexual relationship with [initials], did you have sex with other people? {M_MLOG1}
	No
	Yes 1
	I prefer not to answer
	Don't know9
If S	$SX-18 \le 12$ months, skip to $SX-21$
SX-	20. As far as you know, during the past 12 months when you were having a sexual relationship with [initials], did he have sex with other people? Would you say he: {M_MLPOG1} Definitely did not
SX-	20a.During the past 12 months when you were having a sexual relationship with [<i>initials</i>], did you have sex with other people? {M_MLOL1}
	No
	Yes 1
	I prefer not to answer
	Don't know9

If $SX-18 \ge 3$ years or SX-18 = Don't Know, skip to SX-22.

SX-21	. Where did you first meet [initials]? {M_MLMEET}	
	Internet	01
	House party	02
	Chat line	03
	Bar/Club	04
	Circuit party or Rave	05
	Cruising area	06
	Place of worship (e.g. church, synagogue, mosque)	07
	Adult bookstore	08
	Bath house, sex club or sex resort	09
	Private sex party	10
	Somewhere else	11
	I prefer not to answer	77
	Don't know	99
SX-22	. In the past 12 months , how often have you gone to socialize? These could include bars, clubs, social or bookstores, sex clubs, etc. {M_MMEET}	= - = - = - = - = - = - = - = - = - = -
	Never	
	More than once a day $\boxed{01}$	
	Once a day	
	More than once a week	
	Once a week	
	More than once a month	
	Once a month	
	Less than once a month	
	I prefer not to answer	
	Don't know	

SX-23. In the **past 12 months**, how often have you used the internet to **meet or socialize with gay men**? This includes visiting social network websites (such as Facebook or Myspace), websites directed towards gay men (such as Manhunt or Gay.com), dating websites, or the use of mobile social applications (such as Foursquare or Grindr). {M_MINT}

Never
More than once a day 01
Once a day02
More than once a week
Once a week
More than once a month
Once a month
Less than once a month
I prefer not to answer
Don't know99

Section C- Substance Use

Alcohol Use (AL)

For the next questions, a drink of alcohol is a 12 oz beer, a 5 oz glass of wine, or a 1.5 oz. shot of liquor. A 40 oz beer would count as 3 drinks. A cocktail with 2 shots would count as 2 drinks.

AL-1.	In the past 12 months , how often did you drink any alcohol such as beer, wine, malt liquor, or hard liquor? {ALC12M}
	(PICTURE OF ALCOHOL DRINK SIZE)
	Never
	More than once a day 1
	Once a day2
	More than once a week
	Once a week
	More than once a month 5
	Once a month
	Less than once a month
	I prefer not to answer
	Don't know
[If AL-1 = (0, 77 or 99), skip to ID-1.
[AL-2.	If AL-1 = (0, 77 or 99), skip to ID-1. In the past 12 months, how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE}
 AL-2.	In the past 12 months , how often did you have 5 or more alcoholic drinks in one sitting?
 AL-2.	In the past 12 months , how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE}
AL-2.	In the past 12 months , how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE} Never
AL-2.	In the past 12 months , how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE} Never
AL-2.	In the past 12 months , how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE} Never
AL-2.	In the past 12 months, how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE} Never
AL-2.	In the past 12 months, how often did you have 5 or more alcoholic drinks in one sitting? Never
AL-2.	In the past 12 months, how often did you have 5 or more alcoholic drinks in one sitting? {ALBINGE} Never

~	l
Don't know	99

Injection Drug Use (ID)

1	next screens are about injection drug use. This means injecting drugs yourself or having cone who isn't a health care provider inject you.
ID-1.	Have you ever in your life shot up or injected any drugs other than those prescribed for you? By shooting up, we mean anytime you might have used drugs with a needle, either by mainlining, skin popping, or muscling. {EVRINJ} No
	If ID-1 = (0, 7 or 9), skip to ND-1 .
ID-2.	In the past 12 months , on average, how often did you inject? {AVGINJ}
	Never
	More than once a day
	Once a day
	More than once a week
	Once a week
	More than once a month 05

If ID-2 = (0, **77** or 99), skip **to ND-1**.

ID-3.	Which drug do you inject most often? {DCHOICE}
	Speedball – Heroin and cocaine together
	Crack4
	Crystal, meth, tina, crank, ice \square_5
	Something else
	I prefer not to answer7
	Don't know9

Non-Injection Drug Use (ND)

ND-1. In the past 12 months , have you used any non -inje than those prescribed for you? { NIUSE12 }	ction drugs (drugs you did not inject), other
No	
Yes 1	
I prefer not to answer	
Don't know9	
If ND-1 = (0, 7 or 9), skip to ND-3.	
1) ND-1 - (0, 7 01 3), Skip to ND-3.	
ND-2a. In the past 12 months which drugs did you use? C	heck all that apply.
Marijuana 1	{NIU12A}
Powdered cocaine (smoked or snorted) 2	{NIU12E}
Poppers (amyl nitrate)	{NIU12M}
X or Ecstasy 4	{NIU12G}
Painkillers (Oxycontin, Vicodin, Percocet)	{NIU12J}
Downers (Valium, Ativan, Xanax) 6	{NIU12K}
Crystal meth (tina, crank, ice)	{NIU12F}
Hallucinogens (LSD, mushrooms) 8	{NIU12L}
Special K (ketamine)9	{NIU12H}
GHB	{NIU12I}
Crack cocaine	{NIU12D}
Other drug	{NIU12N}
I prefer not to answer	{NIU12REF}
Don't know99	{NIU12DK}
ND-2b. In the past 12 months , how often did you use << <i>e</i> {NIU12[letter]_FQ}	each drug selected from ND-2a>>:
More than once a day	
Once a day	
More than once a week	

	Once a week
	More than once a month
	Once a month
	Less than once a month
	I prefer not to answer
	Don't know
ND-3.	In the past 12 months , have you used Viagra, Levitra or Cialis? {VIAGRA12}
	No
	Yes1
	I prefer not to answer
	Don't know

Section D.HIV Testing (HT)

HT-1. Have you ever been tested for HIV? An HIV test checks whether someone has the virus that cause AIDS. (EVERTEST)
No \bigcirc_0
Yes
I prefer not to answer $\boxed{}_{7}$
Don't know9
If HT-1 = (0, 7 or 9) and Group = A, then skip to box before PP-1.
If HT-1 = $(0, 7 \text{ or } 9)$ and Group = B, then skip to box before SD-5. If HT-1 = $(0, 7 \text{ or } 9)$ and Group = C, then skip to box before PA-1.
$HHH^{-1} = (0, 7, 01, 9) \text{ and Group} = C, \text{ then skip to box before } 1A-1.$
HT-2. In the past 2 years , that is, since [insert calculated month and year], how many times have you been tested for HIV? {TEST2YRS}
999] [Prefer not to answer = 777; Don't know =
HT-3. When did you have your most recent HIV test? {RCNTST}
HT-3a. When you got tested in/ [insert date from HT-3], where did you get tested? {LOCHIV_T}
Private doctor's office
HIV counseling and testing site
Public health clinic/community health clinic
Street outreach program/mobile unit
Sexually transmitted disease clinic
Hospital (inpatient)
Correctional facility (jail or prison)
Emergency room
At home

I prefer not to answer
Don't know
If HT-3a = 09 or HT-3a = 10 proceed to HT-4. If HT-3a \neq 09 or HT-3a \neq 10, skip to HT-5. HT-4 - HT-4b display only after FDA approval of over-the-counter rapid HIV test
The next screens are about your experiences with rapid HIV tests that are sold over the counter and allow
you to test yourself in your home. These tests have a collection pad device that you use to swab the inside of your mouth, between the teeth and upper and lower gum. You then place the collection device into a solution and read the result between 20-40 minutes.
HT-4. When you last got tested in/ [insert date from HT-3] at home or in another location, did you use an over-the-counter rapid HIV test you can administer yourself to determine your HIV
status? {RAPID}
\mathbf{No}
Yes 1
I prefer not to answer
Don't know
If HT-4 = 0, skip to HT- 5 .
If HT-4 = 0, skip to HT-5. HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply.
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly
HT-4a. Under which circumstances did you use the over-the- counter rapid HIV test? Check all that apply. I used it to test myself regularly

Don't know
If HT-4a ≠ 1, then skip to HT-5.
HT-4b.In the past 12 months , how often have you used an over-the-counter rapid HIV test to test yourself regularly? FRERAPID }
I used it to test myself every 3 months or less \square_1
I used it to test myself every 4-6 months \square_2
I used it to test myself every 7-12 months \square_3
I used it to test myself at some other time interval \square_4
I prefer not to answer \square_7
Don't know \square_9
HT-5. What was the result of your most recent HIV test? { RCNTRSLT }
Negative1
Positive2
Never obtained results 3
Indeterminate 4
I prefer not to answer
Don't know9
If $HT-5 = (1, 7 \text{ or } 9)$ and $Group = A$, then skip to box before PP-1. If $HT-5 = (1, 7 \text{ or } 9)$ and $Group = B$, then skip to box before SD-5. If $HT-5 = (1, 7 \text{ or } 9)$ and $Group = C$, then skip to box before PA-1. If $HT-5 = 2$, then skip to $HT-7$.
HT-6. Before your test in/ [insert date from HT-3], did you ever test positive for HIV? {EVRPOS}
No \bigcirc_0
Yes1
I prefer not to answer \square ⁷
Don't know9
If HT-6 = 1, skip to HT-7a.

If HT-6 = (0, 7 or 9) and Group = A, then skip to box before **PP-1**If HT-6 = (0, 7 or 9) and Group = B, then skip to SD-5

If HT-6 = (0, 7 or 9) and Group = C, then skip to PA-1

HT-7. Was your test in/ [insert date from HT-3] your first positive test? {RCNFRST}
No \bigcirc 0
Yes \square_1
I prefer not to answer \square
Don't know
If HT-7 = (1, 7, or 9), skip to HT-8.
HT-7a. When did you <u>first</u> test positive? {POS1ST}
$_{_{_{_{_{_{_{_{_{_{_{_{_{_{1}}}}}}}}}}$
(M M / Y Y Y Y)

HT-8. Are you currently taking antiretroviral medicines to treat your HIV infection? {CURRAMED}

[PERSONS WHO HAVE TESTED HIV POSITIVE]

No...... \bigcap_0

Yes......

I prefer not to answer......7

Don't know.....9

If HT-8 = $(1, 7 \text{ or } 9)$ and Group = A, then skip to box before PP-1	
If HT-8 = (1, 7 or 9) and Group = B, then skip to SD-5	
If HT-8 = (1, 7 or 9) and Group = C, then skip to PA-1	

HT-8a. What is the **main** reason you are not currently taking any antiretroviral medicines? **WHNOMEDS**}

Not currently going to a health care provider for my HIV infection	Ш	0
CD4 count and viral load are good		1

Don't have money or insurance for antiretroviral medicines2
Don't want to take antiretroviral medicines
Other
I prefer not to answer
Don't know9
If Group = A, then skip to box before PP-1
If Group = B, then skip to SD-5
If Group = C, then skip to PA-1

Group A.

If Group=A, administer PP-1 through PP-5.
If HT-5 = 2, Display "Researchers are studying whether antiretroviral medicines could possibly be taken to prevent HIV." and then proceed to PP-1
If HT-5 \neq 2, or HT-1 = 0, Display "Researchers are studying whether anti-HIV medicine (also called antiretrovirals) a pill could possibly be taken to prevent HIV infection." and then proceed to PP-1
PP-1. Before today, have you ever heard of people who do not have HIV taking (< <antiretroviral anti-hiv="" medicines="">>), to keep from getting HIV? {ANTRPREV }</antiretroviral>
No \bigcirc 0
Yes \square_1
I prefer not to answer \square ⁷
Don't know
If HT-1 = 0 or HT-5 \neq 2, skip to PP-2a. If HT-5 = 2 and HT-8 \neq 1, then skip to HC-1
PP-2. In the past 12 months, have you given your antiretroviral medicines to a sex partner who was HIV-negative because you thought it might keep them from getting HIV? {HPANTM2P}
No \bigcirc 0
Yes \square_1
I prefer not to answer \square ⁷
Don't know9
If HT-5 = 2, then skip to HC-1
PP-2a. In the past 12 months, have you taken anti-HIV medicines <u>after</u> sex because you thought it would keep you from getting HIV? {AHMPOSX}
No \bigcirc 0
Yes \square_1

	I prefer not to answer					
PP-3.	In the past 12 months, have you taken anti-HIV rekeep you from getting HIV? {AHMPRESX}	nedicin	es <u>before</u>	sex becau	ise you thougl	ht it would
	No0					
	Yes1					
	I prefer not to answer $\boxed{7}$					
	Don't know9					
If PP-	2a ≠ 1 and PP-3≠1, then skip to PP-5.					
PP-4.	Did you get any of the anti-HIV medicines you to	ook froi	m the foll	owing peo Prefer	ople or places	?
				not to		
		No	Yes	answ er	Don't know	
	a. Doctor or other health care provider	0	1	7	9	
	b. Sex partner, friend, relative, or acquaintance {RECANTMB}	0	1	7	9	
	c. Internet	0	1	7	9	
	d. Some other place	0	1	7	9	
PP-5.	Would you be willing to take anti-HIV medicines {WANTHIVD}	s every	day to lo	wer your	chances of ge	tting HIV?
	No0					
	Yes1					
	I prefer not to answer7					
	Don't know9					
If a	Group = A, then skip to box before HC-1					
	Group = B, then skip to box before SD-5					
If (Group = C, then skip to box before PA-1					

Group B.

If Group=B, administer SD-5 through SD-8.

How strongly do you agree or disagree with each statement below?

SD-5 Most people in my area would discriminate against someone with HIV {PHIVDISC}
Strongly agree \square 01
Agree
Neither agree nor disagree 03
Disagree
Strongly disagree
I prefer not to answer
Don't know
SD-6. Most people in my area would support the rights of a person with HIV to live and work wherever they wanted to {PSUPPHIV}
Strongly agree
Agree
Neither agree nor disagree 03
Disagree
Strongly disagree
I prefer not to answer
Don't know
SD-7. Most people in my area would not be friends with someone with HIV {PERFRHIV}
Strongly agree
Agree \square 02
Neither agree nor disagree 03
Disagree
Strongly disagree \square 05
I prefer not to answer
Don't know

SD-8. Most people in my area would think that people who got HIV through sex or drug use have gotten what they deserve. {PPUNISHH}
Strongly agree
Agree
Neither agree nor disagree 03
Disagree
Strongly disagree
I prefer not to answer
Don't know
Skip to PA-1.
If Group=A, administer HC-1 through HC5-a.
Group A.
Health Conditions and Services
HC-1. Has a doctor, nurse or other health care provider ever told you that you had hepatitis? (EVRHEP)
No \square_0
Yes
I prefer not to answer7
Don't know
HC-1a. Has a doctor, nurse or other health care provider ever told you that you had genital herpes? {EVRHERP}
No \bigcirc_0
Yes \square_1
I prefer not to answer
Don't know9
HC-1b.Has a doctor, nurse or other health care provider ever told you that you had genital warts? {EVRGWAR}

\mathbf{No}
Yes \square_1
I prefer not to answer \square ⁷
Don't know
HC-1c. Has a doctor, nurse or other health care provider ever told you that you had human papillomavirus or HPV { EVRHPV }
\mathbf{No}
Yes \square_1
I prefer not to answer \square ⁷
Don't know
If HC-1 = 1, proceed to HC-1d . Otherwise, skip to HC-2.
HC-1d.What type or types of hepatitis have you had? Check all that apply.
Hepatitis A
Hepatitis B 1 {TYPHEPB}
Hepatitis C 3 {TYPHEPC}
Other
I prefer not to answer
Don't know9 {TYPHEPF}
HC-2. In the past 12 months (since [/]), has a doctor, nurse or other health care provider told you that you had gonorrhea? {GONORR}
No
Yes \square_1
I prefer not to answer \square ⁷
Don't know
HC-2a. In the past 12 months , (since [/]), has a doctor, nurse or other health care provider told you that you had chlamydia? {CHLMYD}
No \square_0

Yes \square_1
I prefer not to answer
Don't know9
HC-2b.In the past 12 months , (since [/]), has a doctor, nurse or other health care provider told you that you had syphilis? {SYPHILIS}
No \bigcirc 0
Yes \square_1
I prefer not to answer
Don't know
If HC-2 = 1, skip to box before HC-3a.
HC-3. Even though a doctor, nurse or other health care provider did not tell you that you had Gonorrhea, in the past 12 months, (since [/]), were you tested for gonorrhea? {GONOTEST}
No \bigcirc_0
Yes \square 1 I prefer not to answer \square 7
Don't know
If HC-2a = 1, skip to box before HC-3b.
HC-3a. Even though a doctor, nurse or other health care provider did not tell you that you had Chlamydia in the past 12 months, (since [/]), were you tested for chlamydia? {CHLATEST}
No \bigcirc 0
Yes1
I prefer not to answer
Don't know9
If HC-2b = 1, skip to HC-4.

HC-3b.Even though a doctor, nurse or other health care provider did not tell you that you had Syphilis, in the past 12 months, (since [/]), were you tested for syphilis? {SYPHTEST}	
No \square_0	
$oxed{\Xi}$	
Yes	
I prefer not to answer	
Don't know	
HC-4. There are vaccines or shots that can prevent some types of hepatitis. Have you ever had a hepatitis vaccine? {HEPVACC}	
No \bigcirc_0	
Yes 1	
I prefer not to answer \square ⁷	
Don't know	
If HC-4 = (0, 7 or 9), skip to HC-5.	
HC-4a. What type or types of hepatitis vaccine have you had? {TYPEVACC}	
Hepatitis A vaccine	
Hepatitis B vaccine \square 2	
Both Hepatitis A and B vaccines	
I prefer not to answer	
Don't know	
HC-5. A vaccine to prevent human papillomavirus (HPV) infection is available and is called the HPV shot, cervical cancer vaccine, GARDASIL®, or CERVARIX®. Have you ever received the HPV vaccine? {HPVSHOT}	J
No \bigcirc 0	
Yes \square_1	
I prefer not to answer \square ⁷	
Don't know	
If HC-5 ≠ 1, skip to box before PA-1.	

HC-5a. How old were you when you received your first dose of the HPV vaccine? {AGEVAC}

____ years [Prefer not to answer = 777; Don't know = 999]

Section E. Assessment of Prevention Activities (PA)

PA-1.	In the past 12 months , have you gotten any free condoms, not counting those given to you by a friend, relative, or sex partner? {COND12}
	No
	Yes
	I prefer not to answer \square_7
	Don't know9
PA-2.	In the past 12 months , have you had a one-on-one conversation with an outreach worker, counselor, or prevention program worker about ways to prevent HIV? Don't count the times when you had a conversation as part of an HIV test. {TALKHIV}
	No \bigcirc 0
	Yes1
	I prefer not to answer \square_7
	Don't know9
PA-3.	In the past 12 months, have you been a participant in any organized session(s) involving a small group of people to discuss ways to prevent HIV? Don't include discussions you had with a group of friends. {GROUP12}
	No
	Yes1
	I prefer not to answer \square_7
	Don't know9
	past 12 months , how often did you see or hear the following campaign slogans or messages? npaigns display in random order>>
PA-4a	. Testing Makes Us Stronger {MEDIMESS_A}
	Never
	Rarely
	Sometimes 2
	Often 3
	Very Often 4
	I prefer not to answer 7
	Don't Know 9

PA-4b	Greater than AIDS {MEDIMESS_B}	
	Never	0
	Rarely	1
	Sometimes	2
	Often	3
	Very Often	4
	I prefer not to answer	7
	Don't Know	9
PA-4c.	Protest {MEDIMESS_C}	
	Never	0
	Rarely	1
	Sometimes	2
	Often	3
	Very Often	4
	I prefer not to answer	7
	Don't Know	9
PA-4d	. ACT Against AIDS { MEDIMESS_D}	
	Never	0
	Rarely	1
	Sometimes	2
	Often	3
	Very Often	4
	I prefer not to answer	7
	Don't Know	9
PA-4e	< <act against="" aids="" campaigntbi<="" td=""><td>)>> {MEDIMESS_E}</td></act>)>> {MEDIMESS_E}
	Never	0
	Rarely	1

Sometimes	2
Often	3
Very Often	4
I prefer not to answer	7
Don't Know	9

If County = {CDC grantee funded to conducted Enhanced Comprehensive HIV/AIDS Prevention project}, then go to PA-4f, else, go to logic box before PA-5a.

If County= (Anne Arundel County, Baltimore County, Carroll County, Harford County, Howard County, Queen Anne's County, or Baltimore City), then display "HIV Stops With Me"

If County= (Collin County, Dallas County, Delta County, Denton County, Ellis County, Hunt County, Kaufman County, Rockwall County, or Tarrant County), then display "Dallas > AIDS"

If County=(District of Columbia), then display "Rubber Revolution"

If County= (Harris County), then display "HIV...It's Real Campaign"

If County= (Miami-Dade County), then display "Test Miami"

If County= (Philadelphia County), then display "TakeControlPhilly"

If County= (Bayamón Municipio, Canóvanas Municipio, Carolina Municipio, Guaynabo Municipio, Loíza Municipio, San Juan Municipio, Trujillo Alto Municipio), then display "Hacerte la Prueba de VIH Te Hace Más Fuerte"

PA-4f <<Local Campaign>> {MEDIMESS_F}

Never	0
Rarely	1
Sometimes	2
Often	3
Very Often	4
I prefer not to answer	7
Don't Know	9

If all PA-4a through PA-4f = 0.7 or 9, then skip to PA-6. If any PA-4a through PA-4f = 1.2.3 or 4, then ask PA-5a for each campaign respondent selected.

PA-5a. You said you saw or heard <<campaign>>. On a scale of 0 to 5, where 0 means 'not very effective' and 5 means 'very effective', how effective do you think this campaign slogan or message is? {MESSRESP_A through MESSRESP_F}

Not <u>Effective</u>					Very <u>Effective</u>		
0	1	2	3	4	5		
a nev	or diffe	erent so	cial net	workin	re recruiting a large number of men like you. Can you tell us the name of g website where we could reach other men like you who might like to		

AUTO7. Time Ended Core Survey: ___:__ : __ [24 Hour time HH:MM:SS] {ENDCORE}

SURVEY END:

Thank you for taking our survey. Your response is very important to us.

To find an HIV testing location near you, please visit: www.hivtest.org

To get more information about HIV, please visit: www.cdc.gov/hiv

Otherwise, you can close your browser.

FLASHCARD FOR USE WITH ALCOHOL QUESTIONS



1 Shot of Liquor (Whisky, Vodka, Gin, etc) 1.5 oz.



1 Regular Beer 12 oz.



1 Glass of Wine 5 oz.