U.S. Radiologic Technologists Study Fourth Survey

A collaborative effort between the University of Minnesota School of Public Health, National Cancer Institute, and American Registry of Radiologic Technologists

RADIOISOTOPE PROCEDURES MODULE

In	C+			\sim	nc	
	Sι	ı u	ct	ıu	113	٠.

· Use blue or black ink

1 2 3

• Print legible numbers:

Right Wrong

· Mark check boxes:

Do not make any stray marks on this form.
 If you have comments, please write them on a separate piece of paper.

PRIVACY ACT NOTIFICATION STATEMENT

Collection of this information is authorized by The Public Health Service Act, Section 411 (42 USC 285a). Rights of study participants are protected by The Privacy Act of 1974. Please be assured that all information you provide will be kept private under the Privacy Act and will not be disclosed to anyone but the researchers conducting this study, except as otherwise required by law. Any published results from this survey will be reported in statistical summaries only and will never include a participant's name. Your participation in this study is completely voluntary and failure to answer any particular question or the information collection as a whole will not affect your future contacts with the University of Minnesota, the American Registry of Radiologic Technologists, or the National Institutes of Health.

NOTIFICATION TO RESPONDENT OF ESTIMATED BURDEN Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0405). Do not return the completed form to this address.

Please fill out this module if you have ever performed or assisted with radioisotope procedures to diagnose or treat diseases REGULARLY, that is, <u>at least once a month for a year or more</u>.

Just do your best. Even if not exact, your best estimates are valuable to the study.

1. What year did you FIRST perform or assist with radioisotope procedures REGULARLY?

FIRST YEAR

 What year did you LAST perform or assist with radioisotope procedures REGULARLY? Enter current year if still doing procedures.



3. During each time period, how many YEARS did you perform or assist with DIAGNOSTIC RADIOISOTOPE procedures at least once a month?

Number of Years						
1945-1964	1965-1979	1980-1989	1990-1999	2000-2009		

CONTINUE -

v2012-02-26A -1-

DIAGNOSTIC RADIOISOTOPE PROCEDURES

4. For the following DIAGNOSTIC radioisotope procedures, please provide your best estimate of how many times per week you performed or assisted with these procedures during each time period. If you used more than one radionuclide for a given procedure, please answer separately for each radionuclide. NOTE: If you mark "never done," leave the rest of the columns blank for that procedure and radionuclide.

DIAGNOSTIC		NEVER			in each time	period?	
PROCEDURE	RADIONUCLIDE	DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
All Thyroid scans							
Thyroid scan	131						
	123						
	^{99m} Tc						
All Thyroid uptakes							
Thyroid uptake	131						
	123						
All Liver scans							
Liver scan	198 Au-Colloid						
All Brain scans							
Brain scan	¹³¹ ISHA						
	²⁰³ Hg						
	¹⁹⁷ Hg						
	^{99m} Tc						
All Renal scans							
Renal scan	²⁰³ Hg						
rtonal coan	¹⁹⁷ Hg						
	^{99m} Tc						
All Bone scans	85 Sr						
Bone scan	^{99m} Tc						
All Lung perfusion scans .							
All Lulig periusion scalls .							
Lung perfusion scan	¹³¹ I-MAA						
	^{99m} Tc-MAA						

DIAGNOSTIC		NEVER.	How m	nany TIMES procedur	per WEEK dies in each ti	id you perfo me period?	rm these
PROCEDURE, cont.	RADIONUCLIDE	DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
All Lung ventilations							
Lung ventilation	¹³³ Xe						
	¹²⁷ Xe						
All Bone marrow scans							
Bone marrow scan	¹⁹⁸ Au-Colloid						
	^{99m} Tc-SC						
	111 In-chloride						
All Gallbladder scans							
Gallbladder scan	^{99m} Tc						
All Gastrointestinal proce	dures						
Gastrointestinal	^{99m} Tc in solid meal						
All Cardiac scans							
Cardiac scan	²⁰¹ TI-chloride						
	^{99m} Tc (1d)						
	^{99m} Tc (2d)						
All tumor and abscess loc	calizations						
Tumor and abscess localization	⁶⁷ Ga-citrate						
	¹¹¹ In-octreotide						
All Pancreas scans							
Pancreas scan							
All PET scans (brain)							
PET scan (brain)	¹⁸ F-FDG						
All PET scans (except bra	in)						
PET scan (except brain)	¹⁸ F-FDG						
	82 Rb-chloride						
	¹³ N-ammonia						

DIAGNOSTIC			How many TIMES per WEEK did you perform these procedures in each time period?						
PROCEDURE, cont.	RADIONUCLIDE	DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009		
All Iron metabolism									
Iron metabolism	⁵⁹ Fe								
Please list other diagnostic proce	edures below:								
DIAGNOSTIC PROCEDURE	RADIONU	CLIDE							
1.									
2.									
3.									

The following questions are about your work patterns and practices while performing or assisting with DIAGNOSTIC RADIOISOTOPE procedures. Please complete all questions for each time period.

_		DONE DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
5a.	Did you ever prepare radiopharmaceuticals for DIAGNOSTIC procedures? If NEVER DONE, go to Question 6a.		☐ No ☐ Yes	□ No □ Yes	☐ No ☐ Yes	□ No □ Yes	□ No □ Yes
	5b. How many TIMES per WEEK did you prepare radiopharmaceuticals?						
	5c. When you prepared radiopharmaceuticals,	NEVER DONE					
	did you use any protection? If NEVER DONE, go to Question 6a.		☐ No ☐ Yes	□ No □ Yes	☐ No ☐ Yes	□ No □ Yes	☐ No ☐ Yes
	5d. Check all of the following that you typically used more than 50% of the time:	d					
	lead shielded vial						
	lead shielded syringe						
	lead apron						
	fume hood						
	L-Block						
	other (specify)						

			DONE	1965-1979	1980-1989	1990-1999	2000-2009
6a.	Did you ever elute the Tc generator? If NEVER DONE	,		☐ No	☐ No	☐ No	☐ No
	go to Question 7a.			☐ Yes	☐ Yes	☐ Yes	☐ Yes
	6b. How many TIMES per WEEK did you elute the Tc generator?						
	6c. When you eluted the 99mTc generator, did you use radiation protection? If NEVER DONE, go to Ques		NEVER DONE	☐ No ☐ Yes	□ No	☐ No ☐ Yes	□ No □ Yes
	6d. Check all of the following that you typically used more than 50% of the time:						
	lead shielded vial						
	lead apron						
	fume hood						
	other (specify)						
		NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
7a.	Did you ever inject the patient with a diagnostic		☐ No				
	radioisotope? If NEVER DONE, go to Question 8a.		☐ Yes				
	7b. How many TIMES per WEEK did you inject patients with a radioisotope?						
		NEVER					
		DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
	7c. When you injected the patient, did you use any radiation protection? If NEVER DONE, go to Question 8a.		☐ No ☐ Yes				
	7d. Check all of the following that you typically used more than 50% of the time:						
	lead shielded syringe						
	lead apron						
	other (specify)						
		NEVER					
		DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
8a.	When you assisted the patients for diagnostic radioisotope examinations, did you use any radiation protection? If NEVER DONE, go to Question 9a.		☐ No☐ Yes	☐ No☐ Yes	☐ No ☐ Yes	☐ No ☐ Yes	☐ No ☐ Yes
	8b. Check all of the following that you typically used or did more than 50% of the time: lead apron						
	moved more than 3 feet away from patient						
	other (specify)						

			NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
9a.	When you imaged patients, did you use any radiation protection? If NEVER DONE, go to Question 10.			☐ No☐ Yes	□ No □ Yes	☐ No ☐ Yes	☐ No ☐ Yes	☐ No ☐ Yes
	9b. Check all of the following that you typicall or did more than 50% of the time: lead apron	•						
	moved more than 3 feet away from patier other (specify)	nt						
	THERAPEUTIC RA	ADIOI	SOTOF	PE PROC	EDURE	S		
40	During and time paried how many VEADC di	: al a		1945-196	SA 1965-197	9 1980-1989	a 1990 <u>-</u> 1999	2000-2009
10.	During each time period, how many YEARS di or assist with THERAPEUTIC RADIOISOTOPE least once a month?				1303-137	1300-1300	1330-1333	2000-2000
	For the following THERAPEUTIC RADIOISOTO times per week you performed or assisted with each time period. If you used more than one ra	h these	proced	ures, with	the speci	fic radiois	otope liste	d, during
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC	f the co	olumns b	lank for tha	at procedur	e and radic	onuclide.	
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR		olumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio	onuclide. erform thesod?	
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR	f the co	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE	f the co	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE Hyperthyroidism	NEVER DONE	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE Hyperthyroidism	NEVER DONE	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE Hyperthyroidism	NEVER DONE	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE Hyperthyroidism	NEVER DONE	blumns b	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE Hyperthyroidism	NEVER DONE	How 1945-19	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE RADIONUCLIDE Hyperthyroidism	NEVER DONE	How 1945-19	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e
	below. NOTE: If you mark "never done," leave the rest of THERAPEUTIC PROCEDURE OR DISEASE Hyperthyroidism	NEVER DONE	How 1945-19	lank for tha many TIME proced	at procedur S per WEE ures in eac	e and radio K did you p h time perio	onuclide. erform thesod?	6e

The following questions are about your work patterns and practices while performing or assisting with THERAPEUTIC RADIOISOTOPE procedures. Please complete all questions for each time period.

12a. Did you ever prepare radiopharmaceuticals for	NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
THERAPEUTIC procedures? If NEVER DONE, go to Question 13a.		□ No □ Yes	□ No □ Yes	☐ No ☐ Yes	☐ No ☐ Yes	□ No □ Yes
12b. How many TIMES per WEEK did you prepare radiopharmaceuticals?						
12c. When you prepared radiopharmaceuticals, did you use any radiation protection? If NEVER DONE, go to Question 13a.	NEVER DONE	□ No	□ No	□ No	□ No	□ No
12d. Check all of the following that you typically used more than 50% of the time:		☐ Yes	☐ Yes	☐ Yes	☐ Yes	☐ Yes
lead shielded viallead shielded syringelead apron						
fume hoodL-Blockother (specify)						
		· -	. —	. —	. —	_
13a. Did you ever administer oral ¹³¹ I? If NEVER	NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
DONE, go to Question 14a.		☐ No ☐ Yes	☐ No ☐ Yes	□ No □ Yes	☐ No ☐ Yes	☐ No ☐ Yes
13b. How many TIMES per WEEK did you administer oral ¹³¹ I?						
13c. When you administered oral ¹³¹ I, did you use any radiation protection? If NEVER DONE, go to Question 14a.	NEVER DONE	☐ No ☐ Yes	☐ No ☐ Yes	□ No □ Yes	□ No □ Yes	□ No □ Yes
13d. Check all of the following that you typically used more than 50% of the time:						
lead apronother (specify)						

44. Did you are inicat the maticut with a thousant in	NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
14a. Did you ever inject the patient with a therapeutic radioisotope? If NEVER DONE, go to Question 15a.		☐ No	☐ No	□ No	☐ No	☐ No
		☐ Yes				
14b. How many TIMES per WEEK did you inject patients with the radioisotope?						
•						
	NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
14c. When you injected the patient with the radioisotope, did you use any radiation protection? If NEVER DONE, go to Question 15a.		□ No □ Yes	□ No □ Yes	□ No □ Yes	☐ No ☐ Yes	□ No □ Yes
14d. Check all of the following that you typically used more than 50% of the time: lead apron lead shielded syringe other (specify)						
	NEVER DONE	1945-1964	1965-1979	1980-1989	1990-1999	2000-2009
15a. When you assisted the patient for therapeutic radioisotope procedures, did you use any radiation protection? If NEVER DONE, go to Question 16.		☐ No ☐ Yes	□ No □ Yes	□ No □ Yes	□ No □ Yes	□ No □ Yes
15b. Check all of the following that you typically used or did more than 50% of the time: lead apron						
moved more than 3 feet away from patient other (specify)						

Thank you!

OFFICE USE ONLY							
\Box A	□В	\Box C	$\square D$	□ E			