U.S. Radiologic Technologists Study Fourth Survey

A collaborative effort between the University of Minnesota School of Public Health, National Cancer Institute, and American Registry of Radiologic Technologists

FLUOROSCOPICALLY-GUIDED PROCEDURES MODULE

Instructions:

Use blue or black inkPrint legible numbers:

1 2 3

· Mark check boxes:

Right Wrong

Do not make any stray marks on this form.
 If you have comments, please write them on a separate piece of paper.

PRIVACY ACT NOTIFICATION STATEMENT

Collection of this information is authorized by The Public Health Service Act, Section 411 (42 USC 285a). Rights of study participants are protected by The Privacy Act of 1974. Please be assured that all information you provide will be kept private under the Privacy Act and will not be disclosed to anyone but the researchers conducting this study, except as otherwise required by law. Any published results from this survey will be reported in statistical summaries only and will never include a participant's name. Your participation in this study is completely voluntary and failure to answer any particular question or the information collection as a whole will not affect your future contacts with the University of Minnesota, the American Registry of Radiologic Technologists, or the National Institutes of Health.

We are interested here in fluoroscopically-guided procedures that use catheters or other types of equipment for diagnosis or intervention, including:

- cardiac procedures (such as diagnostic catheterization, electrophysiology studies, pacemaker implant),
- urology procedures (such as nephrostomy),
- orthopedic procedures (such as vertebroplasty),
- gastrointestinal procedures (such as TIPS, ERCP),
- embolization procedures (such as fibroids, liver tumor),
- and other fluoroscopically-guided procedures (such as port placement, peripheral vascular intervention).

Do NOT report routine fluoroscopy exams (such as upper GI series, esophagram, barium enema) **here.**

Just do your best. Even if not exact, your best estimates are valuable to the study.

Please fill out this module if you ever performed or assisted with fluoroscopically-guided procedures REGULARLY (that is, <u>at least once a month for a year or more</u>).

1. What year did you FIRST perform or assist with fluoroscopicallyguided procedures REGULARLY?

I		
FIRST		
YEAR		

2. What year did you LAST perform or assist with fluoroscopicallyguided procedures REGULARLY? Enter current year if still doing procedures.



NOTIFICATION TO RESPONDENT OF ESTIMATED BURDEN

Public reporting burden for this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0405). Do not return the completed form to this address.

Number of Years							
Before 1970	1970-1979	1980-1989	1990-1999	2000-2009			

- 3. Within each time period shown, how many YEARS did you regularly perform or assist with FLUOROSCOPICALLY-GUIDED procedures?
- 4. For the following fluoroscopically-guided procedures, please provide your best estimate of HOW MANY TIMES PER MONTH you performed or assisted with these procedures during each time period and what PERCENT TIME you were located WITHIN 3 FEET of the table when performing these procedures. Please provide estimates for the overall procedure group (e.g. all cardiac procedures) and also for the selected individual procedures within each group.

NOTE: If you mark "never done," leave the rest of the columns blank for that procedure.

		pro		rage, how many ti						le?
		Before 1970		1970-1979	1980	0-1989	1990	-1999	200	0-2009
FLUOROSCOPICALLY-GUIDED PROCEDURE	NEVER DONE	# times per month	% time within 3 feet		# times per month	% time within 3 feet	# times per month	% time within 3 feet	# times per month	% time within 3 feet
CARDIAC procedures										
Diagnostic catheterizations										
Percutaneous coronary interventions (PCI)										
Electrophysiology (EP) diagnostic studies										
Electrophysiology (EP) ablations										
Pacemaker or intracardiac defibrillator implantations										
UROLOGIC procedures										
Percutaneous nephrolithotomy										
Nephrostomy										
ORTHOPEDIC procedures										
Vertebroplasty										
Orthopedic extremity nailing										

		pro		rage, how many ti ng each time perio						e?
		Before		1970-1979	T	0-1989	1990-1999		2000-2009	
FLUOROSCOPICALLY- GUIDED PROCEDURES, cont.	NEVER DONE	# times per month	% time within 3 feet		# times per month	% time within 3 feet	# times per month	% time within 3 feet	# times per month	% time within 3 feet
HEAD and NECK procedures										
Endovascular therapeutic procedures										
GASTROINTESTINAL procedures										
Biliary tract procedures										
Transjugular intrahepatic portosystemic shunts (TIPS)										
Endoscopic retrograde cholan- giopancreatography (ERCP)										
EMBOLIZATION procedures										
Fibroids										
Liver tumor										
Other tumor										
Bleeding (any site)										
OTHER procedures										
Port placement										
Peripherally inserted central catheter (PICC) placement										
Inferior Vena Cava (IVC) filter placement										
Aortic stent grafts										
Dialysis interventions										
Peripheral vascular interventions										

5. The following questions are about protective measures that you used when you performed or assistated with FLUOROSCOPICALLY-GUIDED procedures.

PROTECTIVE	protective measures during each time period?					
MEASURES	Before 1970	1970-1979	1980-1989	1990-1999	2000-2009	
Leaded gloves	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero☐ 1-25%☐ 25-74☐ 75-99☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Lead apron	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero☐ 1-25%☐ 25-74☐ 75-99☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Thyroid shield	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Lead glasses	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Ceiling suspended shield	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero☐ 1-25%☐ 25-74☐ 75-99☐ 100	☐ Zero☐ 1-25%☐ 25-74☐ 75-99☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Mobile floor shield	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	
Table mount shield	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	

6. The following questions are about film or other radiation monitoring badges that you wore when you performed or assisted with FLUOROSCOPICALLY-GUIDED procedures. The term 'lead' refers to lead or lead-equivalent.

MONITORING	How many radiation monitoring badges did you usually wear during each time period?								
BADGES	Before 1970	Before 1970 1970-1979 1980-1989 1990-1999 2000-2009							
Number of badges worn	☐ Zero ☐ 1 ☐ 2 ☐ 3	☐ Zero ☐ 1 ☐ 2 ☐ 3	☐ Zero ☐ 1 ☐ 2 ☐ 3	☐ Zero ☐ 1 ☐ 2 ☐ 3	☐ Zero ☐ 1 ☐ 2 ☐ 3				

TYPE AND PLACEMENT	What PERCENTAGE OF THE TIME did you use this type of radiation monitoring badge during each time period?							
OF BADGE	Before 1970	1970-1979	1980-1989	1990-1999	2000-2009			
Badge at neck	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero☐ 1-25%☐ 25-74☐ 75-99☐ 100			
Did you								
usually wear			п.,					
this badge under lead?	☐ No☐ Yes	☐ No☐ Yes	☐ No ☐ Yes	☐ No☐ Yes	☐ No☐ Yes			
Badge at waist	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100	☐ Zero ☐ 1-25% ☐ 25-74 ☐ 75-99 ☐ 100			
Did you usually wear this badge under lead?	□ No □ Yes	□ No □ Yes	☐ No ☐ Yes	□ No □ Yes	□ No □ Yes			

Thank you!

OFFICE USE ONLY
□A □B □C □D □E