VOR GROUND CHECK DATA SHEE								LOCATION/ IDENT.				
REF	. LOCK	– IN – Pi	HASE			1		<u> </u>				
				EQPT. NO		EQPT. NO		EQPT. NO	EQPT. NO		EQPT. NO	
DETECTOR AZIMUTH (A)		REFERENCE ERROR		TEST GEN DIAL (B)	ERROR (A – B)	TEST GEN DIAL (B)	ERROR (A – B)		ERROR (A – B)	TEST GEN DIAL (B)	ERRO R (A – B)	
SPACING		EQPT. EQPT.										
22.5 °	20 °	NO. 1	NO. 2									
0	0											
22.5	20											
45	45											
67.5	60											
90	90											
112.5	120											
135	135											
157.5	160											
202.5	200											
225	225											
247.5	240											
270	270											
292.5	300											
315	315											
337.5	340											
360	360											
REC. CHECK POINT (S)												
ERR SPR												
MAX. EQPT. DIFFERENCE												
MAXIMUM DEVIATION FROM REFERENCE ERROR												
OBSERVER'S INITIALS / DATE												
		ETER NO.1		TEST GEN. TYPE			MONITOR Type					
A A R K												
REMARKS						SUPERVISOR'S						
-						SIGNATURE						

FAA Form 6790-4 (03/74) Supersedes Previous Edition

Electronic Version (Adobe)

^{*} U.S. Government Printing Office: 1974-773-602/213/7