

Pediatric Intestine Transplant Recipient Follow-Up Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 10/31/2010

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI[®] application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI[®] application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
Previous	Previous Px Stat
Follow-Up:	Date:
Transplant Discharge Date:	
State of Permanent Residence:★	
Zip Code:*	-
Provider Information	
Recipient Center:	
Followup Center:	
Physician Name: *	
NPI#:*	
Follow-up Care Provided By:*	 Transplant Center Non Transplant Center Specialty Physician Primary Care Physician Other Specify
Specify:	
Donor Information	
UNOS Donor ID #:	
Donor Type:	
Patient Status	
Date: Last Seen, Retransplanted or Death [★]	
Patient Status: ≭	C LIVING DEAD

© RETRANSPLANTED			
Primary Cause of Death: Specify:			
Contributory Cause of Death: Specify:			
Contributory Cause of Death: Specify:			
Hospitalizations: Has the patient been hospitalized since the last patient status date: * Number of Hospitalizations:	C YES O NO UNK ST=		
Noncompliance: Was there evidence of noncompliance with immunosuppression medication during this follow-up period that compromised the patient's recovery:	C YES O NO O UNK		
Functional Status: *			
Cognitive Development:*	 Definite Cognitive delay/impairment Probable Cognitive delay/impairment Questionable Cognitive delay/impairment No Cognitive delay/impairment Not Assessed 		
Motor Development: [*]	 Definite Motor delay/impairment Probable Motor delay/impairment Questionable Motor delay/impairment No Motor delay/impairment Not Assessed 		

	Within One Grade Level of Peers
	C Delayed Grade Level
Academic Progress*	Special Education
	Not Applicable < 5 years old/ High School graduate or GED
	Status Unknown
	Full academic load
	Reduced academic load
Academic Activity Level*	Unable to participate in academics due to disease or condition
	Not Applicable < 5 years old/ High School graduate or GED
	Status Unknown
Primary Insurance at Follow-up:*	
Specify:	
Clinical Information	
Date of Measurement:	
Height: ★	ft in cm ST=
Weight: *	lbs. kg ST=
BMI:	kg/m ²
Graft Status: *	Functioning Failed
If death is indicated for the recipient, and the	death was a result of some other factor unrelated to graft failure, select Functioning.
TPN Dependent:	C YES C NO
IV Dependent:	C YES ONO
Oral Feeding:	C YES NO
Tube Feeding:	C YES ONO
Date of Failure:	
Primary Cause of Failure:	
Other, Specify:	

Diabetes onset during the follow-up period: * Insulin dependent:	C YES C NO C UNK
Most Recent Lab date:	
Total Bilirubin: *	mg/dl ST=
Serum Albumin:	mg/dl ST=
Serum Creatinine:*	mg/dl ST=
Did patient have any acute rejection episodes during the follow-up period:*	 Yes, at least one episode treated with anti-rejection agent Yes, none treated with additional anti-rejection agent No Unknown
Was biopsy done to confirm acute rejection:	 Biopsy not done Yes, rejection confirmed Yes, rejection not confirmed Unknown
Post Transplant Malignancy:*	C YES C NO C UNK
Donor Related:	C YES C NO C UNK
Recurrence of Pre-Tx Tumor:	C YES C NO C UNK
De Novo Solid Tumor:	C YES C NO C UNK
De Novo Lymphoproliferative disease and Lymphoma:	C YES C NO C UNK

Treatment	
Biological or Anti-viral therapy:	C YES NO Unknown/Cannot disclose
	Acyclovir (Zovirax)
	Cytogam (CMV)
	Gamimune
	Gammagard
	Ganciclovir (Cytovene)
If Yes, check all that apply:	☐ Valgancyclovir (Valcyte)
	HBIG (Hepatitis B Immune Globulin)
	Flu Vaccine (Influenza Virus)
	Lamivudine (Epivir) (for treatment of Hepatitis B)
	☐ Valacyclovir (Valtrex)
	Other, Specify
Specify: *	
Specify:	
Other therapies:	C YES C NO
	Photopheresis
If Yes, check all that apply:	☐ Plasmapheresis
	Total Lymphoid Irradiation (TLI)
Immunosuppressive Information	
Previous Validated Maintenance Follow-Up Medications:	
Previous Validated Maintenance Follow-Up Medications:	
	Yes, same as validated TRR form
Were any medications given during the follow-	Yes, same as previous validated report
up period for maintenance:	Yes, but different than previous validated report
	C None given

Did the physician discontinue all maintenance immunosuppressive medications:			
Did the patient participate in any clinical research protocol for immunosuppressive			
Specify: *			
Immunosuppressive Medications			
View Immunosuppressive Medications			
Definitions Of Immunosuppressive Follow-Up Medications			
For each of the immunosuppressant medications listed, check Previous Mainte Maint) or Anti-rejection (AR) to indicate all medications that were prescribed fo what reason. If a medication was not given, leave the associated box(es) blank.	r the recipient during		
Previous Maintenance (Prev Maint) includes all immunosuppressive medication the period from the last clinic visit to the current clinic visit, for varying periods of intermediate term with a tapering of the dosage until the drug is either eliminated drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, A any immunosuppressive medications given to treat rejection episodes.	time which may be e d or replaced by anoth	ither long-ter her long-term	m or maintenance
Current Maintenance (Curr Maint) includes all immunosuppressive medication next report for varying periods of time which may be either long-term or intermed drug is either eliminated or replaced by another long-term maintenance drug (ex	diate term with a tape		
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any		Cyclosporine,	Tacrolimus,
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should not immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since	eations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma	cyclosporine, medications of treasoulin). When athioprine) be intenance	Tacrolimus, given to treat ating an acute switching cause of
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should munosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication includes any rejection medication of the result of the result is set of the result of the result is set of the result in the result is the result in the result in the result in the result is the result in the result in the result is the result in the result in the result in the result is the result in the result in the result is the result in the	eations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma e the last clinic visit, ed (e.g., new monoclo- cation field, and enter	cyclosporine, medications (urpose of treat bulin). When athioprine) be intenance not just at the mal antibodie	Tacrolimus, given to treat ating an acute switching acause of the time of the
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but shou immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administere Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication includes any rejection medication of the result of the should be any rejection medications since current clinic visit.	eations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma e the last clinic visit, ed (e.g., new monoclo- cation field, and enter	cyclosporine, medications (urpose of treat bulin). When athioprine) be intenance not just at the mal antibodie	Tacrolimus, given to treat ating an acute switching ecause of the time of the as), select e of the
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medicing rejection episode since the last clinic visit (example: Methylprednisolone, Atgammaintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication in the space provided. Do not list non-immunosuppressive medication Steroids	eations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma e the last clinic visit, ed (e.g., new monoclo cation field, and enter eations. Prev	cyclosporine, medications (urpose of tree bulin). When athioprine) be intenance not just at the full name	Tacrolimus, given to treat ating an acute switching ecause of the time of the as), select e of the
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medicing rejection episode since the last clinic visit (example: Methylprednisolone, Atgammaintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medimedication in the space provided. Do not list non-immunosuppressive medication (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron)	rations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma the last clinic visit, ed (e.g., new monoclo cation field, and enter eations. Prev Maint	cyclosporine, medications (urpose of treaculin). When athioprine) be intenance not just at the full name Curr Ma	Tacrolimus, given to treat ating an acute switching scause of he time of the es), select e of the
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medianedication in the space provided. Do not list non-immunosuppressive medication (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG)	ations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma e the last clinic visit, ed (e.g., new monoclo cation field, and enter eations. Prev Maint	cyclosporine, medications (surpose of treat pulin). When athioprine) be intenance not just at the full name of the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time of the time of the action of the time of the action of the time of the action of the action of the time of the time of the time of the time of the action of the time of tim
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Mediamedication in the space provided. Do not list non-immunosuppressive medication (ATG) OKT3 (Orthoclone, Muromonab)	ations given for the p OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma the last clinic visit, ed (e.g., new monoclo cation field, and enter ations. Prev Maint	cyclosporine, medications (surpose of treat coulin). When athioprine) be intenance not just at the full name of the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time af the action of the act
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but should immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Mediamedication in the space provided. Do not list non-immunosuppressive medication of the Immunosuppressive medication (ATG) OKT3 (Orthoclone, Muromonab) Thymoglobulin	ations given for the p , OKT3, or Thymoglot enolate Mofetil to Aza ald be listed under ma e the last clinic visit, ed (e.g., new monoclo cation field, and enter eations. Prev Maint	cyclosporine, medications (surpose of treat coulin). When athioprine) be intenance not just at the mal antibodies the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time the action of the time of the time of the action of the time of time of time of the time of ti
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but shou immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administered Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medimedication in the space provided. Do not list non-immunosuppressive medication in the space provided. Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG) OKT3 (Orthoclone, Muromonab) Thymoglobulin Simulect - Basiliximab	ations given for the p of OKT3, or Thymoglobenolate Mofetil to Azald be listed under material to the last clinic visit, and (e.g., new monoclobes ation field, and enterestions. Prev Maint	cyclosporine, medications (surpose of treat coulin). When athioprine) be intenance not just at the mal antibodies the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time action in the action in
Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but shou immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administere Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medimedication in the space provided. Do not list non-immunosuppressive medication in the space provided. Do not list non-immunosuppressive medication (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG) OKT3 (Orthoclone, Muromonab) Thymoglobulin Simulect - Basiliximab Zenapax - Daclizumab	ations given for the p of OKT3, or Thymoglob enolate Mofetil to Azald be listed under mate the last clinic visit, and (e.g., new monoclobed cation field, and enternations. Prev Maint	cyclosporine, medications (surpose of treat coulin). When athioprine) be intenance not just at the mal antibodies the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time action in the action in
Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episodes. Anti-rejection (AR) immunosuppression includes all immunosuppressive medic rejection episode since the last clinic visit (example: Methylprednisolone, Atgam maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycoph rejection, the drugs should not be listed under AR immunosuppression, but shou immunosuppression. Note: The Anti-rejection field refers to any anti-rejection medications since current clinic visit. If an immunosuppressive medication other than those listed is being administere Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medimedication in the space provided. Do not list non-immunosuppressive medication in the space provided. Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron) Atgam (ATG) OKT3 (Orthoclone, Muromonab) Thymoglobulin Simulect - Basiliximab Zenapax - Daclizumab Azathioprine (AZA, Imuran) EON (Generic Cyclosporine)	ations given for the p of OKT3, or Thymoglobenolate Mofetil to Azald be listed under material to the last clinic visit, and (e.g., new monoclobe cation field, and enterestions. Prev Maint	cyclosporine, medications (surpose of treat pulin). When athioprine) be intenance not just at the mal antibodies the full name.	Tacrolimus, given to treat ating an acute switching acause of the time of the as), select e of the time action in the action in

Other generic Cyclosporine, specify brand:			
Neoral (CyA-NOF)			
Sandimmune (Cyclosporine A)			
CellCept (Mycophenolate Mofetil; MMF)			
Generic MMF (Generic CellCept)			
Prograf (Tacrolimus, FK506)			
Generic Tacrolimus (Generic Prograf)			
Modified Release Tacrolimus FK506E (MR4)			
Sirolimus (RAPA, Rapamycin, Rapamune)			
Myfortic (Mycophenolate Sodium)			
Other Immunosuppressive Medications	Prov I	Maint Cur	rr Maint AR
Campath - Alemtuzumab (anti-CD52)			
Cyclophosphamide (Cytoxan)			
Leflunomide (LFL, Arava)			
Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex)	П		
Other Immunosuppressive Medication, Specify			
Rituximab			
Investigational Immunosuppressive Medications			
investigational initiatiosuppressive medications	Prev l	Maint Cur	r Maint AR
Everolimus (RAD, Certican)			_
Other Immunosuppressive Medication, Specify			
UNOS View Only			
Comments:			