

(Attachment D)
**OCHIN-Member Clinics
Clinician Questionnaire**

1. Professional category:

- Physician Nurse Practitioner Social worker
 PA Nurse
 Other Clinical Professional (please specify) _____

2. Age:

- Under 30 years old 30 to 39 years old
 40 to 49 years old 50 to 59 years old
 60 to 69 years old Over 69 years old

3. Sex:

- Female Male

4. If you are a provider, what patient populations do you treat?

- (Not applicable)
 Patients of all ages
 Only adults (≥ 18 YO)
 Only children/adolescents (< 18 YO)

Note: Two types of Effective Health Care (EHC) Program products have been integrated into the OCHIN electronic medical record:

- **Clinician Guides** = provide detailed description of research evidence on a given topic
- **Consumer Guides** = provide patient-level description of research evidence on a given topic

QUESTIONS ABOUT CLINICIAN GUIDES

5. Have you ever accessed any of the EHC Program Clinician Guides using the OCHIN electronic medical record?

- Yes
 No [**SKIP TO ITEM #9**]
 Not sure [**SKIP TO ITEM #9**]

Public reporting burden for this collection of information is estimated to average 10 minutes per response, the estimated time required to complete the survey. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: AHRQ Reports Clearance Officer Attention: PRA, Paperwork Reduction Project (0935-XXXX) AHRQ, 540 Gaither Road, Room # 5036, Rockville, MD 20850.

6. When you receive notification of an available Clinician Guide, how often do you access it?

- Always/almost always
- Most of the time
- Some of the time
- Seldom/never
- Not sure

7. Please indicate which Clinician Guides you have accessed, and how often:

| | Never | 1-5 Times | 6-10 Times | > 10 Times |
|----------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Antidepressant Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Treating High Cholesterol | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Comparing Two Kinds of Blood Pressure Pills: ACEIs and ARBs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Treating Prostate Cancer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Pills for Type 2 Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Premixed Insulin for Type 2 Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Gestational Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Osteoarthritis of the Knee | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Choosing Pain Medicine for Osteoarthritis | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Osteoporosis Treatments that Help Prevent Broken Bones | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Rheumatoid Arthritis Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Antidepressant Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

8. Please provide your overall ratings on the Clinician Guides that you have used:

| | Poor | Fair | Good | Very Good | Excellent |
|-----------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Usefulness in understanding current evidence on the clinical topic | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Usefulness in understanding and comparing efficacy of treatments | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Usefulness in communicating health risks with patients | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Satisfaction with the Clinician Guides | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

9. If you have never accessed any of the Clinician Guides, or have accessed them only infrequently, please indicate your reasons for not using them more often: [select all that apply]
- Was unaware of their availability
 - Did not see a need to use them
 - Did not find them to be useful
 - Have not seen patients with relevant conditions
 - Other: (please explain) _____

QUESTIONS ABOUT CONSUMER GUIDES

10. Have you ever accessed or ordered any of the EHC Program Consumer Guides using the OCHIN electronic medical record?
- Yes
 - No [**SKIP TO ITEM #15**]
 - Not sure [**SKIP TO ITEM #15**]
11. For about how many of your patients do you typically receive notification of the availability of a relevant Consumer Guide?
- All/almost all patients
 - About 75% of patients
 - About half of patients
 - About 25% of patients
 - No patients
 - Not sure
12. For about how many of the patients for whom you receive notice of an available Consumer Guide do you then provide or order the Consumer Guide?
- All/almost all patients
 - About 75% of patients
 - About half of patients
 - About 25% of patients
 - No patients
 - Not sure

13. Please indicate which Consumer Guides you have accessed or ordered, and how often:

| | Never | 1-5 Times | 6-10 Times | > 10 Times |
|-------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Antidepressant Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Treating High Cholesterol | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Comparing Two Kinds of Blood Pressure Pills: ACEIs and ARBs | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Treating Prostate Cancer | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Pills for Type 2 Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Premixed Insulin for Type 2 Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Gestational Diabetes | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Osteoarthritis of the Knee | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Choosing Pain Medicine for Osteoarthritis | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Osteoporosis Treatments that Help Prevent Broken Bones | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Rheumatoid Arthritis Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Antidepressant Medicines | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

14. Please provide ratings on the Consumer Guides that you have used:

| | Poor | Fair | Good | Very Good | Excellent |
|----------------------------------------------------------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Usefulness in understanding health care issues associated with the clinical topic | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Usefulness in communicating health risks with patients | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Overall satisfaction with the Consumers Guides you have used or prescribed to patients | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

15. If you have never accessed any of the Consumer Guides, or have accessed them only infrequently, please indicate your reasons for not using the Guides more often: [select all that apply]

- Was unaware of their availability
- Did not see a need to use them
- Did not find them to be useful
- Have not seen patients with relevant conditions
- Other: (please explain) _____

16. How often do you use the Patient Letters function to order Consumer Guide mailings for your patients?

- Never
- Occasionally
- Often
- Very often

17. How useful is the Patient Letters function in the EMR?

- Not very useful
- Somewhat useful
- Very useful

18. If you could suggest changes in the Patient Instructions and/or Patient Letters functions, what changes would you suggest?

19. To what extent are the automated reminders for the Patient Instructions and Patient Letters functions in the EMR distracting to you?

- Not at all
- A little
- Moderately so
- Very much

20. How do the Patient Instructions and Patient Letters functions in the EMR affect your clinic work flow?

- Significantly improves
- Moderately improves
- No perceived effect
- Moderately impairs
- Significantly impairs

21. How does the availability and provision of Consumer Guides to patients affect your clinic work flow?

- Significantly improves
- Moderately improves
- No perceived effect
- Moderately impairs
- Significantly impairs

22. Please indicate your overall satisfaction with the availability of and access to Clinician and Consumer Guides within the OCHIN electronic medical record:

| | Poor | Fair | Good | Very Good | Excellent |
|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Overall satisfaction | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

23. Do you have any suggestions for improving the Clinician or Consumer Guides or improving how the Guides are made available to you and patients?