

PMINTROA

PMINTROA

Page Order # : 10

Design Screen Type: No Entry

Fields: **Field 1:** **PMINTA**

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported PM purchases in the previous round, display 1st sentence "Now let's talk"
Else do not display.

If SP reported PM's in the current round utilization, display 2nd sentence "While talking about medical visits..."
Else do not display.

If (SP did not report PM purchases in the previous round) and (SP did not report PM's in the current round utilization), display 3rd sentence "Now I'd like to talk about..."
Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: If SP reported PM's in the current round utilization, display the following report.

Display report below question text.

Column 1, header = Medicine Name
Column, 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

TEXT:

Context Header:

Int. Instr I:

Question Text: [Now let's talk about prescribed medicines [you have/(SP) has] obtained since (REFERENCE DATE).]

(While talking about medical visits, you mentioned some medicine(s): [READ MEDICINE NAME(S) BELOW.]

(Now I'd like to talk about prescribed medicines.)

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMINTA (PMQ1010)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TContinueEMPTY

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Continue	PM1 - PMFILLED (PMQ1020)

English text: CONTINUE

Attribute	Route
Empty	PM1 - PMFILLED (PMQ1020)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

- 176 **PMPrevRnd** SP reported PM purchase(s) in previous round =
There is an EVNT & PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round &
PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes
& (GETNUM>0 or GETNUM = DK or RF)).
Medicine Name=EVNT.PMEDNAME.
- 177 **PMCurrentUtilization** SP reported PMs in the current round utilization =
There is an EVNT & PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND = current round & PMRO.PMROTYPE
= 'PM' and PMRO.PMRODFLG ^= 1/Yes).
Medicine Name = EVNT.PMEDNAME.

DESIGN NOTES

PM1

Page Order # : 20

Design Screen Type: Yes/No

Fields: Field 1: PMFILLED

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

If only one PM reported during the current round utilization, display "Besides that medicine, ".
 Else if more than one PM reported during the current round utilization, display "Besides those medicines, "
 Else do not display.

If one or more PM's reported during the current round utilization, display "[since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
 Else display "[Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If one or more PM's reported during the current round utilization, display "other".
 Else do not display.

If SP is the respondent, display "have you had".
 Else if SP is alive and not institutionalized, display "has (SP) had".
 Else display "did (SP) have".

Multi Field display:**Roster/Grid Instructions:****Roster/Grid display:**

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text: [Besides that medicine, /Besides those medicines,] [(Since/since) (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] [have you had/has (SP) had/did (SP) have] any (other) prescriptions filled?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMFILLED (PMQ1020)

Cheshire Name: HRND.PMFILLED

Item Text display: Do not display response option 3/IndicatedYesByDataprep.

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TProbe

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Yes	BOX PMA1 - (PMQ1030)
	English text: YES	
2	No	PM3 - PMREFILL (PMQ1070)
	English text: NO	
3	IndicatedYesByDataPrep	DO NOT DISPLAY. DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	PM3 - PMREFILL (PMQ1070)
Refusal	PM3 - PMREFILL (PMQ1070)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

177	PMCurrentUtilization	SP reported PMs in the current round utilization = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round & PMRO.PMROTYPE = 'PM' and PMRO.PMRODFLG ^= 1/Yes). Medicine Name = EVNT.PMEDNAME.
59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

BOX PMA1

Page Order # : 30

BOX INSTRUCTIONS

(PMQ1030) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM1A - PM1PMMEDS (PMQ1040).

ELSE GO TO PM2 - MEDICINE_PM1 (PMQ1050).

ASSIGNMENTS

TECHNICAL NOTES

131	PMBottleProbe	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

DESIGN NOTES

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

PM1A

Page Order # : 40

Design Screen Type: No Entry

Fields: Field 1: PM1PMMEDS

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....".
Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =
Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text: It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PM1PMMEDS (PMQ1040)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TContinueEMPTY
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Continue	PM2 - MEDICINE_PM1 (PMQ1050)
English text: CONTINUE		

Attribute	Route
Empty	PM2 - MEDICINE_PM1 (PMQ1050)

BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM1A is asked, set flag as instructed below:

GETPMMEDS Set GETPMMEDS=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

- 342** **MPDPCurrent** SP has a "current" Medicare Prescription Drug plan =
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=current round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.
- 343** **MPDPCurrPrevRnd** Medicare Prescription Drug plan "current" at time of
previous round interview=
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=previous round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

PM2

Page Order # : 50

Design Screen Type: Roster

Fields: **Field 1:** MEDICINE_PM1

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name: Prescription Medicine Roster

Roster Type: Multiple Item Select

Roster Functions:	Add Item	Yes	Display as ' Add a Medicine '
	Edit Item	Yes	Display as ' Edit a Medicine '
	Delete Item	No	
	Search Item	No	

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Medicine Name	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text: What is the name of the medicine?

Int. Instr II: SELECT OR ADD ALL MEDICINES AT THIS ROSTER.
 CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.
 INCLUDE STRENGTH WITH NAME.

INPUT FIELDS / ROUTING

Field1: MEDICINE_PM1 (PMQ1050)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	String	FieldSize:	200
Type Name:	TEvntPick200	Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	PM3 - PMREFILL (PMQ1070)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM
 EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVNT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.
PMRO.PMRORND = current round.

Set variables as specified below.

PMROEVNT PMRO.PMROEVNT = EVNT.EVNTNUM of
 prescription medicine selected.

PMRORND PMRO.PMRORND = current round.

PMROTYPE PMRO.PMROTYPE = PM.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM3

Page Order # : 60

Design Screen Type: Yes/No

Fields: Field 1: PMREFILL

Enable Functions: HELP No
 COMMENTS Yes
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: Add Line No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported one or more PM's in the current round utilization, display "In addition to what you've told be about, did". Else display "Did".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: People sometimes forget to mention refills of earlier prescriptions. (In addition to what you've told me about, did/Did) [you/(SP)] have any prescriptions refilled [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMREFILL (PMQ1070)

Cheshire Name: HRND.PMREFILL

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	BOX PMA2 - (PMQ1080)
	English text: YES	
2	No	PM5 - PMDRPHON (PMQ1110)
	English text: NO	

Attribute	Route
Don't know	PM5 - PMDRPHON (PMQ1110)
Refusal	PM5 - PMDRPHON (PMQ1110)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

177 PMCurrentUtilization SP reported PMs in the current round utilization =
 There is an EVNT & PMRO where
 (PMRO.PMROEVNT=EVNT.EVNTNUM &
 PMRO.PMRORND = current round & PMRO.PMROTYPE
 = 'PM' and PMRO.PMRODFLG ^= 1/Yes).
 Medicine Name = EVNT.PMEDNAME.

DESIGN NOTES

BOX PMA2

Page Order # : 70

BOX INSTRUCTIONS

(PMQ1080) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM3A - PM2PMMEDS (PMQ1090).

ELSE GO TO PM4 - MEDICINE_PM2 (PMQ1100).

ASSIGNMENTS

TECHNICAL NOTES

131	PMBottleProbe	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

DESIGN NOTES

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

PM3A

Page Order # : 80

Design Screen Type: No Entry

Fields: Field 1: PM2PMMEDS

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....".
Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =
Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text:

It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PM2PMMEDS (PMQ1090)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TContinueEMPTY

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Continue	PM4 - MEDICINE_PM2 (PMQ1100)
English text: CONTINUE		

Attribute	Route
Empty	PM4 - MEDICINE_PM2 (PMQ1100)

BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM3A is asked, set flag as instructed below:

GETPMMEDS Set GETPMMEDS=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

- 342** **MPDPCurrent** SP has a "current" Medicare Prescription Drug plan =
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=current round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.
- 343** **MPDPCurrPrevRnd** Medicare Prescription Drug plan "current" at time of
previous round interview=
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=previous round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

PM4

Page Order # : 90

Design Screen Type: Roster

Fields: **Field 1:** MEDICINE_PM2

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name: Prescription Medicine Roster

Roster Type: Multiple Item Select

Roster Functions:
Add Item Yes Display as ' Add a Medicine '
Edit Item Yes Display as ' Edit a Medicine '
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and
 EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Medicine Name	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: What is the name of the medicine?

Int. Instr II: SELECT OR ADD ALL MEDICINES AT THIS ROSTER.
 CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.
 INCLUDE STRENGTH WITH NAME.

INPUT FIELDS / ROUTING

Field1: MEDICINE_PM2 (PMQ1100)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String **FieldSize:** 200
Type Name: TEvntPick200 **Min Value:**
Answers Allowed: 1 **Max Value:**
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	PM5 - PMDRPHON (PMQ1110)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM
 EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number
 EVNT.EVNTRNDC Round number
 EVNT.EVNTTYPE PM
 EVNT.PMEDNAME Prescription Medicine name
 EVNT.PMSTRUNI Prescription Medicine strength text field
 EVNT.EVNTPROV 02
 BASE.LASTEVT Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PM5

Page Order # : 100

Design Screen Type: Yes/No

Fields: Field 1: PMDRPHON

Enable Functions: HELP No
 COMMENTS Yes
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: Add Line No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported one or more PM's in the current round utilization, display "In addition to what you've told be about, did". Else display "Did".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: People sometimes forget to mention prescriptions that were phoned in by a doctor. (In addition to what you've told me about, did/Did) [you/(SP)] get any medicine prescribed by a doctor in a telephone call to a drugstore or pharmacy [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMDRPHON (PMQ1110)

Cheshire Name: HRND.PMDRPHON

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	BOX PMA3 - (PMQ1120)
	English text: YES	
2	No	BOX PM1 - (PMQ1150)
	English text: NO	

Attribute	Route
Don't know	BOX PM1 - (PMQ1150)
Refusal	BOX PM1 - (PMQ1150)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

177 PMCurrentUtilization SP reported PMs in the current round utilization =
 There is an EVNT & PMRO where
 (PMRO.PMROEVNT=EVNT.EVNTNUM &
 PMRO.PMRORND = current round & PMRO.PMROTYPE
 = 'PM' and PMRO.PMRODFLG ^= 1/Yes).
 Medicine Name = EVNT.PMEDNAME.

DESIGN NOTES

BOX PMA3

Page Order # : 110

BOX INSTRUCTIONS

(PMQ1120) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM5A - PM3PMMEDS (PMQ1130).

ELSE GO TO PM6 - MEDICINE_PM3 (PMQ1140).

ASSIGNMENTS

TECHNICAL NOTES

131	PMBottleProbe	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

DESIGN NOTES

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

PM5A

Page Order # : 120

Design Screen Type: No Entry

Fields: Field 1: PM3PMMEDS

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....".
Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =
Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text: It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PM3PMMEDS (PMQ1130)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TContinueEMPTY
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Continue	PM6 - MEDICINE_PM3 (PMQ1140)

English text: CONTINUE

Attribute	Route
Empty	PM6 - MEDICINE_PM3 (PMQ1140)

BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM5A is asked, set flag as instructed below:

GETPMMEDS Set GETPMMEDS=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

- 342** **MPDPCurrent** SP has a "current" Medicare Prescription Drug plan =
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=current round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.
- 343** **MPDPCurrPrevRnd** Medicare Prescription Drug plan "current" at time of
previous round interview=
There is a PLAN where PLAN.PLANTYPE=7/MPDP &
PLRO where (PLROPLAN=PLAN.PLANNUM &
PLRO.PLRORND=previous round &
PLRO.COVCURNT=1/Yes).
Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

PM6

Page Order # : 125

Design Screen Type: Roster

Fields: **Field 1:** MEDICINE_PM3

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name: Prescription Medicine Roster

Roster Type: Multiple Item Select

Roster Functions:
Add Item Yes Display as ' Add a Medicine '
Edit Item Yes Display as ' Edit a Medicine '
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and
 EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text: What is the name of the medicine?

Int. Instr II: SELECT OR ADD ALL MEDICINES AT THIS ROSTER.
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.
INCLUDE STRENGTH WITH NAME.

INPUT FIELDS / ROUTING

Field1: MEDICINE_PM3 (PMQ1140)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	String	FieldSize:	200
Type Name:	TEvntPick200	Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	BOX PM1 - (PMQ1150)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM
EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVNT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PM6

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.
PMRO.PMRORND = current round.

PM6 can be asked more than once if response to PM17=1/Yes, there are more PM's to enter. If at PM6, a medicine is selected that was previously displayed at PM6A and GETNUM was set to 0, we will reset GETNUM=empty so that the medicine will be displayed again at PM6A. See additional instructions below.

PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
PMRORND	PMRO.PMRORND = current round.
PMROTYPE	PMRO.PMROTYPE = PM.
GETNUM	If PMRO.GETNUM = 0, set PMRO.GETNUM = empty.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Begin Loop 1: PM6A is the first question in the 1st, larger loop in PM. It is asked the first time through PM and is also asked each time PM17=1/Yes, the probe for more medicines.

BOX PM1

Page Order # : 130

BOX INSTRUCTIONS

(PMQ1150) IF SP REPORTED AT LEAST ONE PRESCRIPTION MEDICINE IN THE CURRENT ROUND UTILIZATION THAT DOES NOT HAVE NUMBER OF PURCHASES ENTERED, GO TO PM6A - GETNUM (PMQ1160).

ELSE GO TO PM17 - PMMORE (PMQ1560).

ASSIGNMENTS

TECHNICAL NOTES

190 **NeedNumOfPurchases** PM reported in the current round utilization that does not have number of purchases entered =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT = EVNT.EVNTNUM &
PMRO.PMRORND = current round & PMRO.GETNUM =
empty & PMRO.PMRODFLG ^= 1/Yes).

DESIGN NOTES

BOX PM1 checks for any PM's reported during the current round utilization sections, including PMs selected at PM2, PM4 and PM6. The PM's entered in utilization sections, PM2, and PM4 do not have number of purchases entered. However, because PM6 could be asked more than once in PM and we do not prohibit PM's from being selected more than once at PM6, BOX PM1 excludes any PM that has been selected in an earlier loop and GETNUM has already been asked.

PM6A

Page Order # : 135

Design Screen Type: Grid

Fields: **Field 1:** GETNUM

Enable Functions: **HELP** No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item** No
Edit Item No
Delete Item No
Search Item No

Grid Functions: **Add Line** No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently active in grid.

Multi Field display:

Roster/Grid Instructions: Display all PM's reported during the current round utilization that do not have number of purchases collected.

Display in order of entry.

Roster/Grid display:

COL #	HEADER	INSTRUCTIONS
1	Medicine Name	Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI. Display only.
2	# Purchases	PMRO.GETNUM. Input column 1.

Report display:

TEXT:

Context Header:

Int. Instr I: IF ALL MEDICINES ARE NOT LISTED, USE "PREVIOUS PAGE" AND ADD THE MEDICINE TO THE ROSTER. REFER TO STATEMENTS OR RECEIPTS, IF AVAILABLE.

Question Text: How many times [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] did [(you/(SP))] obtain (MEDICINE NAME)]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: GETNUM (PMQ1160)

Cheshire Name: PMRO.GETNUM

Item Text display: GRID COLUMN #2

Item Text:

Label:

Label Position:

Field Type: Integer

Type Name: TGetnum

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 0

Max Value: 100

Mask:

Number	Label	Route
1	[Continuous answer.]	BOX PM1A - (PMQ1170)

Attribute	Route
Don't know	BOX PM1A - (PMQ1170)

Refusal	BOX PM1A - (PMQ1170)
---------	-----------------------

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

GETNUM = 1- 8, DK or RF.

If not true, display message: "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

190 NeedNumOfPurchases PM reported in the current round utilization that does not have number of purchases entered =

PM6A

For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT = EVNT.EVNTNUM &
PMRO.PMRORND = current round & PMRO.GETNUM =
empty & PMRO.PMRODFLG ^= 1/Yes).

DESIGN NOTES

BOX PM1A

Page Order # : 140

BOX INSTRUCTIONS

(PMQ1170) IF AT LEAST ONE PRESCRIPTION MEDICINE DISPLAYED AT PM6A HAS NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF, GO TO BOX PM1AB - (PMQ1171).

ELSE GO TO PM17 - PMMORE (PMQ1560).

ASSIGNMENTS

TECHNICAL NOTES

182	NumberOfPurchases	The number of purchases for PM or OM = For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round). Number of purchases = PMRO.GETNUM.
------------	--------------------------	---

DESIGN NOTES

We do not collect PM details for PMs where number of purchases = 0. If all PMs selected at the PM roster and displayed at PM6A have PM6A - GETNUM = 0, BOX PM1A is routed to PM17, a probe for more PMs.

BOX PM1AB

Page Order # : 145

BOX INSTRUCTIONS

(PMQ1171) IF THIS IS A FALL ROUND, GO TO PM6AB - RXNOFILL (PMQ1175).
ELSE GO TO PM6A_IN - NAVIGATOR (PMQ1183).

ASSIGNMENTS

TECHNICAL NOTES

98 **FallRound** If the remainder of (Current round divided by 3) = 1, then
it is a Fall round.

DESIGN NOTES

PM6AB

Page Order # : 150

Design Screen Type: List

Fields:

Field 1:	RXNOFILL
Field 2:	RXDELAY
Field 3:	RXSKIP
Field 4:	RXDOSE

Enable Functions:

HELP	No
COMMENTS	No
JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:

Add Item	No
Edit Item	No
Delete Item	No
Search Item	No

Grid Functions:

Add Line	No
Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all PM's displayed at PM6A that have number of purchases > 0, DK or RF.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD
 Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

TEXT:

Context Header:

Int. Instr I: SHOW CARD PM1

Question Text: Please think about the medicines you have obtained since (REFERENCE DATE), including [READ MEDICINE NAME(S) BELOW.] Since (REFERENCE DATE), how often did [you/(SP)] do any of the following things for these medicines. Did [you/(SP)] often, sometimes, or never...

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: RXNOFILL (PMQ1175)

Cheshire Name: HRND.RXNOFILL

Item Text display: Display "a." in front of Item Text.

Item Text: decide not to fill or refill a prescription because the medicine cost too much?

Label:

Label Position:

Field Type: Enumerated

Type Name: TRXOFTEN

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Often	PM6AB - RXDELAY (PMQ1176)
	English text: OFTEN	
2	Sometimes	PM6AB - RXDELAY (PMQ1176)
	English text: SOMETIMES	
3	Never	PM6AB - RXDELAY (PMQ1176)
	English text: NEVER	

Attribute	Route
Don't know	PM6AB - RXDELAY (PMQ1176)
Refusal	PM6AB - RXDELAY (PMQ1176)

Field2: RXDELAY (PMQ1176)

Cheshire Name: HRND.RXDELAY

Item Text display: Display "b." in front of Item Text.

Item Text: delay getting a prescription filled or refilled because the medicine cost too much?

Label:

Label Position:

Field Type: Enumerated

Type Name: TRXOFTEN

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Often	PM6AB - RXSKIP (PMQ1177)
	English text: OFTEN	
2	Sometimes	PM6AB - RXSKIP (PMQ1177)
	English text: SOMETIMES	
3	Never	PM6AB - RXSKIP (PMQ1177)
	English text: NEVER	
Attribute	Route	
Don't know	PM6AB - RXSKIP (PMQ1177)	
Refusal	PM6AB - RXSKIP (PMQ1177)	

Field3: RXSKIP (PMQ1177)

Cheshire Name: HRND.RXSKIP

Item Text display: Display "c." in front of Item Text.

Item Text: skip doses to make the medicine last longer?

Label:

Label Position:

Field Type: Enumerated

Type Name: TRXOFTEN

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Often	PM6AB - RXDOSE (PMQ1178)
	English text: OFTEN	
2	Sometimes	PM6AB - RXDOSE (PMQ1178)
	English text: SOMETIMES	
3	Never	PM6AB - RXDOSE (PMQ1178)
	English text: NEVER	

Attribute	Route
Don't know	PM6AB - RXDOSE (PMQ1178)
Refusal	PM6AB - RXDOSE (PMQ1178)

Field4: RXDOSE (PMQ1178)

Cheshire Name: HRND.RXDOSE

Item Text display: Display "d." in front of Item Text.

Item Text: take smaller doses to make the medicine last longer?

Label:

Label Position:

Field Type: Enumerated

Type Name: TRXOFTEN

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Often	PM6A_IN - NAVIGATOR (PMQ1183)
	English text: OFTEN	
2	Sometimes	PM6A_IN - NAVIGATOR (PMQ1183)
	English text: SOMETIMES	
3	Never	PM6A_IN - NAVIGATOR (PMQ1183)
	English text: NEVER	

Attribute	Route
Don't know	PM6A_IN - NAVIGATOR (PMQ1183)
Refusal	PM6A_IN - NAVIGATOR (PMQ1183)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM6A_IN

Page Order # : 155

Design Screen Type: Instance Navigator

Fields: **Field 1:** NAVIGATOR

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If administering PM, display all PM's displayed at PM6A that have number of purchases > 0, DK or RF.

If administering ST, display all PM's added at ST41 that have number of purchases > 0, DK or RF.

If administering NS, display all PM's added at NS41 that have number of purchases > 0, DK or RF.

Invoke NO TRAVEL I/N.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header:

Int. Instr I:

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: NAVIGATOR (PMQ1183)

Cheshire Name: N/A

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TInstanceNavigator
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	SelectItemInList	BOX PM1A-1 - (PMQ1184)
English text: ITEM SELECTED IN INSTANCE NAVIGATOR		
2	SelectContinueInterview	BOX PM3A - (PMQ1559)
English text: CONTINUE INTERVIEW SELECTED		

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

182 **NumberOfPurchases** The number of purchases for PM or OM =
 For the OM or PM EVNT, there is PMRO where
 (PMRO.PMROEVNT=EVNT.EVNTNUM &
 PMRO.PMRORND = current round).
 Number of purchases = PMRO.GETNUM.

DESIGN NOTES

BOX PM1A-1

Page Order # : 160

BOX INSTRUCTIONS

- (PMQ1184) IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND), GO TO PM6A1 - PMSATVA (PMQ1185).
- ELSE GO TO BOX PM1AA - (PMQ1190).

ASSIGNMENTS

TECHNICAL NOTES

- | | | |
|------------|------------------------------|--|
| 423 | SPReceivedCaretThruVA | SP reported receiving health care services through V.A. in the current or any previous round =
There is an HRND where HRND.HRNDRND = current round and HRND.VACOVER = 1/Yes.
HRND.VACOVER is set at BOX HI20 or collected at HI36. |
| 182 | NumberOfPurchases | The number of purchases for PM or OM =
For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round).
Number of purchases = PMRO.GETNUM. |

DESIGN NOTES

PM6A1

Page Order # : 170

Design Screen Type: Yes/No

Fields: Field 1: PMSATVA

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

If PMRO.GETNUM = 1, display "this purchase".
Else display "any of these purchases".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) through the Department of Veterans Affairs or V.A.?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMSATVA (PMQ1185)

Cheshire Name: PMRO.PMSATVA

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	BOX PM1AA - (PMQ1190)
English text: YES		
2	No	BOX PM1AA - (PMQ1190)
English text: NO		

Attribute	Route
Don't know	BOX PM1AA - (PMQ1190)
Refusal	BOX PM1AA - (PMQ1190)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

182 NumberOfPurchases The number of purchases for PM or OM =
 For the OM or PM EVNT, there is PMRO where
 (PMRO.PMROEVNT=EVNT.EVNTNUM &
 PMRO.PMRORND = current round).
 Number of purchases = PMRO.GETNUM.

DESIGN NOTES

BOX PM1AA

Page Order # : 180

BOX INSTRUCTIONS

- (PMQ1190) IF SP COVERED BY A MEDICARE MANAGED CARE PLAN OR A PRIVATE MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND, GO TO PM6B - PMSATHMO (PMQ1200).
- ELSE GO TO PMINTROB - PMINTB (PMQ1210).

ASSIGNMENTS

TECHNICAL NOTES

- | | | |
|------------|-----------------------|---|
| 46 | SPHadMHMO | SP was covered by Medicare Managed Care plan (Medicare Advantage plan) anytime during current round =
There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes).
Exclude Deleted Plans. See T.N. 52. |
| 362 | PrivHMOAnytime | SP covered by Private Managed Care Plan anytime during current round =
There is a PLAN where PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes)).
Exclude Deleted Plans. See T.N. 52. |

DESIGN NOTES

PM6B

Page Order # : 190

Design Screen Type: Yes/No

Fields: Field 1: PMSATHMO

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

If PMRO.GETNUM = 1, display "this purchase".
Else display "any of these purchases".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all Medicare managed care plans and Private managed care plans SP was covered by anytime during the current round.
Display managed care plan name(s) below question text.
Display plans in the following order: Medicare Managed Care plans, Private Managed Care plans.
If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".
Column 1, display = Health insurance plan name "(PLAN NAME) Managed Care Plan".

TEXT: -----

Context Header:

Int. Instr I:

Question Text: Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) at [READ MANAGED CARE PLAN NAME(S) BELOW] or through a service or discount offered through [READ MANAGED CARE PLAN NAME(S) BELOW]?

[PROBE: This could include obtaining the purchases at a plan pharmacy; at a pharmacy that honors [your/(SP's)] plan card; or through a mail order service that the managed care plan referred [you/(SP)] to.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMSATHMO (PMQ1200)

Cheshire Name: PMRO.PMSATHMO

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	Enumerated	FieldSize:
Type Name:	TYesNoDKRF	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	PMINTROB - PMINTB (PMQ1210)
	English text: YES	
2	No	PMINTROB - PMINTB (PMQ1210)
	English text: NO	
	Attribute	Route
	Don't know	PMINTROB - PMINTB (PMQ1210)
	Refusal	PMINTROB - PMINTB (PMQ1210)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

46	SPHadMHMO	<p>SP was covered by Medicare Managed Care plan (Medicare Advantage plan) anytime during current round =</p> <p>There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes).</p> <p>Exclude Deleted Plans. See T.N. 52.</p>
362	PrivHMOAnytime	<p>SP covered by Private Managed Care Plan anytime during current round =</p> <p>There is a PLAN where PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes)).</p> <p>Exclude Deleted Plans. See T.N. 52.</p>
182	NumberOfPurchases	<p>The number of purchases for PM or OM =</p> <p>For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round).</p> <p>Number of purchases = PMRO.GETNUM.</p>

DESIGN NOTES

PMINTROB

Page Order # : 200

Design Screen Type: No Entry

Fields: Field 1: PMINTB

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

Always display "[ASK R TO GET BOTTLES...]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: [ASK R TO GET BOTTLES AND/OR STATEMENTS IF YOU HAVE NOT ALREADY DONE SO.]

Question Text: Now I need to ask you a few questions about the (MEDICINE NAME).

Int. Instr II:

INPUT FIELDS / ROUTING

PMINTROB

Field1: PMINTB (PMQ1210)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TContinueEMPTY

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Continue	BOX PM1B - (PMQ1220)
English text: CONTINUE		

Attribute	Route
Empty	BOX PM1B - (PMQ1220)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Begin Loop 4:

PMINTROB is the first question in the larger PM detail loop.

BOX PM1B

BOX INSTRUCTIONS

(PMQ1220) IF A CONDITION HAS ALREADY BEEN REPORTED FOR THE
PRESCRIPTION MEDICINE, GO TO PM8 - PMBOTTLE (PMQ1240).

ELSE GO TO PM7 - CONDITION_PM (PMQ1230).

ASSIGNMENTS

TECHNICAL NOTES

180	PMCondition	Condition reported for the PM = For this PM EVNT, there is an XCON where (XCON.XCONEVNT=EVNT.EVNTNUM) and (XCON.XCONCOND = COND.CONDNUM of condition linked to PM EVNT). Condition Name = COND.CONDTION.
------------	--------------------	---

DESIGN NOTES

PM7

Page Order # : 220

Design Screen Type: Roster

Fields: **Field 1:** **CONDITION_PM**

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name: Condition Roster

Roster Type: Multiple Item Select

Roster Functions:
Add Item Yes Display as ' Add a Condition '
Edit Item Yes Display as ' Edit a Condition '
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

Multi Field display:

Roster/Grid Instructions: Display all Conditions.
 Display in alphabetical order.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Condition	Display condition name, COND.CONDITION

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: What condition was (MEDICINE NAME) for?

Int. Instr II: SELECT OR ADD ALL CONDITIONS.

INPUT FIELDS / ROUTING

Field1: **CONDITION_PM** (PMQ1230)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	String	FieldSize:	135
Type Name:	TCondPick135	Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	PM8 - PMBOTTLE (PMQ1240)

BACKGROUND VARIABLE ASSIGNMENTS

If adding a new condition, see CONDITION ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Condition Roster:

- COND.CONDNUM
- COND.CONDRNDC
- COND.CONDTION

All Conditions selected should be linked to the PM event being asked about. Link Conditions to PM event on XCON.

XCON key = XCON.XCONBASE + XCON.XCONEVNT + XCON.XCONBAS2 + XCON.XCONCOND.

For each condition selected, create an XCON where XCONEVNT= EVNT.EVNTNUM of Prescription Medicine event and XCONCOND = COND.CONDNUM of Condition. XCONBASE and XCONBAS2 both equal the Cheshire BASE.BASEID. Set additional XCON variables as specified below.

XCONEVNT	XCON.XCONEVNT = EVNT.EVNTNUM of prescription medicine being asked about.
XCONCOND	XCON.XCONCOND = COND.CONDNUM of condition selected.
XCONRNDC	XCON.XCONRNDC = current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM8

Page Order # : 230

Design Screen Type: Code 1

Fields: Field 1: PMBOTTLE

Enable Functions: HELP No
 COMMENTS Yes
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: Add Line No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT.

Question Text: Do you have the medicine bottle, container, or bag available?

Int. Instr II: IF R DOES NOT HAVE BOTTLE, PROBE TO DETERMINE IF R CAN ANSWER QUESTIONS ABOUT THE FORM, STRENGTH, AND QUANTITY OF THE MEDICINE.

INPUT FIELDS / ROUTING

Field1: PMBOTTLE (PMQ1240)

Cheshire Name: PMRO.PMBOTTLE

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TPmbottle

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Yes	BOX PM1B-1 - (PMQ1250)
	English text: YES	
2	No	BOX PM2 - (PMQ1550)
	English text: NO	
3	NoButRCanAnswerQuestions	BOX PM1B-1 - (PMQ1250)
	English text: NO BUT R CAN ANSWER QUESTIONS	

Attribute	Route
Don't know	BOX PM2 - (PMQ1550)
Refusal	BOX PM2 - (PMQ1550)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX PM1B-1

Page Order # : 240

BOX INSTRUCTIONS

- (PMQ1250) IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND FORM WAS ASKED AND DID NOT EQUAL DK, GO TO PM8A - SAMEFORM (PMQ1260).
- ELSE GO TO BOX PM1B-2A - (PMQ1280).

ASSIGNMENTS

TECHNICAL NOTES

- | | | |
|------------|--------------------|---|
| 176 | PMPrevRnd | SP reported PM purchase(s) in previous round =
There is an EVNT & PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round &
PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes
& (GETNUM>0 or GETNUM = DK or RF)).
Medicine Name=EVNT.PMEDNAME. |
| 181 | PrevRndForm | Previous round form for PM =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT= EVNT.EVNTNUM and
PMRO.PMRORND = previous round).
PM form = PMRO.PMFORM, PMRO.PMFORMOS. |
| 193 | FormEqualDK | Previous round PM Form was asked and did not equal
DK =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT = EVNT.EVNTNUM &
PMRO.PMRORND = previous round & PMRO.PMFORM
^= EMPTY & PMRO.PMFORM ^= DK). |

DESIGN NOTES

PM8A

Page Order # : 250

Design Screen Type: Yes/No

Fields: **Field 1:** SAMEFORM

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Display name and strength of medicine that is currently being asked about.

Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.
 Else display PMRO.PMFORM response.

Display form in lower case letters.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND FORM IS SAME AS

PREVIOUS INTERVIEW.

Question Text: At the time of the last interview, [you/(SP)] purchased (MEDICINE NAME) in the form of (MEDICINE FORM). Is this medicine in the same form?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: SAMEFORM (PMQ1260)

Cheshire Name: PMRO.SAMEFORM

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	BOX PM1B-2 - (PMQ1270)
English text: YES		
2	No	BOX PM1B-2A - (PMQ1280)
English text: NO		

Attribute	Route
Don't know	BOX PM1B-2A - (PMQ1280)
Refusal	BOX PM1B-2A - (PMQ1280)

BACKGROUND VARIABLE ASSIGNMENTS

If PM8A - SAMEFORM = 1/Yes, copy the prescription medicine form from the previous round PMRO fields to the current round fields.

PMFORM If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORM = previous round PMRO.PMFORM.

PMFORMOS If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORMOS = previous round PMRO.PMFORMOS.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

181 **PrevRndForm** Previous round form for PM =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT= EVNT.EVNTNUM and
PMRO.PMRORND = previous round).
PM form = PMRO.PMFORM, PMRO.PMFORMOS.

DESIGN NOTES

BOX PM1B-2

Page Order # : 260

BOX INSTRUCTIONS

- (PMQ1270) IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND STRENGTH WAS ASKED AND DID NOT EQUAL DK, GO TO PM9A - SAMESTRN (PMQ1320).
- ELSE GO TO PM10 - STRNUNIT96 (PMQ1330).

ASSIGNMENTS

TECHNICAL NOTES

- | | | |
|------------|------------------------|---|
| 176 | PMPrevRnd | SP reported PM purchase(s) in previous round =
There is an EVNT & PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round &
PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes
& (GETNUM>0 or GETNUM = DK or RF)).
Medicine Name=EVNT.PMEDNAME. |
| 183 | PrevRndStrength | Previous round strength for PM =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round).
Strength =STRNUNIT, STRNUNOS, STRNNUM,
STRNPER
If compound, 2nd strength= STRNUNI2, STRNUNO2,
STRNNUM2, STRNPER2. |
| 184 | StrengthEqualDK | Previous round PM Strength was asked and did not equal
DK =
For this PM EVNT, there is PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round & PMRO.STRNUNIT
^= EMPTY & (STRNUNIT, STRNUNI2, STRNNUM,
STRNUNO2, STRNPER, & STRNPER2 ^= DK)). |

DESIGN NOTES

BOX PM1B-2A

Page Order # : 270

BOX INSTRUCTIONS

(PMQ1280) IF PM8 - PMBOTTLE=1/Yes, GO TO PMINTROC - PMINTC (PMQ1290).
ELSE GO TO PM9 - PMFORM (PMQ1300).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

PMINTROC

Page Order # : 280

Design Screen Type: No Entry

Fields: Field 1: PMINTC

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: COMPLETE PM9 -- PM16 USING INFORMATION FROM STATEMENT, RECEIPT, MEDICINE BOTTLE OR CONTAINER. IF THERE IS MORE THAN ONE FOR THE SAME MEDICINE, USE THE MOST RECENT CONTAINER.

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMINTC (PMQ1290)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TContinueEMPTY

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Continue	PM9 - PMFORM (PMQ1300)
English text: CONTINUE		

Attribute	Route
Empty	PM9 - PMFORM (PMQ1300)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM9

Page Order # : 290

Design Screen Type: Code 1

Fields: **Field 1:** **PMFORM**
 Field 2: **PMFORMOS**

Enable Functions: **HELP** No
 COMMENTS Yes
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item** No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: **Add Line** No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display:**Multi Field display:** Vertical Alignment**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

Context Header: MEDICINE NAME: (MEDICINE NAME)**Int. Instr I:** IN WHAT FORM IS THE MEDICINE?**Question Text:****Int. Instr II:****INPUT FIELDS / ROUTING**

PM9

Field1: PMFORM (PMQ1300)

Cheshire Name: PMRO.PMFORM

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

FieldSize:

Type Name: TPmform

Min Value:

Answers Allowed: 1

Max Value:

Drop Down List: No

Mask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Pills English text: PILLS (TABLETS, CAPSULES)	PM10 - STRNUNIT96 (PMQ1330)
2	Liquid English text: LIQUID (TO BE TAKEN ORALLY)	PM10 - STRNUNIT96 (PMQ1330)
3	Drops English text: DROPS (EYE/EAR/NOSE)	PM10 - STRNUNIT96 (PMQ1330)
4	TopicalOintment English text: OINTMENT, CREAM, LOTION (TOPICAL OR INTERNAL)	PM10 - STRNUNIT96 (PMQ1330)
5	Suppositories English text: SUPPOSITORIES	PM10 - STRNUNIT96 (PMQ1330)
6	ArerosolSpray English text: AEROSOL/SPRAY, INHALANT, SOLUTIONS, DISKUS	PM10 - STRNUNIT96 (PMQ1330)
7	ShampooSoap English text: SHAMPOO, SOAP	PM10 - STRNUNIT96 (PMQ1330)
8	Injection English text: INJECTION	PM10 - STRNUNIT96 (PMQ1330)
9	IV English text: IV INJECTION	PM10 - STRNUNIT96 (PMQ1330)
10	Patches English text: PATCHES	PM10 - STRNUNIT96 (PMQ1330)
11	Gel English text: GEL OR JELLY (TOPICAL OR INTERNAL)	PM10 - STRNUNIT96 (PMQ1330)
12	Powder English text: POWDER, GRANULES	PM10 - STRNUNIT96 (PMQ1330)
91	Other English text: OTHER	PM9 - PMFORMOS (PMQ1310)

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430)

Field2: PMFORMOS (PMQ1310)

Cheshire Name: PMRO.PMFORMOS

Item Text display: Display (SPECIFY) in the same blue font used for interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:
Label Position:

Field Type:	String	FieldSize:	30
Type Name:	TOtherSpec	Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT96 (PMQ1330)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM9A

Page Order # : 300

Design Screen Type: Yes/No

Fields: Field 1: SAMESTRN

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 1/Pill, display "each pill".
 Else if previous round PMRO.PMFORM = 5/Suppository, display "each suppository".
 Else if previous round PMRO.PMFORM = 10/Patch, display "each patch".
 Else then
 Display "the (MEDICINE FORM)".
 If previous round PMRO.PMFORM = 91/Other, medicine form = Other Specify text, PMRO.PMFORMOS.
 Else display PMRO.PMFORM response.

Referring to the previous round strength, PMRO.STRNUNIT & PMRO.STRNUNI2, for PM currently being asked about:

STRENGTH 1:
 If previous round PMRO.STRNUNIT=91/Other, display other specify text response, PMRO.STRNUNOS.
 Else if previous round PMRO.STRNUNIT = 6/Percent, display PMRO.STRNPER + PMRO.STRNUNIT response.
 Else display PMRO.STRNNUM + PMRO.STRNUNIT response.

STRENGTH 2:
 If prescription medicine entered as a compound in the previous round, PMRO.COMPFLAG=1/Indicated, then,
 If previous round PMRO.STRNUNI2=91/Other, display other

PM9A

specify text response, PMRO.STRNUNO2.

Else if previous round PMRO.STRNUNI2 = 6/Percent, display PMRO.STRNPER2 + PMRO.STRNUNI2 response.

Else display PMRO.STRNNUM2 + PMRO.STRNUNI2 response.
Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND STRENGTH IS SAME AS PREVIOUS INTERVIEW.

Question Text: At the time of the last interview, the strength of [each pill/each suppository/each patch/the (MEDICINE FORM)] was [READ STRENGTH BELOW].

(STRENGTH 1)
(STRENGTH 2)

Is this medicine in the same strength?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: SAMESTRN (PMQ1320)

Cheshire Name: PMRO.SAMESTRN

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNoDKRF
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	BOX PM1B-4 - (PMQ1430)
	English text: YES	
2	No	PM10 - STRNUNIT96 (PMQ1330)
	English text: NO	

Attribute	Route
Don't know	PM10 - STRNUNIT96 (PMQ1330)
Refusal	PM10 - STRNUNIT96 (PMQ1330)

BACKGROUND VARIABLE ASSIGNMENTS

If PM9A - SAMESTRN = 1/Yes, copy the prescription medicine strength from the previous round PMRO fields to the current round fields.

- STRNUNIT** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNIT = previous round PMRO.STRNUNIT.
- STRNUNOS** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNOS = previous round PMRO.STRNUNOS.
- STRNNUM** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNNUM = previous round PMRO.STRNNUM.
- STRNPER** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNPER = previous round PMRO.STRNPER.
- STRNUNI2** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNI2 = previous round PMRO.STRNUNI2.

PM9A

STRNUNO2 If PM9A - SAMESTRN = 1/Yes, set current round
PMRO.STRNUNO2 = previous round
PMRO.STRNUNO2.

STRNNUM2 If PM9A - SAMESTRN = 1/Yes, set current round
PMRO.STRNNUM2 = previous round
PMRO.STRNNUM2.

STRNPER2 If PM9A - SAMESTRN = 1/Yes, set current round
PMRO.STRNPER2 = previous round
PMRO.STRNPER2.

COMPFLAG If PM9A - SAMESTRN = 1/Yes, set current round
PMRO.COMPFLAG = previous round
PMRO.COMPFLAG.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

181 PrevRndForm Previous round form for PM =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT= EVNT.EVNTNUM and
PMRO.PMRORND = previous round).
PM form = PMRO.PMFORM, PMRO.PMFORMOS.

183 PrevRndStrength Previous round strength for PM =
For this PM EVNT, there is a PMRO where
(PMRO.PMROEVNT=EVNT.EVNTNUM &
PMRO.PMRORND=previous round).
Strength =STRNUNIT, STRNUNOS, STRNNUM,
STRNPER
If compound, 2nd strength= STRNUNI2, STRNUNO2,
STRNNUM2, STRNPER2.

DESIGN NOTES

PM10

Page Order # : 320

Design Screen Type: Quantity Unit

Fields:	Field 1:	STRNUNIT96
	Field 2:	STRNUNIT
	Field 3:	STRNUNOS
	Field 4:	STRNNUM
	Field 5:	STRNPER

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: The prescription medicine current round form was either collected at PM9 or was copied from the previous round PMRO.PMFORM.

Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:

If PMFORM = 1/Pill, display "EACH PILL".

Else if PMFORM = 5/Suppository, display "EACH SUPPOSITORY".

Else if PMFORM = 10/Patch, display "EACH PATCH".

Else then

Display "THE (MEDICINE FORM)".

If PMFORM = 91/Other, medicine form = Other Specify text, PMRO.PMFORMOS.

Else medicine form = PMFORM response.

Multi Field display: Vertical Alignment

Display fields in order specified.

When screen is first displayed, display 1st field, STRNUNIT96 and 2nd field, STRNUNIT, at one time.

PM10

Display remaining fields, STRNUNOS, STRNNUM, and STRNPER, as specified on the route.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -----

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: WHAT IS THE STRENGTH OF [EACH PILL/EACH PATCH/THE (MEDICINE FORM)]?

IF COMPOUND/MORE THAN ONE MEDICINE COMBINED: CHECK BOX BELOW AND THEN ENTER THE STRENGTH OF THE 1ST MEDICINE IN COMPOUND.

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STRNUNIT96 (PMQ1330)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:
If STRNUNIT96 = 1/Compound, set PMRO.STRNUNIT = 96/Compound.

Item Text display:

Item Text:

Label: COMPOUND/MORE THAN ONE MEDICINE COMBINED
Label Position: Right

Field Type: Enumerated
Type Name: TStrnUnit96
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Compound	PM10 - STRNUNIT (PMQ1340)
English text: COMPOUND/MORE THAN ONE MEDICINE COMBINED		

Attribute	Route
Empty	PM10 - STRNUNIT (PMQ1340)

PM10

Field2: STRNUNIT (PMQ1340)

Cheshire Name: PMRO.STRNUNIT

Item Text display: Do not display response option 96/Compound.

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TStrnunit

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Micrograms English text: MICROGRAMS (mcg, mc)	PM10 - STRNNUM (PMQ1350)
2	Milligrams English text: MILLIGRAMS (mg)	PM10 - STRNNUM (PMQ1350)
3	Grains English text: GRAINS (gr)	PM10 - STRNNUM (PMQ1350)
4	Milliequivalents English text: MILLIEQUIVALENTS (meq)	PM10 - STRNNUM (PMQ1350)
5	Grams English text: GRAMS (g, gm)	PM10 - STRNNUM (PMQ1350)
6	Percent English text: PERCENT (%)	PM10 - STRNPER (PMQ1370)
7	InternationalUnits English text: INTERNATIONAL UNITS (IU)	PM10 - STRNNUM (PMQ1350)
8	Units English text: UNITS (U)	PM10 - STRNNUM (PMQ1350)
91	Other English text: OTHER	PM10 - STRNUNOS (PMQ1345)
96	Compound English text: COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.

Attribute	Route
Don't know	BOX PM1B-3 - (PMQ1375)

Field3: STRNUNOS (PMQ1345)

Cheshire Name: PMRO.STRNUNOS

Item Text display: Display (SPECIFY) in the same blue font used for interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:
Label Position:

Field Type: String **FieldSize:** 30
Type Name: TOtherSpec **Min Value:**
Answers Allowed: 1 **Max Value:**
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	PM10 - STRNNUM (PMQ1350)

Field4: STRNNUM (PMQ1350)

Cheshire Name: PMRO.STRNNUM

Item Text display:

Item Text:

Label: NUMBER:
Label Position: Left

Field Type: Real **FieldSize:**
Type Name: TNumunit **Min Value:** 0.001
Answers Allowed: 1 **Max Value:** 9999999
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-3 - (PMQ1375)

Attribute	Route
Don't know	BOX PM1B-3 - (PMQ1375)

Field5: STRNPER (PMQ1370)

Cheshire Name: PMRO.STRNPER

Item Text display:

Item Text:

Label: PERCENT:

Label Position: Left

Field Type: Real

Type Name: TStrnper

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 0.001

Max Value: 100

Mask: Percent

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-3 - (PMQ1375)

Attribute	Route
Don't know	BOX PM1B-3 - (PMQ1375)

BACKGROUND VARIABLE ASSIGNMENTS

COMPFLAG If PM10 - STRNUNIT96 = 1/Compound, set PMRO.COMPFLAG=1/Indicated.

SOFT EDIT CHECKS

Edit #1
 If STRNUNIT = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM = .001-150, DK.
 Else if STRNUNIT = 1/Micrograms, then STRNNUM = .001-50, DK.
 Else if STRNUNIT = 2/Milligrams, then STRNNUM = .005-800, DK.
 Else if STRNUNIT = 3/Grains, then STRNNUM = .001-10, DK.
 Else if STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-100, DK.
 Else if STRNUNIT = 5/Grams, then STRNNUM = .01-30, DK.
 Else if STRNUNIT = 6/Percent, then STRNPER = .001-5, DK.
 Else if STRNUNIT = 7/International Units, then STRNNUM = .1-50,000, DK.
 Else if STRNUNIT = 8/Units, then STRNNUM = 1-1,500, DK.
 Else if STRNUNIT = 91/Other, then STRNNUM = .001-1,000, DK.
 If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1
 If STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-9,999,999, DK.
 Else if STRNUNIT = 5/Grams, then STRNNUM = .01-9,999,999, DK.
 If not true, display message "INVALID RESPONSE. ENTRY NOT IN"

RANGE. PLEASE REENTER”.

TECHNICAL NOTES

185	CurrRndForm	The current round form for the PM = For this PM EVNT, there is PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM & PMRO.PMRORND = current round). Form = PMRO.PMFORM. Other Specify Form = PMRO.PMFORMOS.
-----	--------------------	--

DESIGN NOTES

BOX PM1B-3

Page Order # : 321

BOX INSTRUCTIONS

(PMQ1375) IF PM10 - STRNUNIT96 = 1/Compound, GO TO PM10B - STRNUNI2 (PMQ1420).
ELSE GO TO BOX PM1B-4 - (PMQ1430).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

PM10B

Page Order # : 324

Design Screen Type: Quantity Unit

Fields:

Field 1:	STRNUNI2
Field 2:	STRNUNO2
Field 3:	STRNNUM2
Field 4:	STRNPER2

Enable Functions:

HELP	No
COMMENTS	No
JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:

Add Item	No
Edit Item	No
Delete Item	No
Search Item	No

Grid Functions:

Add Line	No
Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)
2ND MEDICINE IN COMPOUND

Int. Instr I: WHAT WAS THE STRENGTH OF THE 2ND MEDICINE IN THE COMPOUND?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STRNUNI2 (PMQ1420)

Cheshire Name: PMRO.STRNUNI2

Item Text display: Do not display response option 96/Compound.

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TStrnunit

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Micrograms English text: MICROGRAMS (mcg, mc)	PM10B - STRNNUM2 (PMQ1422)
2	Milligrams English text: MILLIGRAMS (mg)	PM10B - STRNNUM2 (PMQ1422)
3	Grains English text: GRAINS (gr)	PM10B - STRNNUM2 (PMQ1422)
4	Milliequivalents English text: MILLIEQUIVALENTS (meq)	PM10B - STRNNUM2 (PMQ1422)
5	Grams English text: GRAMS (g, gm)	PM10B - STRNNUM2 (PMQ1422)
6	Percent English text: PERCENT (%)	PM10B - STRNPER2 (PMQ1423)
7	InternationalUnits English text: INTERNATIONAL UNITS (IU)	PM10B - STRNNUM2 (PMQ1422)
8	Units English text: UNITS (U)	PM10B - STRNNUM2 (PMQ1422)
91	Other English text: OTHER	PM10B - STRNUNO2 (PMQ1421)
96	Compound English text: COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430)

Field2: STRNUNO2 (PMQ1421)

Cheshire Name: PMRO.STRNUNO2

Item Text display: Display (SPECIFY) in the same blue font used for interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:
Label Position:

Field Type: String **FieldSize:** 30
Type Name: TOtherSpec **Min Value:**
Answers Allowed: 1 **Max Value:**
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	PM10B - STRNNUM2 (PMQ1422)

Field3: STRNNUM2 (PMQ1422)

Cheshire Name: PMRO.STRNNUM2

Item Text display:

Item Text:

Label: NUMBER:
Label Position: Left

Field Type: Real **FieldSize:**
Type Name: TNumunit **Min Value:** 0.001
Answers Allowed: 1 **Max Value:** 9999999
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-4 - (PMQ1430)

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430)

Field4: STRNPER2 (PMQ1423)

Cheshire Name: PMRO.STRNPER2

Item Text display:

Item Text:

Label: PERCENT:

Label Position: Left

Field Type: Real

Type Name: TStrnper

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 0.001

Max Value: 100

Mask: Percent

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-4 - (PMQ1430)

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If STRNUNI2 = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM2 = .001-150, DK.

Else if STRNUNI2 = 1/Micrograms, then STRNNUM2 = .001-50, DK.

Else if STRNUNI2 = 2/Milligrams, then STRNNUM2 = .005-800, DK.

Else if STRNUNI2 = 3/Grains, then STRNNUM2 = .001-10, DK.

Else if STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-100, DK.

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-30, DK.

Else if STRNUNI2 = 6/Percent, then STRNPER2 = .001-5, DK.

Else if STRNUNI2 = 7/International Units, then STRNNUM2 = .1-50,000, DK.

Else if STRNUNI2 = 8/Units, then STRNNUM2 = 1-1,500, DK.

Else if STRNUNI2 = 91/Other, then STRNNUM2 = .001-1,000, DK.

If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

If STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-9,999,999, DK.

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-9,999,999, DK.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

TECHNICAL NOTES

DESIGN NOTES

BOX PM1B-4

Page Order # : 330

BOX INSTRUCTIONS

(PMQ1430) IF PM9A - SAMESTRN = 1/Yes AND SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND AMOUNT WAS ASKED AND DID NOT EQUAL DK, GO TO PM15A - SAMEAMNT (PMQ1510).

ELSE IF THE PRESCRIPTION MEDICINE FORM IS PILLS, SUPPOSITORIES OR PATCHES, GO TO PM11 - TABNUM (PMQ1440).

ELSE GO TO PM16 - AMTUNIT (PMQ1520).

ASSIGNMENTS

TECHNICAL NOTES

187	PillsSupPatches	PM form is stored on PMRO where PMRO.PMRORND = round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about: Pills: PMRO.PMFORM = 1/Pills Suppositories: PMRO.PMFORM = 5/Suppositories. Patches: PMRO.PMFORM=10/Patches.
176	PMPrevRnd	SP reported PM purchase(s) in previous round = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round & PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes & (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.
188	PrevRndAmount	The previous round amount for the PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM and PMRO.PMRORND = previous round). PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS, PMRO.AMTNUM.
189	AmountEqualDK	Previous round PM Amount was asked and did not equal DK = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round & PMRO.AMTUNIT ^= EMPTY & (PMRO.AMTUNIT ^= DK & PMRO.AMTNUM ^= DK)).

DESIGN NOTES

PM11

Page Order # : 340

Design Screen Type: Numeric

Fields: **Field 1:** **TABNUM**

Enable Functions: **HELP** No
 COMMENTS Yes
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item** No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: **Add Line** No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:

 If PMFORM = 1/Pill, display "PILLS".
 Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".
 Else if PMFORM = 10/Patch, display "PATCHES".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: HOW MANY (PILLS/SUPPOSITORIES/PATCHES) WERE IN THE CONTAINER WHEN IT WAS OBTAINED?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **TABNUM** (PMQ1440)

Cheshire Name: PMRO.TABNUM

Item Text display:

Item Text:

Label: NUMBER:

Label Position: Left

Field Type: Integer

Type Name: TTabnum

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 1

Max Value: 999

Mask:

Number	Label	Route
1	[Continuous answer.]	BOX PM1C - (PMQ1450)

Attribute	Route
Don't know	BOX PM1C - (PMQ1450)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1
 TABNUM = 1-270, DK.
 If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

185 CurrRndForm The current round form for the PM =
 For this PM EVNT, there is PMRO where
 (PMRO.PMROEVNT= EVNT.EVNTNUM &
 PMRO.PMRORND = current round).
 Form = PMRO.PMFORM.
 Other Specify Form = PMRO.PMFORMOS.

DESIGN NOTES

BOX PM1C

Page Order # : 350

BOX INSTRUCTIONS

(PMQ1450) IF PRESCRIPTION MEDICINE FORM IS PILLS OR SUPPOSITORIES AND
PM11 - TABNUM = DK, GO TO PM12 - TABSADAY (PMQ1460).

ELSE GO TO BOX PM2 - (PMQ1550).

ASSIGNMENTS

TECHNICAL NOTES

187	PillsSuppPatches	PM form is stored on PMRO where PMRO.PMRORND = round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about: Pills: PMRO.PMFORM = 1/Pills Suppositories: PMRO.PMFORM = 5/Suppositories. Patches: PMRO.PMFORM=10/Patches.
------------	-------------------------	--

DESIGN NOTES

PM12

Page Order # : 360

Design Screen Type: Numeric

Fields:
Field 1: TABSADAY
Field 2: TABSADAY95

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:
 If PMFORM = 1/Pill, display "PILLS".
 Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Multi Field display: Vertical Alignment
 Display all fields at one time.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: HOW MANY (PILLS/SUPPOSITORIES) ARE TO BE TAKEN IN A DAY?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TABSADAY (PMQ1460)

Cheshire Name: PMRO.TABSADAY

Item Text display:

Item Text:

Label: NUMBER:
Label Position: Left

Field Type: Integer
Type Name: TTabssaday
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value: 1
Max Value: 96
Mask:

Number	Label	Route
1	[Continuous answer.]	PM12 - TABSADAY95 (PMQ1462)

Attribute	Route
Empty	PM12 - TABSADAY95 (PMQ1462)

Don't know	PM12 - TABSADAY95 (PMQ1462)
------------	-------------------------------

Field2: TABSADAY95 (PMQ1462)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:
 If TABSADAY95 = 1/LessThanWhole, set
 PMRO.TABSADAY=95.
 Else if TABSADAY95=2/TakeAsNeeded, set
 PMRO.TABSADAY=96.

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TTabs9596
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	LessThanWhole	BOX PM1D - (PMQ1463)
English text: LESS THAN WHOLE		
2	TakeAsNeeded	BOX PM1D - (PMQ1463)
English text: TAKE AS NEEDED		
Attribute	Route	
Empty	BOX PM1D - (PMQ1463)	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1
 TABSADAY = 1-8, DK.
 If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1
 TABSADAY and TABSADAY95 cannot both be EMPTY.
 If not true, display message, "ENTRY REQUIRED. PLEASE ENTER THE CORRECT DOSAGE."

Edit #2
 TABSADAY and TABSADAY95 cannot both be FILLED.
 If not true, display message, "INVALID ENTRY. PLEASE ENTER

PM12

THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABSADAY = 1-12, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

TECHNICAL NOTES

185	CurrRndForm	The current round form for the PM = For this PM EVNT, there is PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM & PMRO.PMRORND = current round). Form = PMRO.PMFORM. Other Specify Form = PMRO.PMFORMOS.
------------	--------------------	--

DESIGN NOTES

BOX PM1D

BOX INSTRUCTIONS

(PMQ1463) IF PM12 - TABSADAY = DK, GO TO BOX PM2 - (PMQ1550).
ELSE IF PM12 - TABSADAY95 = 2/TakeAsNeeded, GO TO PM13 -
TABTAKE (PMQ1470).
ELSE GO TO PM14 - TAKEUNIT (PMQ1480).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

PM13

Page Order # : 370

Design Screen Type: Numeric

Fields:
Field 1: TABTAKE
Field 2: TABTAKE96

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:

If PMFORM = 1/Pill, display "pills".
 Else if PMFORM = 5/Suppository, display "suppositories".

If SP is deceased or institutionalized, display "did".
 Else if SP is the respondent, display "do".
 Else if Proxy is the respondent, display "does".

Display "usually" in bold.

Multi Field display: Vertical Alignment
 Display all fields at one time.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I:

Question Text: How many (pills/suppositories) (do/did/does) [you/(SP)] usually take in a day?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TABTAKE (PMQ1470)

Cheshire Name: PMRO.TABTAKE

Item Text display:

Item Text:

Label: NUMBER:

Label Position: Left

Field Type: Integer

Type Name: TTabtake

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 1

Max Value: 96

Mask:

Number	Label	Route
1	[Continuous answer.]	PM13 - TABTAKE96 (PMQ1472)

Attribute	Route
Empty	PM13 - TABTAKE96 (PMQ1472)

Don't know	PM13 - TABTAKE96 (PMQ1472)
------------	------------------------------

Field2: TABTAKE96 (PMQ1472)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:
If TABTAKE96=1/DontTakeEveryDay, set
PMRO.TABTAKE=96.

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TTabTake96
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	DontTakeEveryDay	BOX PM1E - (PMQ1473)
English text: DONT TAKE EVERY DAY		

Attribute	Route
Empty	BOX PM1E - (PMQ1473)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1
TABTAKE = 1-15, DK.
If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit#1
TABTAKE and TABTAKE96 cannot both be EMPTY.
If not true, display message "ENTRY REQUIRED. PLEASE ENTER THE CORRECT DOSAGE."

Edit#2
TABTAKE and TABTAKE96 cannot both be FILLED.
If not true, display message, "INVALID ENTRY. PLEASE ENTER THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABTAKE = 1-30, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER"

TECHNICAL NOTES

185	CurrRndForm	<p>The current round form for the PM = For this PM EVNT, there is PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM & PMRO.PMRORND = current round). Form = PMRO.PMFORM. Other Specify Form = PMRO.PMFORMOS.</p>
59	SPStatus	<p>SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty</p> <p>SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY</p> <p>SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute</p> <p>SP is Deceased = MRES.SPALIVE=3/Deceased.</p>
4	Respondent	<p>On MRES where MRES.MRESRND = current round:</p> <p>A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent.</p> <p>An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.</p>

DESIGN NOTES

BOX PM1E

Page Order # : 375

BOX INSTRUCTIONS

(PMQ1473) IF PM13 - TABTAKE96 = 1/DontTakeEveryDay, GO TO BOX PM2 -
(PMQ1550).

ELSE GO TO PM14 - TAKEUNIT (PMQ1480).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

PM14

Page Order # : 380

Design Screen Type: Quantity Unit

Fields:	Field 1:	TAKEUNIT
	Field 2:	TAKENUM

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: HOW MANY DAYS OR WEEKS WAS THE MEDICINE TO BE TAKEN?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TAKEUNIT (PMQ1480)

Cheshire Name: PMRO.TAKEUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TTakeunit

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Days English text: DAYS	PM14 - TAKENUM (PMQ1490)
2	Weeks English text: WEEKS	PM14 - TAKENUM (PMQ1490)
3	TakeUntilGone English text: TAKE UNTIL GONE	BOX PM2 - (PMQ1550)
4	TakeAsNeeded English text: TAKE AS NEEDED	BOX PM2 - (PMQ1550)
5	TakeEveryDay English text: TAKE EVERY DAY	BOX PM2 - (PMQ1550)
Attribute	Route	
Don't know	BOX PM2 - (PMQ1550)	

Field2: TAKENUM (PMQ1490)

Cheshire Name: PMRO.TAKENUM

Item Text display:

Item Text:

Label: NUMBER:

Label Position: Left

Field Type: Integer

Type Name: TTakenum

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value: 1

Max Value: 99

Mask:

Number	Label	Route
1	[Continuous answer.]	BOX PM2 - (PMQ1550)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1
 If TAKEUNIT = 1/Days, then TAKENUM = 1-30.
 Else if TAKEUNIT =1/Weeks, then TAKENUM= 1-4.
 If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM15A

Page Order # : 400

Design Screen Type: Yes/No

Fields: Field 1: SAMEAMNT

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.
Else display PMRO.PMFORM response.

Referring to the previous round amount, PMRO.AMTUNIT, for PM currently being asked about:

If previous round PMRO.AMTUNIT=91/Other, display other specify text response, PMRO.AMTUNOS.
Else display PMRO.AMTNUM + PMRO.AMTUNIT response.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _____

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND AMOUNT IS SAME AS PREVIOUS INTERVIEW.

Question Text: At the time of the last interview, the amount of the (PREVIOUS ROUND MEDICINE FORM) was (PREVIOUS ROUND MEDICINE AMOUNT). Is this medicine in the same amount?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: SAMEAMNT (PMQ1510)

Cheshire Name: PMRO.SAMEAMNT

Item Text display:
Item Text:

Label:
Label Position:

Field Type: Enumerated **FieldSize:**
Type Name: TYesNoDKRF **Min Value:**
Answers Allowed: 1 **Max Value:**
Drop Down List: No **Mask:**
Lookup File: No
Lookup File Name:

Number	Label	Route
1	Yes	BOX PM2 - (PMQ1550)
	English text: YES	
2	No	PM16 - AMTUNIT (PMQ1520)
	English text: NO	

Attribute	Route
Don't know	PM16 - AMTUNIT (PMQ1520)
Refusal	PM16 - AMTUNIT (PMQ1520)

BACKGROUND VARIABLE ASSIGNMENTS

If PM15A - SAMEAMNT = 1/Yes, copy the prescription medicine amount from the previous round PMRO fields to the current round fields.

AMTUNIT If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTUNIT = previous round PMRO.AMTUNIT.

AMTUNOS If PM15A - SAMEAMNT = 1/Yes, set current round
 PMRO.AMTUNOS = previous round
 PMRO.AMTUNOS.

AMTNUM If PM15A - SAMEAMNT = 1/Yes, set current round
 PMRO.AMTNUM = previous round PMRO.AMTNUM.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

181 PrevRndForm Previous round form for PM =
 For this PM EVNT, there is a PMRO where
 (PMRO.PMROEVNT= EVNT.EVNTNUM and
 PMRO.PMRORND = previous round).
 PM form = PMRO.PMFORM, PMRO.PMFORMOS.

188 PrevRndAmount The previous round amount for the PM =
 For this PM EVNT, there is a PMRO where
 (PMRO.PMROEVNT = EVNT.EVNTNUM and
 PMRO.PMRORND = previous round).
 PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS,
 PMRO.AMTNUM.

DESIGN NOTES

PM16

Page Order # : 410

Design Screen Type: Quantity Unit

Fields:
Field 1: AMTUNIT
Field 2: AMTUNOS
Field 3: AMTNUM

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine that is currently being asked about.

Question display: Always display "[PLEASE ENTER...]" in brackets.

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: HOW MUCH MEDICINE WAS IN THE CONTAINER WHEN IT WAS OBTAINED?

Question Text:

Int. Instr II: [PLEASE ENTER THE AMOUNT IN THE CONTAINER, NOT THE STRENGTH OF THE MEDICINE.]

INPUT FIELDS / ROUTING

Field1: **AMTUNIT** (PMQ1520)

Cheshire Name: PMRO.AMTUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TAmtunit

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Ounces English text: OUNCES (oz)	PM16 - AMTNUM (PMQ1530)
2	Grams English text: GRAMS (g, gm)	PM16 - AMTNUM (PMQ1530)
3	Milliliters English text: MILLILITERS (ml, cc)	PM16 - AMTNUM (PMQ1530)
4	Milliequivalents English text: MILLIEQUIVALENTS (meq)	PM16 - AMTNUM (PMQ1530)
5	Milligrams English text: MILLIGRAMS (mg)	PM16 - AMTNUM (PMQ1530)
6	Micrograms English text: MICROGRAMS (mcg)	PM16 - AMTNUM (PMQ1530)
7	Puffs English text: PUFFS, DOSES, BLISTERS	PM16 - AMTNUM (PMQ1530)
91	Other English text: OTHER	PM16 - AMTUNOS (PMQ1525)

Attribute	Route
Don't know	BOX PM2 - (PMQ1550)

SOFT EDIT CHECKS

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM =.01-16, DK.
Else if AMTUNIT =2/Grams, then AMTNUM= .01-60, DK.
Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-480, DK.
Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-100, DK.
Else if AMTUNIT = 5/Milligrams, then AMTNUM = .005- 800, DK.
Else if AMTUNIT = 6/Micrograms, then AMTNUM = .001- 50, DK.
Else if AMTUNIT = 91/Other, then AMTNUM = .01-1,000, DK.
If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM =.01-9,999,999, DK.
Else if AMTUNIT =2/Grams, then AMTNUM = .01-9,999,999, DK.
Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-9,999,999, DK.
Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-9,999,999, DK
If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER."

TECHNICAL NOTES

DESIGN NOTES

BOX PM2

Page Order # : 420

BOX INSTRUCTIONS

(PMQ1550) IF (NOT ADMINISTERING ST AND NOT ADMINISTERING NS) AND (SP IS ALIVE AND NOT INSTITUTIONALIZED) AND (UTILIZATION IS NOT BEING COLLECTED FOR THE FIRST TIME FOR THIS SP) AND (THIS IS A FALL ROUND) AND (AT LEAST ONE RESPONSE AT PM6AB = 1/OFTEN OR 2/SOMETIMES) AND (THIS IS ONE OF THE FIRST 15 MEDICINES BEING ASKED ABOUT IN PM), GO TO PM16A1 - NOFILLED (PMQ1551).

ELSE GO TO BOX PM3 - (PMQ1558).

ASSIGNMENTS

TECHNICAL NOTES

59	SPStatus	<p>SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty</p> <p>SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY</p> <p>SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute</p> <p>SP is Deceased = MRES.SPALIVE=3/Deceased.</p>
48	FirstUtilization	<p>Utilization being collected for the first time = (MRES.INTTYPE = 7/SupSmp1stTimeUtil or MRES.INTTYPE = 10/SumSmp1stTimeUtilSkipped or MRES.INTTYPE = 2/NewFromFacility) on MRES where MRES.MRESRND = current round.</p>
98	FallRound	<p>If the remainder of (Current round divided by 3) = 1, then it is a Fall round.</p>
375	First15PMs	<p>This PM is one of the first 15 medicines being asked about in PM = PM16A1 - TOTALPMASK < 15.</p>
441	PMOftenSometimes	<p>AT LEAST ONE RESPONSE AT PM6AB = 1/OFTEN OR 2/SOMETIMES = PM6AB - RXNOFILL = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXDELAY = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXSKIP = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXDOSE = 1/OFTEN OR 1/SOMETIMES.</p>

DESIGN NOTES

PM16A1

Page Order # : 425

Design Screen Type: Code 1

Fields: Field 1: NOFILLED

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

Display "because it cost too much" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD PM1

Question Text: Since (REFERENCE DATE), how often did [you/(SP)] decide not to fill or refill (MEDICINE) because it cost too much?

Int. Instr II:

INPUT FIELDS / ROUTING

PM16A1

Field1: **NOFILLED** (PMQ1551)

Cheshire Name: PMRO.NOFILLED

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TNoFilled

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	OftenDidNotFill	PM16A - DELAYFIL (PMQ1552)
	English text: OFTEN	
2	SometimesDidNotFill	PM16A - DELAYFIL (PMQ1552)
	English text: SOMETIMES	
3	NeverDidNotFill	PM16A - DELAYFIL (PMQ1552)
	English text: NEVER	

Attribute	Route
Don't know	PM16A - DELAYFIL (PMQ1552)
Refusal	PM16A - DELAYFIL (PMQ1552)

BACKGROUND VARIABLE ASSIGNMENTS

Each time PM16A1 - NOFILLED is asked for a prescription medicine in PM, increment counter as specified below. This counter is used to control how many times we ask the fall round series: PM16A1, PM16A, PM16B and PM16C. We only ask these questions for the 1st 15 medicines reported in PM section if at least one response at PM6AB = 1/Often or 2/Sometimes.

TOTALPMASK TOTALPMASK = TOTALPMASK + 1.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

PM16A

Page Order # : 430

Design Screen Type: Code 1

Fields: Field 1: DELAYFIL

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

Display "because it cost too much" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD PM1

Question Text: Since (REFERENCE DATE), how often did [you/(SP)] delay filling or refilling a prescription for (MEDICINE NAME) because it cost too much?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: DELAYFIL (PMQ1552)

Cheshire Name: PMRO.DELAYFIL

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TDelayFil

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	OftenDelayedFilling English text: OFTEN	PM16B - SKIPDOSE (PMQ1554)
2	SometimesDelayedFilling English text: SOMETIMES	PM16B - SKIPDOSE (PMQ1554)
3	NeverDelayedFilling English text: NEVER	PM16B - SKIPDOSE (PMQ1554)

Attribute	Route
Don't know	PM16B - SKIPDOSE (PMQ1554)
Refusal	PM16B - SKIPDOSE (PMQ1554)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

PM16B

Page Order # : 440

Design Screen Type: Code 1

Fields: Field 1: SKIPDOSE

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:**Question display:** Display name and strength of medicine that is currently being asked about.

Display "to make the medicine last longer" in BOLD.

Multi Field display:**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

Context Header:**Int. Instr I:** SHOW CARD PM1**Question Text:** Since (REFERENCE DATE), how often did [you/(SP)] skip doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never skipped doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **SKIPDOSE** (PMQ1554)

Cheshire Name: PMRO.SKIPDOSE

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TSkipDose

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	OftenSkippedDose English text: OFTEN	PM16C - CUTDOSE (PMQ1556)
2	SometimesSkippedDose English text: SOMETIMES	PM16C - CUTDOSE (PMQ1556)
3	NeverSkippedDose English text: NEVER	PM16C - CUTDOSE (PMQ1556)
4	NeverTookPM English text: NEVER TOOK THE MEDICINE AT ALL	BOX PM3 - (PMQ1558)

Attribute	Route
Don't know	PM16C - CUTDOSE (PMQ1556)
Refusal	PM16C - CUTDOSE (PMQ1556)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

PM16C

Page Order # : 450

Design Screen Type: Code 1

Fields: Field 1: CUTDOSE

Enable Functions: HELP No
 COMMENTS No
 JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No
 Edit Item No
 Delete Item No
 Search Item No

Grid Functions: Add Line No
 Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine that is currently being asked about.

Display "to make the medicine last longer" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD PM1

Question Text: Since (REFERENCE DATE), how often did [you/(SP)] take smaller doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never took smaller doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **CUTDOSE** (PMQ1556)

Cheshire Name: PMRO.CUTDOSE

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TCutDose

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	OftenCutDose	BOX PM3 - (PMQ1558)
	English text: OFTEN	
2	SometimesCutDose	BOX PM3 - (PMQ1558)
	English text: SOMETIMES	
3	NeverCutDose	BOX PM3 - (PMQ1558)
	English text: NEVER	
4	NeverTookPm	BOX PM3 - (PMQ1558)
	English text: NEVER TOOK THE MEDICINE AT ALL	

Attribute	Route
Don't know	BOX PM3 - (PMQ1558)
Refusal	BOX PM3 - (PMQ1558)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

BOX PM3

Page Order # : 460

BOX INSTRUCTIONS

(PMQ1558) GO TO PM6A_IN - NAVIGATOR (PMQ1183).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

BOX PM3A

Page Order # : 465

BOX INSTRUCTIONS

(PMQ1559) IF CURRENTLY ADMINISTERING ST, GO TO BOX ST43 - (STQ1930).
ELSE IF CURRENTLY ADMINISTERING NS, GO TO BOX NS43 -
(NSQ1930).
ELSE GO TO PM17 - PMMORE (PMQ1560).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

If administering ST or NS, BOX PM3A is routed back to ST/NS.
Else probe for more PMs.

PM17

Page Order # : 470

Design Screen Type: Yes/No

Fields: **Field 1:** **PMMORE**

Enable Functions:
HELP No
COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions:
Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported any Prescription Medicine purchases during the current round, display "[THE NAMES OF ALL MEDICINES REPORTED FOR THE CURRENT REFERENCE PERIOD ARE DISPLAYED BELOW.]".
 Else display "[NO MEDICINES HAVE BEEN REPORTED FOR (SP) FOR THE CURRENT REFERENCE PERIOD.]".

If SP reported any Prescription Medicine purchases during the current round, display "MORE".
 Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display the names of all prescription medicine purchases reported in the current round and each condition linked to the medicine name.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD
 Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

Column 2, column header= Condition
 Column 2, display = Display the name of the first condition linked to
 prescription medicine, COND.CONDTION.

TEXT:

Context Header: CURRENT REFERENCE PERIOD: (REFERENCE DATE) -
 (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr I: ([NO MEDICINES HAVE BEEN REPORTED FOR (SP) FOR THE
 CURRENT REFERENCE PERIOD/THE NAMES OF ALL
 MEDICINES REPORTED FOR THE CURRENT REFERENCE
 PERIOD ARE DISPLAYED BELOW.])

REVIEW THIS INFORMATION WITH THE RESPONDENT.

Question Text: [REVIEW THE INFORMATION BELOW WITH THE
 RESPONDENT. ASK, OR CODE AS APPROPRIATE IF R
 ALREADY INDICATED: Are there any (more) medicines since
 (REFERENCE DATE) that we haven't talked about?]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMMORE (PMQ1560)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated
Type Name: TYesNo
Answers Allowed: 1
Drop Down List: No
Lookup File: No
Lookup File Name:

FieldSize:
Min Value:
Max Value:
Mask:

Number	Label	Route
1	Yes	PM6 - MEDICINE_PM3 (PMQ1140)
	English text: YES	
2	No	BOX PMEND - (PMQ1580)
	English text: NO	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

178	PMCurrRnd	SP reported PM purchase(s) in current round = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=current round & PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes & (GETNUM > 0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.
180	PMCondition	Condition reported for the PM = For this PM EVNT, there is an XCON where (XCON.XCONEVNT=EVNT.EVNTNUM) and (XCON.XCONCOND = COND.CONDNUM of condition linked to PM EVNT). Condition Name = COND.CONDTION.

DESIGN NOTES

End Loop 1:

PM17 is a larger loop that is initiated the first time PM17 is asked. If PM17 = 1/Yes, return to PM6 to collect additional current round prescription medicines.

BOX PMEND

Page Order # : 480

BOX INSTRUCTIONS

(PMQ1580) GO TO NEXT SECTION .

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES
