Page Order #: 10

BOX INSTRUCTIONS

(HHS1010) IF SP RECEIVED CARE FROM AT LEAST ONE HOME HEALTH PROFESSIONAL DURING THE PREVIOUS ROUND, GO TO BOX HHS1A -(HHS1015).

ELSE GO TO BOX HHS2 - (HHS1030).

ASSIGNMENTS

TECHNICAL NOTES

173 HHProfPrevRnd

SP received care from Home Health professional during previous round = There is an EVNT where EVNT.EVNTTYPE='HP' & HERO where (HERO.HEROEVNT=EVNTNUM & HERORND=previous round & HERO.HERODFLG ^=1/Yes & (HERO.OTHMEALS^= empty or HERO.HELPUNIT^=empty)).

DESIGN NOTES

Begin Loop 1: Collect current round Home health information regarding each Home Health professional visit from previous round.

BOX HHS1A

Page Order # : 15

BOX INSTRUCTIONS

(HHS1015) CREATE CURRENT ROUND HERO RECORD FOR HH PROVIDER BEING ASKED ABOUT .

GO TO HHS1 - PROFPROB (HHS1020).

ASSIGNMENTS

Home Health events are stored on EVNT and HERO.

EVNT Key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = number of Home Health Event. EVNT.EVNTPROV = number of Home Health Provider associated with event.

Round specific Home Health event details are stored on HERO. Each Home Health event from the previous round will automatically have a current round HERO generated: HERO key = HERO.HEROBASE + HERO.HEROEVNT + HERO.HERORND HERO.HEROEVNT = EVNT.EVNTNUM for Home Health Event. HERO.HERORND = current round.

Set HERO variables as instructed below.

HEROEVNT	HERO.HEROEVNT = EVNT.EVNTNUM.
HERORND	HERO.HERORND=current round.

TECHNICAL NOTES

HHS1

HHS1

Page Order # : 20

Design Screen Type:	Yes/No
Fields:	Field 1:
Enable Functions:	HELP COMMENTS

Roster Name:

Roster Type:

Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No
Grid Functions:	Add Line Delete Line	No No

JUMPBACK

DISPLAY INSTRUCTIONS:

Context header display:	
Question display:	If someone works for this Provider, display "someone from" and "anyone from". Else do not display.
	Display "at home" in Bold in the second sentence.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	Display Provider and Subprovider Names for the first/next Home Health provider currently being asked about.
	Column 1, header = DO NOT DISPLAY A HEADER Column 1, display =
	If someone works for this provider, display Provider Name, PROV.PROVNAME, followed by Subprovider Name,
	PROV.SUBPROV, in parenthesis. Ex: PROVIDER NAME (SUBPROVIDER NAME).
	Else display Provider Name, PROV.PROVNAMÉ.
TEVT.	

PROFPROB

No

Yes

Yes

Context Header:

Int. Instr I:

Question Text:	We recorded that [you/(SP)] had been helped at home by (someone from) [READ PROVIDER BELOW] between (SUMMARY
	REFERENCE DATE) and (REFERENCE DATE). Has (anyone from)
	[READ PROVIDER BELOW] helped [you/(SP)] at home (since
	REFERENCE DATE/between REFERENCE DATE and DATE OF
	DEATH/ INSTITUTIONALIZATION)?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1	:	PROFPROB	(HHS1020)
Chesh	ire Nam	e: HERO.PROFPROB	
Item Te	ext disp	lay:	
Item Te	ext:		
Label: Label F	Position	:	
Drop D Looku	lame: ers Allov own Lis	st: No No	FieldSize: Min Value: Max Value: Mask:
Number	Label		Route
1	Yes		BOX HHS3 - (HHS1050)
	Engl	ish text: YES	
2	INO		BOX HHS5 - (HHS1090)
		ish text: NO	
3	Homel	HealthEnteredInError	BOX HHS5 - (HHS1090)
	Engl	ish text: HOME HEALTH ENTE	RED IN ERROR IN PREVIOUS ROUND
Attribute	e	Route	
Don't kno)W	BOX HHS5 - (HHS1090)	
Refusal		BOX HHS5 - (HHS1090)	

BACKGROUND VARIABLE ASSIGNMENTS

SETTING DELETE FLAGS:

If HHS1 - PROFPROB=3/HomeHealthEnteredInError, then set the following flags:

1) Set HERO.HERODFLG=1/Yes on previous round HERO.

2) (If there is no other Home Health visit linked to this event) and EVNT.PREVHERO ^= 1/Yes, set EVNT.EVNTDFLG=1/Yes on this EVNT:

DETERMINE WHETHER OR NOT ANOTHER HH VISIT IS LINKED TO THIS EVENT: If there is a HERO where (HERO.HEROEVNT=this EVNT.EVNTNUM and HERO.HERORND ^= previous round & HERO.HERODFLG ^= 1/Yes and (HERO.OTHMEALS ^= empty or HERO.HELPUNIT ^= empty)), then there is a Home Health visit linked to this event.

HERODFLG	If HHS1 - PROFPROB=3/HomeHealthEnteredInError, set HERO.HERODFLG=1/Yes on HERO where HERO.HERORND=previous round.
EVNTDFLG	If HHS1 - PROFPROB=3/HomeHealthEnteredInError and there is no other Home Health visit linked to this event and EVNT.PREVHERO ^= 1/Yes, set EVNT.EVNTDFLG=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

166	SomeoneWorksForProv	If someone works for this Provider =
		PROV.SUBPROV ^= empty.

BOX HHS2 Page Order # : 30 **BOX INSTRUCTIONS** (HHS1030) IF SP RECEIVED HOME HEALTH CARE FROM AT LEAST ONE FRIEND OR RELATIVE DURING THE PREVIOUS ROUND, GO TO BOX HHS2A -(HHS1035). ELSE GO TO BOX HHS6 - (HHS1095). ASSIGNMENTS **TECHNICAL NOTES** 174 HHFriendPrevRnd SP received Home Health care from friend/relative during previous round = There is an EVNT where EVNT.EVNTTYPE='HF' & HERO where (HERO.HEROEVNT=EVNTNUM & HERORND=previous round & HERO.HERODFLG ^=1/Yes & (HERO.OTHMEALS^= empty or HERO.HELPUNIT^=empty)).

DESIGN NOTES

Begin Loop 2: Collect current round Home health information regarding each Home Health friend/relative visit from previous round.

BOX HHS2A

Page Order # : 35

BOX INSTRUCTIONS

(HHS1035) CREATE CURRENT ROUND HERO RECORD FOR HH PROVIDER BEING ASKED ABOUT .

GO TO HHS2 - FRNDPROB (HHS1040).

ASSIGNMENTS

Home Health events are stored on EVNT and HERO.

EVNT Key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = number of Home Health Event. EVNT.EVNTPROV = number of Home Health Provider associated with event.

Round specific Home Health event details are stored on HERO. Each Home Health event from the previous round will automatically have a current round HERO generated: HERO key = HERO.HEROBASE + HERO.HEROEVNT + HERO.HERORND HERO.HEROEVNT = EVNT.EVNTNUM for Home Health Event. HERO.HERORND = current round.

Set HERO variables as instructed below.

HEROEVNT	HERO.HEROEVNT = EVNT.EVNTNUM.
HERORND	HERO.HERORND=current round.

TECHNICAL NOTES

HHS2

HHS2

Page Order # : 40

Design Screen Type:	Yes/No	
Fields:	Field 1:	FRNDPROB
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No
Grid Functions:	Add Line Delete Line	No No

DISPLAY INSTRUCTIONS:

Context header display:	
Question display:	If someone works for this Provider, display "someone from" and "anyone from". Else do not display.
	Display "at home" in Bold in the second sentence.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	Display Provider and Subprovider Names for the first/next Home Health provider currently being asked about.
	Column 1, header = DO NOT DISPLAY A HEADER Column 1, display =
	If someone works for this provider, display Provider Name, PROV.PROVNAME, followed by Subprovider Name, PROV.SUBPROV, in parenthesis.
	EX: PROVIDER NAME (SUBPROVIDER NAME).
	Else display Provider Name, PROV.PROVNAME.
<u>TEXT:</u>	
Context Header	

Context Header:

Int. Instr I:

Question Text:	We recorded that [you/(SP)] had received personal care or help with daily needs at home from (someone from) [READ PROVIDER BELOW] between (SUMMARY REFERENCE DATE) and (REFERENCE DATE). [Have you/Has (SP)] received personal care or help with daily needs at home from (anyone from) [READ PROVIDER BELOW] (since REFERENCE DATE/between REFERENCE DATE and DATE OF DEATH/
	INSTITUTIONALIZATION)?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1	:	FRNDPROB	(HHS1040)
Chesh	ire Name:	HERO.FRNDPROB	
Item Te	ext display:		
Item Te	ext:		
Label: Label F	Position:		
Field T	уре:	Enumerated	FieldSize:
Type N	lame:	TProfprob	Min Value:
Answe	rs Allowed	: 1	Max Value:
-	own List:	No	Mask:
Looku		No	
Looku	p File Name):	
Number	Label		Route
1	Yes		BOX HHS3 - (HHS1050)
	English	text: YES	
2	No		BOX HHS5 - (HHS1090)
	English	text•NO	
3	HomeHeal		BOX HHS5 - (HHS1090)
			ERED IN ERROR IN PREVIOUS ROUND
Attribute	e Ro	ute	
Don't kno	ow BO	X HHS5 - (HHS1090)	
Refusal	BO	X HHS5 - (HHS1090)	

BACKGROUND VARIABLE ASSIGNMENTS

SETTING DELETE FLAGS:

If HHS2 - FRNDPROB=3/HomeHealthEnteredInError, then set the following flags:

Set HERO.HERODFLG=1/Yes on previous round HERO.
 (If there is no other Home Health visit linked to this event) and EVNT.PREVHERO ^=

1/Yes, set EVNT.EVNTDFLG=1/Yes on this EVNT:

DETERMINE WHETHER OR NOT ANOTHER HH VISIT IS LINKED TO THIS EVENT: If there is a HERO where (HERO.HEROEVNT=this EVNT.EVNTNUM and HERO.HERORND ^= previous round & HERO.HERODFLG ^= 1/Yes and (HERO.OTHMEALS ^= empty or HERO.HELPUNIT ^= empty)), then there is a Home Health visit linked to this event.

HERODFLG	If HHS2 - FRNDPROB=3/HomeHealthEnteredInError, set HERO.HERODFLG=1/Yes on HERO where HERO.HERORND=previous round.
EVNTDFLG	If HHS2 - FRNDPROB=3/HomeHealthEnteredInError and there is no other Home Health visit linked to this event and EVNT.PREVHERO ^= 1/Yes, set EVNT.EVNTDFLG=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

166 SomeoneWorksForProv

If someone works for this Provider = PROV.SUBPROV ^= empty.

Page Order # : 50

BOX INSTRUCTIONS

(HHS1050) IF TYPE OF HOME HEALTH PROVIDER ORGANIZATION IS A MEAL PROGRAM, GO TO HHS3 - OTHMEALS (HHS1070).

ELSE GO TO BOX HH1BB - (HHQ1102).

ASSIGNMENTS

TECHNICAL NOTES

175 ProviderMealProgram

Type of Home Health Provider Organization is a Meal Program = PROV.HHPLACE=2/MealProgram.

DESIGN NOTES

If Provider is not a meal program, BOX HHS3 is routed directly to BOX HH1BB in the HH section to collect current round Home Health event details.

				HHS3	
HHS3			Page Order # :	70	
Design Screen Type:	Yes/No				
Fields:	Field 1:	OTHMEALS			
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes			
Roster Name:					
Roster Type:					
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No			
Grid Functions:	Add Line Delete Line	No No			
DISPLAY INSTRUCTIONS:					
Context header display:					
Question display:	Display name of first/next home health provider currently being asked about, PROV.PROVNAME.				
Multi Field display:					
Roster/Grid Instructions:					
Roster/Grid display:					
Report display:					

 TEXT:

 Context Header:

 Int. Instr I:

 Question Text:
 Since (REFERENCE DATE), has (PROVIDER NAME) provided any services to [you/(SP)] other than delivering meals?

 Int. Instr II:

INPUT FIELDS / ROUTING

HHS3

(HHS1070) Field1: OTHMEALS HERO.OTHMEALS **Cheshire Name:** Item Text display: Item Text: Label: Label Position: Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: Answers Allowed: 1 Max Value: Drop Down List: No Mask: No Lookup File:

Number	Labe	l Route	
1	Yes	BOX HH1BB - (HHQ1102)	
	Eng	glish text: YES	
2	No	BOX HHS5 - (HHS1090)	
	Eng	glish text: NO	
Attribute		Route	
Don't kno	ow	BOX HHS5 - (HHS1090)	
Refusal		BOX HHS5 - (HHS1090)	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Lookup File Name:

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

If the Home Health Provider Organization provided any other services other than meals, HHS3 is routed directly to BOX HH1BB in the HH section to collect current round Home Health event details.

Page Order # : 90

BOX INSTRUCTIONS

(HHS1090) IF ASKING ABOUT HOME HEALTH PROFESSIONALS FROM THE PREVIOUS ROUND, THEN .

IF SP RECEIVED CARE FROM ANOTHER HOME HEALTH PROFESSIONAL DURING THE PREVIOUS ROUND, GO TO BOX HHS1A - (HHS1015).

ELSE GO TO BOX HHS2 - (HHS1030).

ELSE IF ASKING ABOUT HOME HEALTH CARE FROM A FRIEND OR RELATIVE FROM THE PREVIOUS ROUND, THEN .

IF SP RECEIVED HOME HEALTH CARE FROM ANOTHER FRIEND OR RELATIVE DURING THE PREVIOUS ROUND, GO TO BOX HHS2A - (HHS1035).

ELSE GO TO BOX HHS6 - (HHS1095).

ELSE GO TO BOX HHS6 - (HHS1095).

ASSIGNMENTS

TECHNICAL NOTES

173	HHProfPrevRnd	SP received care from Home Health professional during previous round = There is an EVNT where EVNT.EVNTTYPE='HP' & HERO where (HERO.HEROEVNT=EVNTNUM & HERORND=previous round & HERO.HERODFLG ^=1/Yes & (HERO.OTHMEALS^= empty or HERO.HELPUNIT^=empty)).
174	HHFriendPrevRnd	SP received Home Health care from friend/relative during previous round = There is an EVNT where EVNT.EVNTTYPE='HF' & HERO where (HERO.HEROEVNT=EVNTNUM & HERORND=previous round & HERO.HERODFLG ^=1/Yes & (HERO.OTHMEALS^= empty or HERO.HELPUNIT^=empty)).

DESIGN NOTES

BOX HHS5 serves as an End Loop Box for Loop 1 and Loop 2.

If asking about Home Health professionals from BOX HHS1, BOX HHS5 will route back to BOX HHS1A for the next Home Health professional from the previous round. Otherwise BOX HHS5 will route to BOX HHS2 to check for previous round Home Health Friends/Relatives.

Else if asking about Home Health Friends/Relatives from BOX HHS2, BOX HHS5 will route back to BOX HHS2A for the next Home Health friend/relative. Otherwise BOX HHS5 will route to BOX HHS6 to complete HHS section.

BOX HH	Page Order # :	100	
BOX INSTRUCTIONS			
(HHS1095)	GO TO NEXT SECTION .		
ASSIGNMENT	S		
TECHNICAL N	OTES		
DESIGN NOTE	S		