IU1		Page Order # :	20
Design Screen Type:	Yes/No		
Fields:	Field 1:	IUPROBE	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	S :		
Context header display:			
Question display:	stay that started (REFERENCE D was (SP)" Else if SP is Dec and (DATE OF D Else display "Sin- been"	nalized, display "Other than the current institution (DATE OF INSTITUTIONALIZATION), between (DATE OF INSTITUTIONALIZATION) eased, display "Between (REFERENCE DATE DEATH), was (SP)". ce (REFERENCE DATE), [have you/has (SP)] nalized, display "another".	reen N
Multi Field display:	Lise display a .		
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			

[Since (REFERENCE DATE), [have you/has (SP)] been/Between

SHOW CARD IU

Context Header:

Question Text:

Int. Instr I:

(REFERENCE DATE) and (DATE OF DEATH), was (SP)/Other than

the current institutional stay that started on (DATE OF

INSTITUTIONALIZATION), between (REFERENCE DATE) and (DATE OF INSTITUTIONALIZATION) was (SP)] a patient in (a/another) nursing home or any similar place that provides long-

term care -- such as the places shown on this card?

Int. Instr II: LONG-TERM CARE PLACES INCLUDE SKILLED NURSING

HOMES, INTERMEDIATE CARE FACILITIES, BOARD AND CARE HOMES, NURSING HOME UNITS IN HOSPITALS, FACILITIES FOR THE MENTALLY RETARDED, PSYCHIATRIC FACILITIES

AND GROUP HOMES.

INPUT FIELDS / ROUTING

Field1: IUPROBE (IUQ1020)

Cheshire Name: HRND.IUPROBE

Item Text display: Do not display option 3/IndicatedYesByDataprep.

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TProbeMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	IU2 - PROVIDER_IU (IUQ1030)
	English text: YES	
2	No	BOX IU3 - (IUQ1155)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY.
		DATA EDITING ONLY.
	English text: INDICATEI	O YES BY DATAPREP
Attribute	Route	
Don't kno	w BOX IU3 - (IUQ11:	55)

BACKGROUND VARIABLE ASSIGNMENTS

BOX IU3 - (IUQ1155)

Refusal

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

40 SPInstitute

SP is institutionalized =

MRES.SPALIVE=2/AliveAndInstitute on MRES where

MRES.MRESRND = current round.

IU2 Page Order #: 30 **Design Screen Type:** Roster Fields: Field 1: PROVIDER_IU **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name:** Provider Roster **Roster Type:** Single Item Select Yes Display as 'Add a Facility' **Roster Functions:** Add Item **Edit Item** Yes Display as 'Edit a Facility' No **Delete Item** No Search Item **Grid Functions:** No **Add Line Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: Multi Field display: Roster/Grid Instructions: Display all Providers except for Providers where PROV.PROVNUM=01 and 02, which are reserved for PM and OM events. Display in order of entry. COL# **HEADER INSTRUCTIONS** Roster/Grid display: Provider Name Display PROV.PROVNAME. Report display: TEXT: REFERENCE PERIOD: (REFERENCE DATE) - (TODAY/DATE OF

Int. Instr I:

Context Header:

Question Text: Where [were you/was (SP)] a patient -- in which nursing home?

DEATH/DATE OF INSTITUTIONALIZATION)

Int. Instr II: SELECT OR ADD ONLY ONE FACILITY.

INPUT FIELDS / ROUTING

Field1: PROVIDER_IU (IUQ1030)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize:

Type Name: TProvPick4 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File:

Lookup File Name:

Number Label Route

No

1 [Continuous answer.] BOX IU1 - (IUQ1040)

BACKGROUND VARIABLE ASSIGNMENTS

PROVIDER INSTRUCTIONS:

Roster details will be collected on PROV: PROV key = PROV.PROVBASE + PROV.PROVNUM PROV.PROVNUM = Number of Provider selected at IU2.

If Provider added at Provider Roster, see PROVIDER ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Provider Roster Pop-Up Window:

PROV.PROVNUM Provider number PROV.PROVRNDC Round number

PROV.PROVNAME Hospital name (Also known as Provider name)

If Provider added, set provider type as instructed below.

EVENT INSTRUCTIONS:

Current round IU visits are stored on EVNT. An EVNT is generated once the Provider is selected at IU2:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = number of event generated at IU2.

BASE.LASTEVNT holds the highest EVNT.EVNTNUM prior to fielding cases. Not all EVNT records are fielded. The first time an EVNT record is generated in the field, BASE.LASTEVNT should be >= to the highest EVNT.EVNTNUM fielded. The new EVNT.EVNTNUM should be calculated based on BASE.LASTEVNT + 001. Each time an EVNT record is generated in the field, BASE.LASTEVNT will be updated to match the highest EVNT.EVNTNUM in the field. Therefore, each time an EVNT record is generated in

the field, the new EVNT.EVNTNUM should be calculated based on BASE.LASTEVNT + 001. See detailed instructions below.

Set Event Provider as the Provider selected at IU2. Set additional EVNT variables as instructed below.

LASTEVNT Once new EVNT record is generated, set

BASE.LASTEVNT = new EVNT.EVNTNUM.

EVNTNUM Set new EVNT.EVNTNUM = BASE.LASTEVNT +

001. This assumes that BASE.LASTEVNT is

incremented each time an EVNT record is generated

in the field.

EVNT.EVNTRNDC = current round.

EVNT.YPE EVNT.EVNTTYPE = 'IU'. **STEVTYPE** EVNT.STEVTYPE = 7/IU.

EVNTPROV EVNT.EVNTPROV = PROV.PROVNUM of provider

selected at IU2.

PROVTYPE PROV.PROVTYPE=5/Institution.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Begin Loop 1: Probe for one provider (facility), collect event date for this provider.

BOX IU1 Page Order #: 40

BOX INSTRUCTIONS

(IUQ1040) IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A.

IN THE CURRENT ROUND OR ANY PREVIOUS ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH V.A. IS UNKNOWN), GO TO IU3 -

VAPLACE (IUQ1050).

ELSE TO IU4 - EVBEGMM (IUQ1070).

ASSIGNMENTS

TECHNICAL NOTES

SPReceivedCaretThruV SP reported receiving health care services through V.A.in

the current or any previous round =

There is an HRND where HRND.HRNDRND = current

round and HRND.VACOVER = 1/Yes.

HRND.VACOVER is set at BOX HI20 or collected at HI36.

127 ProviderVAUnknown If Provider is associated with V.A. is unknown =

PROV.VAPLACE = empty.

103		Pa	age Order # :	50
Design Screen Type:	Yes/No			
Fields:	Field 1:	VAPLACE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS) <u>:</u>			
Context header display:				
Question display:	Display name of about.	facility, PROV.PROVNAME	E, currently being asl	ked
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Is (FACILITY NAME) a Department of Veterans Affairs, or V.A., facility?			
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

(IUQ1050) Field1: VAPLACE

Cheshire Name: PROV.VAPLACE

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: No

Lookup File: **Lookup File Name:**

Number Label **Route**

Yes IU4 - EVBEGMM (IUQ1070) **English text:** YES 2 No IU4 - EVBEGMM (IUQ1070)

English text: NO

Attribute **Route** Don't know IU4 - EVBEGMM (IUQ1070)

Refusal IU4 - EVBEGMM (IUQ1070)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

IU4			Page Order #:	70
Design Screen Type:	Date			
Fields:	Field 1:	EVBEGMM		
	Field 2:	EVBEGDD		
	Field 3:	EVBEGYY		
	Field 4:	EVENDMM		
	Field 5:	EVENDDD		
	Field 6:	EVENDYY		
Enable Functions:	HELP COMMENTS	No Yes		
	JUMPBACK	Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item Delete Item	No No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Display name of fabout.	facility, PROV.PROVNA	AME, currently being as	ked
Multi Field display:	Vertical Alignmen	nt		
	Display Admissio EVBEGYY, on 1s	n date input fields, EVE t line.	BEGMM, EVBEGDD,	
	Display Discharge EVENDYY, on 2n	e date input fields, EVE nd line.	NDMM, EVENDDD,	
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TFXT:				

REFERENCE PERIOD: (REFERENCE DATE) - (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

Context Header:

Int. Instr I:

Question Text: When [were you/was (SP)] admitted to and discharged from

(FACILITY NAME)?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: EVBEGMM (IUQ1070)

Cheshire Name: EVNT.EVBEGMM

Item Text display:

Item Text: ADMISSION DATE:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] IU4 - EVBEGDD (IUQ1072)

Attribute Route
Don't know IU4 - EVBEGDD (IUQ1072)

Refusal IU4 - EVBEGDD (IUQ1072)

Field2: EVBEGDD (IUQ1072)

Cheshire Name: EVNT.EVBEGDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] IU4 - EVBEGYY (IUQ1074)

Attribute Route

Don't know IU4 - EVBEGYY (IUQ1074)

Refusal IU4 - EVBEGYY (IUQ1074)

Field3: EVBEGYY (IUQ1074)

Cheshire Name: EVNT.EVBEGYY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TYear2DKRFMin Value:00Answers Allowed:1Max Value:99Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Lab	el	Route		
1 [Continuous answer.]		IU4 - EVENDMM (IUQ1080)		
Attribute	Route			
Don't know	IU4 - EVENDMM (IUQ1080)			
Refusal	IU4 - EVENDMM (IUQ1080)			

EVENDMM (IUQ1080) Field4:

IU4 - EVENDDD (IUQ1100)

Cheshire Name: EVNT.EVENDMM

Item Text display:

Item Text: DISCHARGE DATE:

Label: MM **Label Position:** Under

Field Type: Integer FieldSize: 2 **TMonthInt** Type Name: Min Value: 01 **Answers Allowed:** Max Value: 12 No Mask:

Drop Down List: No Lookup File:

Lookup File Name:

Refusal

Number Labe	el	Route
1 [Con	tinuous answer.]	IU4 - EVENDDD (IUQ1100)
Attribute	Route	
Don't know	IU4 - EVENDDD (IUQ1100)	

Field5: EVENDDD (IUQ1100)

Cheshire Name: EVNT.EVENDDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] IU4 - EVENDYY (IUQ1120)

Attribute Route

Don't know IU4 - EVENDYY (IUQ1120)

Refusal IU4 - EVENDYY (IUQ1120)

Field6: EVENDYY (IUQ1120)

Cheshire Name: EVNT.EVENDYY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TYear2DKRFMin Value:00Answers Allowed:1Max Value:99Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] IU7 - IUMORE (IUQ1150)

Attribute Route

Don't know IU7 - IUMORE (IUQ1150)

Refusal IU7 - IUMORE (IUQ1150)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If dates entered at IU4 do not have missing data, EVBEGMM, EVBEGDD, EVBEGYY, EVENDMM, EVENDDD, EVENDYY ^= DK and EVBEGMM, EVBEGDD, EVBEGYY, EVENDMM, EVENDDD, EVENDYY ^= RF, then Admission date, EVBEGMM/EVBEGDD/EVBEGYY, and Discharge date, EVENDMM/EVENDDD/EVENDYY, should not match. If not true, display message "VERIFY THAT SP WAS ADMITTED AND DISCHARGED ON THE SAME DATE."

HARD EDIT CHECKS

Edit #1

Admission date, EVBEGMM/EVBEGDD/EVBEGYY, must be on or between (REFERENCE DATE) and (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION).

If not true, display message "INVALID DATE. ADMISSION DATE MUST BE ON OR BETWEEN (REFERENCE DATE) AND (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)". INVOLVES EVBEGMM, EVBEGDD, EVBEGYY.

Edit #2:

Discharge date, EVENDMM/EVENDDD/EVENDYY, must be on or between (ADMISSION DATE) and (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION).

If not true, display message "INVALID DATE. DISCHARGE DATE MUST BE ON OR BETWEEN (ADMISSION DATE) AND (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)". INVOLVES EVENDMM, EVENDDD, EVENDYY.

Fdit #3

If SPALIVE=2/AliveAndInstitute and date of institutionalization collected at INS2 does not have any missing data, SPINSTMM, SPINSTDD, SPINSTYY ^= DK and SPINSTMM, SPINSTDD, SPINSTYY ^= RF, then admission date, EVBEGMM/EVBEGDD/EVBEGYY, and discharge date, EVENDMM/EVENDDD/EVENDYY, cannot match date of institutionalization collected at INS2, SPINSTMM/SPINSTDD/SPINSTYY.

If not true, display message "INVALID DATE. THIS DATE MATCHES THE CURRENT INSTITUTIONALIZATION DATE".

Edit #4:

Admission date, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing IU stay admission date for the same provider. If the Admission date does not have missing data, EVBEGMM, EVBEGDD, EVBEGYY ^= DK and EVBEGMM, EVBEGDD, EVBEGYY ^= RF, then check this date against other IU stay admission dates for this provider. The following must be true for the IU stay added at IU4 to be a duplicate of an existing IU stay: Both EVNTDFLG ^= 1/Yes,

Both EVNTTYPE=IU,
Both EVNTRNDC=current round,
EVNTPROV matches,
EVBEGMM matches,
EVBEGDD matches,

EVBEGYY matches.

The Admission date added at IU4 cannot match an existing IU stay admission date for the same provider.

If not true, display message "INVALID DATE. THE ADMISSION DATE MATCHES AN EXISTING ADMISSION DATE TO (FACILITY NAME)."

Display instructions: Display facility name, PROV.PROVNAME, selected at IU2.

Edit #5:

Discharge date, EVENDMM/EVENDDD/EVENDYY, cannot match an existing IU stay discharge date for the same provider. If the Discharge date does not have missing data, EVENDMM, EVENDDD, EVENDYY ^= DK and EVENDMM, EVENDDD, EVENDYY ^= RF, then check this date against other IP stay discharge dates for this provider.

The following must be true for the IU stay added at IU4 to be a duplicate of an existing IU stay:

Both EVNTDFLG ^= 1/Yes,

Both EVNTRNDC=current round,

Both EVNTTYPE=IU,

EVNTPROV matches,

EVENDMM matches,

EVENDDD matches,

EVENDYY matches.

The Discharge date added at IU4 cannot match an existing IU stay discharge date for the same provider. If not true, display message "INVALID DATE. THE DISCHARGE DATE MATCHES AN EXISTING DISCHARGE DATE TO (FACILITY NAME)."

Display instructions: Display facility name, PROV.PROVNAME, selected at IU2.

See General specifications for duplicate date logic.

TECHNICAL NOTES

IU7 Page Order #: 100 **Design Screen Type:** Yes/No Fields: Field 1: **IUMORE** No **Enable Functions: HELP COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** Nο **Delete Item** No No Search Item No **Grid Functions: Add Line Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Question display: If SP is deceased or institutionalized, display "did (SP) have". Else if proxy interview, display "has (SP) had". Else display "have you had". Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: **Context Header:** IF RESPONDENT HAS ALREADY MENTIONED ANOTHER STAY Int. Instr I: AT A NURSING HOME, ENTER "YES" WITHOUT ASKING. OTHERWISE, ASK:

[Since (REFERENCE DATE)/Between (REFERENCE DATE) and

(DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], [have you had/has (SP) had/did (SP) have] any other stays in this or any other nursing home or similar place that provides long-term care?

11:31:00 AM Thursday, February 26, 2009

Question Text:

INP	I IT	FIF	LDS	/RC) IIT	ING
шиг	U I		ᅟᆫ	, ,,	<i>,</i> $_{\rm U}$	ш

Field1: IUMORE (IUQ1150)

Cheshire Name:

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

Yes IU2 - PROVIDER_IU (IUQ1030)

English text: YES

2 No BOX IU3 - (IUQ1155)

English text: NO

Attribute Route

Don't know BOX IU3 - (IUQ1155)

Refusal BOX IU3 - (IUQ1155)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

4 Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxy.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP.

MRES.RROSTNUM='01'.

BOX IU3

BOX IU	3	Page Order # :	110
BOX INSTRU	CTIONS		
(IUQ1155)	GO TO NEXT SECTION .		
ASSIGNMENT	rs		
TECHNICAL N	NOTES		
DESIGN NOT	ES		