



United States  
Department of  
Agriculture

National  
Agricultural  
Statistics  
Service



# Cotton Ginnings 2009 Summary

## May 2010

Ct Gn 1 (10)

# USDA





**Cotton Ginnings: Running Bales Ginned (Excluding Linters)  
by Type, State, and United States, Crop Years 2006-09**

Type and State	2006	2007	2008	2009
All Cotton				
AL	668,600	397,300	451,400	331,650
AZ	529,950	484,650	377,350	424,300
AR	2,419,500	1,807,150	1,237,300	797,550
CA	1,438,200	1,415,050	757,650	587,450
FL	148,150	102,250	104,900	89,550
GA	2,285,750	1,620,550	1,568,800	1,821,100
KS	117,800	51,300	32,950	43,200
LA	1,257,000	695,800	279,600	340,750
MS	2,029,450	1,271,250	656,850	396,900
MO	994,100	785,550	698,600	522,450
NM	61,050	60,700	47,350	34,900
NC	1,257,600	763,650	735,450	750,050
OK	183,750	281,900	255,500	309,950
SC	402,650	148,650	232,150	195,300
TN	1,310,900	586,600	520,950	485,600
TX	5,751,650	8,144,900	4,400,900	4,578,700
VA	141,500	95,900	104,500	122,700
US	20,997,600	18,713,150	12,462,200	11,832,100
Amer-Pima				
AZ	13,350	4,450	750	3,950
CA	660,600	766,300	386,300	346,450
NM	21,650	10,350	3,800	5,150
TX	41,550	42,150	22,350	29,300
US	737,150	823,250	413,200	384,850

**Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound  
Bales Ginned, by Type, State, and United States, Crop Years 2008-09**

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2008	2009	2008	2009
All Cotton				
AL	453,750	331,750	465,800	340,400
AZ	394,450	432,250	387,550	437,900
AR	1,260,300	829,250	1,272,100	819,150
CA	740,550	578,500	786,700	608,650
FL	120,100	112,700	108,250	93,000
GA	1,547,800	1,797,200	1,620,450	1,882,200
KS	33,100	50,550	33,850	44,250
LA	273,150	340,700	287,100	348,850
MS	665,100	403,150	673,700	406,100
MO	680,750	489,450	715,900	534,850
NM	73,400	74,150	47,750	35,400
NC	724,000	733,650	766,400	779,250
OK	257,900	311,450	259,000	316,300
SC	236,950	200,400	239,750	201,050
TN	517,150	479,250	533,000	497,650
TX	4,371,650	4,531,750	4,508,150	4,701,700
VA	112,100	135,950	105,400	123,900
US	12,462,200	11,832,100	12,810,850	12,170,600
Amer-Pima				
AZ	750	3,750	750	4,050
CA	386,300	346,650	403,200	359,750
NM	3,050	3,900	3,800	5,200
TX	23,100	30,550	22,850	30,050
US	413,200	384,850	430,600	399,050

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2009**

Type and State	October 1	October 15	November 1
All Cotton			
AL <sup>1</sup>		1,700	28,100
AZ	18,000	41,250	97,500
AR <sup>1</sup>	0	20,550	140,750
CA <sup>1</sup>	0	21,000	143,550
FL <sup>1</sup>	0		6,400
GA <sup>1</sup>		33,800	209,450
KS <sup>2</sup>			
LA	18,250	60,100	122,300
MS <sup>1</sup>		5,200	76,600
MO <sup>1</sup>	0	4,650	62,750
NM <sup>1</sup>	0		8,200
NC	1,600	53,250	220,350
OK <sup>1</sup>	0	1,050	23,950
SC	3,550	21,700	58,750
TN <sup>1</sup>	0	1,200	64,250
TX	191,000	281,400	897,300
VA <sup>1</sup>	0	3,500	29,250
US	233,900	552,100	2,189,450
Amer-Pima			
AZ <sup>1</sup>	0		950
CA <sup>1</sup>	0		74,500
NM <sup>1</sup>	0		650
TX <sup>1</sup>	0		5,650
US	0	12,750	81,750

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2009 - Continued**

Type and State	November 15	December 1	December 15
All Cotton			
AL	100,950	192,950	255,150
AZ	155,500	220,400	284,550
AR	435,650	715,550	785,850
CA	288,100	412,450	496,800
FL	22,100	48,900	71,300
GA	527,250	906,100	1,254,500
KS <sup>2</sup>		3,400	11,200
LA	231,950	315,950	331,800
MS	233,950	365,300	391,050
MO	226,650	413,550	496,500
NM	17,250	27,800	33,600
NC	395,950	571,900	693,050
OK	66,000	122,500	174,850
SC	113,350	154,050	183,000
TN	219,550	380,800	468,200
TX	1,868,550	2,937,400	3,694,100
VA	53,850	83,850	102,450
US	4,956,600	7,872,850	9,727,950
Amer-Pima			
AZ	1,700	1,850	2,400
CA	158,750	229,650	284,050
NM	2,600	4,100	4,600
TX	8,250	14,150	21,900
US	171,300	249,750	312,950

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2009 - Continued**

Type and State	January 1	January 15	February 1
All Cotton			
AL	283,300	306,100	324,550
AZ	343,350	388,950	413,550
AR	793,050	794,850	795,950
CA	542,750	578,450	587,150
FL	82,150	86,200	89,100
GA	1,496,300	1,688,100	1,779,950
KS	21,700	28,950	36,050
LA	336,650	338,900	340,650
MS	395,400	396,550	396,850
MO	521,850	522,400	522,400
NM	34,850	34,850	34,850
NC	728,450	738,750	743,850
OK	231,300	266,500	290,950
SC	189,900	191,750	193,900
TN	485,150	485,600	485,600
TX	4,214,850	4,417,450	4,548,300
VA	111,000	118,700	122,700
US	10,812,000	11,383,050	11,706,350
Amer-Pima			
AZ	3,800	3,950	3,950
CA	310,450	338,400	346,200
NM	5,100	5,100	5,100
TX	27,100	29,300	29,300
US	346,450	376,750	384,550

<sup>1</sup> Not published to avoid disclosing individual gins, but included in U.S. totals.

<sup>2</sup> Kansas' first estimate is December 1.

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
All Cotton			
Autauga 1			5,450
Baldwin	0	0	13,050
Barbour 1	0	0	
Blount 1			
Bullock 1	0	0	
Butler 1	0	0	
Calhoun	0	0	2,500
Chambers 1	0	0	
Cherokee 1			8,700
Chilton 1			
Clarke 1	0	0	
Coffee 1			11,100
Colbert 1			2,600
Conecuh	0	0	3,800
Covington 1			17,500
Crenshaw 1	0	0	
Cullman 1	0	0	
Dale	0	0	9,350
Dallas	0	0	5,000
Elmore 1			10,400
Escambia 1			17,250
Etowah 1	0	0	
Fayette 1	0	0	
Franklin 1	0	0	
Geneva 1			17,650
Greene 1	0	0	
Henry 1			22,100
Houston 1			25,600
Jackson 1	0	0	
Lamar 1	0	0	
Lauderdale 1			17,950
Lawrence 1			5,850
Lee 1	0	0	
Limestone	15,850	16,400	15,900
Lowndes 1	0	0	

--continued



**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Macon <sup>1</sup>			
Madison	20,750	21,200	29,050
Marengo <sup>1</sup>			
Marshall <sup>1</sup>	0	0	
Mobile <sup>1</sup>			12,000
Monroe <sup>1</sup>			23,600
Montgomery <sup>1</sup>	0	0	
Morgan <sup>1</sup>	0	0	
Perry <sup>1</sup>	0	0	
Pickens <sup>1</sup>	0	0	
Pike	0	0	4,350
Russell <sup>1</sup>			
Shelby	0	0	2,200
Talladega	0	0	3,250
Tallapoosa <sup>1</sup>			
Tuscaloosa <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Wilcox <sup>1</sup>	0	0	
Other <sup>2</sup>			11,450
Alabama	331,650	340,400	331,750
Cochise <sup>1</sup>			
Gila <sup>1</sup>	0	0	
Graham <sup>1</sup>			51,900
Greenlee <sup>1</sup>	0	0	
La Paz	0	0	25,200
Maricopa	129,450	134,350	62,750
Mohave <sup>1</sup>			
Pima	0	0	22,600
Pinal	196,500	202,450	227,200
Yuma <sup>1</sup>			27,300
Arizona	424,300	437,900	432,250
Ashley	49,500	50,950	43,150
Chicot <sup>1</sup>			27,350
Clay <sup>1</sup>			59,150
Craighead	112,950	115,950	122,900
Crittenden <sup>1</sup>			20,750
Cross <sup>1</sup>	0	0	

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Desha	71,000	72,200	54,850
Drew <sup>1</sup>			14,900
Greene <sup>1</sup>			
Jefferson <sup>1</sup>			10,200
Lafayette <sup>1</sup>			
Lee <sup>1</sup>			92,950
Lincoln <sup>1</sup>			29,300
Lonoke <sup>1</sup>			
Miller <sup>1</sup>	0	0	
Mississippi	189,400	195,250	202,550
Monroe <sup>1</sup>			5,500
Phillips	44,750	46,450	33,300
Poinsett	52,400	53,050	46,600
St. Francis	67,700	70,450	36,100
Woodruff <sup>1</sup>			6,950
Arkansas	797,550	819,150	829,250
Fresno	98,050	101,650	116,700
Glenn <sup>1</sup>	0	0	
Imperial <sup>1</sup>	0	0	
Kern	122,350	126,500	123,100
Kings	228,450	237,250	198,200
Madera <sup>1</sup>			
Merced <sup>1</sup>			67,400
Riverside <sup>1</sup>			
Sutter <sup>1</sup>			
Tulare	35,950	37,900	37,800
California	587,450	608,650	578,500
Calhoun	0	0	8,800
Escambia <sup>1</sup>			7,900
Gadsen <sup>1</sup>	0	0	
Holmes <sup>1</sup>	0	0	
Jackson <sup>1</sup>			44,200
Jefferson <sup>1</sup>	0	0	
Madison <sup>1</sup>	0	0	
Nassau <sup>1</sup>	0	0	
Okaloosa	0	0	5,850
Santa Rosa <sup>1</sup>			32,150

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Walton <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Florida	89,550	93,000	112,700
Appling <sup>1</sup>			39,550
Atkinson	0	0	17,850
Bacon <sup>1</sup>	0	0	
Baker	0	0	34,100
Bartow <sup>1</sup>			
Ben Hill	0	0	18,500
Berrien	98,300	101,150	41,500
Bleckley <sup>1</sup>			10,450
Brantley <sup>1</sup>	0	0	
Brooks <sup>1</sup>			53,600
Bulloch <sup>1</sup>			46,000
Burke	54,400	56,750	30,150
Calhoun <sup>1</sup>			23,950
Candler <sup>1</sup>			15,300
Chattooga <sup>1</sup>	0	0	
Clay	0	0	7,350
Clinch <sup>1</sup>	0	0	
Coffee <sup>1</sup>			59,050
Colquitt	268,750	277,950	113,900
Cook	0	0	37,250
Crawford <sup>1</sup>	0	0	
Crisp <sup>1</sup>			52,300
Decatur <sup>1</sup>			51,350
Dodge <sup>1</sup>			17,700
Dooly	137,050	140,550	99,250
Dougherty <sup>1</sup>	0	0	
Early <sup>1</sup>			54,300
Echols <sup>1</sup>	0	0	
Effingham <sup>1</sup>	0	0	
Elbert <sup>1</sup>	0	0	
Emanuel	0	0	20,250
Evans <sup>1</sup>	0	0	
Floyd <sup>1</sup>	0	0	
Glascock <sup>1</sup>	0	0	
Grady	0	0	42,450
Hart <sup>1</sup>	0	0	

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Henry <sup>1</sup>	0	0	
Houston <sup>1</sup>	0	0	
Irwin	0	0	54,250
Jeff Davis <sup>1</sup>			29,600
Jefferson <sup>1</sup>			12,350
Jenkins	0	0	23,850
Johnson <sup>1</sup>	0	0	
Lamar <sup>1</sup>	0	0	
Lanier <sup>1</sup>	0	0	
Laurens <sup>1</sup>			
Lee <sup>1</sup>			
Long <sup>1</sup>	0	0	
Lowndes <sup>1</sup>	0	0	
Macon <sup>1</sup>	0	0	
Madison <sup>1</sup>	0	0	
Marion <sup>1</sup>	0	0	
Miller <sup>1</sup>			52,850
Mitchell <sup>1</sup>			94,050
Montgomery <sup>1</sup>	0	0	
Morgan <sup>1</sup>			
Oconee <sup>1</sup>	0	0	
Peach <sup>1</sup>	0	0	
Pierce	0	0	16,150
Polk <sup>1</sup>	0	0	
Pulaski <sup>1</sup>			
Quitman <sup>1</sup>	0	0	
Randolph <sup>1</sup>			13,900
Schley <sup>1</sup>	0	0	
Screven <sup>1</sup>			18,650
Seminole <sup>1</sup>			45,100
Stewart <sup>1</sup>	0	0	
Sumter <sup>1</sup>			26,500
Tattnall <sup>1</sup>	0	0	
Taylor <sup>1</sup>			
Telfair <sup>1</sup>	0	0	
Terrell <sup>1</sup>			29,000
Thomas <sup>1</sup>			52,350
Tift <sup>1</sup>			38,850
Toombs <sup>1</sup>	0	0	
Treutlen	0	0	4,600
Turner <sup>1</sup>			37,150

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Twiggs <sup>1</sup>	0	0	
Walton <sup>1</sup>	0	0	
Ware <sup>1</sup>	0	0	
Warren <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Wayne <sup>1</sup>	0	0	
Webster <sup>1</sup>	0	0	
Wheeler <sup>1</sup>	0	0	
Wilcox <sup>1</sup>			41,400
Wilkinson <sup>1</sup>	0	0	
Worth <sup>1</sup>			102,100
Georgia	1,821,100	1,882,200	1,797,200
Barber <sup>1</sup>	0	0	
Cowley <sup>1</sup>			
Edwards <sup>1</sup>	0	0	
Ford <sup>1</sup>	0	0	
Grant <sup>1</sup>	0	0	
Gray <sup>1</sup>	0	0	
Harper <sup>1</sup>	0	0	
Harvey <sup>1</sup>	0	0	
Haskell <sup>1</sup>	0	0	
Kingman <sup>1</sup>	0	0	
Kiowa <sup>1</sup>	0	0	
Marion <sup>1</sup>	0	0	
Meade <sup>1</sup>	0	0	
Morton <sup>1</sup>	0	0	
Pratt <sup>1</sup>			5,600
Sedgwick <sup>1</sup>	0	0	
Seward <sup>1</sup>	0	0	
Stevens <sup>1</sup>			
Sumner	0	0	15,200
Other <sup>2</sup>			300
Kansas	43,200	44,250	50,550
Avoyelles <sup>1</sup>			14,950
Bossier <sup>1</sup>	0	0	
Caddo <sup>1</sup>			13,300
Caldwell	0	0	4,050

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Catahoula	50,350	50,550	46,400
Concordia <sup>1</sup>			32,800
East Carroll	21,200	21,500	17,300
Evangeline <sup>1</sup>	0	0	
Franklin	63,400	66,450	20,750
Lasalle <sup>1</sup>	0	0	
Madison <sup>1</sup>			26,200
Morehouse <sup>1</sup>			
Natchitoches <sup>1</sup>	0	0	
Ouachita	0	0	3,700
Pointe Coupe <sup>1</sup>			
Rapides <sup>1</sup>			15,100
Red River <sup>1</sup>			
Richland <sup>1</sup>			9,650
Saint Landry <sup>1</sup>	0	0	
Tensas	72,050	74,100	101,400
West Carroll <sup>1</sup>			
Other <sup>2</sup>			6,050
Louisiana	340,750	348,850	340,700
Alcorn <sup>1</sup>	0	0	
Attala	0	0	1,650
Benton <sup>1</sup>			
Bolivar <sup>1</sup>	8,250	8,400	
Calhoun	13,000	13,350	8,100
Carroll <sup>1</sup>			1,800
Chickasaw <sup>1</sup>	0	0	
Choctaw <sup>1</sup>	0	0	
Claiborne <sup>1</sup>	0	0	
Clay <sup>1</sup>	0	0	
Coahoma	106,700	108,700	75,300
Copiah <sup>1</sup>	0	0	
Covington <sup>1</sup>	0	0	
Desoto <sup>1</sup>			
Forrest <sup>1</sup>	0	0	
George <sup>1</sup>	0	0	
Greene <sup>1</sup>	0	0	
Grenada	0	0	6,400
Hinds <sup>1</sup>			
Holmes <sup>1</sup>			16,350

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Humphreys <sup>1</sup>			13,350
Issaquena	0	0	7,550
Itawamba <sup>1</sup>	0	0	
Jackson <sup>1</sup>	0	0	
Jefferson <sup>1</sup>	0	0	
Jones <sup>1</sup>	0	0	
Lafayette <sup>1</sup>			4,350
Leake <sup>1</sup>	0	0	
Lee <sup>1</sup>			
Leflore	31,550	32,850	27,800
Lowndes <sup>1</sup>	0	0	
Madison <sup>1</sup>	0	0	
Marshall <sup>1</sup>	0	0	
Monroe <sup>1</sup>			
Montgomery <sup>1</sup>			5,850
Noxubee	0	0	3,500
Oktibbeha <sup>1</sup>	0	0	
Panola <sup>1</sup>			11,350
Perry <sup>1</sup>	0	0	
Pontotoc <sup>1</sup>	0	0	
Prentiss <sup>1</sup>	0	0	
Quitman <sup>1</sup>			37,700
Rankin <sup>1</sup>	0	0	
Sharkey <sup>1</sup>			16,800
Stone <sup>1</sup>	0	0	
Sunflower <sup>1</sup>			13,200
Tallahatchie <sup>1</sup>			
Tate	0	0	8,050
Tippah <sup>1</sup>	0	0	
Tishomingo <sup>1</sup>	0	0	
Tunica	23,800	24,300	29,350
Union <sup>1</sup>	0	0	
Warren <sup>1</sup>	0	0	
Washington	17,700	17,900	15,000
Webster <sup>1</sup>			6,950
Yalobusha <sup>1</sup>			5,050
Yazoo	34,100	35,100	24,300
Mississippi	396,900	406,100	403,150
Dunklin	253,900	260,950	184,150

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Mississippi <sup>1</sup>	0	0	
New Madrid	135,550	138,900	136,450
Pemiscot	57,150	58,750	59,850
Scott <sup>1</sup>			
Stoddard <sup>1</sup>			97,650
Missouri	522,450	534,850	489,450
Chaves <sup>1</sup>			1,600
Curry <sup>1</sup>	0	0	
Dona Ana <sup>1</sup>			19,350
Eddy <sup>1</sup>			8,200
Hidalgo <sup>1</sup>	0	0	
Lea	0	0	33,300
Luna <sup>1</sup>	0	0	
Roosevelt <sup>1</sup>	0	0	
New Mexico	34,900	35,400	74,150
Anson <sup>1</sup>			
Beaufort <sup>1</sup>			29,600
Bertie <sup>1</sup>			58,750
Bladen <sup>1</sup>			
Cabarrus <sup>1</sup>	0	0	
Camden <sup>1</sup>	0	0	
Carteret <sup>1</sup>	0	0	
Chowan <sup>1</sup>			24,050
Cleveland <sup>1</sup>			1,800
Columbus <sup>1</sup>	0	0	
Craven <sup>1</sup>	0	0	
Cumberland	0	0	6,550
Duplin <sup>1</sup>			7,350
Edgecombe <sup>1</sup>			35,750
Forsyth <sup>1</sup>	0	0	
Franklin <sup>1</sup>	0	0	
Gates <sup>1</sup>			19,850
Granville <sup>1</sup>	0	0	
Greene <sup>1</sup>			11,500
Halifax	76,000	78,050	71,800
Harnett			16,400
Hertford <sup>1</sup>			23,650

--continued



**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Hoke <sup>1</sup>			15,800
Hyde <sup>1</sup>			30,500
Johnston <sup>1</sup>	0	0	
Jones <sup>1</sup>			10,350
Lee <sup>1</sup>	0	0	
Lenoir <sup>1</sup>			23,200
Martin <sup>1</sup>			55,650
Moore <sup>1</sup>	0	0	
Nash <sup>1</sup>			11,550
Northampton	98,700	102,450	74,300
Onslow <sup>1</sup>	0	0	
Pamlico <sup>1</sup>	0	0	
Pasquotank <sup>1</sup>	0	0	
Pender <sup>1</sup>	0	0	
Perquimans <sup>1</sup>			21,750
Pitt <sup>1</sup>			21,150
Richmond <sup>1</sup>	0	0	
Robeson <sup>1</sup>			21,000
Rowan <sup>1</sup>	0	0	
Rutherford <sup>1</sup>	0	0	
Sampson <sup>1</sup>			21,300
Scotland <sup>1</sup>	0	0	
Stanly <sup>1</sup>			15,250
Stokes <sup>1</sup>	0	0	
Tyrrell <sup>1</sup>	0	0	
Union <sup>1</sup>	0	0	
Vance <sup>1</sup>	0	0	
Wake <sup>1</sup>	0	0	
Warren <sup>1</sup>	0	0	
Washington	0	0	19,950
Wayne <sup>1</sup>			8,550
Wilson <sup>1</sup>			18,250
North Carolina	750,050	779,250	733,650
Alfalfa <sup>1</sup>	0	0	
Atoka <sup>1</sup>	0	0	
Beckham	0	0	6,950
Blaine <sup>1</sup>	0	0	
Caddo <sup>1</sup>			9,850
Canadian <sup>1</sup>	0	0	

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Cimarron <sup>1</sup>	0	0	
Comanche <sup>1</sup>	0	0	
Cotton <sup>1</sup>	0	0	
Custer <sup>1</sup>			
Dewey <sup>1</sup>	0	0	
Garfield <sup>1</sup>	0	0	
Garvin <sup>1</sup>	0	0	
Grady <sup>1</sup>			
Grant <sup>1</sup>	0	0	
Greer <sup>1</sup>	0	0	
Harmon <sup>1</sup>			40,350
Jackson <sup>1</sup>	195,450	199,500	148,950
Kay <sup>1</sup>			
Kingfisher <sup>1</sup>	0	0	
Kiowa <sup>1</sup>			6,950
McClain <sup>1</sup>	0	0	
Payne <sup>1</sup>	0	0	
Roger Mills <sup>1</sup>	0	0	
Tillman <sup>1</sup>			46,650
Washita <sup>1</sup>			17,500
Oklahoma	309,950	316,300	311,450
Abbeville <sup>1</sup>	0	0	
Aiken <sup>1</sup>	0	0	
Allendale <sup>1</sup>	0	0	
Anderson <sup>1</sup>	0	0	
Bamberg	0	0	7,350
Barnwell	0	0	5,700
Berkeley <sup>1</sup>	0	0	
Calhoun	46,550	47,150	32,300
Cherokee <sup>1</sup>	0	0	
Chester <sup>1</sup>	0	0	
Clarendon <sup>1</sup>			1,850
Colleton <sup>1</sup>	0	0	
Darlington <sup>1</sup>			24,900
Dillon <sup>1</sup>			16,250
Dorchester	0	0	5,800
Edgefield <sup>1</sup>	0	0	
Florence	0	0	4,400
Georgetown <sup>1</sup>	0	0	

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Hampton <sup>1</sup>			12,100
Horry <sup>1</sup>	0	0	
Lee <sup>1</sup>			11,050
Lexington	0	0	2,750
Marion	0	0	2,550
Marlboro <sup>1</sup>			28,350
Newberry <sup>1</sup>	0	0	
Orangeburg	40,150	41,650	23,650
Richland <sup>1</sup>	0	0	
Saluda <sup>1</sup>	0	0	
Sumter	12,750	13,350	2,250
Williamsburg <sup>1</sup>			6,100
York <sup>1</sup>	0	0	
South Carolina	195,300	201,050	200,400
Carroll <sup>1</sup>			35,000
Chester	0	0	2,650
Crockett	97,250	99,600	54,050
Dyer	0	0	21,150
Fayette <sup>1</sup>			46,150
Franklin <sup>1</sup>	0	0	
Gibson <sup>1</sup>			53,050
Giles <sup>1</sup>	0	0	
Hardeman <sup>1</sup>			16,350
Hardin <sup>1</sup>	0	0	
Haywood	114,450	117,400	102,600
Henderson	0	0	4,100
Henry <sup>1</sup>	0	0	
Lake <sup>1</sup>			17,550
Lauderdale <sup>1</sup>			
Lawrence <sup>1</sup>	0	0	
Lincoln <sup>1</sup>			
Madison <sup>1</sup>			42,100
McNairy	0	0	4,450
Obion <sup>1</sup>	0	0	
Rutherford <sup>1</sup>	0	0	
Shelby	0	0	17,900
Tipton <sup>1</sup>			32,500
Weakley <sup>1</sup>	0	0	
Tennessee	485,600	497,650	479,250

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Andrews	0	0	17,000
Armstrong <sup>1</sup>	0	0	
Atascosa <sup>1</sup>	0	0	
Austin <sup>1</sup>	0	0	
Bailey <sup>1</sup>			30,100
Bastrop <sup>1</sup>	0	0	
Baylor	0	0	4,250
Bee <sup>1</sup>	0	0	
Bell <sup>1</sup>	0	0	
Bexar	0	0	1,950
Borden <sup>1</sup>			13,350
Brazoria <sup>1</sup>			
Brazos <sup>1</sup>			7,450
Briscoe <sup>1</sup>			46,550
Burleson <sup>1</sup>			12,250
Caldwell <sup>1</sup>			
Calhoun <sup>1</sup>			1,450
Callahan <sup>1</sup>	0	0	
Cameron <sup>1</sup>			12,850
Carson <sup>1</sup>			34,200
Castro	29,500	30,200	32,450
Childress <sup>1</sup>			31,800
Clay <sup>1</sup>	0	0	
Cochran <sup>1</sup>			70,500
Coke <sup>1</sup>	0	0	
Coleman <sup>1</sup>	0	0	
Collingsworth <sup>1</sup>			74,600
Colorado <sup>1</sup>	0	0	
Concho	0	0	13,350
Coryell <sup>1</sup>	0	0	
Cottle <sup>1</sup>			13,800
Crosby	246,700	256,300	252,100
Culberson <sup>1</sup>			
Dallam <sup>1</sup>	0	0	
Dallas <sup>1</sup>	0	0	
Dawson	237,250	242,600	269,050
De Witt <sup>1</sup>	0	0	
Deaf Smith <sup>1</sup>			9,650
Dickens <sup>1</sup>			9,200
Dimmit <sup>1</sup>	0	0	
Donley <sup>1</sup>			15,300

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Eastland <sup>1</sup>	0	0	
El Paso <sup>1</sup>			43,800
Ellis	21,150	21,850	20,500
Falls <sup>1</sup>			
Fayette <sup>1</sup>	0	0	
Fisher <sup>1</sup>			40,700
Floyd	211,500	219,750	236,950
Fort Bend	19,500	20,300	18,300
Frio <sup>1</sup>	0	0	
Gaines	357,100	363,000	245,850
Garza <sup>1</sup>			28,550
Glasscock <sup>1</sup>			99,450
Gray	0	0	15,600
Grayson <sup>1</sup>	0	0	
Grimes <sup>1</sup>	0	0	
Hale	319,950	327,600	313,500
Hall	88,000	91,600	94,650
Hansford <sup>1</sup>			13,550
Hardeman <sup>1</sup>			
Hartley <sup>1</sup>	0	0	
Haskell	41,750	43,000	37,350
Hays <sup>1</sup>	0	0	
Hidalgo <sup>1</sup>			
Hill	11,350	11,750	7,350
Hockley	336,050	345,350	271,750
Houston <sup>1</sup>			
Howard	128,800	131,250	114,850
Hudspeth	0	0	9,450
Hunt <sup>1</sup>			
Hutchinson	0	0	7,250
Jackson <sup>1</sup>			3,300
Jim Wells <sup>1</sup>	0	0	
Johnson <sup>1</sup>	0	0	
Jones	58,250	59,650	47,100
Kent <sup>1</sup>			5,250
King <sup>1</sup>	0	0	
Kleberg <sup>1</sup>	0	0	
Knox <sup>1</sup>			40,950
La Salle <sup>1</sup>	0	0	
Lamar <sup>1</sup>			
Lamb	170,000	174,750	143,450

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lee <sup>1</sup>	0	0	
Limestone <sup>1</sup>	0	0	
Lipscomb <sup>1</sup>	0	0	
Live Oak <sup>1</sup>	0	0	
Lubbock	400,300	412,050	336,000
Lynn	179,250	182,400	214,700
Martin	155,800	156,750	118,600
Matagorda <sup>1</sup>			9,300
Mcculloch <sup>1</sup>	0	0	
Mclennan <sup>1</sup>	0	0	
Medina	0	0	12,800
Midland <sup>1</sup>			22,750
Milam	0	0	1,900
Mitchell	39,200	39,600	32,550
Moore <sup>1</sup>			17,100
Motley <sup>1</sup>			36,350
Navarro <sup>1</sup>			10,500
Nolan <sup>1</sup>			36,100
Nueces <sup>1</sup>			
Ochiltree	0	0	13,950
Parmer	37,900	39,000	39,100
Pecos <sup>1</sup>			7,750
Randall	0	0	1,400
Reagan	0	0	28,900
Red River <sup>1</sup>	0	0	
Reeves <sup>1</sup>	0	0	
Refugio <sup>1</sup>	0	0	
Roberts <sup>1</sup>	0	0	
Robertson <sup>1</sup>			7,900
Runnels	50,700	51,400	28,250
San Patricio	18,250	18,650	12,500
Schleicher	0	0	9,900
Scurry <sup>1</sup>			20,400
Shackelford <sup>1</sup>	0	0	
Sherman	0	0	17,650
Stonewall <sup>1</sup>	0	0	
Swisher	45,950	47,200	42,300
Taylor <sup>1</sup>			5,900
Terry	155,250	159,350	185,100
Tom Green	87,900	90,600	80,350
Travis <sup>1</sup>	0	0	

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2009 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Upton <sup>1</sup>			11,600
Uvalde	0	0	14,600
Victoria <sup>1</sup>	0	0	
Walker <sup>1</sup>			
Ward <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Wharton	49,650	50,150	42,850
Wheeler	0	0	10,750
Wichita	0	0	5,450
Wilbarger	22,600	22,550	13,050
Willacy	13,300	13,650	8,000
Williamson	7,050	7,250	6,250
Wilson <sup>1</sup>	0	0	
Winkler <sup>1</sup>	0	0	
Yoakum	142,050	146,750	110,750
Young <sup>1</sup>	0	0	
Zavala <sup>1</sup>			
Other <sup>2</sup>			52,050
Texas	4,578,700	4,701,700	4,531,750
Accomack <sup>1</sup>	0	0	
Brunswick <sup>1</sup>	0	0	
Charles City <sup>1</sup>	0	0	
Dinwiddie <sup>1</sup>	0	0	
Greensville <sup>1</sup>			10,300
Isle of Wight <sup>1</sup>			30,000
King William <sup>1</sup>	0	0	
Northampton <sup>1</sup>	0	0	
Prince George <sup>1</sup>	0	0	
Southampton	0	0	53,050
Suffolk City <sup>1</sup>			24,550
Surry <sup>1</sup>	0	0	
Sussex	0	0	5,750
Virginia	122,700	123,900	135,950
US TOTAL	11,832,100	12,170,600	11,832,100

<sup>1</sup> Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

<sup>2</sup> County of origin was not determined.

Note: Counties may not add to State total due to rounding.

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Autauga	1	504.8	257
Baldwin	0	0.0	193
Barbour	0	0.0	
Blount	1	495.7	
Bullock	0	0.0	
Butler	0	0.0	
Calhoun	0	0.0	280
Chambers	0	0.0	
Cherokee	1	496.7	223
Chilton	1	494.0	
Clarke	0	0.0	
Coffee	1	502.0	205
Colbert	1	498.8	278
Conecuh	0	0.0	271
Covington	1	498.9	160
Crenshaw	0	0.0	
Cullman	0	0.0	
Dale	0	0.0	219
Dallas	0	0.0	261
Elmore	1	497.0	210
Escambia	1	495.7	163
Etowah	0	0.0	
Fayette	0	0.0	
Franklin	0	0.0	
Geneva	1	477.0	157
Greene	0	0.0	
Henry	2	481.1	135
Houston	1	475.6	121
Jackson	0	0.0	
Lamar	0	0.0	
Lauderdale	2	501.1	153
Lawrence	2	501.5	249
Lee	0	0.0	
Limestone	3	497.4	172
Lowndes	0	0.0	
Macon	1	496.2	
Madison	3	490.5	110

--continued



**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Marengo	1	497.5	
Marshall	0	0.0	
Mobile	1	495.4	200
Monroe	1	495.8	131
Montgomery	0	0.0	
Morgan	0	0.0	
Perry	0	0.0	
Pickens	0	0.0	
Pike	0	0.0	265
Russell	1	496.5	
Shelby	0	0.0	282
Talladega	0	0.0	275
Tallapoosa	1	491.0	
Tuscaloosa	0	0.0	
Washington	0	0.0	
Wilcox	0	0.0	
Alabama	29	492.7	
Cochise	1	492.4	
Gila	0	0.0	
Graham	3	497.0	56
Greenlee	0	0.0	
La Paz	0	0.0	122
Maricopa	4	498.2	40
Mohave	1	490.0	
Pima	0	0.0	134
Pinal	7	494.5	8
Yuma	3	488.0	118
Arizona	19	495.3	
Ashley	4	494.0	68
Chicot	2	493.8	117
Clay	1	492.6	42
Craighead	6	492.8	18
Crittenden	2	494.9	141
Cross	0	0.0	
Desha	4	488.1	46
Drew	1	466.8	182
Greene	2	486.4	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Jefferson	2	489.3	213
Lafayette	1	492.6	
Lee	1	492.2	32
Lincoln	1	500.0	109
Lonoke	1	492.0	
Miller	0	0.0	
Mississippi	9	494.8	10
Monroe	1	485.0	256
Phillips	3	498.3	93
Poinsett	4	486.0	60
St. Francis	3	499.5	87
Woodruff	1	489.0	240
Arkansas	49	493.0	
Fresno	9	497.7	20
Glenn	0	0.0	
Imperial	0	0.0	
Kern	10	496.3	17
Kings	13	498.5	11
Madera	1	495.9	
Merced	2	495.0	39
Riverside	2	484.8	
Sutter	1	501.0	
Tulare	5	506.2	81
California	43	497.3	
Calhoun	0	0.0	222
Escambia	1	482.2	229
Gadsen	0	0.0	
Holmes	0	0.0	
Jackson	1	500.0	66
Jefferson	0	0.0	
Madison	0	0.0	
Nassau	0	0.0	
Okaloosa	0	0.0	250
Santa Rosa	2	499.9	100
Walton	0	0.0	
Washington	0	0.0	
Florida	4	498.6	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Appling	2	496.1	78
Atkinson	0	0.0	155
Bacon	0	0.0	
Baker	0	0.0	92
Bartow	1	477.8	
Ben Hill	0	0.0	150
Berrien	3	493.8	73
Bleckley	1	496.0	209
Brantley	0	0.0	
Brooks	2	503.1	50
Bulloch	2	492.3	64
Burke	4	500.7	103
Calhoun	1	492.2	127
Candler	3	499.0	175
Chattooga	0	0.0	
Clay	0	0.0	235
Clinch	0	0.0	
Coffee	2	497.5	43
Colquitt	7	496.4	22
Cook	0	0.0	84
Crawford	0	0.0	
Crisp	2	495.9	55
Decatur	2	498.8	57
Dodge	1	498.0	156
Dooly	6	492.3	28
Dougherty	0	0.0	
Early	1	500.0	47
Echols	0	0.0	
Effingham	0	0.0	
Elbert	0	0.0	
Emanuel	0	0.0	145
Evans	0	0.0	
Floyd	0	0.0	
Glascocock	0	0.0	
Grady	0	0.0	70
Hart	0	0.0	
Henry	0	0.0	
Houston	0	0.0	
Irwin	0	0.0	48
Jeff Davis	1	500.4	106
Jefferson	2	497.8	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Jenkins	0	0.0	128
Johnson	0	0.0	
Lamar	0	0.0	
Lanier	0	0.0	
Laurens	2	497.4	
Lee	1	491.0	
Long	0	0.0	
Lowndes	0	0.0	
Macon	0	0.0	
Madison	0	0.0	
Marion	0	0.0	
Miller	1	503.4	53
Mitchell	2	492.0	31
Montgomery	0	0.0	
Morgan	1	495.0	
Oconee	0	0.0	
Peach	0	0.0	
Pierce	0	0.0	171
Polk	0	0.0	
Pulaski	2	489.9	
Quitman	0	0.0	
Randolph	1	489.7	185
Schley	0	0.0	
Screven	1	501.3	149
Seminole	1	500.0	65
Stewart	0	0.0	
Sumter	2	488.0	119
Tattnall	0	0.0	
Taylor	1	486.0	
Telfair	0	0.0	
Terrell	1	498.3	111
Thomas	2	497.4	54
Tift	2	491.2	80
Toombs	0	0.0	234
Treutlen	0	0.0	262
Turner	1	493.6	85
Twiggs	0	0.0	
Walton	0	0.0	
Ware	0	0.0	
Warren	0	0.0	
Washington	0	0.0	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Wayne	0	0.0	
Webster	0	0.0	
Wheeler	0	0.0	
Wilcox	1	505.0	74
Wilkinson	0	0.0	
Worth	1	492.2	25
Georgia	66	496.1	
Barber	0	0.0	
Cowley	2	487.8	
Edwards	0	0.0	
Ford	0	0.0	
Grant	0	0.0	
Gray	0	0.0	
Harper	0	0.0	
Harvey	0	0.0	
Haskell	0	0.0	
Kingman	0	0.0	
Kiowa	0	0.0	
Marion	0	0.0	
Meade	0	0.0	
Morton	0	0.0	
Pratt	1	486.4	255
Sedgwick	0	0.0	
Seward	0	0.0	
Stevens	1	502.2	
Sumner	0	0.0	178
Kansas	4	491.4	
Avoyelles	1	482.5	181
Bossier	0	0.0	
Caddo	4	498.2	191
Caldwell	0	0.0	269
Catahoula	4	482.1	62
Concordia	2	482.2	95
East Carroll	3	487.1	162
Evangeline	0	0.0	
Franklin	5	503.2	142
Lasalle	0	0.0	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Madison	1	483.5	120
Morehouse	2	492.9	
Natchitoches	0	0.0	
Ouachita	0	0.0	272
Pointe Coupe	1	478.1	
Rapides	3	488.1	179
Red River	1	493.6	
Richland	1	499.0	216
Saint Landry	0	0.0	
Tensas	4	493.5	26
West Carroll	1	492.6	
Louisiana	33	491.4	
Alcorn	0	0.0	
Attala	0	0.0	288
Benton	1	480.0	
Bolivar	5	489.7	
Calhoun	3	492.0	226
Carroll	1	502.1	286
Chickasaw	0	0.0	
Choctaw	0	0.0	
Claiborne	0	0.0	
Clay	0	0.0	
Coahoma	6	489.1	34
Copiah	0	0.0	
Covington	0	0.0	
Desoto	1	485.6	
Forrest	0	0.0	
George	0	0.0	
Greene	0	0.0	
Grenada	0	0.0	245
Hinds	1	490.0	
Holmes	2	489.5	168
Humphreys	1	491.0	188
Issaquena	0	0.0	232
Itawamba	0	0.0	
Jackson	0	0.0	
Jefferson	0	0.0	
Jones	0	0.0	
Lafayette	1	482.1	266

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Leake	0	0.0	
Lee	1	500.0	
Leflore	6	500.0	116
Lowndes	0	0.0	
Madison	0	0.0	292
Marshall	0	0.0	
Monroe	1	498.6	
Montgomery	1	499.9	251
Noxubee	0	0.0	273
Oktibbeha	0	0.0	
Panola	3	502.1	204
Perry	0	0.0	
Pontotoc	0	0.0	
Prentiss	0	0.0	
Quitman	2	489.3	82
Rankin	0	0.0	
Sharkey	3	490.5	166
Stone	0	0.0	
Sunflower	2	478.4	192
Tallahatchie	2	491.2	
Tate	0	0.0	227
Tippah	0	0.0	
Tishomingo	0	0.0	
Tunica	3	490.0	108
Union	0	0.0	
Warren	0	0.0	
Washington	5	485.1	180
Webster	1	485.0	241
Yalobusha	1	489.1	260
Yazoo	6	494.2	125
Mississippi	59	491.1	
Dunklin	11	493.3	13
Mississippi	0	0.0	
New Madrid	7	491.9	16
Pemiscot	6	493.4	41
Scott	3	486.5	
Stoddard	2	480.9	29
Missouri	29	491.4	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Chaves	1	506.8	289
Curry	0	0.0	
Dona Ana	4	483.4	148
Eddy	2	493.1	225
Hidalgo	0	0.0	
Lea	0	0.0	94
Luna	0	0.0	
Roosevelt	0	0.0	
New Mexico	7	486.6	
Anson	1	499.9	
Beaufort	1	497.7	107
Bertie	2	499.5	44
Bladen	1	506.9	
Cabarrus	0	0.0	
Camden	0	0.0	
Carteret	0	0.0	
Chowan	1	503.5	126
Cleveland	2	505.1	287
Columbus	0	0.0	
Craven	0	0.0	
Cumberland	0	0.0	244
Duplin	1	499.5	236
Edgecombe	1	504.8	89
Forsyth	0	0.0	
Franklin	0	0.0	
Gates	1	491.4	147
Granville	0	0.0	
Greene	1	499.9	203
Halifax	4	492.8	37
Harnett	1	494.8	167
Hertford	1	495.0	129
Hoke	1	517.8	173
Hyde	1	498.4	102
Johnston	0	0.0	
Jones	1	498.4	211
Lee	0	0.0	
Lenoir	1	506.4	132
Martin	1	484.1	45
Moore	0	0.0	

--continued



**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Nash	1	498.3	202
Northampton	6	498.3	36
Onslow	0	0.0	
Pamlico	0	0.0	
Pasquotank	0	0.0	
Pender	0	0.0	
Perquimans	1	491.0	136
Pitt	2	503.5	138
Richmond	0	0.0	
Robeson	1	504.8	140
Rowan	0	0.0	
Rutherford	0	0.0	
Sampson	2	497.9	137
Scotland	0	0.0	
Stanly	1	497.8	177
Stokes	0	0.0	
Tyrrell	0	0.0	
Union	0	0.0	
Vance	0	0.0	
Wake	0	0.0	
Warren	0	0.0	
Washington	0	0.0	146
Wayne	1	513.7	224
Wilson	1	497.4	152
North Carolina	39	498.7	
Alfalfa	0	0.0	
Atoka	0	0.0	
Beckham	0	0.0	242
Blaine	0	0.0	
Caddo	1	479.1	215
Canadian	0	0.0	
Cimarron	0	0.0	
Comanche	0	0.0	
Cotton	0	0.0	
Custer	2	503.1	
Dewey	0	0.0	
Garfield	0	0.0	
Garvin	0	0.0	
Grady	3	501.3	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Grant	0	0.0	
Greer	0	0.0	
Harmon	2	491.8	77
Jackson	4	490.0	14
Kay	1	485.0	
Kingfisher	0	0.0	
Kiowa	1	498.8	243
Mcclain	0	0.0	
Payne	0	0.0	
Roger Mills	0	0.0	
Tillman	3	486.7	59
Washita	2	498.7	161
Oklahoma	19	489.8	
Abbeville	0	0.0	
Aiken	0	0.0	
Allendale	0	0.0	
Anderson	0	0.0	
Bamberg	0	0.0	237
Barnwell	0	0.0	254
Berkeley	0	0.0	
Calhoun	3	486.1	99
Cherokee	0	0.0	
Chester	0	0.0	
Clarendon	2	495.6	285
Colleton	0	0.0	
Darlington	2	492.5	123
Dillon	1	489.0	170
Dorchester	0	0.0	252
Edgefield	0	0.0	
Florence	0	0.0	264
Georgetown	0	0.0	
Hampton	1	513.1	199
Horry	0	0.0	
Lee	2	486.4	206
Lexington	0	0.0	276
Marion	0	0.0	279
Marlboro	2	498.3	114
Newberry	0	0.0	
Orangeburg	3	497.8	130

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Richland	0	0.0	
Saluda	0	0.0	
Sumter	4	502.6	281
Williamsburg	1	495.8	247
York	0	0.0	
South Carolina	21	494.1	
Carroll	1	489.5	90
Chester	0	0.0	277
Crockett	5	491.5	49
Dyer	0	0.0	139
Fayette	2	496.3	63
Franklin	0	0.0	
Gibson	3	485.8	51
Giles	0	0.0	
Hardeman	1	492.0	169
Hardin	0	0.0	
Haywood	7	492.4	24
Henderson	0	0.0	268
Henry	0	0.0	
Lake	1	489.3	
Lauderdale	2	492.0	159
Lawrence	0	0.0	
Lincoln	1	484.8	
Madison	2	490.5	72
McNairy	0	0.0	263
Obion	0	0.0	
Rutherford	0	0.0	
Shelby	0	0.0	154
Tipton	2	498.2	97
Weakley	0	0.0	
Tennessee	27	491.9	
Andrews	0	0.0	165
Armstrong	0	0.0	
Atascosa	0	0.0	
Austin	0	0.0	
Bailey	5	500.7	104
Bastrop	0	0.0	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Baylor	0	0.0	267
Bee	0	0.0	
Bell	0	0.0	
Bexar	0	0.0	283
Borden	1	480.0	189
Brazoria	2	490.3	
Brazos	2	480.8	233
Briscoe	3	498.4	61
Burleson	1	480.0	198
Caldwell	1	508.0	293
Calhoun	1	479.0	290
Callahan	0	0.0	
Cameron	3	488.4	195
Carson	1	491.8	91
Castro	3	491.7	98
Childress	1	484.6	101
Clay	0	0.0	
Cochran	2	489.0	38
Coke	0	0.0	
Coleman	0	0.0	
Collingsworth	2	508.4	35
Colorado	0	0.0	
Concho	0	0.0	190
Coryell	0	0.0	
Cottle	1	483.0	186
Crosby	5	498.7	5
Culberson	1	490.0	
Dallam	0	0.0	
Dallas	0	0.0	
Dawson	9	490.8	4
De Witt	0	0.0	
Deaf Smith	2	499.0	217
Dickens	1	480.0	221
Dimmit	0	0.0	
Donley	1	490.0	176
Eastland	0	0.0	
El Paso	2	493.1	67
Ellis	3	496.3	143
Falls	1	500.0	
Fayette	0	0.0	
Fisher	2	494.3	76

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Floyd	9	498.7	7
Fort Bend	4	499.7	151
Frio	0	0.0	
Gaines	8	487.9	6
Garza	1	489.7	113
Glasscock	1	499.3	27
Gray	0	0.0	174
Grayson	0	0.0	
Grimes	0	0.0	
Hale	11	491.5	2
Hall	3	499.7	30
Hansford	1	498.5	187
Hardeman	1	480.0	
Hartley	0	0.0	270
Haskell	6	494.5	83
Hays	0	0.0	
Hidalgo	4	487.7	
Hill	4	496.6	238
Hockley	8	493.3	3
Houston	1	490.0	
Howard	4	489.1	21
Hudspeth	0	0.0	218
Hunt	1	476.0	
Hutchinson	0	0.0	239
Jackson	1	488.0	274
Jim Wells	0	0.0	
Johnson	0	0.0	
Jones	5	491.5	58
Kent	1	489.0	259
King	0	0.0	
Kleberg	0	0.0	
Knox	1	501.4	75
La Salle	0	0.0	
Lamar	1	478.7	
Lamb	6	493.4	15
Lee	0	0.0	
Limestone	0	0.0	
Lipscomb	0	0.0	
Live Oak	0	0.0	
Lubbock	10	494.1	1
Lynn	6	488.4	9

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Martin	5	482.9	19
Matagorda	1	485.4	220
Mcculloch	0	0.0	
Mclennan	0	0.0	
Medina	0	0.0	196
Midland	1	479.6	133
Milam	0	0.0	284
Mitchell	3	485.2	96
Moore	1	482.8	164
Motley	1	500.7	86
Navarro	2	488.8	208
Nolan	1	502.8	88
Nueces	2	489.6	
Ochiltree	0	0.0	184
Parmer	6	493.8	79
Pecos	1	483.6	231
Randall	0	0.0	291
Reagan	0	0.0	112
Red River	0	0.0	
Reeves	0	0.0	
Refugio	0	0.0	
Roberts	0	0.0	
Robertson	1	498.0	230
Runnels	4	486.8	115
San Patricio	5	490.8	197
Schleicher	0	0.0	214
Scurry	2	508.5	144
Shackelford	0	0.0	
Sherman	0	0.0	158
Stonewall	0	0.0	
Swisher	4	492.8	71
Taylor	1	481.9	248
Terry	6	492.7	12
Tom Green	3	494.8	33
Travis	0	0.0	294
Upton	1	493.0	201
Uvalde	0	0.0	183
Victoria	0	0.0	
Walker	1	470.0	
Ward	0	0.0	
Washington	0	0.0	

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2009 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Wharton	5	484.9	69
Wheeler	0	0.0	207
Wichita	0	0.0	258
Wilbarger	3	478.5	194
Willacy	4	492.2	228
Williamson	5	492.0	246
Wilson	0	0.0	
Winkler	0	0.0	
Yoakum	4	495.9	23
Young	0	0.0	
Zavala	2	486.2	
Texas	229	492.9	
Accomack	0	0.0	
Brunswick	0	0.0	
Charles City	0	0.0	
Dinwiddie	0	0.0	
Greensville	1	492.1	212
Isle of Wigh	1	478.4	105
King William	0	0.0	
Northampton	0	0.0	
Prince Georg	0	0.0	
Southampton	0	0.0	52
Suffolk City	1	489.4	124
Surry	0	0.0	
Sussex	0	0.0	253
Virginia	3	484.7	
US TOTAL	680	493.7	

Note: County of origin was not determined for approximately 69,850 bales in the U.S., and ranking may be affected.

**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2009**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
All cotton			
US	680	CA	43
1 - 2,999	99	1 - 2,999	8
3,000 - 4,999	59	3,000 - 4,999	1
5,000 - 6,999	54	5,000 - 6,999	3
7,000 - 9,999	77	7,000 - 9,999	4
10,000 - 14,999	97	10,000 - 14,999	7
15,000 - 19,999	65	15,000 - 19,999	6
20,000 - 39,999	158	20,000 - 39,999	10
40,000 - and over	71	40,000 - and over	4
AL	29	FL	4
1 - 2,999	5	1 - 2,999	0
3,000 - 4,999	4	3,000 - 4,999	0
5,000 - 6,999	2	5,000 - 6,999	1
7,000 - 9,999	5	7,000 - 9,999	0
10,000 - 14,999	6	10,000 - 14,999	1
15,000 - 19,999	2	15,000 - 19,999	0
20,000 - 39,999	5	20,000 - 39,999	2
40,000 - and over	0	40,000 - and over	0
AZ	19	GA	66
1 - 2,999	1	1 - 2,999	6
3,000 - 4,999	2	3,000 - 4,999	1
5,000 - 6,999	0	5,000 - 6,999	3
7,000 - 9,999	1	7,000 - 9,999	2
10,000 - 14,999	4	10,000 - 14,999	11
15,000 - 19,999	3	15,000 - 19,999	4
20,000 - 39,999	5	20,000 - 39,999	17
40,000 - and over	3	40,000 - and over	22
AR	49	KS	4
1 - 2,999	3	1 - 2,999	0
3,000 - 4,999	0	3,000 - 4,999	0
5,000 - 6,999	4	5,000 - 6,999	0
7,000 - 9,999	10	7,000 - 9,999	1
10,000 - 14,999	10	10,000 - 14,999	1
15,000 - 19,999	9	15,000 - 19,999	0
20,000 - 39,999	11	20,000 - 39,999	2
40,000 - and over	2	40,000 - and over	0

--continued



**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2009**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
LA	33	NC	39
1 - 2,999	2	1 - 2,999	3
3,000 - 4,999	5	3,000 - 4,999	1
5,000 - 6,999	6	5,000 - 6,999	0
7,000 - 9,999	7	7,000 - 9,999	4
10,000 - 14,999	6	10,000 - 14,999	5
15,000 - 19,999	3	15,000 - 19,999	13
20,000 - 39,999	4	20,000 - 39,999	12
40,000 - and over	0	40,000 - and over	1
MS	59	OK	19
1 - 2,999	19	1 - 2,999	2
3,000 - 4,999	12	3,000 - 4,999	6
5,000 - 6,999	6	5,000 - 6,999	1
7,000 - 9,999	12	7,000 - 9,999	1
10,000 - 14,999	5	10,000 - 14,999	3
15,000 - 19,999	2	15,000 - 19,999	1
20,000 - 39,999	3	20,000 - 39,999	4
40,000 - and over	0	40,000 - and over	1
MO	29	SC	21
1 - 2,999	1	1 - 2,999	4
3,000 - 4,999	0	3,000 - 4,999	2
5,000 - 6,999	3	5,000 - 6,999	4
7,000 - 9,999	5	7,000 - 9,999	3
10,000 - 14,999	10	10,000 - 14,999	2
15,000 - 19,999	2	15,000 - 19,999	5
20,000 - 39,999	5	20,000 - 39,999	1
40,000 - and over	3	40,000 - and over	0
NM	7	TN	27
1 - 2,999	4	1 - 2,999	0
3,000 - 4,999	0	3,000 - 4,999	2
5,000 - 6,999	1	5,000 - 6,999	1
7,000 - 9,999	0	7,000 - 9,999	4
10,000 - 14,999	0	10,000 - 14,999	6
15,000 - 19,999	0	15,000 - 19,999	2
20,000 - 39,999	2	20,000 - 39,999	12
40,000 - and over	0	40,000 - and over	0


--continued

**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2009**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
TX	229	VA	3
1 - 2,999	41	1 - 2,999	0
3,000 - 4,999	23	3,000 - 4,999	0
5,000 - 6,999	19	5,000 - 6,999	0
7,000 - 9,999	18	7,000 - 9,999	0
10,000 - 14,999	20	10,000 - 14,999	0
15,000 - 19,999	13	15,000 - 19,999	0
20,000 - 39,999	61	20,000 - 39,999	2
40,000 - and over	34	40,000 - and over	1

# 2009 All Cotton Ginnings

## Percent of U.S. Crop Ginned, by State



USDA-NASS

5-11-2010

US Production 11,832,100 Bales

**2009 Cotton Ginnings:** A total of 11.8 million running bales were ginned during the 2009 season, 5 percent below the 2008 ginnings of 12.5 million running bales. There were 680 active cotton gins during the 2009 season, down from the 734 gins that operated in 2008. Thirty-four percent of the gins processed more than 20,000 running bales compared with 45 percent the previous season.

**2009 Cotton Final:** Upland cotton production is estimated at 11.8 million 480-pound bales, down 5 percent from last year. The United States yield for upland cotton is estimated at 766 pounds per acre, down 37 pounds from 2008. Harvested area, at 7.39 million acres, is down less than 1 percent from last year.

Upland growers in the Southeastern States (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia) finished planting by mid-June. During the early summer months, producers experienced hot, dry conditions, but by the end of summer, cool, wet weather dominated the region delaying crop development. By the middle of September, harvest was underway in North Carolina, South Carolina, and Virginia, but had not started in Georgia and Alabama, well behind the 5-year average. By the middle of October, defoliation and harvest was underway throughout the region. Harvest was complete by the end of December, well behind normal. Producers in Georgia reported record high yields, surpassing the record set in 2005. North Carolina and Virginia producers also reported record high yields, surpassing the records set in 2004. Objective yield data in Georgia showed boll weights to be the largest on record. In North Carolina, objective yield measurements showed the boll count per acre and the boll weight to be the largest on record.

In the Delta States (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) producers finished planting by the middle of June. The later planted crop lagged behind in development throughout the summer and into the fall. During the early part of September, the region was hit with cool weather

and excessive rain, further delaying crop development. By early October, harvest began throughout the region and neared completion by the end of November, well behind normal. The objective yield data showed Mississippi bolls per acre to be slightly below average but boll weights were the largest on record. In Louisiana, bolls per acre were the second highest in the last 10 years.

Texas producers finished planting the upland crop by the end of June. In South Texas, producers battled extreme drought conditions throughout the summer. By late July, harvest was underway and was complete by the end of August. In the Texas Panhandle, hot weather coupled with timely summer rains allowed the upland cotton crop to develop ahead of normal. However, the region received cooler than normal weather during the early fall and development began to lag behind the 5-year average. By the end of October, the region received the first freeze and ideal weather allowed harvest to progress rapidly. Harvest in Texas was complete by the end December, ahead of normal. Objective yield measurements in Texas showed bolls per acre to be the lowest in the last 5 years with boll weights the lowest in the last 4 years.

In Kansas and Oklahoma, producers finished planting by late June. Throughout the growing season, the upland crop developed behind normal. In Oklahoma, harvest got underway in late September and was complete by the end of November. Kansas producers started harvest in early November and completed harvest by the end of December.

Upland producers in California and Arizona completed planting by mid-June. The upland crop developed slightly behind normal throughout the summer. By the end August, hot dry weather aided development and the crop progressed ahead of normal. In Arizona, producers began harvest activities by the last of August, ahead of normal. In California, harvest was underway by the end of September. Harvest throughout the region was complete by the beginning of December.

American-Pima producers planted 141,400 acres, down 19 percent from last year. Harvested area, at 138,200 acres, is down 18 percent from last year. Production is estimated at 399,900 bales (480-pound), down 7 percent from last year. The United States yield is estimated at 1,389 pounds per acre, up 163 pounds from last year. Producers finished planting by the end of May. The crop developed normally throughout the summer and fall. Harvest was underway by late September and was complete by the end of January.

## ACCESS TO REPORTS!!

---

For your convenience, there are several ways to obtain NASS reports, data products, and services:

### INTERNET ACCESS

All NASS reports are available free of charge. For free access, connect to the Internet and go to the NASS Home Page at: **www.nass.usda.gov**.

### E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at **www.nass.usda.gov**, under the right navigation, *Receive reports by Email*, click on **National** or **State**. Follow the instructions on the screen.

---

### PRINTED REPORTS OR DATA PRODUCTS

**CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)**  
**Other areas, please call 703-605-6220      FAX: 703-605-6880**  
**(Visa, MasterCard, check, or money order acceptable for payment.)**

---

### ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: **nass@nass.usda.gov**.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.