



Tobacco Product: Brand X Cigarette

Tobacco Amount Per Gram	Smoke Amount Per Cigarette	CHEMICAL	CA	LD	HB	RP	AD
	770 - 864 µg	Acetaldehyde	■	■			■
◆	60 - 240 µg	Acrolein		■	■		
	3 - 15 µg	Acrylonitrile	■	■			
	ND	4-Aminobiphenyl	■				
	3 - 4 ng	1-Aminonaphthalene	■				
	ND	2-Aminonaphthalene	■				
170 - 370 mg	10 - 130 µg	Ammonia		■			
40 - 120 ng	◆	Arsenic	■		■	■	
◆	12 - 50 µg	Benzene	■		■	■	
◆	8.5 - 17.6 ng	Benzo[a]pyrene	■				
	◆	1,3-Butadiene	■	■		■	
41 - 62 ng	◆	Cadmium	■	■		■	
	14 - 23 mg	Carbon monoxide				■	
◆	10 - 20 µg	Crotonaldehyde	■				
◆	10.3 - 25 µg	Formaldehyde	■	■			
	450 - 1000 µg	Isoprene	■				
0.1 - 1.6 µg	110 - 133 ng	4-(Methylnitrosamino)-1-(3-pyridyl)-1-butanone (NNK)	■				
11.3 - 26.7 mg	0.1 - 3.0 mg	Nicotine				■	■
0.9 - 6.9 µg	154 - 196 ng	N-Nitrosornicotine (NNN)	■				
◆	ND	Toluene		■		■	

The information is not currently available on the following chemicals.

Tobacco Amount Per Gram	Smoke Amount Per Cigarette	CHEMICAL	CA	LD	HB	RP	AD
	◆	Acetamide	■				
◆	◆	Acetone		■			
	◆	Acrylamide	■				
		Aflatoxin B1	■				
◆	◆	Anabasine					■
◆	◆	o-Anisidine	■				
	◆	A-α-C (2-Amino-9H-pyrido[2,3-b]indole)	■				
◆	◆	Benz[a]anthracene	■		■		
	◆	Benz[j]aceanthrylene	■				
◆	◆	Benzo[b]fluoranthene	■		■		
	◆	Benzo[k]fluoranthene	■		■		
	◆	Benzo[b]furan	■				
	◆	Benzo[c]phenanthrene	■				
◆	◆	Beryllium	■				
◆	◆	Caffeic acid	■				
◆	◆	Catechol	■				
	◆	Chlorinated dioxins/furans	■			■	
◆	◆	Chromium	■	■		■	
◆	◆	Chrysene	■		■		
◆	◆	Cobalt	■		■		
◆		Coumarin (banned in food)					
◆	◆	Cresols (o-, m-, and p-cresol)	■	■			
	◆	Cyclopenta[c,d]pyrene	■				
	◆	Dibenz[a,h]anthracene	■				
	◆	Dibenzo[a,e]pyrene	■				
	◆	Dibenzo[a,h]pyrene	■				
	◆	Dibenzo[a,i]pyrene	■				
	◆	Dibenzo[a,l]pyrene	■				
◆	◆	2,6-Dimethylaniline	■				
◆	◆	Ethyl carbamate (urethane)	■			■	
◆	◆	Ethylbenzene	■				
	◆	Ethylene oxide	■	■		■	
	◆	Furan	■				

A machine is used to test for these chemicals. The amount of chemical that gets into the body may be higher or lower depending on how a person uses the tobacco product. Companies may use different tests to measure these chemicals. Results may vary.

KEY

Chemicals have been linked to:

- CA** Cancer
- LD** Lung Disease
- HB** Heart and Blood Vessel Problems
- RP** Reproductive Problems
- AD** Addiction

ND Not Detected

◆ The information is not currently available

mg= milligram
µg = microgram
ng = nanogram
pg= picogram



Tobacco Product: Brand X Cigarette

Tobacco Amount Per Gram	Smoke Amount Per Cigarette	CHEMICAL	CA	LD	HB	RP	AD
	◆	Glu-P-1 (2-Amino-6-methyldipyrdo[1,2-a:3',2'-d]imidazole)	■				
	◆	Glu-P-2 (2-Aminodipyrdo[1,2-a:3',2'-d]imidazole)	■				
◆	◆	Hydrazine	■	■			
◆	◆	Hydrogen cyanide		■	■		
	◆	Indeno[1,2,3-cd]pyrene	■				
	◆	IQ (2-Amino-3-methylimidazo[4,5-f]quinoline)	■				
◆	◆	Lead	■		■	■	
	◆	MeA-α-C (2-Amino-3-methyl)-9H-pyrdo[2,3-b]indole)	■				
◆	◆	Mercury	■			■	
◆	◆	Methyl ethyl ketone		■			
	◆	5-Methylchrysene	■				
◆	◆	Naphthalene	■	■			
◆	◆	Nickel	■	■			
◆	◆	Nitrobenzene	■	■		■	
	◆	Nitromethane	■				
	◆	2-Nitropropane	■				
◆	◆	N-Nitrosodiethanolamine (NDELA)	■				
◆	◆	N-Nitrosodiethylamine (NDEA)	■				
◆	◆	N-Nitrosodimethylamine (NDMA)	■				
◆	◆	N-Nitrosomethylethylamine	■				
◆		N-Nitrosomorpholine (NMOR)	■				
◆	◆	N-Nitrosopiperidine (NPIP)	■				
◆	◆	N-Nitrosopyrrolidine (NPYR)	■				
◆		N-Nitrososarcosine (NSAR)	■				
◆		Nornicotine					■
◆	◆	Phenol		■	■		
	◆	PhIP (2-Amino-1-methyl-6-phenylimidazo[4,5-b]pyridine)	■				
◆	◆	Polonium-210	■				
◆	◆	Propionaldehyde		■	■		
◆	◆	Propylene oxide	■	■			
◆	◆	Quinoline	■				
◆	◆	Selenium		■			
◆	◆	Styrene	■				
◆	◆	2-Toluidine	■				
	◆	Trp-P-1 (3-Amino-1,4-dimethyl-5H-pyrdo[4,3-b]indole)	■				
	◆	Trp-P-2 (1-Methyl-3-amino-5H-pyrdo[4,3-b]indole)	■				
◆		Uranium-235	■	■			
◆		Uranium-238	■	■			
	◆	Vinyl acetate	■	■			
◆	◆	Vinyl chloride	■				

KEY

Chemicals have been linked to:

- CA** Cancer
- LD** Lung Disease
- HB** Heart and Blood Vessel Problems
- RP** Reproductive Problems
- AD** Addiction

ND Not Detected

◆ The information is not currently available

mg= milligram
 µg = microgram
 ng = nanogram
 pg= picogram

A machine is used to test for these chemicals. The amount of chemical that gets into the body may be higher or lower depending on how a person uses the tobacco product. Companies may use different tests to measure these chemicals. Results may vary.