

H-3. Main Body of Questionnaire

Introductory Questions

GENHEALTH

Rationale: Provides an easy opening to the survey and can prove a useful covariate in analysis.

/ASK ALL/

1. Would you say that in general your health is...?
 1. Excellent
 2. Very good
 3. Good
 4. Fairor
 5. Poor
 7. DON'T KNOW/NOT SURE
 9. REFUSED

AGE

Rationale: Key covariate.

/ASK ALL/

/RANGE: 7,9,18-130/

2. What is your age?
_ _ _ . AGE IN YEARS
7. DON'T KNOW/NOT SURE
9. REFUSED

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC Reports Clearance Officer, 1600 Clifton Road, MS-74, Atlanta, GA 30333, ATTN: PRA (0920-0828).

Cigarette Smoking

SMOK100

Rationale: To utilize a standard measure to determine whether the respondent ever smoked cigarettes.

/ASK ALL/

HELP: 100 CIGARETTES=5 PACKS

3. Have you smoked at least 100 cigarettes in your entire life?
 1. YES
 2. NO → IF Q2 AGE EQ (7,9,30-130), GO TO Q12 SMOKEVER
 7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (7,9,30-130), GO TO Q12 SMOKEVER
 9. REFUSED → IF Q2 AGE EQ (7,9,30-130), GO TO Q12 SMOKEVER

SMOKNOW

Rationale: To monitor current cigarette usage.

/Asked of respondents who are age 18-29 or have smoked at least 100 cigarettes in their entire life/

/ASK IF Q2 AGE EQ (18-29) OR Q3 SMOK100 EQ 1/

4. Do you now smoke cigarettes every day, some days, or not at all?
 1. EVERY DAY
 2. SOME DAYS
 3. NOT AT ALL → IF Q3 SMOK100 EQ 1, GO TO Q6 SMOKMENTHREG; ELSE GO TO Q12 SMOKEVER
 7. DON'T KNOW → IF Q3 SMOK100 EQ 1, GO TO Q6 SMOKMENTHREG; ELSE GO TO Q12 SMOKEVER
 9. REFUSED → IF Q3 SMOK100 EQ 1, GO TO Q6 SMOKMENTHREG; ELSE GO TO Q12 SMOKEVER

SMOKTYPE

Rationale: To determine the proportion of smokers that purchase loose tobacco.

/Asked of respondents who now smoke cigarettes every day or some days/

/ASK IF Q4 SMOKNOW EQ (1,2)/

5. When you smoke cigarettes, do you usually smoke manufactured cigarettes, roll-your-own, or both?
1. PREMADE CIGARETTES
 2. ROLL-YOUR-OWN
 3. BOTH

 7. DON'T KNOW
 9. REFUSED

IF Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9), GO TO Q7 SMOKMENTHNOW

SMOKMENTHREG

Rationale: To obtain information about the use of menthol cigarettes

/Asked of respondents who have smoked at least 100 cigarettes in their entire life/

/ASK IF Q3 SMOK100 EQ 1/

6. Have you ever smoked menthol cigarettes for 6 months or more?
1. YES
 2. NO

 7. DON'T KNOW/NOT SURE
 9. REFUSED

IF Q4 SMOKNOW EQ (3,7,9), GO TO Q11 SMOKLAST

SMOKMENTHNOW

Rationale: To obtain information about the use of menthol cigarettes

/Asked of respondents who now smoke cigarettes every day or some days/

/ASK IF Q4 SMOKNOW EQ (1,2)/

7. Currently, when you smoke cigarettes, how often do you smoke menthol cigarettes...?

1. All of the time
2. Most of the time
3. Some of the time
4. Rarely
5. Never

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q4 SMOKNOW EQ 2, GO TO Q9 SMOKDAYS30

SMOKPERDAY

Rationale: To assess current patterns of cigarette usage.

/Asked of respondents who now smoke cigarettes **every day**/

/ASK IF Q4 SMOKNOW EQ 1/

/RANGE: 1-180,666,888,777,999, VERIFY IF (888,666,1-3,41-180)/

INTERVIEWER: IF RESPONDENT STATES A RANGE OR IS UNSURE, READ:

You said you smoke about x to y cigarettes a day. Your answer doesn't have to be exact, but I do need to report one number. What is your best guess of the average number of cigarettes you smoke in one day?

8. On average, about how many cigarettes do you now smoke each day?

HELP: 1 PACK=20 CIGARETTES.

___ . NUMBER OF CIGARETTES

666. LESS THAN ONE CIGARETTE A DAY

888. NONE

777. DON'T KNOW/NOT SURE

999. REFUSED

GO TO Q13 SMOKFIRSTAGE

SMOKDAYS30

Rationale: To assess usage patterns of cigarettes.

/Asked of respondents who now smoke cigarettes **some days**/

/ASK IF Q4 SMOKNOW EQ 2/

/RANGE: 1-30,88,77,99. VERIFY IF88/

INTERVIEWER: IF RESPONDENT STATES A RANGE OR IS UNSURE, READ:

[You said you smoked cigarettes on [STATE RANGE:] "x to y" days.] Your answer doesn't have to be exact, but I do need to report one number. What is your best guess of the number of days you smoked cigarettes in the past 30 days?

9. On how many of the PAST 30 DAYS did you smoke cigarettes?

--. NUMBER OF DAYS

88. NONE → GO TO Q11 SMOKLAST

77. DON'T KNOW/NOT SURE → GO TO Q11 SMOKLAST

99. REFUSED → GO TO Q11 SMOKLAST

SMOKSOMEDAY

Rationale: To assess usage patterns of cigarettes.

/Asked of respondents who have smoked at least one day in the past 30 days/

/ASK IF Q9 SMOKDAYS30 EQ (1-30)/

/RANGE: 1-180,666,888,777,999. VERIFY IF (888,666,21-180)/

INTERVIEWER: IF RESPONDENT STATES A RANGE OR IS UNSURE, READ:

[You said you smoke about [STATE RANGE:] x to y cigarettes a day on days when you smoke cigarettes.] Your answer doesn't have to be exact, but I do need to report one number. What is your best guess of the average number of cigarettes you smoked in one day on days when you smoked cigarettes in the past 30 days?

10. [FILL IF Q9 SMOKDAYS30 EQ 1 "On the day that you smoked, how many cigarettes did you smoke?"/FILL IF Q9 SMOKDAYS30 EQ 2-30 "On the average, on those days, how many cigarettes did you usually smoke each day?"]

HELP: 1 pack=20 cigarettes.

___ . NUMBER OF CIGARETTES

666. LESS THAN ONE CIGARETTE A DAY

888. NONE

777. DON'T KNOW/NOT SURE

999. REFUSED

GO TO Q13 SMOKFIRSTAGE

SMOKLAST1, SMOKLAST2, SMOKLAST3

Rationale: To assess the duration of time former smokers have been smoke-free.

/Asked of respondents who [have smoked at least 100 cigarettes in their entire life and (now smoke cigarettes not at all or don't know if they now smoke cigarettes every day, some days, or not at all or refused to say if they now smoke cigarettes every day, some days, or not at all)] or [now smoke cigarettes some days and (smoked no cigarettes in the past 30 days or don't know if they smoked cigarettes in the past 30 days or refused to say if they smoked cigarettes in the past 30 days)] or now smoke cigarettes not at all/

/ASK IF (Q3 SMOK100 EQ 1 AND Q4 SMOKNOW EQ (3,7,9)) OR (Q4 SMOKNOW EQ 2 AND Q9 SMOKDAYS30 EQ (88,77,99))/

11. How long has it been since you completely stopped smoking cigarettes?

NUMBER: (_ _) SMOKLAST1

UNIT: (_) SMOKLAST2

RANGE: 1-500. VERIFY IF (366-500) 1. DAY(S)

RANGE: 1-150. VERIFY IF (53-150) 2. WEEK(S)

RANGE: 1-60. VERIFY IF (19-60) 3. MONTH(S)

RANGE: 1-90. VERIFY IF (51-90) 4. YEAR(S)

666. DATE

6. DATE

888. TODAY

8. TODAY

777. DON'T KNOW/NOT SURE

7. DON'T KNOW/NOT SURE

999. REFUSED

9. REFUSED

11A. **INTERVIEWER: Enter date in SMOKLAST3 as mm/dd/yyyy.**

GO TO Q13 SMOKFIRSTAGE

SMOKEVER

Rationale: To identify non-smoking respondents with a past history of experimenting with cigarettes.

/Asked of respondents who {are age 18-29 and [(have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke cigarettes not at all or don't know if they now smoke cigarettes every day, some days, or not at all or refused to say if they now smoke cigarettes every day, some days, or not at all)] or [(are age 30-139 or don't know how old they are or refused to say how old they are) and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life)]}/

/ASK IF (Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (3,7,9)) OR (Q2 AGE EQ (7,9,30-130) AND Q3 SMOK100 EQ (2,7,9))/

12. Have you ever tried cigarette smoking, even one or two puffs?

1. YES
2. NO → IF Q2 AGE EQ (18-29), GO TO Q18 SUSCEPT1; ELSE GO TO Q21 CIGARPAST
7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (18-29), GO TO Q18 SUSCEPT1; ELSE GO TO Q21 CIGARPAST
9. REFUSED → IF Q2 AGE EQ (18-29), GO TO Q18 SUSCEPT1; ELSE GO TO Q21 CIGARPAST

SMOKFIRSTAGE

Rationale: To assess past usage patterns of cigarettes.

/Asked of respondents who (have smoked at least 100 cigarettes in their entire life or [(are age 18-29 and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke every day or some days)] or have ever smoked cigarettes, even if just one or two puffs/

/ASK IF Q3 SMOK100 EQ 1 OR (Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (1,2)) OR Q12 SMOKEVER EQ 1/

/RANGE: 1-130,777,999. VERIFY IF (1-8,30-130)/

13. How old were you the first time you smoked part or all of a cigarette?

___. AGE IN YEARS

777. DON'T KNOW/NOT SURE

999. REFUSED

SMOKDLYPAST

Rationale: To identify former or current daily smokers among all respondents who have ever smoked.

/Asked of respondents who (have smoked at least 100 cigarettes in their entire life or [(are age 18-29 and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke every day or some days)] or have ever smoked cigarettes, even if just one or two puffs/

/ASK IF Q3 SMOK100 EQ 1 OR (Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (1,2)) OR Q12 SMOKEVER EQ 1/

14. Have you ever smoked cigarettes every day for at least 6 months?

1. YES

2. NO → IF Q4 SMOKNOW EQ (2,3,7,9), GO TO Q17 SMOKYRAGO

7. DON'T KNOW/NOT SURE → IF Q4 SMOKNOW EQ (2,3,7,9), GO TO Q17 SMOKYRAGO

9. REFUSED → IF Q4 SMOKNOW EQ (2,3,7,9), GO TO Q17 SMOKYRAGO

SMOKDLYAGE

Rationale: To obtain information on smoking history

/Asked of respondents who now smoke cigarettes every day or have smoked cigarettes every day for at least 6 months/

/ASK IF Q4 SMOKNOW EQ 1 OR Q14 SMOKDLYPAST EQ 1/

/RANGE: 1-130,777,999. VERIFY IF (1-11,31-130)/

15. How old were you when you first started smoking cigarettes every day?

___. AGE IN YEARS

777. DON'T KNOW/NOT SURE

999. REFUSED

IF Q4 SMOKNOW EQ (1,3,7,9) OR Q14 SMOKDLYPAST EQ (2,7,9), GO TO Q17 SMOKYRAGO

SMOKDLYLAST1, SMOKDLYLAST2, SMOKDLYLAST3

Rationale: To obtain information on smoking history

/Asked of respondents who now smoke some days and have smoked cigarettes every day for at least 6 months/

/ASK IF Q4 SMOKNOW EQ 2 AND Q14 SMOKDLYPAST EQ 1/

16. About how long has it been since you last smoked cigarettes on a daily basis?

NUMBER: (_ _) SMOKDLYLAST1 UNIT: (_) SMOKDLYLAST2

RANGE: 1-500. VERIFY IF (366-500) 1. DAY(S) AGO

RANGE: 1-150. VERIFY IF (53-150) 2. WEEK(S) AGO

RANGE: 1-60. VERIFY IF (19-60) 3. MONTH(S) AGO

RANGE: 1-90. VERIFY IF (51-90) 4. YEAR(S) AGO

666. DATE 6. DATE

888. TODAY 8. TODAY

777. DON'T KNOW/NOT SURE 7. DON'T KNOW/NOT SURE

999. REFUSED 9. REFUSED

16A. **INTERVIEWER: Enter date in SMOKDLYLAST3 as mm/dd/yyyy.**

SMOKYRAGO

Rationale: To obtain information on smoking history

/Asked of respondents who (have smoked at least 100 cigarettes in their entire life or [(are age 18-29 and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke every day or some days)] or have ever smoked cigarettes, even if just one or two puffs/

/ASK IF Q3 SMOK100 EQ 1 OR (Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (1,2)) OR Q12 SMOKEVER EQ 1/

17. Around this time 12 months ago, were you smoking cigarettes every day, some days, or not at all?

1. EVERY DAY
2. SOME DAYS
3. NOT AT ALL

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q2 AGE EQ (18-29) AND Q12 SMOKEVER EQ 1, GO TO Q19 SUSCEPT2; ELSE GO TO Q21 CIGARPAST

Susceptibility—Cigarettes

SUSCEPT1

Rationale: To gauge young adult never-smokers' susceptibility to taking up cigarette smoking.

/Asked of respondents who are age 18-29 and (who have never tried cigarette smoking or don't know if they have ever tried cigarette smoking or refused to say if they have ever tried cigarette smoking)/

/ASK IF Q2 AGE EQ (18-29) AND Q12 SMOKEVER EQ (2,7,9)/

18. Have you ever been curious about smoking a cigarette? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

SUSCEPT2

Rationale: To gauge young adult never-smokers' susceptibility to taking up cigarette smoking.

/Asked of respondents who are age 18-29 and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke not at all or don't know if they now smoke every day, some days or not at all or refused to say if they now smoke every day, some days or not at all)/

/ASK IF Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (3,7,9)/

19. Do you think you will smoke a cigarette soon? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

SUSCEPT3

Rationale: To gauge young adult never-smokers' susceptibility to taking up cigarette smoking.

/Asked of respondents who are age 18-29 and (have not smoked at least 100 cigarettes in their entire life or don't know if they have smoked at least 100 cigarettes in their entire life or refused to say if they have smoked at least 100 cigarettes in their entire life) and (now smoke not at all or don't know if they now smoke every day, some days or not at all or refused to say if they now smoke every day, some days or not at all)/

/ASK IF Q2 AGE EQ (18-29) AND Q3 SMOK100 EQ (2,7,9) AND Q4 SMOKNOW EQ (3,7,9)/

20. Do you think you will smoke a cigarette in the next year? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

Other Tobacco Products

CIGARPAST

Rationale: To monitor use of non-cigarette combustible tobacco products.

/ASK ALL/

21. The next questions ask about tobacco products that you might smoke other than cigarettes, specifically cigars, cigarillos and little filtered cigars. "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are *Black and Mild's*, *Swisher Sweets*, *Dutch Masters* and *Phillies Blunts*. Cigarillos are usually sold individually or in packs of 5 or 8. In contrast, little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are *Prime Time* and *Winchester* little filtered cigars.

Have you smoked cigars, cigarillos, or little filtered cigars at least 50 times in your entire life?

1. YES
2. NO → IF Q2 AGE EQ (7,9,30-130), GO TO Q31 PIPEWTREVER
7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (7,9,30-130), GO TO Q31 PIPEWTREVER
9. REFUSED → GO TO Q31 PIPEWTREVER

CIGARNOW

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who [are age 18-29 and (have not smoked cigars, cigarillos, or little filtered cigars at least 50 times in their entire life or don't know if they have smoked cigars, cigarillos, or little filtered cigars at least 50 times in their entire life)] or have smoked cigars, cigarillos, or little filtered cigars at least 50 times in their entire life/

/ASK IF (Q2 AGE EQ (18-29) AND Q21 CIGARPAST EQ (2,7)) OR Q21 CIGARPAST EQ 1/

22. Do you now smoke cigars, cigarillos, or little filtered cigars every day, some days, rarely, or not at all?
1. EVERY DAY
 2. SOME DAYS
 3. RARELY
 4. NOT AT ALL → IF Q2 AGE EQ (18-29) AND Q21 CIGARPAST EQ (2,7), GO TO Q27 CIGARSUSCEPT, ELSE IF Q21 CIGARPAST EQ 1, GO TO Q28 PIPREGPAST
 7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (18-29) AND Q21 CIGARPAST EQ (2,7), GO TO Q27 CIGARSUSCEPT, ELSE IF Q21 CIGARPAST EQ 1, GO TO Q28 PIPREGPAST
 9. REFUSED → GO TO Q28 PIPREGPAST

CIGARTYPE

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who now smoke cigars, cigarillos, or little filtered cigars every day, some days, or rarely/

/ASK IF (Q22 CIGARNOW EQ (1,2,3)/

23. Is the size of the cigars, cigarillos, or little filtered cigars that you usually smoke...?
1. Around the length of a cigarette
 2. Around the length of a dollar bill
 3. Somewhere in between the length of a cigarette and a dollar bill
 4. I do not have a usual size of cigar that I smoke → GO TO Q26 CIGARFLAV
 7. DON'T KNOW/NOT SURE
 9. REFUSED → GO TO Q26 CIGARFLAV

CIGARFILT

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who now smoke cigars, cigarillos, or little filtered cigars every day, some days, or rarely and (who smoke cigars, cigarillos, or little filtered cigars that are around the length of a cigarette , around the length of a dollar bill, somewhere in between the length of a cigarette and a dollar bill, or don't know or are not sure of the length of the cigars, cigarillos, or little filtered cigars that they usually smoke)/

/ASK IF (Q22 CIGARNOW EQ (1,2,3) AND Q23 CIGARTYPE EQ (1,2,3,7)/

24. Do you usually smoke a cigar, cigarillo or little filtered cigar that has....

1. A spongy filter
2. A plastic tip
2. A wooden tip
4. No filter or tip

7. DON'T KNOW/NOT SURE
9. REFUSED → GO TO Q26 CIGARFLAV

CIGARBRAND

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who now smoke cigars, cigarillos, or little filtered cigars every day, some days, or rarely and (who smoke cigars, cigarillos, or little filtered cigars that are around the length of a cigarette , around the length of a dollar bill, somewhere in between the length of a cigarette and a dollar bill, or don't know or are not sure of the length of the cigars, cigarillos, or little filtered cigars that they usually smoke) and (who usually smoke a cigar, cigarillo or little filtered cigar that has a spongy filter, a plastic tip, a wooden tip, no filter or tip, or don't know or are not sure of the type of filter or type of the cigars, cigarillos, or little filtered cigars that they usually smoke/

/ASK IF (Q22 CIGARNOW EQ (1,2,3) AND Q23 CIGARTYPE EQ (1,2,3,7) AND Q24 CIGARFILT EQ (1,2,3,4,7)/

/LENGTH OF CIGARBRAND=40/

25. What is the name brand of the cigar, cigarillo, or little filtered cigar that you usually smoke?

CIGARFLAV

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who now smoke cigars, cigarillos, or little filtered cigars every day, some days, or rarely/

/ASK IF (Q22 CIGARNOW EQ (1,2,3)/

26. In the **past 30 days**, were any of the cigars, cigarillos, or little filtered cigars that you smoked flavored to taste like menthol or mint, clove, spice, candy, fruit, chocolate or other sweets?

1. YES
2. NO
6. RESPONDENT DID NOT SMOKE ANY CIGARS IN THE PAST 30 DAYS
7. DON'T KNOW/NOT SURE
9. REFUSED

GO TO Q28 PIPEREGPAST

CIGARSUSCEPT

Rationale: To monitor susceptibility to initiating cigar smoking among young adults.

Asked of respondents who are age 18-29 and (have not smoked cigars, cigarillos, or little filtered cigars at least 50 times in their entire life or don't know if they have smoked cigars, cigarillos, or little filtered cigars at least 50 times in their entire life) and (now smoke cigars, cigarillos, or little filtered cigars not at all or don't know if they now smoke cigars, cigarillos, or little filtered cigars every day, some days, rarely, or not at all)

/ASK IF Q2 AGE EQ (18-29) AND Q21 CIGARPAST EQ (2,7) AND Q22 CIGARNOW EQ (4,7)/

27. Do you think you will smoke a cigar, cigarillo or little filtered cigar within the next year?
Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not
7. DON'T KNOW/NOT SURE
9. REFUSED

PIPEREGPAST

Rationale: To monitor use of non-cigarette combustible tobacco products.

/ASK ALL/

28. Moving away from cigars, the next questions that I am going to ask concern smoking tobacco in pipes. The first set of questions asks about smoking tobacco in a regular pipe. The second set of questions asks about smoking tobacco in a hookah, which is a type of water pipe.

Have you smoked a regular pipe filled with tobacco at least 50 times in your entire life?

1. YES
2. NO → IF Q2 AGE EQ (7,9,30-130), GO TO Q36 ECIGHEARD

7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (7,9,30-130), GO TO Q36 ECIGHEARD
9. REFUSED → GO TO Q36 ECIGHEARD

PIPEREGNOW

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who [are age 18-29 and (have not smoked tobacco in a regular pipe at least 50 times in their entire life or don't know if they have smoked tobacco in a regular pipe at least 50 times in their entire life)] or have smoked tobacco in a regular pipe at least 50 times in their entire life/

/ASK IF (Q2 AGE EQ (18-29) AND Q28 PIPEREGPAST EQ (2,7)) OR Q28 PIPEREGPAST EQ 1/

29. Do you now smoke a regular pipe filled with tobacco every day, some days, rarely, or not at all?
1. EVERY DAY → GO TO Q36 ECIGHEARD
 2. SOME DAYS → GO TO Q36 ECIGHEARD
 3. RARELY → GO TO Q36 ECIGHEARD
 4. NOT AT ALL → IF Q28 PIPEREGPAST EQ 1, GO TO Q36 ECIGHEARD

 7. DON'T KNOW/NOT SURE → IF Q28 PIPEREGPAST EQ 1, GO TO Q36 ECIGHEARD
 9. REFUSED → GO TO Q36 ECIGHEARD

PIPEREGSUSCEPT

Rationale: To monitor susceptibility to initiating regular pipe use among young adults.

Asked of respondents who are age 18-29 and (have not smoked tobacco in a regular pipe at least 50 times in their entire life or don't know if they have ever smoked tobacco in a regular pipe at least 50 times in their life) and (now smoke tobacco in a regular pipe not at all or don't know if they now smoke tobacco in a regular pipe)

/ASK IF Q2 AGE EQ (18-29) AND Q28 PIPEREGPAST EQ (2,7) AND Q29 PIPREGNOW EQ (4,7)/

30. Do you think you will smoke a regular pipe filled with tobacco within the next year? Would you say...
1. Definitely yes
 2. Probably yes
 3. Probably not
 4. Definitely not

 7. DON'T KNOW/NOT SURE
 9. REFUSED

PIPEWTREVER

Rationale: To monitor use of non-cigarette combustible tobacco products.

/ASK ALL/

31. The next question asks you about smoking tobacco in a hookah. A hookah is a type of water pipe. Have you ever smoked tobacco in a hookah in your entire life?
1. YES
 2. NO → IF Q2 AGE EQ (18-29), GO TO Q34 PIPEWTRSUSCEPT; ELSE IF Q29 PIPREGNOW EQ (1,2,3), GO TO Q35 PIPEFLAV; ELSE GO TO Q36ECIGHEARD

 7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (18-29), GO TO Q34 PIPEWTRSUSCEPT; ELSE IF Q29 PIPREGNOW EQ (1,2,3), GO TO Q35 PIPEFLAV; ELSE GO TO Q36ECIGHEARD
 9. REFUSED → IF Q29 PIPREGNOW EQ (1,2,3), GO TO Q35 PIPEFLAV; ELSE GO TO Q36ECIGHEARD

PIPEWTRTIMES

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who have ever smoked tobacco in a water pipe/

/ASK IF Q31 PIPEWTREVER EQ 1/

32. How many times in total do you think you have smoked tobacco in a hookah during your lifetime? Would you say...

1. 1-5
2. 6-20
3. 21-50
4. Over 50 times

7. DON'T KNOW/NOT SURE
9. REFUSED

PIPEWTRNOW

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who have ever smoked tobacco in a water pipe/

/ASK IF Q31 PIPEWTREVER EQ 1/

33. Do you now smoke tobacco in a hookah every day, some days, rarely or not at all?

1. EVERY DAY → GO TO Q35 PIPEFLAV
2. SOME DAYS → GO TO Q35 PIPEFLAV
3. RARELY → GO TO Q35 PIPEFLAV
4. NOT AT ALL → IF Q2 AGE EQ (7,9,30-130), GO TO Q36 ECIGHEARD

7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (7,9,30-130), GO TO Q36 ECIGHEARD
9. REFUSED → GO TO Q36 ECIGHEARD

PIPEWTRSUSCEPT

Rationale: To monitor susceptibility to initiating hookah use among young adults.

Asked of respondents who are age 18-29 and (have never smoked tobacco in a water pipe in their entire life or don't know if they have ever smoked tobacco in a water pipe in their entire life or now smoke tobacco in a water pipe not at all or don't know if they now smoke tobacco in a water pipe)

/ASK IF Q2 AGE EQ (18-29) AND (Q31 PIPEWTREVER EQ (2,7) OR Q33 PIPEWTRNOW EQ (4,7))/

34. Do you think you will smoke tobacco in a hookah within the next year? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

GO TO Q36 ECIGHEARD

PIPEFLAV

Rationale: To monitor use of non-cigarette combustible tobacco products.

/Asked of respondents who (now smoke tobacco in a regular pipe every day, some days, or rarely) or (now smoke tobacco in a hookah every day, some days, or rarely)/

/ASK IF Q29 PIPREGNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3)/

35. Was any of the tobacco that you smoked [FILL IF Q29 PIPREGNOW EQ (1,2,3) AND Q33 PIPEWTRNOW EQ (4,7,9): "in a regular pipe"/ELSE FILL IF Q29 PIPREGNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (1,2,3): "in a hookah"/ELSE FILL IF Q29 PIPREGNOW EQ (1,2,3) AND Q33 PIPEWTRNOW EQ (1,2,3): "either in a regular pipe or a hookah"] **in the past 30 days** flavored to taste like menthol or mint, clove, spice, candy, fruit, chocolate, or other sweets?

1. YES
2. NO
6. RESPONDENT DID NOT SMOKE ANY TOBACCO IN A PIPE IN THE PAST 30 DAYS

7. DON'T KNOW/NOT SURE
9. REFUSED

ECIGHEARD

Rationale: To monitor awareness of non-cigarette tobacco products.

/ASK ALL/

36. Moving away from cigars, the next set of questions that I am going to ask concern electronic cigarettes. Electronic cigarettes, or e-cigarettes as they are often called, are battery-operated devices that simulate smoking a cigarette, but do not involve the burning of tobacco. The heated vapor produced by an e-cigarette often contains nicotine.

Before today, had you ever heard of electronic cigarettes or e-cigarettes?

1. YES
2. NO → GO TO Q41 ECIGSUSCEPT

7. DON'T KNOW/NOT SURE → GO TO Q41 ECIGSUSCEPT
9. REFUSED → IF Q21 CIGARPAST EQ 1 OR Q31 PIPEWTREVER EQ 1 OR Q28 PIPEREGPAST EQ 1, GO TO Q42 SMKOTHAGE; ELSE GO TO Q43 CSDPAST

I

ECIGEVER

Rationale: To monitor use of non-cigarette tobacco products.

/Asked of respondents who have ever heard of electronic cigarettes or e-cigarettes/

/ASK IF Q36 ECIGHEARD EQ 1/

37. Have you ever used an electronic cigarette, even just one time in your entire life?
1. YES
 2. NO → GO TO Q41 ECIGSUSCEPT

 7. DON'T KNOW/NOT SURE → GO TO Q41 ECIGSUSCEPT
 9. REFUSED → IF Q21 CIGARPAST EQ 1 OR Q31 PIPEWTREVER EQ 1 OR Q28 PIPEREGPAST EQ 1, GO TO Q42 SMKOTHAGE; ELSE GO TO Q43 CSDPAST

ECIGTIMES

Rationale: To monitor use of non-cigarette tobacco products.

/Asked of respondents who have ever used an electronic cigarette/

/ASK IF Q37 ECIGEVER EQ 1/

38. How many times in total do you think you have used an electronic-cigarette during your lifetime?

1. 1-10
2. 11-20
3. 21-50
4. Over 50 times

7. DON'T KNOW/NOT SURE
9. REFUSED

ECIGNOW

Rationale: To monitor use of non-cigarette tobacco products.

/Asked of respondents who have ever used an electronic cigarette/

/ASK IF Q37 ECIGEVER EQ 1/

39. Do you now use electronic cigarettes everyday, some days, rarely, or not at all?

1. EVERY DAY
2. SOME DAYS
3. RARELY
4. NOT AT ALL → GO TO Q41 ECIGSUSCEPT

7. DON'T KNOW/NOT SURE → GO TO Q41 ECIGSUSCEPT
9. REFUSED → GO TO Q42 SMKOTHAGE

ECIGFLAV

Rationale: To monitor use of flavored tobacco products.

/Asked of respondents who now use electronic cigarettes every day, some days, or rarely/

/ASK IF Q39 ECIGNOW EQ (1,2,3)/

40. Were any of the electronic cigarettes that you used in the **past 30 days** flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, or other sweets?

1. YES
2. NO
6. RESPONDENT DID NOT USE ANY SMOKED TOBACCO PRODUCT OTHER THAN CIGARETTES IN THE PAST 30 DAYS
7. DON'T KNOW/NOT SURE
9. REFUSED

GO TO Q42 SMKOTHAGE

ECIGSUSCEPT

Rationale: To monitor susceptibility to non-cigarette tobacco products.

/Asked of respondents who have never tried an electronic cigarette or don't know if they have ever tried an electronic cigarette or now use electronic cigarettes not at all or don't know if they now use electronic cigarettes every day, some days, rarely, or not at all/

/ASK IF Q37 ECIGEVER EQ (2,7) OR Q39 ECIGNOW EQ (4,7)/

41. Do you think you will use an electronic cigarette or e-cigarette in the next year? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not
7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q21 CIGARPAST EQ (2,7,9) AND Q31 PIPEWTREVER EQ (2,7,9) AND Q28 PIPEREGPAST EQ (2,7,9) AND Q37 ECIGEVER EQ (2,7,9), GO TO Q42 SMKOTHAGE; ELSE GO TO Q43 CSDPAST

SMKOTHAGE

Rationale: To monitor youth use and susceptibility to non-cigarette tobacco products.

/Asked of respondents who (have smoked a cigar, cigarillo, or a little filtered cigar at least 50 times in their entire life) or (have ever smoked tobacco in a water pipe) or (have smoked tobacco in a regular pipe at least 50 times in their entire life) or (have ever used an electronic cigarette in their entire life)/

/ASK IF Q21 CIGARPAST EQ 1 OR Q31 PIPEWTREVER EQ 1 OR Q28 PIPEREGPAST EQ 1 OR Q37 ECIGEVER EQ 1/

/RANGE: 1-130,777,999. VERIFY IF (1-11,31-130)/

42. How old were you when you first smoked a **cigar, cigarillo or little filtered cigar; a regular pipe or a hookah; or an electronic cigarette**—--even if only one or two puffs? **Please do not include cigarettes in your answer.**

___ . AGE IN YEARS

777. DON'T KNOW/NOT SURE

999. REFUSED

CSDPAST

Rationale: To monitor use of smokeless tobacco products.

/ASK ALL/

INTERVIEWER: PRONOUNCE "LEVI" AS LEE-VIE

43. Now we will ask you about smokeless tobacco products, specifically chewing tobacco, snuff, or dip. Some examples of these product brands are Skoal, Copenhagen, Grizzly, Levi Garrett, Red Man, or Day's Work.

Have you used chewing tobacco, snuff or dip at least 20 times in your entire life?

1. YES

2. NO → IF Q2 AGE EQ (7,9,30-130), GO TO Q46 SNUSHEARD

7. DON'T KNOW/NOT SURE → IF Q2 AGE EQ (7,9,30-130), GO TO Q46 SNUSHEARD

9. REFUSED → GO TO Q46 SNUSHEARD

CSDNOW

Rationale: To monitor use of smokeless tobacco products.

/Asked of respondents who [are age 18-29 and (have not used chewing tobacco, snuff or dip at least 20 times in their entire life or don't know if they have used chewing tobacco, snuff or dip at least 20 times in their entire life)] or or have used chewing tobacco, snuff or dip at least 20 times in their entire life/

/ASK IF (Q2 AGE EQ (18-29) AND Q43 CSDPAST EQ (2,7)) OR Q43 CSDPAST EQ 1/

44. Do you now use chewing tobacco, snuff, or dip every day, some days, rarely, or not at all?
1. EVERY DAY → GO TO Q46 SNUSHEARD
 2. SOME DAYS → GO TO Q46 SNUSHEARD
 3. RARELY → GO TO Q46 SNUSHEARD
 4. NOT AT ALL → IF Q43 CSDPAST EQ 1, GO TO Q41 SNUSHEARD

 7. DON'T KNOW/NOT SURE → IF Q43 CSDPAST EQ 1, GO TO Q41 SNUSHEARD
 9. REFUSED → GO TO Q46 SNUSHEARD

CSDSUSCEPT

Rationale: To monitor susceptibility to initiate use of chewing tobacco, snuff or dip among young adults.

/Asked of respondents who are age 18-29 and [(have not used chewing tobacco, snuff or dip at least 20 times in their entire life) or (don't know if they have used chewing tobacco, snuff or dip at least 20 times in their entire life)]and [(now use chewing tobacco, snuff, or dip not at all) or (don't know if they now use chewing tobacco, snuff, or dip)].

/ASK IF Q2 AGE EQ (18-29) AND Q43 CSDPAST EQ (2,7) AND Q44 CSDNOW EQ (4,7)/

45. Do you think you will chew tobacco, or use snuff or dip within the next year? Would you say...
1. Definitely yes
 2. Probably yes
 3. Probably not
 4. Definitely not

 7. DON'T KNOW/NOT SURE
 9. REFUSED

SNUSHEARD

Rationale: To monitor awareness of novel smokeless tobacco products.

/ASK ALL/

INTERVIEWER: PRONOUNCE "SNUS" TO RHYME WITH GOOSE.

46. Have you ever heard of snus, such as Camel Snus or Marlboro Snus? Snus is a moist, smokeless tobacco usually sold in individual or pre-packaged small pouches that are placed under the lip against the gum.
1. YES
 2. NO → GO TO Q51 DISSHEARD

 7. DON'T KNOW/NOT SURE → GO TO Q51 DISSHEARD
 9. REFUSED → GO TO Q51 DISSHEARD

SNUSEVER

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever heard of snus/

/ASK IF Q46 SNUSHEARD EQ 1/

INTERVIEWER: PRONOUNCE "SNUS" TO RHYME WITH GOOSE. IF RESPONDENT ASKS WHAT SNUS IS, READ: "Snus" is moist, smokeless tobacco, usually sold in individual or pre-packaged small pouches that are placed under the lip against the gum."

47. Have you ever tried snus, even just one time in your entire life?
1. YES
 2. NO → GO TO Q50 SNUSSUSCEPT

 7. DON'T KNOW/NOT SURE → GO TO Q50 SNUSSUSCEPT
 9. REFUSED → GO TO Q51 DISSHEARD

SNUSTIMES

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever tried snus/

/ASK IF Q47 SNUSEVER EQ 1/

INTERVIEWER: PRONOUNCE "SNUS" TO RHYME WITH GOOSE

48. How many times in total do you think you have used snus during your lifetime?

1. 1-10
2. 11-20
3. 21-50
4. Over 50 times

7. DON'T KNOW/NOT SURE
9. REFUSED

SNUSNOW

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever tried snus/

/ASK IF Q47 SNUSEVER EQ 1/

49. Do you now use snus every day, some days, rarely, or not at all?

1. EVERY DAY → GO TO Q51 DISSHEARD
2. SOME DAYS → GO TO Q51 DISSHEARD
3. RARELY → GO TO Q51 DISSHEARD
4. NOT AT ALL

7. DON'T KNOW/NOT SURE
9. REFUSED → GO TO Q51 DISSHEARD

SNUSSUSCEPT

Rationale: To monitor susceptibility to initiate use of snus among all respondents who have never tried snus or don't know if they have tried snus or .

/Asked of respondents who have not tried snus even just one time in their entire life or don't know if they have tried snus even just one time in their life or currently use snus not at all or don't know if they currently use snus every day, some days, rarely, or not at all

/ASK IF Q47 SNUSEVER EQ (2,7) OR Q49 SNUSNOW EQ (4,7)/

50. Do you think you will use snus within the next year? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

DISSHEARD

Rationale: To monitor awareness of novel smokeless tobacco products.

/ASK ALL/

51. Have you ever heard of a dissolvable tobacco product? Some examples of these product names are Ariva, Stonewall, Camel orbs, Camel sticks, or Camel strips. These products contain finely ground tobacco that are placed in the mouth or on the tongue and readily dissolve.

1. YES
2. NO → GO TO DECISIONBOXPRE56

7. DON'T KNOW/NOT SURE → GO TO DECISIONBOXPRE56
9. REFUSED → GO TO DECISIONBOXPRE56

DISSEVER

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever heard of dissolvable tobacco products/

/ASK IF Q51 DISSHEARD EQ 1/

52. Have you ever tried a dissolvable tobacco product, even just one time in your entire life?

1. YES
2. NO → GO TO Q55 DISSUSCEPT

7. DON'T KNOW/NOT SURE → GO TO Q55 DISSUSCEPT
9. REFUSED → GO TO DECISIONBOXPRE56

DISSTIMES

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever tried a dissolvable tobacco product/

/ASK IF Q52 DISSEVER EQ 1/

53. How many times in total do you think you have used a dissolvable tobacco product during your lifetime?

1. 1-10
2. 11-20
3. 21-50
4. Over 50 times

7. DON'T KNOW/NOT SURE
9. REFUSED

DISSNOW

Rationale: To monitor use of novel smokeless tobacco products.

/Asked of respondents who have ever tried any dissolvable tobacco product/

/ASK IF Q52 DISSEVER EQ 1/

54. Do you now use dissolvable tobacco products every day, some days, rarely, or not at all?

1. EVERY DAY → GO TO Q56 SMKLSFLAV
2. SOME DAYS → GO TO Q56 SMKLSFLAV
3. RARELY → GO TO Q56 SMKLSFLAV
4. NOT AT ALL

7. DON'T KNOW/NOT SURE
9. REFUSED → GO TO DECISIONBOXPRE56

DISSUSCEPT

Rationale: To monitor susceptibility to initiate use of dissolvable tobacco products among all respondents who have never previously tried these products.

/Asked of respondents who who have not tried dissolvable tobacco even just one time in their entire life or don't know if they have tried dissolvable tobacco even one time in their entire life or now use a dissolvable tobacco not at all or don't know if they now use a dissolvable tobacco product/

/ASK IF Q52 DISSEVER EQ (2,7) OR Q54 DISSNOW EQ (4,7)/

55. Do you think you will use a dissolvable tobacco product within the next year? Would you say...

1. Definitely yes
2. Probably yes
3. Probably not
4. Definitely not

7. DON'T KNOW/NOT SURE
9. REFUSED

DECISIONBOXPRE56

/ASK ALL/

IF Q43 CSDPAST EQ (2,7,9) AND Q47 SNUSEVER EQ (2,7,9) AND Q52 DISSEVER EQ (2,7,9), GO TO DECISIONBOXPRE58

SMKLSFLAV

Rationale: To monitor use of flavored smokeless tobacco products.

/Asked of respondents who now use chewing tobacco, snuff, dip, snus, or dissolvable tobacco every day, some days, or rarely/

/ASK IF Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

CATI PROGRAMMER: SMKLSLIST = [a list of all smokeless tobacco products the respondent currently uses]

56. In the **past 30 days**, was any of the [FILL SMKLSLIST] that you used flavored to taste like menthol, mint, clove, spice, candy, fruit, chocolate, or other sweets?

1. YES
2. NO

6. RESPONDENT DID NOT USE ANY SMOKELESS TOBACCO PRODUCTS IN THE PAST 30 DAYS

7. DON'T KNOW/NOT SURE
9. REFUSED

SMKLSAGE

Rationale: To monitor susceptibility to use smokeless tobacco products.

/Asked of respondents who have ever used chewing tobacco, snuff or dip every day or have ever tried snus or a dissolvable tobacco product/

/ASK IF Q43 CSDPAST EQ 1 OR Q47 SNUSEVER EQ 1 OR Q52 DISSEVER EQ 1/

/RANGE: 1-130,777,999. VERIFY IF (1-11,31-130)/

57. How old were you when you first tried [FILL SMKLSLIST]?

- ___ . AGE IN YEARS
777. DON'T KNOW/NOT SURE
 999. REFUSED

DECISIONBOXPRE58

/ASK ALL/

IF NOT {(Q12 SMOKEVER EQ 2 OR Q17 SMOKYRAGO EQ 3) AND (Q21 CIGARPAST EQ 1 OR Q31 PIPEWTREVER EQ 1 OR Q28 PIPEREGPAST EQ 1 OR Q37 ECIGEVER EQ 1 OR Q43 CSDPAST EQ 1 OR Q47 SNUSEVER EQ 1 OR Q52 DISSEVER EQ 1) OR [Q2 AGE EQ (18-29) AND (Q22 CIGARNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3))]}, GO TO DECISIONBOXPRE60

TOBACYRAGO

Rationale: To estimate the proportion of respondents using any tobacco product in the past year

/Asked of respondents who [(have never smoked cigarettes) or (have ever smoked cigarettes and were not smoking 12 months ago)] and have ever used at least one other tobacco product/

/ASK IF (Q12 SMOKEVER EQ 2 OR Q17 SMOKYRAGO EQ 3) AND (Q21 CIGARPAST EQ 1 OR Q31 PIPEWTREVER EQ 1 OR Q28 PIPEREGPAST EQ 1 OR Q37 ECIGEVER EQ 1 OR Q43 CSDPAST EQ 1 OR Q47 SNUSEVER EQ 1 OR Q52 DISSEVER EQ 1) OR [Q2 AGE EQ (18-29) AND (Q22 CIGARNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3))]/

58. Around this time 12 months ago, were you using **any kind** of tobacco product?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

DECISIONBOXPRE59

/ASK ALL/

IF NOT {[Q3 SMOK100 EQ 1 AND Q4 SMOKNOW EQ 3) OR Q12 SMOKEVER EQ 1] AND [(Q21 CIGARPAST EQ 1 AND Q22 CIGARNOW EQ 4) OR (Q31 PIPEWTREVER EQ 1 AND Q33 PIPEWTRNOW EQ 4) OR (Q28 PIPEREGPAST EQ 1 AND Q29 PIPEREGNOW EQ 4) OR (Q37 ECIGEVER EQ 1 AND Q39 ECIGNOW EQ 4) OR (Q43 CSDPAST EQ 1 AND Q44 CSDNOW EQ 4) OR (Q47 SNUSEVER AND Q49 SNUSNOW EQ 4) OR (Q52 DISSEVER AND Q54 DISSNOW EQ 4)]}, GO TO DECISIONBOXPRE62

OTHQUITALL

Rationale: To monitor cessation of tobacco products.

/Asked of respondents who have ever used a tobacco product other than cigarettes and do not now use any tobacco product = respondents [(who have smoked 100 cigarettes in their entire life and now smoke not at all) or have ever smoked a cigarette] and have ever used a non-cigarette tobacco product in the past and now do not use any non-cigarette tobacco product/

/ASK IF [(Q3 SMOK100 EQ 1 AND Q4 SMOKNOW EQ 3) OR Q12 SMOKEVER EQ 1] AND [(Q21 CIGARPAST EQ 1 AND Q22 CIGARNOW EQ 4) OR (Q31 PIPEWTREVER EQ 1 AND Q33 PIPEWTRNOW EQ 4) OR (Q28 PIPEREGPAST EQ 1 AND Q29 PIPEREGNOW EQ 4) OR (Q37 ECIGEVER EQ 1 AND Q39 ECIGNOW EQ 4) OR (Q43 CSDPAST EQ 1 AND Q44 CSDNOW EQ 4) OR (Q47 SNUSEVER AND Q49 SNUSNOW EQ 4) OR (Q52 DISSEVER AND Q54 DISSNOW EQ 4)]/

59. Have you completely quit using all types of tobacco products, including cigarettes, smokeless tobacco, e-cigarettes, cigars and pipes?

1. YES
2. NO → GO TO DECISIONBOXPRE62

7. DON'T KNOW/NOT SURE → GO TO DECISIONBOXPRE62
9. REFUSED → GO TO DECISIONBOXPRE62

OTHQUIT1, OTHQUIT2, OTHQUIT3

Rationale: To monitor cessation of tobacco products.

/Asked of respondents who have completely quit using all types of tobacco products/

/ASK IF Q59 OTHQUITALL/

60. About how long has it been since you completely quit using tobacco?

NUMBER: (_ _) OTHQUIT1

UNIT: (_) OTHQUIT2

RANGE: 1-500. VERIFY IF (366-500) 1. DAY(S) AGO

RANGE: 1-150. VERIFY IF (53-150) 2. WEEK(S) AGO

RANGE: 1-60. VERIFY IF (19-60) 3. MONTH(S) AGO

RANGE: 1-90. VERIFY IF (51-90) 4. YEAR(S) AGO

Range: 1-130. VERIFY IF (1-10) 5. AGE

666. DATE 6. DATE

888. TODAY 8. TODAY

777. DON'T KNOW/NOT SURE 7. DON'T KNOW/NOT SURE

999. REFUSED 9. REFUSED

60A. **INTERVIEWER: Enter date in OTHQUIT3 as mm/dd/yyyy.**

Addiction

DECISIONBOXPREERROR: REFERENCE SOURCE NOT FOUND

/ASK ALL/

EVERYDAYPRODUCTCOUNT= 0 +1 for every product the respondents use everyday [where SMOKNOW=1 / CIGARNOW=1 / PIPEWTRNOW= 1/ PIPEREGNOW= 1 / ECIGNOW= 1 / CSDNOW= 1 / SNUSNOW= 1/ DISSNOW= 1] Range= 0-8

SOMEDAYPRODUCTCOUNT= 0 +1 for every product the respondent uses somedays/rarely [where SMOKNOW=2 / CIGARNOW=2,3 / PIPEWTRNOW= 2,3/ PIPEREGNOW= 2,3 / ECIGNOW= 2,3 / CSDNOW= 2,3 / SNUSNOW= 2,3/ DISSNOW= 2,3] Range= 0-8

TOBACLIST= [a list of all tobacco products the respondent currently uses]

IF EVERYDAYPRODUCTCOUNT EQ (1-8), GO TO Q62 SMOKWAKE; ELSE IF SOMEDAYPRODUCTCOUNT EQ (0,1), GO TO Q63 AWAKEN; ELSE IF Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO DECISIONBOXPRE68

SOMEDAYUSE

/Asked of respondents who do not use any tobacco product every day and who use two or more tobacco products some days or rarely/

/ASK IF EVERYDAYPRODUCTCOUNT EQ 0 AND SOMEDAYPRODUCTCOUNT EQ (2-8)

61. Previously you mentioned that you used [INSERT TOBACLIST] on some days or rarely.

Thinking about these products, are there some days when you do not use [FILL IF SOMEDAYPRODUCTCOUNT EQ 2: "either product?"/ELSE FILL IF SOMEDAYPRODUCTCOUNT EQ (3-8): "any of these products?"]

1. YES → GO TO Q63 AWAKEN
2. NO

7. DON'T KNOW/NOT SURE → GO TO Q63 AWAKEN
9. REFUSED → GO TO Q63 AWAKEN

SMOKWAKE1, SMOKWAKE2

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use a tobacco product every day/

/ASK IF EVERYDAYPRODUCTCOUNT EQ (1-8) OR Q61 SOMEDAYUSE EQ 2/

62. Thinking about [FILL TOBACLIST], on average, how soon after you wake up do you usually first use [FILL IF EVERYDAYPRODUCTCOUNT EQ (2-8): "one of these products?"/ELSE FILL IF SOMEDAYUSE EQ 1: "this product?"]

NUMBER: (_ _) SMOKWAKE1	UNIT: (_) SMOKWAKE2
RANGE: 0-120. VERIFY IF (61-120)	1. MINUTES
RANGE: 1-24. VERIFY IF (3-24)	2. HOURS
777. DON'T KNOW/NOT SURE	7. DON'T KNOW/NOT SURE
999. REFUSED	9. REFUSED

AWAKEN

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

63. Do you sometimes wake up at night in order to have a cigarette or other tobacco product?

1.	YES
2.	NO
7.	DON'T KNOW/NOT SURE
9.	REFUSED

TOBACCRAVE

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

64. During the past 30 days, have you had a strong craving to use tobacco products of any kind?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

TOBACNEED

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

65. During the past 30 days, did you ever feel like you really needed to use a tobacco product?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

TOBACWANT

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

66. During the past 30 days, was there a time when you wanted to use a tobacco product so much that you found it difficult to think of anything else?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

TOBACIRRIT

Rationale: To monitor levels of addiction to nicotine.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

67. How true is this statement for you? After not using tobacco for a while, I feel restless and irritable. Would you say...

1. Not at all true?
2. Sometimes true?
3. Often true?
4. Always true?

7. DON'T KNOW/NOT SURE
9. REFUSED

Cessation

DECISIONBOXPRE68

/ASK ALL/

IF Q3 SMOK100 EQ 1 AND Q4 SMOKNOW EQ (3,7,9) AND Q11 SMOKLAST LESS THAN OR EQUAL TO 12 MONTHS AND Q37 ECIGEVER EQ 1, GO TO Q69 ECIGSWITCH; ELSE IF Q3 SMOK100 EQ 1 AND Q4 SMOKNOW EQ (3,7,9) AND Q11 SMOKLAST LESS THAN OR EQUAL TO 12 MONTHS AND Q37 ECIGEVER EQ (2,7,9), GO TO Q70 SMKLSSWITCH; ELSE GO TO DECISIONBOX73

QUITATTEMPT

Rationale: To monitor frequency of attempts to quit smoking.

/Asked of respondents who now smoke cigarettes every day or some days/

/ASK IF Q4 SMOKNOW EQ (1,2)/

68. During the past 12 months, have you stopped smoking for 24 hours or more because you were trying to quit?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q4 SMOKNOW EQ 1 OR Q9 SMOKDAYS30 EQ (1-30) OR Q11 SMOKLAST EQ (GREATER THAN 12 MONTHS, DON'T KNOW/NOT SURE, REFUSED), GO TO Q71 QUITCIGS

ECIGSWITCH

Rationale: To monitor replacement of cigarettes with other tobacco products.

/Asked of respondents who have quit smoking cigarettes in the past 12 months and have ever used e-cigarettes/

/ASK IF Q11 SMOKLAST LESS THAN OR EQUAL TO 12 MONTHS AND Q37 ECIGEVER EQ 1/

69. At any time during the past 12 months, did you completely switch from smoking traditional cigarettes to using electronic or e-cigarettes?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

SMKLSSWITCH

Rationale: To monitor replacement of cigarettes with other tobacco products.

Asked of respondents who have quit smoking cigarettes in the past 12 months

/ASK IF Q11 SMOKLAST LESS THAN OR EQUAL TO 12 MONTHS/

70. At any point during the past 12 months, did you completely switch from smoking cigarettes to using a smokeless tobacco product, such as chewing tobacco, dip, snuff, or snus?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q4 SMOKNOW EQ (3,7,9) GO TO DECISIONBOXPRE73

QUITCIGS

Rationale: To monitor the proportion of smokers contemplating quitting smoking.

/Asked of respondents who now smoke cigarettes every day or some days/

/ASK IF Q4 SMOKNOW EQ (1,2)/

71. Are you thinking about quitting cigarettes for good?
1. YES
 2. NO → GO TO DECISIONBOXPRE73

 7. DON'T KNOW/NOT SURE → GO TO DECISIONBOXPRE73
 9. REFUSED → GO TO DECISIONBOXPRE73

QUITCIGSOON

Rationale: To monitor the proportion of smokers contemplating quitting smoking.

/Asked of respondents who are thinking about quitting smoking for good/

/ASK IF Q71 QUITCIGS EQ 1/

72. How soon are you likely to quit smoking? Would you say...
1. within the next 30 days
 2. within the next 6 months
 3. within the year
 4. longer than a year

 7. DON'T KNOW/NOT SURE
 9. REFUSED

DECISIONBOXPRE73

/ASK ALL/

IF NOT {[Q71 QUITCIGS EQ 1 AND (Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3))] OR [Q4 SMOKNOW EQ (3,7,9) AND (Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3))]}, GO TO DECISIONBOXPRE75

QUITALLTOBAC

Rationale: To monitor the proportion of tobacco users contemplating quitting all tobacco use.

/Asked of respondents [who are thinking about quitting cigarettes for good and now use at least one other tobacco product every day, some days, or rarely] or non-cigarette smokers who use any other tobacco product every day, some days, or rarely/

/ASK IF [Q71 QUITCIGS EQ 1 AND (Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3))] OR [Q4 SMOKNOW EQ (3,7,9) AND (Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3))]/

73. Are you thinking about quitting the use of all tobacco products for good?

1. YES
2. NO → GO TO DECISIONBOXPRE75

7. DON'T KNOW/NOT SURE → GO TO DECISIONBOXPRE75
9. REFUSED → GO TO DECISIONBOXPRE75

QUITALLTOBACSOON

Rationale: To monitor the proportion of tobacco users contemplating quitting tobacco use.

/Asked of respondents who are thinking about quitting all tobacco products/

/ASK IF Q73 QUITALLTOBAC EQ 1/

74. How soon are you likely to quit using all tobacco products? Would you say...

1. within the next 30 days
2. within the next 6 months
3. within the year
4. longer than a year

7. DON'T KNOW/NOT SURE
9. REFUSED

DECISIONBOXPRE75

/ASK ALL/

IF Q2 AGE EQ (18-29) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q76 PROMO; ELSE IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q78 WARNLOOKCIG

QUITPASTYR

Rationale: To estimate the number of tobacco users that made at least one attempt to quit all forms of tobacco use within the past year

/Asked of respondents who now smoke cigarettes every day or some days or use any other tobacco product every day, some days, or rarely /

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

75. During the past 12 months, did you stop using **all kinds** of tobacco products for more than one day because you were trying to quit using tobacco?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

Marketing/Public Education

PROMO1-PROMO4

Rationale: To measure exposure to different types of prohibited tobacco marketing and promotion.

/Asked of respondents who are age 18-29 or who now smoke cigarettes every day or some days or use any other tobacco product every day, some days, or rarely/

/ASK IF Q2 AGE EQ (18-29) OR Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

76.

(1. YES, 2. NO, 7. DON'T KNOW/NOT SURE, 9. REFUSED)

PROMO1	76A.	Have you noticed promotions for free samples of cigarettes, in the past 30 days?	(_)
PROMO2	76B.	Have you noticed promotions for free samples of smokeless tobacco products in stores and venues where children are allowed, in the past 30 days?	(_)
PROMO3	76C.	(Have you noticed promotions for) events being sponsored by a cigarette or smokeless tobacco brand name or logo,(in the past 30 days)?	(_)
PROMO4	76D.	(Have you noticed promotions for) cigarettes sold singly in stores, otherwise known as "loosies," (in the past 30 days)?	(_)

RECVPROMO1-RECVPROMO8, RECVPROMO_OTH

Rationale: To measure exposure to different types of tobacco marketing and promotion.

/Asked of respondents who are age 18-29 or who now smoke cigarettes every day or some days or use any other tobacco product every day, some days, or rarely/

/ASK IF Q2 AGE EQ (18-29) OR Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

/LENGTH OF RECVPROMO_OTH=40/

77.

(1. YES, 2. NO, 3. DON'T KNOW/NOT SURE, 9. REFUSED)

- | | | | |
|-------------------|------|---|-------|
| RECVPROMO1 | 77A. | Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions in the mail for any tobacco product in the past 30 days? | (_) |
| RECVPROMO2 | 77B. | Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions from the internet for any tobacco product in the past 30 days? | (_) |
| RECVPROMO3 | 77C. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) in an email sent by a tobacco company (for any tobacco product in the past 30 days)? | (_) |
| RECVPROMO4 | 77D. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) with the purchase of any tobacco product, (in the past 30 days)?? | (_) |
| RECVPROMO5 | 77E. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) with the purchase of a non-tobacco product, (in the past 30 days)?? | (_) |
| RECVPROMO6 | 77F. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) at an event, bar, or nightclub for any tobacco product in the past 30 days? | (_) |
| RECVPROMO7 | 77G. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) from friends or family (for any tobacco product in the past 30 days)? | (_) |
| RECVPROMO8 | 77H. | (Did you receive coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions) from some other source (for any tobacco product in the past 30 days)? | (_) |

INTERVIEWER: IF RESPONDENT HAS RECEIVED A PROMOTION FROM ANOTHER SOURCE, READ:

- | | | | |
|----------------------|------|---|-------|
| RECVPROMO_OTH | 77I. | What was the source of the promotion that you received? | (_) |
|----------------------|------|---|-------|

WARNLOOKCIG

Rationale: To monitor awareness of graphic health warnings

/ASK ALL/

78. How often, if at all, have you seen a health warning on cigarette packs in the past 30 days?
Would you say...

1. Very often
2. Often
3. Sometimes
4. Rarely
5. Never → GO TO Q82 WARNLOOKSMKLS

7. DON'T KNOW/NOT SURE → GO TO Q82 WARNLOOKSMKLS
9. REFUSED → GO TO Q82 WARNLOOKSMKLS

WARNSTOPCIG

Rationale: To monitor response to graphic health warnings

/Asked of respondents who have very often, often, sometimes, or rarely seen health warnings on cigarette packs in the past 30 days/

/ASK IF Q78 WARNLOOKCIG EQ (1,2,3,4)/

79. In the past 30 days, has a health warning on a cigarette pack stopped you from having a cigarette when you were about to smoke one? Would you say...

1. Many times
2. A few times
3. Once
4. Never
5. I did not have an urge to smoke a cigarette in the past 30 days.

7. DON'T KNOW/NOT SURE
9. REFUSED

WARNAVDCIG

Rationale: To monitor response to graphic health warnings

/Asked of respondents who have very often, often, sometimes, or rarely seen health warnings on cigarette packs in the past 30 days/

/ASK IF Q78 WARNLOOKCIG EQ (1,2,3,4)/

80. In the past 30 days, have you done anything to avoid seeing health warnings on cigarette packs?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

WARNRISKCIG

Rationale: To monitor response to graphic health warnings

/Asked of respondents who have very often, often, sometimes, or rarely seen health warnings on cigarette packs in the past 30 days/

/ASK IF Q78 WARNLOOKCIG EQ (1,2,3,4)/

81. How often, if at all, have you thought about the health risks of smoking cigarettes in the past 30 days? Would you say...

1. Very often
2. Often
3. Sometimes
4. Rarely
5. Never

7. DON'T KNOW/NOT SURE
9. REFUSED

WARNLOOKSMKLS

Rationale: To monitor awareness of health warnings

/ASK ALL/

82. How often, if at all, have you seen health warnings on smokeless tobacco packages in the past 30 days? Would you say...

1. Very often
2. Often
3. Sometimes
4. Rarely
5. Never

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q82 WARNLOOKSMKLS EQ (5,7,9): IF AGE EQ (18-29) OR Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3), GO TO Q85 WARNNOTICE; ELSE GO TO Q93 MARITAL2

WARNSTOPSMKLS

Rationale: To monitor response to graphic health warnings

/Asked of respondents who have very often, often, sometimes, or rarely seen health warnings on smokeless tobacco packages in the past 30 days/

/ASK IF Q82 WARNLOOKSMKLS EQ (1,2,3,4)/

83. In the past 30 days, have the health warnings on smokeless tobacco packages stopped you from using smokeless tobacco when you were about to? Would you say...

1. Many times
2. A few times
3. Once
4. Never
5. I did not have an urge to use smokeless tobacco in the past 30 days.

7. DON'T KNOW/NOT SURE
9. REFUSED

WARNRISKSMKLS

Rationale: To monitor response to graphic health warnings

/Asked of respondents who have very often, often, sometimes, or rarely seen health warnings on smokeless tobacco packages in the past 30 days/

/ASK IF Q82 WARNLOOKSMKLS EQ (1,2,3,4)/

84. How often, if at all, have you thought about the health risks of using smokeless tobacco in the past 30 days? Would you say...

1. Very often
2. Often
3. Sometimes
4. Rarely
5. Never

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q93 MARITAL2

WARNNOTICE

Rationale: to measure exposure to health warnings on advertisements.

/Asked of respondents who are age 18-29 or who now use any tobacco product/

/ASK IF Q2 AGE EQ (18-29) OR Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

85. In the past 30 days, have you noticed any health warnings on tobacco advertisements in stores where tobacco products are sold?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q2 AGE EQ (18-29) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q93 MARITAL2

CHEMSEEN

Rationale: To monitor awareness and risk perceptions of constituents in tobacco products.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)

86. How often have you seen a list of the chemicals contained in tobacco products in the past twelve months? Would you say...?

1. Never
2. Rarely
3. Sometimes
4. Often

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q4 SMOKNOW EQ (3,7,9) , GO TO Q93 MARITAL2

Purchasing

BGHTPAST30D

Rationale: To understand smokers' purchasing patterns.

/Asked of respondents who now smoke cigarettes every day or some days/

/ASK IF Q4 SMOKNOW EQ (1,2)/

87. Have you bought any cigarettes for yourself in the past 30 days, that is, since [DATE FILL]?

1. YES
2. NO → GO TO Q93 MARITAL2

7. DON'T KNOW/NOT SURE → GO TO Q93 MARITAL2
9. REFUSED → GO TO Q93 MARITAL2

BUYQUANT2

Rationale: To obtain information on the cost of cigarettes.

Rationale: Screener for Q89 COSTPACK2 AND Q90 COSTCARTON2.

/Asked of respondents who bought cigarettes for themselves in the past 30 days/

/ASK IF Q87 BGHTPAST30D EQ 1/

88. The last time you bought cigarettes for yourself, did you buy them by the pack, by the carton, or as singles or loose cigarettes?

1. BY THE PACK
2. BY THE CARTON → GO TO Q90 COSTCARTON2
3. AS SINGLES OR LOOSE CIGARETTES → GO TO Q91 BUYWHERE
4. OTHER (SPECIFY) → GO TO Q91 BUYWHERE

7. DON'T KNOW/NOT SURE → GO TO Q91 BUYWHERE
9. REFUSED → GO TO Q91 BUYWHERE

COSTPACK2

Rationale: To obtain information on the cost of cigarettes.

/Asked of respondents who last bought cigarettes for themselves by the pack/

/ASK IF Q88 BUYQUANT2 EQ 1/

/RANGE: \$.01-\$20.00,7777,9999. VERIFY IF (01-2.99,8.50-20.00)/

INTERVIEWER: IF RESPONDENT ASKS ABOUT DISCOUNTS OR COUPONS, READ:

Please report the cost after discounts or coupons.

89. What price did you pay for the last pack of cigarettes you bought?

_____. AMOUNT PAID FOR LAST PACK OF CIGARETTES (IN CENTS, 2 IMPLIED DECIMALS)

7777. DON'T KNOW/NOT SURE

9999. REFUSED

GO TO Q91 BUYWHERE

COSTCARTON2

Rationale: To obtain information on the cost of cigarettes.

/Asked of respondents who last bought cigarettes for themselves by the carton/

/ASK IF Q88 BUYQUANT2 EQ 2/

/RANGE: \$10.00-\$90.00,7777,9999. VERIFY IF (10.00-18.50,69.00-90.00)</

INTERVIEWER: IF RESPONDENT ASKS ABOUT DISCOUNTS OR COUPONS, READ: Please report the cost after discounts or coupons.

90. What price did you pay for the last carton of cigarettes you bought?

_____. AMOUNT PAID FOR LAST CARTON OF CIGARETTES
(IN CENTS, 2 IMPLIED DECIMALS)

7777. DON'T KNOW/NOT SURE

9999. REFUSED

BUYWHERE, BUYWHERE_OTH

Rationale: To obtain information on the purchasing habits of cigarette consumers.

/Asked of respondents who bought cigarettes for themselves in the past 30 days/

/ASK IF Q87 BGHTPAST30D EQ 1/

91. The last time you bought cigarettes for yourself, did you buy them...

1. At a convenience store or gas station
2. At a supermarket
3. At a liquor store
4. At a drug store
5. At a tobacco discount store
6. At another discount store, such as Wal-Mart or Costco
7. On an Indian reservation
8. From a vending machine
9. On the internet
10. From another person
11. OTHER (SPECIFY)

77. DON'T KNOW/NOT SURE
99. REFUSED

SPECOFFERS

Rationale: To obtain information about industry marketing strategies.

/Asked of respondents who bought cigarettes for themselves in the past 30 days/

/ASK IF Q87 BGHTPAST30D EQ 1/

92. In the past 30 days, did you use coupons, rebates, buy 1 get 1 free, 2 for 1, or any other special promotions when you bought cigarettes?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

Demographics

PRE93

/ASK ALL/

Now I would like to ask you some questions about yourself and your family. Please remember that your answers will be treated in a secure manner and that no one will be able to identify you from any published reports.

MARITAL2

Rationale: Key covariate

/ASK ALL/

INTERVIEWER: IF RESPONDENT ANSWERS "SINGLE," PLEASE VERIFY THAT S/HE WAS NEVER MARRIED. IF RESPONDENT IS UNSURE BETWEEN "LIVING WITH A PARTNER" AND ANY OTHER RESPONSE CATEGORY, CODE AS "LIVING WITH A PARTNER."

93. Are you **now**...?

- 01. Married
- 02. Living with a partner
- 03. Divorced
- 04. Widowed
- 05. Separated
- 06. Single, that is, never married **and not** now living with a partner
- 96. OTHER (SPECIFY)

- 77. DON'T KNOW/NOT SURE
- 99. REFUSED

HISPANIC

Rationale: Key covariate

/ASK ALL/

94. Are you Hispanic or Latino, or of Spanish origin?

- 1. YES
- 2. NO → GO TO Q96 RACEMULTI

- 7. DON'T KNOW/NOT SURE → GO TO Q96 RACEMULTI
- 9. REFUSED → GO TO Q96 RACEMULTI

HISPMULTI1-HISPMULTI4, HISPMULTI_OTH

Rationale: Key covariate

/ASK IF Q94 HISPANIC EQ 1/

/LENGTH OF HISPMULTI_OTH=40/

INTERVIEWER: CODE ANY HYPENATED RESPONSE ENDING IN “-AMERICAN” TO THE FIRST GROUP MENTIONED. IF A RESPONDENT MENTIONS A COUNTRY IN CENTRAL OR SOUTH AMERICA, HISPMULTI4=1

95. Which **one or more** of the following describes your Hispanic origin or ancestry?

(1. YES, 2. NO, 7. DON'T KNOW/NOT SURE, 9. REFUSED)

HISPMULTI1	95A.	Mexican, Mexican American, Chicano	(_)
HISPMULTI2	95B.	Puerto Rican	(_)
HISPMULTI3	95C.	Cuban	(_)
HISPMULTI4	95D.	Another Hispanic, Latino, or Spanish origin	(_)
HISPMULTI_OTH	95E.	SPECIFY	(_____)

RACEMULTI1-RACEMULTI6, RACEMULTI_OTH

Rationale: Key covariate

/ASK ALL/

/LENGTH OF RACEMULTI_OTH=40/

INTERVIEWER: IF RESPONDENT VOLUNTEERS INFORMATION PRIOR TO YOUR HAVING READ THE RESPONSE LIST OR IN THE MIDDLE OF YOU READING THE RESPONSE LIST, OK TO CODE WITHOUT READING FULL LIST. IF THIS HAPPENS, PLEASE PROBE WITH "In addition to "XXX" are there any other racial categories that describe you." TO SEE IF MORE THAN ONE CATEGORY IS APPROPRIATE.

96. I'm going to read a list of racial categories. Which **one or more** of the following do you consider yourself to be?

(1. YES, 2. NO, 7. DON'T KNOW/NOT SURE, 9. REFUSED)

RACEMULTI1	96A.	White	(_)
RACEMULTI2	96B.	Black or African American	(_)
RACEMULTI3	96C.	Asian	(_)
RACEMULTI4	96D.	Native Hawaiian or Other Pacific Islander	(_)
RACEMULTI5	96E.	American Indian or Alaska Native	(_)
RACEMULTI6	96F.	Some other racial category	(_)
RACEMULTI_OTH	96G.	SPECIFY	(_____)

IF Q96C RACEMULTI3 EQ 1, GO TO Q97 ASIANMULTI; ELSE IF (Q96C RACEMULTI3 NE 1 AND Q96D RACEMULTI4 EQ 1), GO TO Q98 NHPOIMULTI; ELSE GO TO Q99 EDUCA2

ASIANMULTI1-ASIANMULTI7, ASIANMULTI_OTH

Rationale: Key covariate

/ASK IF Q96C RACEMULTI3 EQ 1/

/LENGTH OF ASIANMULTI_OTH=40/

97. Which **one or more** of the following describes your Asian ancestry?

(1. YES, 2. NO, 7. DON'T KNOW/NOT SURE, 9. REFUSED)

- | | | | |
|----------------|------|---------------------------|-----------|
| ASIANMULTI1 | 97A. | Asian Indian | (_) |
| ASIANMULTI2 | 97B. | Chinese | (_) |
| ASIANMULTI3 | 97C. | Filipino | (_) |
| ASIANMULTI4 | 97D. | Japanese | (_) |
| ASIANMULTI5 | 97E. | Korean | (_) |
| ASIANMULTI6 | 97F. | Vietnamese | (_) |
| ASIANMULTI7 | 97G. | Some other Asian category | (_) |
| ASIANMULTI_OTH | 97H. | SPECIFY | (_____) |

IF Q96D RACEMULTI4 EQ 1, GO TO Q98 NHPOIMULTI; ELSE GO TO Q99 EDUCA2

NHOPIMULTI1-NHOPIMULTI4, NHOPIMULTI_OTH

Rationale: Key covariate

/ASK IF Q96D RACEMULTI4 EQ 1/

/LENGTH OF NHOPIMULTI_OTH=40/

98. Which **one or more** of the following describes your Native Hawaiian or other Pacific Islander ancestry?

(1. YES, 2. NO, 7. DON'T KNOW/NOT SURE, 9. REFUSED)

- | | | | |
|----------------|------|--------------------------------------|---------|
| NHOPIMULTI1 | 98A. | Native Hawaiian | (_) |
| NHOPIMULTI2 | 98B. | Guamanian or Chamorro | (_) |
| NHOPIMULTI3 | 98C. | Samoan | (_) |
| NHOPIMULTI4 | 98D. | Some other Pacific Islander category | (_) |
| NHOPIMULTI_OTH | 98E. | SPECIFY | (___) |

EDUCA2

Rationale: Key covariate

/ASK ALL/

99. What is the highest level of school you have completed or the highest degree you have received?

INTERVIEWER: READ ONLY IF NECESSARY.

01. 5TH GRADE OR LESS
02. 6TH GRADE
03. 7TH GRADE
04. 8TH GRADE
05. 9TH GRADE
06. 10TH GRADE
07. 11TH GRADE
08. 12TH GRADE, NO DIPLOMA
09. GED OR EQUIVALENT
10. HIGH SCHOOL DIPLOMA
11. SOME COLLEGE, NO DEGREE
12. CERTIFICATE, DIPLOMA, OR ASSOCIATE DEGREE: OCCUPATIONAL, TECHNICAL, OR VOCATIONAL PROGRAM
13. ASSOCIATE DEGREE: ACADEMIC PROGRAM
14. BACHELOR'S DEGREE
15. MASTER'S DEGREE
16. PROFESSIONAL SCHOOL DEGREE (EXAMPLES: MD, DDS, DVM, LLB, JD)
17. DOCTORAL DEGREE (EXAMPLES: PHD, EDD)

77. DON'T KNOW/NOT SURE
99. REFUSED

GENDER

Rationale: Key covariate

/ASK ALL/

INTERVIEWER: ASK ONLY IF NECESSARY.

100. Are you male or female?

1. MALE
2. FEMALE

7. DON'T KNOW/NOT SURE
9. REFUSED

IF SAMPLE FILE TYPE EQ CELL PHONE, GO TO Q107 STATEFIPS

TELNOSGT1

Rationale: Needed for weighting.

/ASK IF SAMPLE FILE TYPE EQ LANDLINE/

101. Now I'm going to ask you about how many different telephone numbers your household has. Do not include numbers that are only used by a computer or fax machine. Also, do not include cell phone telephone numbers. Do you have more than one landline telephone number in your household?

INTERVIEWER, READ ONLY IF NECESSARY: By landline telephone, we mean a "regular" telephone in your home that is connected to outside telephone lines through a cable or cord and is used for making or receiving calls. Please include landline phones used for both business and personal use.

NOTE: TELEPHONE SERVICE OVER THE INTERNET COUNTS AS LANDLINE SERVICE.

1. YES
2. NO → GO TO Q103 CELLPERS

7. DON'T KNOW/NOT SURE → GO TO Q103 CELLPERS
9. REFUSED → GO TO Q103 CELLPERS

TELNOSRES

Rationale: Needed for weighting.

/ASK IF Q101 TELNOSGT1 EQ 1/

/RANGE: 0-6,8,9/

102. How many of these are residential numbers?

INTERVIEWER: ENTER 6 IF NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IS 6 OR MORE.

- .. NUMBER OF RESIDENTIAL TELEPHONE NUMBERS
- 8. NONE
- 7. DON'T KNOW/NOT SURE
- 9. REFUSED

CELLPERS

Rationale: for data weighting on the combined cell and landline data

/ASK IF SAMPLE FILE TYPE EQ LANDLINE/

103. Do you have a cell phone for personal use? Please include cell phones used for both business and personal use.

- 1. YES → GO TO Q105 CELLUSUAL
- 2. NO
- 7. DON'T KNOW/NOT SURE
- 9. REFUSED

CELLSHARE

Rationale: For data weighting purpose

/Asked of respondents who do not have a cell phone for personal use, don't know or are not sure if they have a cell phone for personal use, or refused to say whether or not they have a cell phone for personal use/

/ASK IF Q103 CELLPERS EQ (2,7,9)/

104. Do you share a cell phone for personal use (at least one-third of the time) with other adults?

1. YES → GO TO Q106 CELLPCTSH
2. NO → GO TO Q107 STATEFIPS

7. DON'T KNOW/NOT SURE → GO TO Q107 STATEFIPS
9. REFUSED → GO TO Q107 STATEFIPS

CELLUSUAL

Rationale: For data weighting purpose

/Asked of respondents who have a cell phone for personal use/

/ASK IF Q103 CELLPERS EQ 1/

105. Do you usually share this cell phone (at least one-third of the time) with any other adults?

1. YES
2. NO

7. DON'T KNOW/NOT SURE
9. REFUSED

CELLPCTSH

Rationale: For data weighting purpose

/Asked of respondents who have a cell phone for personal use or share a cell phone for personal use (at least one-third of the time) with other adults/

/ASK IF Q103 CELLPERS EQ 1 OR Q104 CELLSHARE EQ 1/

/RANGE: 0-100,777,999/

INTERVIEWER, READ ONLY IF NECESSARY: By landline telephone, we mean a “regular” telephone in your home that is connected to outside telephone lines through a cable or cord and is used for making or receiving calls. Please include landline phones used for both business and personal use.

NOTE: TELEPHONE SERVICE OVER THE INTERNET COUNTS AS LANDLINE SERVICE.

106. Thinking about all of the phone calls that you have received over the past 30 days on your landline and cell phone, what percent, between 0 and 100, are received on your cell phone?

___ . PERCENT OF INCOMING PHONE CALLS RECEIVED ON CELL PHONE

777. DON'T KNOW/NOT SURE

999. REFUSED

STATEFIPS

Rationale: Key covariate

/ASK ALL/

/RANGE: 1-56,77,99/

107. What state do you live in?

__ . STATE FIPS CODE

77. DON'T KNOW/NOT SURE

99. REFUSED

ZIPCODE

Rationale: Key covariate

/ASK ALL/

108. What is your ZIP Code?

_____. ZIP CODE

777. DON'T KNOW/NOT SURE

999. REFUSED

Knowledge/Attitudes/Perceptions

SMKADDICT

Rationale: To monitor risk perceptions of cigarette smoking.

/ASK ALL/

109. Overall, would you say that cigarette smoking is—...?

1. Not at all addictive
2. Moderately addictive
3. Very addictive

7. DON'T KNOW/NOT SURE

9. REFUSED

CGRADDICT

Rationale: To monitor risk perceptions of cigar smoking.

/ASK ALL/

110. Overall, would you say that cigar smoking is—...?

1. Not at all addictive
2. Moderately addictive
3. Very addictive

7. DON'T KNOW/NOT SURE

9. REFUSED

SMKLSADDICT

Rationale: To monitor risk perceptions of smokeless tobacco use.

/ASK ALL/

111. Overall, would you say that smokeless tobacco use is—...?

1. Not at all addictive
2. Moderately addictive
3. Very addictive

7. DON'T KNOW/NOT SURE
9. REFUSED

HARMCIG

Rationale: To monitor risk perceptions of cigarette smoking.

/ASK ALL/

112. How harmful do you think cigarette smoking is to a person's health?

1. Not at all harmful
2. Moderately harmful
3. Very harmful

7. DON'T KNOW/NOT SURE
9. REFUSED

HARMCIGAR

Rationale: To monitor risk perceptions of cigar smoking.

/ASK ALL/

113. How harmful do you think cigar smoking is to a person's health?

1. Not at all harmful
2. Moderately harmful
3. Very harmful

7. DON'T KNOW/NOT SURE
9. REFUSED

HARMSMKLS

Rationale: To monitor risk perceptions of smokeless tobacco use.

/ASK ALL/

114. How harmful do you think using smokeless tobacco is to a person's health?

1. Not at all harmful
2. Moderately harmful
3. Very harmful

7. DON'T KNOW/NOT SURE
9. REFUSED

HARMDISS

Rationale: To monitor risk perceptions of smokeless tobacco use.

/ASK ALL/

115. How harmful do you think using dissolvable tobacco is to a person's health?

1. Not at all harmful
2. Moderately harmful
3. Very harmful

7. DON'T KNOW/NOT SURE
9. REFUSED

HARMLONG

Rationale: To monitor risk perceptions of cigarette smoking.

/ASK ALL/

116. How long do you think someone has to smoke before it harms their health? Would you say...

1. Less than a year
2. 1 year
3. 5 years
4. 10 years
5. 20 years or more

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q2 AGE EQ (18-29) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9), GO TO Q118 HARMSOME; ELSE IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND (Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)), GO TO Q119 SMKLSHALF; ELSE IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9) AND (Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3)), GO TO Q120 CHEMTHINK; ELSE IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q123 HOMEULES2

CIGHALF

Rationale: To monitor risk perceptions of cigarette or cigar smoking.

/Asked of respondents who now smoke every day or some days or who now smoke cigars every day some days, or rarely/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3)/

117. How much do you think your risk of developing a smoking-related disease would decrease if you cut the amount that you smoke in half? Would you say...

1. Not at all
2. A little
3. Somewhat
4. A lot

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKENOW EQ (3,7,9) AND (Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)), GO TO Q119 SMKLSHALF; ELSE IF Q2 AGE EQ (7,9,30-130) AND Q4 SMOKENOW EQ (3,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q120 CHEMTHINK

HARMSOME

Rationale: To monitor risk perceptions of cigarette smoking among young adults or current smokers.

/Asked of respondents who are age 18-29 or now smoke cigarettes every day or some days/

/ASK IF Q2 AGE EQ (18-29) OR Q4 SMOKENOW EQ (1,2)/

118. How much do you think people harm themselves when they smoke cigarettes some days but not every day? Would you say...

1. Not at all
2. A little
3. Somewhat
4. A lot

7. DON'T KNOW/NOT SURE
9. REFUSED

IF [Q2 AGE EQ (18-29) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9) AND (Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3))] OR (Q2 AGE EQ (7,9,30-130) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9)), GO TO GO TO Q120 CHEMTHINK; ELSE IF Q2 AGE EQ (18-29) AND Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9) AND Q39 ECIGNOW EQ (4,7,9) AND Q44 CSDNOW EQ (4,7,9) AND Q49 SNUSNOW EQ (4,7,9) AND Q54 DISSNOW EQ (4,7,9), GO TO Q123 HOMEULES

SMKLSHALF

Rationale: To monitor risk perceptions of smokeless tobacco products.

/Asked of respondents who now use chewing tobacco, snuff, dip, snus, or dissolvable tobacco every day, some days, or rarely/

/ASK IF Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

119. How much do you think your risk of developing a smoking-related disease would decrease if you cut your smokeless tobacco use by half? Would you say...

1. Not at all
2. A little
3. Somewhat
4. A lot

7. DON'T KNOW/NOT SURE
9. REFUSED

CHEMTHINK

Rationale: To monitor awareness and risk perceptions of constituents in tobacco products.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

120. How often have you thought about the chemicals contained in tobacco products in the past twelve months? Would you say...?

1. Never
2. Rarely
3. Sometimes
4. Often

7. DON'T KNOW/NOT SURE
9. REFUSED

IF Q4 SMOKNOW EQ (3,7,9) AND Q22 CIGARNOW EQ (4,7,9) AND Q33 PIPEWTRNOW EQ (4,7,9) AND Q29 PIPEREGNOW EQ (4,7,9), GO TO Q122 SMOKSTART

CNCRNOTH

Rationale: To monitor risk perceptions of smoking.

/Asked of respondents who now smoke any combustible tobacco product: cigarettes, cigars, cigarillos, little filtered cigars, water pipes, hookahs, or pipes other than water pipes or hookahs/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3)/

121. How concerned are you that your smoking could affect the health of someone else? Would you say....

1. Not at all
2. A little
3. Somewhat
4. A lot

7. DON'T KNOW/NOT SURE
9. REFUSED

SMOKSTART

Rationale: to monitor risk perceptions of tobacco products.

/Asked of respondents who now use any tobacco product/

/ASK IF Q4 SMOKNOW EQ (1,2) OR Q22 CIGARNOW EQ (1,2,3) OR Q33 PIPEWTRNOW EQ (1,2,3) OR Q29 PIPEREGNOW EQ (1,2,3) OR Q39 ECIGNOW EQ (1,2,3) OR Q44 CSDNOW EQ (1,2,3) OR Q49 SNUSNOW EQ (1,2,3) OR Q54 DISSNOW EQ (1,2,3)/

122. If you had to do it over again, would you have started using tobacco? Would you say...

1. Definitely not
2. Probably not
3. Probably yes
4. Definitely yes

7. DON'T KNOW/NOT SURE
9. REFUSED

Secondhand Smoke

HOMERULES2

Rationale: To monitor perceptions about the harmful effects of secondhand smoke, which is one of the warning statements appearing on the graphic health warnings.

/ASK ALL/

123. Not counting decks, porches, or garages, inside your home, is smoking ...?

1. Always allowed
2. Allowed only at some times or in some places
3. Never allowed

7. DON'T KNOW/NOT SURE
9. REFUSED

SHSVEHPOL

Rationale: To monitor perceptions about the harmful effects of secondhand smoke, which is one of the warning statements appearing on the graphic health warnings.

/ASK ALL/

124. Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking

1. Always allowed
2. Sometimes allowed in at least one vehicle
3. Never allowed in any vehicle

8. RESPONDENT'S FAMILY DOES NOT OWN OR LEASE A VEHICLE
7. DON'T KNOW/NOT SURE
9. REFUSED

Closing Questions

INCOME2

Rationale: Key covariate

/ASK ALL/

Note: 2006 median U.S. household income eq \$48,201

125. Now I would like to ask about the combined income of everybody who lives with you. Combined income includes income from all sources for all persons in this household, including income from jobs, Social Security, retirement income, public assistance, and all other sources. Is your annual household income from all sources...?

- 04. Less than \$50,000 IF "NO," ASK 05; IF "YES," ASK 03
(\$40,000 to less than \$50,000)
- 03. Less than \$40,000 IF "NO," CODE 04; IF "YES," ASK 02
(\$30,000 to less than \$40,000)
- 02. Less than \$30,000 IF "NO," CODE 03; IF "YES," ASK 01
(\$20,000 to less than \$30,000)
- 01. Less than \$20,000 IF "NO," CODE 02
- 05. Less than \$70,000 IF "NO," ASK 06
(\$50,000 to less than \$70,000)
- 06. Less than \$100,000 IF "NO," ASK 07
(\$70,000 to less than \$100,000)
- 07. Less than \$150,000 IF "NO," CODE 08
(\$100,000 to less than \$150,000)
- 08. \$150,000 or more

- 77. DON'T KNOW/NOT SURE
- 99. REFUSED

SEXUALORIENT1

Rationale: Key covariate

/ASK ALL/

INTERVIEWER: AS THE QUESTION IS READ, READ ALOUD THE NUMBERS OF THE RESPONSES. THIS ALLOWS THE RESPONDENT TO REPLY WITH A NUMBER IF, FOR WHATEVER REASON, THEY ARE UNCOMFORTABLE SAYING THE WORDS.

126A. Do you think of yourself as...?

CATI PROGRAMMER: IF Q100 GENDER EQ 1, SHOW RESPONSES AS:

1. Gay → GO TO CLOSE
2. Straight, that is, not gay → GO TO CLOSE
3. Bisexual → GO TO CLOSE
4. Something else

6. RESPONDENT DOES NOT UNDERSTAND RESPONSES → GO TO CLOSE
7. DON'T KNOW/NOT SURE → GO TO Q126C SEXUALORIENT3
9. REFUSED → GO TO CLOSE

CATI PROGRAMMER: IF Q100 GENDER EQ (2,7,9) SHOW RESPONSES AS:

1. Lesbian or gay → GO TO CLOSE
2. Straight, that is, not lesbian or gay → GO TO CLOSE
3. Bisexual → GO TO CLOSE
4. Something else

6. RESPONDENT DOES NOT UNDERSTAND RESPONSES → GO TO CLOSE
7. DON'T KNOW/NOT SURE → GO TO Q126C SEXUALORIENT3
9. REFUSED → GO TO CLOSE

SEXUALORIENT2

126B. By something else, do you mean that ...

1. You are not straight, but identify with another label such as queer, trisexual, omnisexual or pansexual. → GO TO CLOSE
2. You are transgender, transsexual or gender variant. → GO TO CLOSE
3. You have not figured out your sexuality or are in the process of figuring it out. → GO TO CLOSE
4. You do not think of yourself as having sexuality. → GO TO CLOSE
5. You do not use labels to identify yourself. → GO TO CLOSE
6. You made a mistake and did not mean to pick this answer. → GO BACK TO Q126A SEXUALORIENT1
7. You mean something else. → GO TO Q126D SEXUALORIENT_OTH

SEXUALORIENT3

126C. You gave "Don't know" as an answer. Is that because ...

1. You don't understand the words. → GO TO CLOSE
2. You understand the words, but you have not figured out your sexuality or you are in the process of figuring it out. → GO TO CLOSE
3. You mean something else.

SEXUALORIENT_OTH

/LENGTH OF SEXUALORIENT_OTH=40/

126D. Please tell me what you mean by "something else"?

CLOSE

/ASK ALL/

That's my last question. Everyone's answers will be combined to give us information about tobacco in the U.S. The information you have provided will be used to help improve the health of people all across the US. Thank you very much for your time and cooperation.

LANGUAGE

INTERVIEWER: IN WHAT LANGUAGE WAS THE INTERVIEW CONDUCTED? IF MORE THAN ONE, INDICATE THE PREDOMINANT LANGUAGE USED.

1. ENGLISH
2. SPANISH