

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR1.1	Victim Last Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.2	Victim First Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.3	Victim Middle Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.4	Victim Number (DSAID Control Number)	DSAID	N/A	N/A	N/A	DSAID (DoD Sexual Assault Incident Database) will generate a Unique DoD Victim Incident Number.
DR1.5	Victim IdentificationType	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.6	Victim Identification Number	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.7	Victim Birth Date	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.8	Victim Age at the Time of Incident	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.9	Victim Gender	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.10	Victim Race	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.11	Victim Ethnicity	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.12	Victim Type	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.13	Victim Affiliation	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.14	Victim Pay Grade	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.16	Victim Pay Plan	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.17	Victim Grade	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.18	Victim Duty Status	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.19	Victim National Guard Service	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.20	Victim NG State Affiliation	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.21	Victim NG Title 10 Category	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.22	Victim NG Title 32 Category	N/A	N/A	N/A	N/A	N/A
DR1.24	Victim Assigned Location Code	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.25	Victim Assigned Location Name	DSAID	N/A	N/A	N/A	DSAID will populate this field based upon the Victim Assigned Location Code as entered or selected by the user.
DR1.26	Victim Assigned Unit UIC	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.27	Victim Assigned Unit Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.28	Victim Dependent Status	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.29	Victim Recruit/Training Status	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.30	NG Victim Recruit/Training Status	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.31	Date of Report to DoD	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.32	Report Type	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR1.33	Date Victim Informed of Options	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.34	Date Victim Signed Election Form	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.35	Restricted Report Reason	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.36	If Other, Explain (Restricted Report Reason)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.37	Restricted Report Exception Applied	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.38	Reason for Exception	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.39	Date Victim Signed Form Electing to Convert from Restricted to Unrestricted	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.40	Conversion Reason if Known or Available	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.41	Victim Transferred to New SARC?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.42	New SARC ID	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.43	New SARC Location Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.44	Relationship to Subject	R: SARC UR: I2MS	Relationship to Subject	Acquaintance Friend Neighbor Babysittee (the baby) Boyfriend/Girlfriend Child of Boyfriend or Girlfriend Homosexual Relationship Ex-Spouse Employee Employer Relationship Unknown Stranger Offender	Drop Down	I2MS "Friend" maps to DSAID "Friend". I2MS "Neighbor" maps to DSAID "Neighbor". I2MS "Acquaintance" maps to DSAID "Acquaintance". I2MS "Employee" maps to DSAID "Employee". I2MS "Employer" maps to DSAID "Employer". I2MS "Stranger" maps to DSAID "Stranger". I2MS "Ex-Spouse" maps to DSAID "Former Spouse". I2MS "Relationship Unknown" maps to DSAID "Relationship Unknown". I2MS "Babysittee (the baby)" maps to DSAID "Otherwise Known". I2MS "Boyfriend/Girlfriend" maps to DSAID "Love Interest". I2MS "Child of Boyfriend or Girlfriend" maps to DSAID "Otherwise Known". I2MS "Homosexual Relationship" maps to DSAID "Love Interest". I2MS "Offender" maps to DSAID "Otherwise Known".
DR1.45	Commander Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.46	Command Notification Accomplished within 24 hrs?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.47	If No, Reason (Command Notification Accomplished within 24 hrs?)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.48	Incident Occurred on Deployment?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.49	Incident Occurred on TDY?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.50	Incident Occurred on Leave?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.51	Was Victim in Military at Time of Assault?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.52	Does location require mandatory reporting for medical care for a sexual assault?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.53	Assigned SARC Name(s)	SARC/DSAID	N/A	N/A	N/A	DSAID will populate the field or, will accept the value entered by the SARC.
DR1.54	VA assigned?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.55	Assigned VA Name	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.56	VA Not Assigned Reason	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.57	Was Forensic Exam Offered?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.58	If No, Reason (Was forensic exam offered?)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.59	Forensic Exam Completed?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.60	Location of Forensic Exam Conducted	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.61	If Forensic Exam not completed, was it because SAFE Kit and/or other needed supplies not available?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.62	Date of Forensic Exam	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.63	Expiration Date of SAFE Kit	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR1.64	Storage Location of SAFE Kit	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.65	Evidence Identifier	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.66	Victim Notified SAFE Kit Due to Expire	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.67	Date Victim Notified SAFE Kit Due to Expire	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.68	If No, Reason (Victim Notified SAFE Kit Due to Expire)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.69	Type of Referral Support	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.70	If Other, Explain (Type of Referral Support)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.71	Referral Resource Type	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.72	Date of Referral	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.73	LOD Initiated?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.74	Victim Safety Assessment Completed?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.75	Victim Safety Concern Identified	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.76	Victim Safety Concern Note(s)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.77	Safety Concern Note Date	DSAID	N/A	N/A	N/A	DSAID will populate the field based upon SARC data entry.
DR1.78	Military Protective Order Offered	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.79	Military Protective Order Requested	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.80	Effective Date of Military Protective Order	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.81	Civilian Protective Order Offered	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.82	Civilian Protective Order Requested	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.83	Effective Date of Civilian Protective Order	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.84	Victim Moved (Local)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.85	Date Victim Moved (Local)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.86	Subject Moved (Local)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.87	Date Subject Moved (Local)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.88	Victim Moved (ie, PCS)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.89	Date Victim Moved (PCS)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.90	Subject Moved (ie, PCS)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.91	Date Subject Moved (PCS)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.92	Are All Referrals Completed?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.93	Is DSAID Case Still Under Case Management Group Review?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.94	DSAID Case Status	DSAID	N/A	N/A	N/A	DSAID will generate this value based on SARC action as specified in DSAID use cases .
DR1.95	DSAID Case Open Date	DSAID	N/A	N/A	N/A	DSAID will populate the field based upon SARC action.
DR1.96	DSAID Case Close Date	DSAID	N/A	N/A	N/A	DSAID will populate the field based upon SARC data entry.
DR1.97	Victim Informed of Right to Request Installation Transfer	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.98	Victim Requested Installation Transfer	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.99	Victim Granted Installation Transfer	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.100	DSAID Case SARC Transfer Date	DSAID	N/A	N/A	N/A	DSAID will populate the field based upon SARC data entry.
DR1.101	Victim NG State Status	N/A	N/A	N/A	N/A	N/A
DR1.102	If No, Reason (Victim Safety Assessment Completed)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.103	If No, Reason (LOD Initiated)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.106	Military Protective Order Violated?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.107	If Yes, Whom? (Military Protective Ordered Violated)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR1.108	Is Victim Administratively Discharged Within one year of Reporting?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.109	Victim Dependent Relationship	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR1.111	Explanation for Open with Limited Information Status	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR 1.112	Referral Service Comment	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR2.1	Investigative Case File Opened?	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.2	If No, Reason (Investigative Case File Opened?)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.3	If Other, Specify (Investigative Case File Opened?)	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.4	Investigative Case Number	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.5	Case transferred between Investigative Agencies within Services	DSAID	N/A	N/A	N/A	DSAID will default this field to "Yes" if "Gaining Investigative Agency Location" is populated. Otherwise DSAID will default to "No".
DR2.27	Gaining Investigative Agency Location	I2MS	Installation UIC	N/A	Unique Installation Code	DSAID will accept the value pushed by I2MS.
DR2.28	Initial Investigative Agency Location	I2MS	Installation UIC	N/A	Unique Installation Code	DSAID will accept the value pushed by I2MS.
DR2.29	Case transferred Between Investigative Agencies across Services	DSAID	N/A	N/A	N/A	DSAID will populate this field to "Yes" if "Investigative Agency Case Transfer Date" is populated. Otherwise DSAID will default to "No".
DR2.6	Associated Investigative Case Number	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.7	Investigative Agency Case Transfer Date	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.8	Agency Conducting Investigation	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR2.9	Date of Incident	R: SARC UR: I2MS	Incident Begin Date	N/A	Date	For restricted cases, DSAID will accept the value entered by the SARC. For unrestricted cases, DSAID will accept the value pushed by I2MS.
DR2.10	Is Date of Incident Estimated?	R: SARC UR: I2MS	Is Date of Incident Estimated?	Yes No	Checkbox	For restricted cases, this value has to be input by the SARC based on the victim's responses. For unrestricted cases, I2MS needs to add this field. Confirmed 9/22/09 - I2MS will add field. If box is checked, I2MS needs to translate to "Yes". If unchecked, I2MS needs to translate to "No". DSAID will accept the value pushed by I2MS.
DR2.11	Incident Time of Day	R: SARC UR: I2MS	Incident Begin Time	ex 15:00	24HR	Mapping logic will be put in place to take the 24HR format and map it to the valid values for DSAID.
DR2.12	Incident Day of Week	R: SARC UR: DSAID	N/A	N/A	N/A	Calculation logic will be put in place to take the Date of Incident and map it to the valid values for DSAID.
DR2.13	Incident Location	R: SARC UR: I2MS	On Uniformed Service Installation	Yes No Unknown	Checkbox	Per 09/24/10 Meeting: I2MS will not change the value of the field "On Uniformed Service Installation" but combine with Incident Location Code, which uses the DSAID Location Code configuration file in I2MS, to provide the mapping. I2MS "Yes" and Incident Location Code is any code other than Military Service Academy (On Academy Ground), maps to DSAID "On Military Installation/Ship (Other than academy grounds)". I2MS "Yes" and Incident Location Code is any code for Military Service Academy (On Academy Ground), maps to DSAID "On Academy Grounds". I2MS "No" maps to DSAID "Off Military Installation/Ship/Academy Grounds". I2MS "Unknown" maps to DSAID "Unidentified".

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR2.14	Type of Location	R: SARC UR: I2MS	Location of Offense	Submarine Air/Bus/Train Terminal Bank/Savings and Loan (includes other financial institutions, credit union) Bar/Night Club/Officer Club/NCO Club Church/Synagogue/ Temple (includes other religious buildings) Commercial/Office Building Construction Site Convenience Store, Shoppette Department/Discount Store, Exchange Drug Store/Doctor's Office/Hospital, Clinic (includes medical supply building) Field/Woods, Training Area Government/Public Building Grocery/Supermarket, Commissary Highway/Road/Alley (includes street) Hotel/Motel/Etc. (includes other temporary military lodging) Jail/Prison/Corrections Facility (includes	Drop Down	Per 09/24/10 Meeting: I2MS will add "Submarine" to I2MS data field Location of Offense. I2MS and DSAID both have DIBRS values. 1:1 Mapping.
DR2.32	Country	N/A	N/A	N/A	N/A	Per 09/24/10 Meeting: When an incident occurs at the temporary location overseas, I2MS users will indicate "Off Installation" and therefore this field does not apply to I2MS.
DR2.15	Incident Location Code	R: SARC UR: I2MS	Incident Location Code	DSAID Location Codes	Drop Down	Per 09/24/10 Meeting: For unrestricted reports: I2MS will use DSAID Location Code File to capture Incident Location Code. DSAID will accept the value pushed by I2MS.
DR2.16	Incident Location Name	R: DSAID UR: DSAID	N/A	N/A	N/A	Per 09/24/10 Meeting: For unrestricted reports: DSAID will map to the corresponding Location Name based on the Location Code pushed by I2MS. For restricted report, DSAID will populate this field based upon the Incident Location Code as entered or selected by the user.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR2.17	Was alcohol involved? (Subject/Victim)	R: SARC UR: I2MS	Alcohol	Yes No Unknown	Drop Down	1:1 Mapping
DR2.18	Were drugs involved? (Subject/Victim)	R: SARC UR: I2MS	Drugs	Yes No Unknown	Drop Down	1:1 Mapping
DR2.19	Weapon Used?	R: SARC UR: I2MS	Type of Weapon Used	Unarmed Firearm (type not stated) Handgun Rifle Shotgun Lethal Cutting Instrument Club/Blackjack/Brass Knuckles	Drop Down	I2MS captures the type of weapon, not a yes or no. If I2MS pushes a value that signifies a type of weapon, DSAID will default to "Yes". If no value is sent over, DSAID will default to "No".
DR2.20	Type of Offense Investigated	I2MS	Offense Offense Result	Offense: 120-A 120-C 120-E 120-H 120-M 125-A 134-C1 Offense Result A - attempted C - completed	Drop Down	If Off_Result equals to "C": All Offenses that start with 120-A will map to Rape (Art. 120) All Offenses that start with 120-C will map to Aggravated Sexual Assault (Art. 120) All Offenses that start with 120-E will map to Aggravated Sexual Contact (Art. 120) All Offenses that start with 120-H will map to Abusive Sexual Contact (Art. 120) All Offenses that start with 120-M will map to Wrongful Sexual Contact (Art. 120) All Offenses that start with 120-A will map to Non-Consensual Sodomy (Art. 125) All Offenses that start with 134-C1 will map to Indecent Assault (Art. 134) If Off_Result equals to "A": All Offenses map to DSAID value "Attempts to Commit Offenses (Art.80)
DR2.21	Number of subjects	DSAID	N/A	N/A	N/A	DSAID will count based on number of Subjects associated within an MCIO case.
DR2.22	Number of victims	DSAID	N/A	N/A	N/A	DSAID will count based on number of victims associated within an MCIO case.
DR2.23	Date Investigative Activity Opened	I2MS	Investigation Open Date	N/A	Date	DSAID will accept the value pushed by I2MS.
DR2.24	Investigative Activity Completed?	DSAID	N/A	N/A	N/A	If I2MS Investigation Complete Date is sent, DSAID will default to "Yes". Otherwise, DSAID will default to "No".
DR2.25	Date Investigative Activity Completed?	I2MS	Investigation Complete Date	N/A	Date	DSAID will accept the value pushed by I2MS.
DR2.26	Victim Witness Assistance Program (VWAP) information provided?	I2MS	Form 2701	Accepted Declined Previously Accepted	Drop Down	I2MS "Accepted", "Declined" and "Previously Accepted" map to DSAID "Yes". If no value is sent to DSAID, DSAID will default it to "No".

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR2.33	City	I2MS	City	DSAID City/State list	Drop Down	Per 04/15/11 Meeting: For off installation incidents, I2MS confirmed to use DSAID City/State File for capturing City, a new field to be added in I2MS. DSAID will accept the value pushed by I2MS.
DR2.34	State/Country	I2MS	US State or Possession Offense Location Country	US 50 states and possessions I2MS country list	Drop Down	Per 02/18/11 Meeting: For off installation incidents, I2MS currently captures states (for US) and country where an incident took place. I2MS to provide values other than 50 US States to DSAID to ensure 1:1 mapping. If I2MS sends value in US State or Possession and Offense Location Country is US, then maps to DSAID US State value. If I2MS sends value other than "US" in Offense Location Country , then maps to DSAID Country value.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTAG	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.1	Subject Last Name	I2MS	Last Name	N/A	Characters	For identified subjects DSAID will accept the characters pushed from I2MS. When the value of this field is "UNKNOWN", DSAID will default to "Unknown" if "Unknown" value is available for the remaining subject demographic fields. If not, DSAID will leave blank.
DR3.2	Subject First Name	I2MS	First Name	N/A	Characters	DSAID will accept the value pushed from I2MS. However, this is not a required field in I2MS.
DR3.3	Subject Middle Name	I2MS	First Name	N/A	Characters	DSAID will accept the value pushed from I2MS. However, this is not a required field in I2MS.
DR3.4	Subject Identification Type	I2MS	ID TYPE	Drivers License Passport Social Security Number Alien Registration Number Foreign ID Number Position Number FBI Number Other ID Number	Drop Down	I2MS captures multiple ID Types per Subject. DSAID to set priority of ID TYPES. DSAID will map to the matching valid value in DSAID. I2MS "Drivers License" maps to DSAID "Unknown". I2MS "Passport" maps to DSAID "Passport Number". I2MS "Social Security Number" maps to DSAID "SSN". I2MS "Alien Registration Number" maps to DSAID "Alien Registration". I2MS "Foreign ID Number" maps to DSAID "Foreign Country Identification Card Number". I2MS "Position Number" maps to DSAID "Unknown". I2MS "FBI Number" maps to DSAID "Unknown". I2MS "Other ID Number" maps to DSAID "Unknown".
DR3.5	Subject Identification Number	I2MS	Number	Number	Number	DSAID will accept the values pushed by I2MS.
DR3.6	Subject Birth Date	I2MS	Date of Birth	Date /Unknown	Date	DSAID will populate the values that are pushed from I2MS. If no value is sent over, then DSAID will have to accommodate for the null value.
DR3.7	Subject Age at the Time of Incident	DSAID	N/A	N/A	N/A	Calculation is required based on the I2MS Incident Date and Subject Date of Birth. If the formula cannot be completed, DSAID will default to null.
DR3.8	Subject Gender	I2MS	Sex	Male Female Indeterminate	Drop Down	I2MS "Male" maps to DSAID "Male". I2MS "Female" maps to DSAID "Female". I2MS "Indeterminate" maps to DSAID "Unknown".
DR3.9	Subject Race	I2MS	Race	DIBRS - White Black American Indian/Alaskan Native Asian/Pacific Islander Unknown	Drop Down	1:1 Mapping
DR3.10	Subject Ethnicity	I2MS	Ethnicity	Hispanic Non-Hispanic	Drop Down	1:1 Mapping

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.11	Subject Type	I2MS	Service Affiliation	Service Affiliation Valid Values: Member/Employee Contractor Service Retiree Service Dependent Pay Plan Valid Values: Enlisted Warrant Officer Commissioned Officer Executive Schedule General Schedule Wage Grade NSPS Subject Foreign Service Affiliation Valid Values: Army Navy Air Force Marine Corps Coast Guard DoD NOAA Public Health Subject Citizenship Valid Values: List of Countries	Drop Down	Per 09/24/10 Meeting: Member/Employee can be also mapped based upon Pay Plan. AF needs to provide Foreign Service Affiliation and Nationality values in order to map to DSAID "Foreign Military" and "Foreign National". Mapping below in red needs confirmation. Per 02/18/11 Meeting: I2MS clarified and confirmed the mapping. I2MS "Member/Employee" and Pay Plan is one of the following values: "Enlisted", "Warrant Officer", "Commissioned officer", then maps to DSAID "Military". I2MS "Member/Employee" and Pay Plan is one of the following values: "Execustive Schedule", "General Schedule", "Wage Grade", "NSPS", then maps to DSAID "DoD Civilian". I2MS "Contractor" maps to DSAID "DoD Contractor". I2MS "Service Retiree" maps to DSAID "US Civilian". I2MS "Service Dependent" maps to DSAID "US Civilian". I2MS any value populated for Subject Foreign Service Affiliation, maps to DSAID "Foreign Military". I2MS no value populated for Subject Foreign Service Affiliation and any value other than United States for Citizenship, maps to DSAID "Foreign National".
DR3.12	Subject Affiliation	I2MS	Service	Army Navy Air Force Marine Corps Coast Guard DoD NOAA Public Health	Drop Down	Per 09/24/10 Meeting: AF will need to confirm if this value will be broken into a list of DoD agencies. Per 02/18/11 Meeting: AF will need to confirm if this value will be broken into a list of DoD agencies. The rest of the I2MS values has 1:1 Mapping to DSAID values.

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.13	Subject Pay Grade	I2MS	Pay Plan Pay Grade	Pay Plan Valid Values: Enlisted Warrant Officer Commissioned Officer Executive Schedule General Schedule Wage Grade NSPS Pay Grade Valid Values: Grade 1 Grade 2 Grade 3 Grade 4 Grade 5 Grade 6 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Grade 13 Grade 14 Grade 15 Standard Career Group - Professional/Analytical Pay Schedule Standard Career Group - Technician/Support Pay Schedule Standard Career Group - Supervisor/Manager Pay Schedule	Drop Down	<p>Per 09/24/10 Meeting: "Academy Prep School" value will be removed from DSAID Data Subject Pay Grade (DR3.13) and added to DSAID Location Code File for each Academy Prep School. The Academy Prep School related Location Code for Subject Assigned Location Code will be used to differentiate the category of victims from other types of victims.</p> <p>The following example is only applicable for the Enlisted, Warrant Officer and Commissioned Officer valid values. Only these three I2MS values are applicable for this DSAID field.</p> <p>Example - I2MS Pay Plan value "Enlisted" and Pay Grade Value "2" will map to DSAID Subject Pay Grade value "E2". The "2" in this example will also be used to populate the DSAID Subject Grade element.</p>

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.15	Subject Pay Plan	SARC	Pay Plan Pay Grade	<p>Pay Plan Valid Values: Enlisted Warrant Officer Commissioner Officer Cadet/Midshipman Executive Schedule General Schedule Wage Grade National Security Personnel System</p> <p>Pay Grade Valid Values: NSPS - Standard Career Group - Professional/Analytical Pay Schedule NSPS - Standard Career Group - Technician/Support Pay Schedule NSPS - Standard Career Group - Supervisor/Manager Pay Schedule NSPS - Scientific/Engineering Career Group - Professional Pay Schedule NSPS - Scientific/Engineering Career Group - Technician/Support Pay Schedule NSPS - Scientific/Engineering Career Group - Supervisor/Manager Pay Schedule NSPS - Medical Career Group - Physician/Dentist Pay Schedule NSPS - Medical Career Group - Professional Pay Schedule NSPS - Medical Career Group -</p>	Drop Down	<p>The following example is applicable for I2MS values: Executive Schedule, General Schedule, Wage Grade and NSPS. These are the only values that will be used to determine the DSAID Subject Pay Plan. Example - I2MS Pay Plan value "General Schedule" and Pay Grade "Grade 12" will map to DSAID Subject Pay Plan "General Schedule" and DSAID Subject Grade "12". The "12" in this example will also be used to populate the DSAID Subject Grade element.</p> <p>I2MS Pay Grade values with "NSPS" will be captured in DSAID only if NSPS is captured in the I2MS Subject Pay Grade.</p> <p>AF Pay Plan 1:1 Mapping for "General Schedule" and "Wage Grade". 1:1 Mapping for AF Pay Grade Values to DSAID Victim Pay Plan.</p>

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.16	Subject Grade	I2MS	Pay Grade Pay Band	I2MS Pay Grade valid values: Grade 1 Grade 2 Grade 3 Grade 4 Grade 5 Grade 6 Grade 7 Grade 8 Grade 9 Grade 10 Grade 11 Grade 12 Grade 13 Grade 14 Grade 15 I2MS Pay Band valid values: PB1 PB2 PB3 PB4	Drop Down	See Subject Pay Plan. The "Subject Grade" can be mapped in DSAID by using the I2MS values from Pay Grade and Pay Band. Pay Grade: 1:1 Mapping. Pay Band: PB1, PB2, PB3, PB4 has a direct mapping to the DSAID values.
DR3.17	Subject Duty Status	I2MS	Component	Regular Reserve National Guard	Drop Down	I2MS "Regular" maps to DSAID "Active Duty". I2MS "Reserve" maps to DSAID "Reserve". I2MS "National Guard" maps to DSAID "National Guard".
DR3.18	Subject National Guard Service	DSAID	N/A	N/A	N/A	If National Guard is selected for Subject Duty Status, DSAID will default to "Title 10".
DR3.19	Subject NG State Affiliation	N/A	N/A	N/A	N/A	N/A
DR3.20	Subject NG Title 10 Category	I2MS	Subject NG Title 10 Category	Active Guard and Reserve (AGR) Annual Training (OCONUS) Active Duty Operational Support (ADOS) 30+ days ADOS less than 30 days	Subject NG Title 10 Category	Confirmed 9/22/09 - I2MS will add the field. DSAID will accept the value pushed by I2MS.
DR3.21	Subject NG Title 32 Category	N/A	N/A	N/A	N/A	N/A
DR3.31	Subject NG State Status	N/A	N/A	N/A	N/A	N/A
DR3.23	Subject Assigned Location Code	I2MS	Subject Assigned Location Code	DSAID Location Codes	Drop Down	Per 09/24/10 Meeting: For unrestricted reports: I2MS will use DSAID Location Code File to capture Subject Assigned Location Code. DSAID will accept the value pushed by I2MS.
DR3.24	Subject Assigned Location Name	DSAID	N/A	N/A	N/A	Per 09/24/10 Meeting: For unrestricted reports: DSAID will map to the corresponding Location Name based on the Subject Assigned Location Code pushed by I2MS.
DR3.25	Subject Assigned Unit UIC	I2MS	Subject Unit UIC	N/A	Unique Installation Code	DSAID will accept the value pushed from I2MS.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR3.26	Subject Assigned Unit Name	I2MS	Subject Unit UIC		Name of Unique Installation Code	DSAID will accept the value pushed from I2MS.
DR3.27	Subject Dependent Status	I2MS	Service Affiliation	Member/Employee Contractor Service Retiree Service Dependent	Drop Down	I2MS "Service Dependent" maps to DSAID to "Yes". I2MS "Contractor", "Service Retiree" and "Member/Employee" map to DSAID "No".
DR3.28	NG Subject Recruit/Training Status	N/A	N/A	N/A	N/A	N/A
DR3.29	Subject Duty Assignment	I2MS	Subject Duty Assignment	Recruiter Instructor Drill Sergeant Drill Instructor N/A	Subject Duty Assignment	Confirmed 9/22/09 - I2MS will add field. DSAID will accept the value pushed from I2MS.
DR3.30	Subject Type for Restricted Reports	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.

DSAID and Air Force System Interface Data Mapping v1.6.3

DRTag	DRName	AF Source (UR Investigative Agency = "AF OSI)	I2MS Screen/Logical Name	I2MS - Valid Values	I2MS - Data Type/Data Format	DSAID and I2MS Data Mapping and Translation/Analysis
DR4.3	DoD Action Precluded	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.4	DoD Action Precluded Reason	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.5	DoD Action Precluded Reason Date	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.6	Commander Action Precluded or Declined for Sexual Assault	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.7	Commander Action	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.8	Commander Action Date	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.9	Commander Action Precluded/Declined Reason for Sexual Assault	SARC	N/A	N/A	N/A	DSAID will accept the value entered by the SARC.
DR4.1	Pre-trial Confinement of Accused Offender	SARC	Action-Ordered into Pre-trial Confinement	N/A	N/A	Per 6/22/11 Meeting: This data will be entered by SARC as opposed to via interface. DSAID will accept the value entered by the SARC.
DR4.2	Date Pre-trial Confinement of Accused Offender	SARC	Action Date	N/A	Date	Per 6/22/11 Meeting: This data will be entered by SARC as opposed to via interface. DSAID will accept the value entered by the SARC.