According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection instrument is 0938-0760. The time required to complete this information collection is estimated to average 0.7 minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Baltimore, Maryland 21244-1850.

Home Health Patient Tracking Sheet

(M0010)	C M S Certification Number:
(M0014)	Branch State:
(M0016)	Branch I D Number:
(M0018)	National Provider Identifier (N P I) for the attending physician who has signed the plan of care:
	UK - Unknown or Not Available
(M0020)	Patient I D Number:
(M0030)	Start of Care Date: / /
(M0032)	Resumption of Care Date:/
-	Patient Name:
(First)	(Suffix)
(M0050)	Patient State of Residence:
(M0060)	Patient Zip Code:
(M0063)	Medicare Number:(including suffix)
(M0064)	Social Security Number: UK - Unknown or Not Available
(M0065)	Medicaid Number: NA - No Medicaid
(M0066)	Birth Date://
	Birth Date: / /
(M0069)	month / day / year — Gender:
`	Gender: 1 - Male
	Gender: 1 - Male 2 - Female
	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native
	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native
	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino
	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.)
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services 1 - Medicare (traditional fee-for-service) 2 - Medicare (HMO/managed care/Advantage plan)
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services 1 - Medicare (traditional fee-for-service) 2 - Medicare (HMO/managed care/Advantage plan) 3 - Medicaid (traditional fee-for-service)
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services 1 - Medicare (traditional fee-for-service) 2 - Medicare (HMO/managed care/Advantage plan) 3 - Medicaid (traditional fee-for-service) 4 - Medicaid (HMO/managed care) 5 - Workers' compensation
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services 1 - Medicare (traditional fee-for-service) 2 - Medicare (HMO/managed care/Advantage plan) 3 - Medicaid (traditional fee-for-service) 4 - Medicaid (HMO/managed care) 5 - Workers' compensation 6 - Title programs (e.g., Title III, V, or XX)
(M0140)	Gender: 1 - Male 2 - Female Race/Ethnicity: (Mark all that apply.) 1 - American Indian or Alaska Native 2 - Asian 3 - Black or African-American 4 - Hispanic or Latino 5 - Native Hawaiian or Pacific Islander 6 - White Current Payment Sources for Home Care: (Mark all that apply.) 0 - None; no charge for current services 1 - Medicare (traditional fee-for-service) 2 - Medicare (HMO/managed care/Advantage plan) 3 - Medicaid (traditional fee-for-service) 4 - Medicaid (HMO/managed care) 5 - Workers' compensation

П	11 -	-	Other (specify)
			Unknown

Outcome and Assessment Information Set Items to be Used at Specific Time Points

Start of Care	- M0 010-M0030, M0040- M0150, M1000-M1036, M1100-
Start of care—further visits planned	M1242, M1300-M1302, M1306, M1308-M1324, M1330-M1350, M1400, M1410, M1600-M1730, M1740-M1910, M2000, M2002, M2010, M2020-M2250
Resumption of Care (after inpatient stay)	M0032, M0080-M0110, M1000-M1036, M1100-M1242, M1300-M1302, M1306, M1308-M1324, M1330-M1350, M1400, M1410, M1600-M1730, M1740-M1910, M2000, M2002, M2010, M2020-M2250
Recertification (follow-up) assessment Other follow-up assessment	M9080-M0100, M0110, M1020-M1030, M1200, M1242, M1306, M1308, M1322-M1324, M1330-M1350, M1400, M1610, M1620, M1630, M1810-M1840, M1850, M1860, M2030, M2200
Transfer to an Inpatient Facility— Transferred to an inpatient facility—patient not discharged from an agency Transferred to an inpatient facility—patient discharged from agency	M9080-M0100, M1040-M1055, M1500, M1510, M2004, M2015, M2300-M2410, M2430-M2440, M0903, M0906
<u>Discharge from Agency — Not to an Inpatient Facility</u>	
Death at home Discharge from agency	M9080-M0100, M0903, M0906 M9080-M0100, M1040-M1055, M1230, M1242, M1306- M1350, M1400-M1620, M1700-M1720, M1740, M1745, M1800-M1890, M2004, M2015-M2030, M2100-M2110, M2300-M2420, M0903, M0906

CLINICAL RECORD ITEMS

`′	Discipline of Person Completing Assessment: -RN □2-PT □3-SLP/ST □4-OT
(M0090)	Date Assessment Completed://
(M0100)	This Assessment is Currently Being Completed for the Following Reason:
В	Start/Resumption of Care 1 - Start of care—further visits planned 3 - Resumption of care (after inpatient stay)
В	Follow-Up 4 — Recertification (follow-up) reassessment [Go to M0110] 5 — Other follow-up [Go to M0110]
В	Transfer to an Inpatient Facility 6 - Transferred to an inpatient facility—patient not discharged from agency [Go to M1040] 7 - Transferred to an inpatient facility—patient discharged from agency [Go to M1040]
В	Discharge from Agency — Not to an Inpatient Facility 8 - Death at home [Go to M0903] 9 - Discharge from agency [Go to M1040]
(M0102)	Date of Physician-ordered Start of Care (Resumption of Care): If the physician indicated a specific start of care (resumption of care) date when the patient was referred for home health services, record the date specified.
	// [Go to M0110, if date entered] month / day / year

	☐ NA –No specific SOC date ordered by physician
(M0104)	Date of Referral: Indicate the date that the written or verbal referral for initiation or resumption of care was received by the HHA. //
(M0110)	Episode Timing: Is the Medicare home health payment episode for which this assessment will define a case mix group an "early" episode or a "later" episode in the patient's current sequence of adjacent Medicare home health payment episodes? 1 - Early 2 - Later UK - Unknown NA - Not Applicable: No Medicare case mix group to be defined by this assessment.
	NT HISTORY AND DIAGNOSES From which of the following Inpatient Facilities was the patient discharged during the past 14 days? (Mark
_	all that apply.)
H	1 - Long-term nursing facility (NF)
H	2 - Skilled Hursing raching (SNF / TCO) 3 - Short-stay acute hospital (IPP S)
Ħ	4 - Long-term care hospital (LTCH)
	2 - Skilled nursing facility (SNF / TCU) 3 - Short-stay acute hospital (IPP S) 4 - Long-term care hospital (LTCH) 5 - Inpatient rehabilitation hospital or unit (IRF) 6 - Psychiatric hospital or unit
	6 - Psychiatric hospital or unit
H	7 - Other (specify)
(M1005)	Inpatient Discharge Date (most recent):
	/_ / / month / day / year
	UK - Unknown

	4 days (no E-codes, or V-codes):
Inpatient Facility Diagnosis	ICD-9-C M Code
a	
b	· _ ·
C	·
d	·
	··
f	
List each Inpatient Procedure and the associate.	iated ICD-9-C M procedure code relevant to the plan of
<u>Inpatient Procedure</u>	Procedure Code
a	··
b	··
C	··
d	··
NA - Not applicable UK - Unknown	
Medical Diagnoses and ICD-9-C M codes at the	Regimen Change Within Past 14 Days: List the patient's elevel of highest specificity for those conditions requiring the past 14 days (no surgical, E-codes, or V-codes):
Changed Medical Regimen Diagnosis	ICD-9-C M Code
a	·
b	
C	
d	
e	
f	
NA - Not applicable (no medical or treatmer	nt regimen changes within the past 14 days)
this patient experienced an inpatient facility disc	regimen Change or Inpatient Stay Within Past 14 Days: If charge or change in medical or treatment regimen within the sted prior to the inpatient stay or change in medical or
	a

(M1020/1022/1024) Diagnoses, Symptom Control, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-C M code at the level of highest specificity (no surgical/procedure codes) (Column 2). Diagnoses are listed in the order that best reflect the seriousness of each condition and support the disciplines and services provided. Rate the degree of symptom control for each condition (Column 2). Choose one value that represents the degree of symptom control appropriate for each diagnosis: V-codes (for M1020 or M1022) or E-codes (for M1022 only) may be used. ICD-9-C M sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V-code is reported in place of a case mix diagnosis, then optional item M1024 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare P P S case mix group. Do not assign symptom control ratings for V- or E-codes.

Code each row according to the following directions for each column:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-C M code for the diagnosis described in Column 1;

Rate the degree of symptom control for the condition listed in Column 1 using the following scale:

- 0 Asymptomatic, no treatment needed at this time
- 1 Symptoms well controlled with current therapy
- 2 Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 Symptoms poorly controlled: history of re-hospitalizations

Note that in Column 2 the rating for symptom control of each diagnosis should not be used to determine the sequencing of the diagnoses listed in Column 1. These are separate items and sequencing may not coincide. Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided.

- Column 3: (OPTIONAL) If a V-code is assigned to any row in Column 2, in place of a case mix diagnosis, it may be necessary to complete optional item M1024 Payment Diagnoses (Columns 3 and 4). See OASIS-C Guidance Manual.
- Column 4: (OPTIONAL) If a V-code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-C M coding guidelines, enter the diagnosis descriptions and the ICD-9-C M codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-C M code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-C M code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(Form on next page)

(M1020) Driman, Diagnosis 9 /	M1022) Other Diagraces	(M1024) Payment Diagrams	(ORTIONAL)
(M1020) Primary Diagnosis & (Column 1	Column 2	(M1024) Payment Diagnoses Column 3	Column 4
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided.)	ICD-9-C M and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses	Complete if a V-code is assigned under certain circumstances to Column 2 in place of a case mix diagnosis.	Complete <u>only if</u> the V-code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	ICD-9-C M / Symptom Control Rating	Description/ ICD-9-C M	Description/ ICD-9-C M
(M1020) Primary Diagnosis	(V-codes are allowed)	(V- or E-codes NOT allowed)	(V- or E-codes NOT allowed)
a	a. ()	a	a
(M1022) Other Diagnoses	(V- or E-codes are allowed)	(V- or E-codes NOT allowed)	(V- or E-codes NOT allowed)
b	b. (b	b
c	c. ()	c	c
d	d. (d	d
e	e. ()	e	e
f	f. ()	f	f
(M1030) Therapies the patient receives at home: (Mark all that apply.) 1 - Intravenous or infusion therapy (excludes TPN) 2 - Parenteral nutrition (TPN or lipids) 3 - Enteral nutrition (nasogastric, gastrostomy, jejunostomy, or any other artificial entry into the alimentary canal) 4 - None of the above (M1032) Risk for Hospitalization: Which of the following signs or symptoms characterize this patient as at risk for hospitalization? (Mark all that apply.) 1 - Recent decline in mental, emotional, or behavioral status 2 - Multiple hospitalizations (2 or more) in the past 12 months 3 - History of falls (2 or more falls - or any fall with an injury - in the past year) 4 - Taking five or more medications 5 - Frailty indicators, e.g., weight loss, self-reported exhaustion 6 - Other 7 - None of the above			
 (M1034) Overall Status: Which description best fits the patient's overall status? (Check one) 0 - The patient is stable with no heightened risk(s) for serious complications and death (beyond those typical of the patient's age). 1 - The patient is temporarily facing high health risk(s) but is likely to return to being stable without heightened risk(s) for serious complications and death (beyond those typical of the patient's age). 2 - The patient is likely to remain in fragile health and have ongoing high risk(s) of serious complication and death. 3 - The patient has serious progressive conditions that could lead to death within a year. UK - The patient's situation is unknown or unclear. 			

(M1036)	Risk Factors, either present or past, likely to affect current health status and/or outcome: (Mark all that apply.)
	 1 - Smoking 2 - Obesity 3 - Alcohol dependency 4 - Drug dependency 5 - None of the above UK - Unknown
(M1040)	Influenza Vaccine: Did the patient receive the influenza vaccine from your agency for this year's influenza season (October 1 through March 31) during this episode of care?
	 0 - No 1 - Yes [Go to M1050] NA - Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season. [Go to M1050]
(M1045)	Reason Influenza Vaccine not received: If the patient did not receive the influenza vaccine from your agency during this episode of care, state reason:
	1 - Received from another health care provider (e.g., physician) 2 - Received from your agency previously during this year's flu season 3 - Offered and declined 4 - Assessed and determined to have medical contraindication(s) 5 - Not indicated; patient does not meet age/condition guidelines for influenza vaccine 6 - Inability to obtain vaccine due to declared shortage 7 - None of the above
(M1050)	Pneumococcal Vaccine: Did the patient receive pneumococcal polysaccharide vaccine (PPV) from your agency during this episode of care (SOC/ROC to Transfer/Discharge)?
	0 - No1 - Yes [Go to M1500 at TRN; Go to M1230 at DC]
(M1055)	Reason PPV not received: If patient did not receive the pneumococcal polysaccharide vaccine (PPV) from your agency during this episode of care (SOC/ROC to Transfer/Discharge), state reason: 1 - Patient has received PPV in the past 2 - Offered and declined 3 - Assessed and determined to have medical contraindication(s) 4 - Not indicated; patient does not meet age/condition guidelines for PPV 5 - None of the above

LIVING ARRANGEMENTS

(M1100) Patient Living Situation: Which of the following best describes the patient's residential circumstance and availability of assistance? (Check one box only.)

		Availability of Assistance				
Living Arrangement		Around the clock	Regular daytime	Regular nighttime	Occasional / short-term assistance	No assistance available
a. Patient lives alone	01	02	03	3 0	4 05	
b. Patient lives with other person(s) in the home	06	07	90	3 0	9 10	
c. Patient lives in congregate situation (e.g., assisted livir	1g <mark>)</mark> 11	12	13	3 1	4	<u> </u>

SENSORY STATUS

(M1200)	Vision (with corrective lenses if the patient usually wears them):
\Box	 0 - Normal vision: sees adequately in most situations; can see medication labels, newsprint. 1 - Partially impaired: cannot see medication labels or newsprint, but <u>can</u> see obstacles in path, and the surrounding layout; can count fingers at arm's length.
	 Severely impaired: cannot locate objects without hearing or touching them or patient nonresponsive.
(M1210)	Ability to hear (with hearing aid or hearing appliance if normally used):
H	 O - Adequate: hears normal conversation without difficulty. 1 - Mildly to Moderately Impaired: difficulty hearing in some environments or speaker may need to increase volume or speak distinctly.
\exists	2 - Severely Impaired: absence of useful hearing.UK - Unable to assess hearing.
(M1220)	Understanding of Verbal Content in patient's own language (with hearing aid or device if used):
	 Understands: clear comprehension without cues or repetitions. Usually Understands: understands most conversations, but misses some part/intent of message. Requires cues at times to understand.
	 2 - Sometimes Understands: understands only basic conversations or simple, direct phrases. Frequently requires cues to understand.
Н	3 - Rarely/Never Understands UK - Unable to assess understanding.
(M1230)	Speech and Oral (Verbal) Expression of Language (in patient's own language):
	0 - Expresses complex ideas, feelings, and needs clearly, completely, and easily in all situations with no observable impairment.
	 Minimal difficulty in expressing ideas and needs (may take extra time; makes occasional errors in word choice, grammar or speech intelligibility; needs minimal prompting or assistance).
	 Expresses simple ideas or needs with moderate difficulty (needs prompting or assistance, errors in word choice, organization or speech intelligibility). Speaks in phrases or short sentences.
	 3 - Has severe difficulty expressing basic ideas or needs and requires maximal assistance or guessing by listener. Speech limited to single words or short phrases.
	4 - <u>Unable</u> to express basic needs even with maximal prompting or assistance but is not comatose or unresponsive (e.g., speech is nonsensical or unintelligible).
	5 - Patient nonresponsive or unable to speak.
(M1240)	Has this patient had a formal Pain Assessment using a standardized pain assessment tool (appropriate to the patient's ability to communicate the severity of pain)?
	 0 - No standardized assessment conducted 1 - Yes, and it does not indicate severe pain 2 - Yes, and it indicates severe pain
(M1242)	Frequency of Pain Interfering with patient's activity or movement:
	 0 - Patient has no pain 1 - Patient has pain that does not interfere with activity or movement 2 - Less often than daily 3 - Daily, but not constantly
Н	4 - All of the time
INTEGI	IMENTA DV GTATUG
	JMENTARY STATUS
(M1300)	Pressure Ulcer Assessment: Was this patient assessed for Risk of Developing Pressure Ulcers? O - No assessment conducted [Go to M1306]
	 Yes, based on an evaluation of clinical factors, e.g., mobility, incontinence, nutrition, etc., without use of standardized tool Yes, using a standardized tool, e.g., Braden, Norton, other
	Does this patient have a Risk of Developing Pressure Ulcers ?
	0 - No 1 - Yes
(M1306)	Does this patient have at least one Unhealed Pressure Ulcer at Stage II or Higher or designated as "unstageable"?
\Box	0 - No [Go to M1322] 1 - Yes
(M1307)	The Oldest Non-epithelialized Stage II Pressure Ulcer that is present at discharge
	1 - Was present at the most recent SOC/ROC assessment

☐ 2 - Developed since the most recent SOC	/ROC assessment: record	date pressure ulcer first identified:
/ / /		
NA - No non-epithelialized Stage II pressure	ulcers are present at disc	charge
(M1308) Current Number of Unhealed (non-epithelia (Enter "0" if none; excludes Stage I pressure to		at Each Stage:
	Column 1 Complete at SOC/ROC/FU & D/C	Column 2 Complete at FU & D/C
Stage description – unhealed pressure ulcers	Number Currently Present	Number of those listed in Column 1 that were present on admission (most recent SOC / ROC)
a. Stage II: Partial thickness loss of dermis presenting as a shallow open ulcer with red pink wound bed, without slough. May also present as an intact or open/ruptured serum-filled blister.		
b. Stage III: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscles are not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.		
c. Stage IV: Full thickness tissue loss with visible bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.		
d.1 Unstageable: Known or likely but unstageable due to non-removable dressing or device		
d.2 Unstageable: Known or likely but unstageable due to coverage of wound bed by slough and/or eschar.		
d.3 Unstageable: Suspected deep tissue injury in evolution.		
Directions for M1310, M1312, and M1314: If the patie pressure ulcers, identify the Stage III or IV pressure ulcercord in centimeters. If no Stage III or Stage IV pressure (M1310) Pressure Ulcer Length: Longest length "hea	cer with the largest surfa re ulcers, go to M1320.	ace dimension (length x width) and
(M1312) Pressure Ulcer Width: Width of the same pr		
. (cm) (M1314) Pressure Ulcer Depth: Depth of the same properties . (cm)	ressure ulcer; from visible	surface to the deepest area
(M1320) Status of Most Problematic (Observable) P 0 - Newly epithelialized 1 - Fully granulating 2 - Early/partial granulation 3 - Not healing NA - No observable pressure ulcer	ressure Ulcer:	

(M1322)	Current Number of Stage I Pressure Ulcers: Intact skin with non-blanchable redness of a localized area
	usually over a bony prominence. The area may be painful, firm, soft, warmer or cooler as compared to adjacent tissue.
	0
(M1324)	Stage of Most Problematic Unhealed (Observable) Pressure Ulcer:
	1 - Stage I 2 - Stage II 3 - Stage III 4 - Stage IV NA - No observable pressure ulcer or unhealed pressure ulcer
(M1330)	Does this patient have a Stasis Ulcer ?
Ħ	 0 - No [Go to M1340] 1 - Yes, patient has BOTH observable and unobservable stasis ulcers 2 - Yes, patient has observable stasis ulcers ONLY 3 - Yes, patient has unobservable stasis ulcers ONLY (known but not observable due to non-removable dressing) [Go to M1340]
(M1332)	Current Number of (Observable) Stasis Ulcer(s):
	 1 - One 2 - Two 3 - Three 4 - Four or more
(M1334)	Status of Most Problematic (Observable) Stasis Ulcer:
	 0 - Newly epithelialized 1 - Fully granulating 2 - Early/partial granulation 3 - Not healing
(M1340)	Does this patient have a Surgical Wound?
	 0 - No [Go to M1350] 1 - Yes, patient has at least one (observable) surgical wound 2 - Surgical wound known but not observable due to non-removable dressing [Go to M1350]
(M1342)	Status of Most Problematic (Observable) Surgical Wound:
	 0 - Newly epithelialized 1 - Fully granulating 2 - Early/partial granulation 3 - Not healing
(M1350)	Does this patient have a Skin Lesion or Open Wound , excluding bowel ostomy, other than those described above <u>that is receiving intervention</u> by the home health agency?
	0 - No 1 - Yes

<u>KESPI</u>	RATORY STATUS
(M1400)	When is the patient dyspneic or noticeably Short of Breath?
	Patient is not short of breath When walking more than 20 feet, climbing stairs
ᆸ	2 - With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less
	than 20 feet) 3 - With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
	4 - At rest (during day or night)
(M1410)	Respiratory Treatments utilized at home: (Mark all that apply.)
	1 - Oxygen (intermittent or continuous) 2 - Ventilator (continually or at night)
Ħ	3 - Continuous / Bi-level positive airway pressure
Ш	4 - None of the above
CARDI	IAC STATUS
(M1500)	Symptoms in Heart Failure Patients: If patient has been diagnosed with heart failure, did the patient exhibit
, ,	symptoms indicated by clinical heart failure guidelines (including dyspnea, orthopnea, edema, or weight gain) at any point since the previous OASIS assessment?
	0 - No [Go to M2004 at TRN; Go to M1600 at DC] 1 - Yes
	2 - Not assessed [Go to M2004 at TRN; Go to M1600 at DC] NA - Patient does not have diagnosis of heart failure [Go to M2004 at TRN; Go to M1600 at DC]
(M1510)	Heart Failure Follow-up: If patient has been diagnosed with heart failure and has exhibited symptoms indicative of heart failure since the previous OASIS assessment, what action(s) has (have) been taken to respond? (Mark all that apply.)
	0 - No action taken
님	 Patient's physician (or other primary care practitioner) contacted the same day Patient advised to get emergency treatment (e.g., call 911 or go to emergency room)
\Box	 3 - Implemented physician-ordered patient-specific established parameters for treatment 4 - Patient education or other clinical interventions
	5 - Obtained change in care plan orders (e.g., increased monitoring by agency, change in visit frequency, telehealth, etc.)
ELIMIN	NATION STATUS
(M1600)	Has this patient been treated for a Urinary Tract Infection in the past 14 days?
	0 - No
H	1 - Yes NA - Patient on prophylactic treatment
	UK - Unknown [Omit "UK" option on DC]
(M1610)	Urinary Incontinence or Urinary Catheter Presence:
H	 0 - No incontinence or catheter (includes anuria or ostomy for urinary drainage) [Go to M1620] 1 - Patient is incontinent
	 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic) [Go to M1620]
(M1615)	When does Urinary Incontinence occur?
	Timed-voiding defers incontinence Occasional stress incontinence
님	2 - During the night only
A	3 - During the day only 4 - During the day and night
	. Samy are day and might

(M1620) Bowel Incontinence Fr	equency:						
	0 - Very rarely or 1 - Less than onc 2 - One to three t 3 - Four to six tim 4 - On a daily bas 5 - More often than	e weekly imes week es weekly sis an once da	ily					
H	NA - Patient has os UK - Unknown [On	nit "UK" o	ption on FU,	DC]				
(M1630	·	mination:	Does this pa	atient have an	ostomy for bow ecessitated a ch	el elimination ange in medic	that (within the la al or treatment	ıst
	0 - Patient does <u>r</u> 1 - Patient's ostor treatment regi	ny was <u>no</u>				cessitate cha	nge in medical or	ſ
			to an inpatier	nt stay or <u>did</u> r	necessitate char	nge in medica	l or treatment	
NEUR	RO/EMOTIONAL/BEH	HAVIOR/	AL STATU	<u>S</u>				
(M1700	Cognitive Functioning comprehension, conce	ntration, a	nd immediate	memory for s	simple comman	ds.		
	0 - Alert/oriented, independently		cus and shift	attention, com	prehends and r	ecalls task dir	ections	
	 Requires pron 	npting (cui	ng, repetition, I some directi v requires low	, reminders) o ion in specific v stimulus env	nly under stress situations (e.g., ironment due to	ful or unfamili on all tasks ir distractibility.	ar conditions. Ivolving shifting c	of
	3 - Requires cons	siderable a	ssistance in r	outine situation	ons. Is not alert	and oriented	or is unable to sh	ift
	attention and 4 - Totally depend state, or deliri	dent due to				tion, coma, pe	rsistent vegetativ	⁄e
(M1710) When Confused (Rep	orted or C	Observed Wi	thin the Last	14 Days):			
	0 - Never 1 - In new or com 2 - On awakening 3 - During the day 4 - Constantly NA - Patient nonres	or at nigh and even	it only	constantly				
(M1720) When Anxious (Repo	rted or Ol	served With	in the Last 1	.4 Days):			
	0 - None of the tir 1 - Less often tha 2 - Daily, but not 3 - All of the time NA - Patient nonres	n daily constantly						
(M1730	screening tool?	g: Has the	e patient beer	screened for	depression, usi	ing a standard	lized depression	
	0 - No 1 - Yes, patient w patient: "Over problems")	as screen the last tv	ed using the I vo weeks, ho	PHQ-2©* sca w often have y	le. <u>(Instructions</u> you been bother	for this two-q red by any of t	uestion tool: Ask the following	-
	PHQ-2©*		Not at all 0 - 1 day	Several days 2 - 6 days	More than half of the days 7 – 11 days	Nearly every day 12 – 14 days	N/A Unable to respond	
	 a) Little interest or plea doing things 	sure in	□		□²	ⅎ	□ha	
Ţ	b) Feeling down, depre	ssed, or	□			₿	□ha	

2 - Yes, with a different standardized assessment-and the patient meets criteria for further evaluation for depression.

OASIS-C: All Items

	3 - Yes, patient was screened with a different standardized assessment-and the patient does not meet criteria for further evaluation for depression.
*(Copyright© Pfizer Inc. All rights reserved. Reproduced with permission.
(M1740)	Cognitive, behavioral, and psychiatric symptoms that are demonstrated <u>at least once a week</u> (Reported or Observed): (Mark all that apply.)
	 Memory deficit: failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required Impaired decision-making: failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions
	 3 - Verbal disruption: yelling, threatening, excessive profanity, sexual references, etc. 4 - Physical aggression: aggressive or combative to self and others (e.g., hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects) 5 - Disruptive, infantile, or socially inappropriate behavior (excludes verbal actions)
	 6 - Delusional, hallucinatory, or paranoid behavior 7 - None of the above behaviors demonstrated
(M1745)	Frequency of Disruptive Behavior Symptoms (Reported or Observed) Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.
	 0 - Never 1 - Less than once a month 2 - Once a month 3 - Several times each month 4 - Several times a week 5 - At least daily
(M1750)	Is this patient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric nurse? 0 - No 1 - Yes
ADL/IA	<u>DLs</u>
(M1800)	Grooming: Current ability to tend safely to personal hygiene needs (i.e., washing face and hands, hair care, shaving or make up, teeth or denture care, fingernail care).
	 O - Able to groom self unaided, with or without the use of assistive devices or adapted methods. 1 - Grooming utensils must be placed within reach before able to complete grooming activities. 2 - Someone must assist the patient to groom self. 3 - Patient depends entirely upon someone else for grooming needs.
(M1810)	Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps:
	0 - Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
	 Able to dress upper body without assistance if clothing is laid out or handed to the patient. Someone must help the patient put on upper body clothing. Patient depends entirely upon another person to dress the upper body.
(M1820)	Current Ability to Dress <u>Lower</u> Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes:
	 O - Able to obtain, put on, and remove clothing and shoes without assistance. 1 - Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
	 2 - Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes. 3 - Patient depends entirely upon another person to dress lower body.

(M1830)		 g: Current ability to wash entire body safely. <u>Excludes</u> grooming (washing face, washing hands, ampooing hair).
	0 -	Able to bathe self in <u>shower or tub</u> independently, including getting in and out of tub/shower.
	1 -	With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.
	2 -	Able to bathe in shower or tub with the intermittent assistance of another person:
_		 (a) for intermittent supervision or encouragement or reminders, <u>OR</u> (b) to get in and out of the shower or tub, <u>OR</u> (c) for washing difficult to reach areas.
	3 -	Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.
	4 -	Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.
	5 -	Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person throughout the bath.
(144040)	6 -	Unable to participate effectively in bathing and is bathed totally by another person.
(M1840)		Transferring: Current ability to get to and from the toilet or bedside commode safely <u>and</u> transfer on toilet/commode.
	0 -	Able to get to and from the toilet and transfer independently with or without a device.
	1 -	When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.
	2 -	<u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).
	3 -	<u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
	4 -	Is totally dependent in toileting.
(M1845)	pads be	ng Hygiene: Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence efore and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area stoma, but not managing equipment.
\Box	0 - 1 -	Able to manage toileting hygiene and clothing management without assistance. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.
\Box	2 - 3 -	Someone must help the patient to maintain toileting hygiene and/or adjust clothing. Patient depends entirely upon another person to maintain toileting hygiene.
(M1850)		erring: Current ability to move safely from bed to chair, or ability to turn and position self in bed if is bedfast.
	0 - 1 -	Able to independently transfer. Able to transfer with minimal human assistance or with use of an assistive device.
	2 -	Able to bear weight and pivot during the transfer process but unable to transfer self.
\sqcup	3 -	Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
	4 - 5 -	Bedfast, unable to transfer but is able to turn and position self in bed. Bedfast, unable to transfer and is unable to turn and position self.
(M1860)		ation/Locomotion: Current ability to walk safely, once in a standing position, or use a wheelchair, a seated position, on a variety of surfaces.
	0 -	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (i.e., needs no human assistance or assistive device).
	1 -	With the use of a one-handed device (e.g. cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.
	2 -	Requires use of a two-handed device (e.g., walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
	3 -	Able to walk only with the supervision or assistance of another person at all times.
\vdash	4 - 5 -	Chairfast, <u>unable</u> to ambulate but is able to wheel self independently. Chairfast, unable to ambulate and is unable to wheel self.
H	5 - 6 -	Bedfast, unable to ambulate and is <u>unable</u> to wheel sell. Bedfast, unable to ambulate or be up in a chair.
	-	Boardor, arrabio to arribalate or be up in a origin

(M187	 Feeding or Eating: Current ability to feed self n process of <u>eating</u>, <u>chewing</u>, and <u>swallowing</u>, <u>not</u> 			refers only to the	
Г	process of <u>eating</u> , <u>cnewing</u> , and <u>swallowing</u> , <u>not</u> 0 - Able to independently feed self.	preparing the 1000	to be eaten.		
		S:			
	(a) meal set-up; <u>OR</u>				
	(b) intermittent assistance or supervisio		rson; <u>OR</u>		
Г	(c) a liquid, pureed or ground meat diet 2 - <u>Unable</u> to feed self and must be assiste	d or supervised th	roughout the meal/s	snack.	
	3 - Able to take in nutrients orally <u>and</u> recei				or
Г	gastrostomy. 4 - <u>Unable</u> to take in nutrients orally and is	fed nutrients throu	gh a nasogastric tu	be or gastrostomy	
	5 - Unable to take in nutrients orally or by t	ube feeding.		g ,	
(M188	O) Current Ability to Plan and Prepare Light Mea	Is (e.g., cereal, sa	ndwich) or reheat d	elivered meals saf	ely:
	0 - (a) Able to independently plan and prep				
	(b) Is physically, cognitively, and menta routinely performed light meal prepa				
Г	1 - <u>Unable</u> to prepare light meals on a regu				
	2 - Unable to prepare any light meals or rel	neat any deliverėd	meals.		
(M189	Ability to Use Telephone: Current ability to an effectively using the telephone to communicate.	swer the phone sa	fely, including dialir	g numbers, and	
	0 - Able to dial numbers and answer calls a				
L	 1 - Able to use a specially adapted telepho deaf) and call essential numbers. 	ne (i.e., large num	bers on the dial, tel	etype phone for th	е
	2 - Able to answer the telephone and carry				
	3 - Able to answer the telephone only some				ation
H	4 - <u>Unable</u> to answer the telephone at all b 5 - Totally unable to use the telephone.	ut can listen II assi	stea with equipmen	l.	
	NA - Patient does not have a telephone.				
(M190	O) Prior Functioning ADL/IADL: Indicate the patien	t's usual ability wit	n everyday activities	s prior to this curre	ent
	illness, exacerbation, or injury. Check only one_	<u>box in each r</u>	<u>ow.</u>		
			Needed Some	5	
	Functional Area	Independent	Needed Some Help	Dependent	
	a. Self-Care (e.g., grooming, dressing, and	Independent		Dependent	
			Help		
	Self-Care (e.g., grooming, dressing, and bathing)	-	Help		
	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal 		Help		
	a. Self-Care (e.g., grooming, dressing, and bathing)b. Ambulationc. Transfer		Help		
(M191	a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Ass mental impairment, toileting frequency, general results.	D D D essment (such as nobility/transferring	Help L L L L Table falls history, use of	□² □² □² □² □²	ons, i?
(M191	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Ass mental impairment, toileting frequency, general room on the properties of the properties o	D D D essment (such as mobility/transferring nducted.	Help L L L L Table falls history, use of	□² □² □² □² □²	ons, ?
(M191	a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Ass mental impairment, toileting frequency, general results.	D D D essment (such as mobility/transferring nducted.	Help L L L L Table falls history, use of	□² □² □² □² □²	ons, 1?
(M191	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assmental impairment, toileting frequency, general representation or not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes. 	D D D essment (such as mobility/transferring nducted.	Help L L L L Table falls history, use of	□² □² □² □² □²	ons, ?
	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assmental impairment, toileting frequency, general representation or not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes, and it does not indicate a risk for fall to yes. 	D D D essment (such as mobility/transferring nducted.	Help L L L L Table falls history, use of	□² □² □² □² □²	ons, ?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assmental impairment, toileting frequency, general rown or No multi-factor falls risk assessment country (e.g., and it does not indicate a risk for fall country) j. Yes, and it indicates a risk for falls. 	essment (such as mobility/transferring nducted.	Help L L L State of the state	T2 T2 T2 T2 T2 T2 T3 f multiple medicationmental hazards)	ons, ?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general representation or not multi-factor falls risk assessment countries. l - Yes, and it does not indicate a risk for falls. 	essment (such as mobility/transferring nducted. alls.	Help L L L Galls history, use of gimpairment, environd	T2 T2 T2 T2 T2 T3 T4 T3 T4 T5 T5 T6 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T7 T6 T7	?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general results of the comparison of the compariso	essment (such as mobility/transferring nducted. alls. regimen review in re drug therapy, sidence?	Help L L L Galls history, use of gimpairment, environd	T2 T2 T2 T2 T2 T3 T4 T3 T4 T5 T5 T6 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T7 T6 T7	?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general results of the comparation of the comparat	essment (such as mobility/transferring nducted. alls. regimen review in re drug therapy, sidence?	Help L L L Galls history, use of gimpairment, environd	T2 T2 T2 T2 T2 T3 T4 T3 T4 T5 T5 T6 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T7 T6 T7	?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general results of the comparison of the compariso	essment (such as mobility/transferring nducted. alls. regimen review in ve drug therapy, signance? to M2010]	Help L L L Galls history, use of gimpairment, environd	T2 T2 T2 T2 T2 T3 T4 T3 T4 T5 T5 T6 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T6 T7 T7 T7 T6 T7	?
MED	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general recommendation of the second o	essment (such as mobility/transferring nducted. alls. regimen review in re drug therapy, sidence? 10] 10 to M2010] Control of the man of	Help L L L L Galls history, use of gimpairment, environd dicate potential clin de effects, drug interested within contacted	multiple medicationmental hazards)	€
MED (M2000	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general results of the second of the s	essment (such as mobility/transferring nducted. alls. regimen review in re drug therapy, sidence? 10] 10 to M2010] Control of the man of	Help L L L L Galls history, use of gimpairment, environd dicate potential clin de effects, drug interested within contacted	multiple medicationmental hazards)	€
MED (M2000	 a. Self-Care (e.g., grooming, dressing, and bathing) b. Ambulation c. Transfer d. Household tasks (e.g., light meal preparation, laundry, shopping) D) Has this patient had a multi-factor Fall Risk Assemental impairment, toileting frequency, general recommendation of the second o	essment (such as mobility/transferring nducted. alls. regimen review in re drug therapy, sidence? 10] 10 to M2010] Control of the man of	Help L L L L Galls history, use of gimpairment, environd dicate potential clin de effects, drug interested within contacted	multiple medicationmental hazards)	€

(M2004	assessment, was a physici to resolve clinically signification	an or the physicia	n-designee contacted	d within one calenda	
	0 - No 1 - Yes NA - No clinically signif	icant medication is	ssues identified since	the previous OASI	S assessment
(M2010	 Patient/Caregiver High Righter precautions for all high-risk report problems that may on the problems of the problems. 	medications (suc			
	1 - Yes		s OR patient/caregiverisk medications	er fully knowledgea	ble about special
(M2015	patient/Caregiver Drug E patient/caregiver instructed therapy, drug reactions, an 0 - No 1 - Yes NA - Patient not taking	by agency staff o d side effects, and	or other health care pr	rovider to monitor th	ne effectiveness of drug
(M2020	 Management of Oral Med and safely, including admir injectable and IV medicat 	istration of the co	rrect dosage at the a	ppropriate times/inte	ervals. Excludes
		on(s) at the correc ages are prepared	t times if: in advance by anoth		(s) at the correct times.
	2 - Able to take medical appropriate times 3 - <u>Unable</u> to take me NA - No oral medication	dication unless ac	rrect times if given readministered by anothe	•	person at the
(M2030	 Management of Injectable injectable medications relia times/intervals. <u>Excludes</u> 	bly and safely, inc			
	(a) individual syrir	e medication(s) at ages are prepared	the correct times if: in advance by another		at the correct times.
	frequency of the in	cation(s) at the con njection ectable medication	rrect times if given red n unless administered	-	person based on the
(M2040		ment: Indicate th	he patient's usual al		
	Functional Area	Independent	Needed Some Help	Dependent	Not Applicable
	a. Oral medications	□		<u></u>	□ha
	b. Injectable medications				□ha

CARE MANAGEMENT

(M2100) Types and Sources of Assistance: Determine the level of caregiver ability and willingness to provide assistance for the following activities, if assistance is needed. (Check only <u>one</u> box in each row.)

Type of Assistance	No assistance needed in this area	Caregiver(s) currently provide assistance	Caregiver(s) need training/ supportive services to provide assistance	Caregiver(s) not likely to provide assistance	Unclear if Caregiver(s) will provide assistance	Assistance needed, but no Caregiver(s) available
a. ADL assistance (e.g., transfer/ ambulation, bathing, dressing, toileting, eating/feeding)	□		□2	₿	<u>□</u> 4	
b. IADL assistance (e.g., meals, housekeeping, laundry, telephone, shopping, finances)	□		□2	₿	□ 4	□
c. Medication administration (e.g., oral, inhaled or injectable)	□		□2	□	□ 4	□⁵
d. Medical procedures/ treatments (e.g., changing wound dressing)	□		□²	₿	□ 4	□⁵
e. Management of Equipment (includes oxygen, IV/infusion equipment, enteral/ parenteral nutrition, ventilator therapy equipment or supplies)	□	□t	□2	₿	□ 4	□
f. Supervision and safety (e.g., due to cognitive impairment)	□		□2	₿	□ 4	□⁵
g. Advocacy or facilitation of patient's participation in appropriate medical care (includes transportation to or from appointments)	□	<u> </u>	□2	₿	□ 4	□⁵

(M2	How Often does the patient receive AD agency staff)?	DL or IAD	L assist	ance fron	n any caregiver(s) (other than home health
	1 - At least daily 2 - Three or more times per week 3 - One to two times per week 4 - Received, but less often than versions 5 - No assistance received UK - Unknown [Omit "UK" option	weekly			
TH	IERAPY NEED AND PLAN OF CA	ARE			
(M2	physical, occupational, and speech-land therapy visits indicated.) () Number of therapy visits indicated.	e indicate guage pa	d need fo thology v	r therapy isits coml	visits (total of reasonable and necessary
	combined). NA - Not Applicable: No case mix g	group defi	ned by th	nis assess	sment.
(M2	Plan of Care Synopsis: (Check only on the following:	one box i	n each ro	w.) Does	the physician-ordered plan of care include
	Plan / Intervention	No	Yes	Not Ap	plicable
a.	Patient-specific parameters for notifying physician of changes in vital signs or other clinical findings			□ha	Physician has chosen not to establish patient-specific parameters for this patient. Agency will use standardized clinical guidelines accessible for all care providers to reference
b.	Diabetic foot care including monitoring for the presence of skin lesions on the lower extremities and patient/caregiver education on proper foot care	□		□ha	Patient is not diabetic or is bilateral amputee
C.	Falls prevention interventions	□		□ha	Patient is not assessed to be at risk for falls
d.	Depression intervention(s) such as medication, referral for other treatment, or a	□	□	□ha	Patient has no diagnosis or symptoms of depression
e.	monitoring plan for current treatment				, ,
	monitoring plan for current treatment Intervention(s) to monitor and mitigate pain	□		□ha	No pain identified
f.				□ha □ha	

EMERGENT CARE

(M2300)	•	ent Care: Since the last time OASIS data were collected, has the patient utilized a hospital ncy department (includes holding/observation)?
	0 - 1 - 2 -	No [<i>Go to M2400</i>] Yes, used hospital emergency department WITHOUT hospital admission Yes, used hospital emergency department WITH hospital admission Unknown [<i>Go to M2400</i>]
(M2310)		for Emergent Care: For what reason(s) did the patient receive emergent care (with or without ization)? (Mark all that apply.)
	1 -	Improper medication administration, medication side effects, toxicity, anaphylaxis
H	2 - 3 -	Injury caused by fall
H	3 -	Respiratory infection (e.g., pneumonia, bronchitis)
\vdash	4 -	Uner respiratory problem
\vdash	5 -	Heart failure (e.g., iluid overload)
H	0 - 7	Other respiratory problem Heart failure (e.g., fluid overload) Cardiac dysrhythmia (irregular heartbeat) Myocardial infarction or chest pain
H	7 - 8 -	Myocardial infarction or chest pain Other heart disease
H		Stroke (CVA) or TIA
H		Hypo/Hyperglycemia, diabetes out of control
H		GI bleeding, obstruction, constipation, impaction
Ħ		Dehydration, malnutrition
Ħ		Urinary tract infection
Ħ		IV catheter-related infection or complication
П		Wound infection or deterioration
		Uncontrolled pain
	17 -	Acute mental/behavioral health problem
	18 -	Deep vein thrombosis, pulmonary embolus
		Other than above reasons
	UK -	Reason unknown

DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY DISCHARGE ONLY

(M2400) Intervention Synopsis: (Check only <u>one</u> box in each row.) Since the previous OASIS assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented?

	Plan / Intervention	No	Yes	Not Ap	plicable
a.	Diabetic foot care including monitoring for the presence of skin lesions on the lower extremities and patient/caregiver education on proper foot care	□		□ha	Patient is not diabetic or is bilateral amputee
b.	Falls prevention interventions			□ha	Formal multi-factor Fall Risk Assessment indicates the patient was not at risk for falls since the last OASIS assessment
C.	Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	□		□na	Formal assessment indicates patient did not meet criteria for depression AND patient did not have diagnosis of depression since the last OASIS assessment
d.	Intervention(s) to monitor and mitigate pain	□		□ha	Formal assessment did not indicate pain since the last OASIS assessment
e.	Intervention(s) to prevent pressure ulcers			□ha	Formal assessment indicates the patient was not at risk of pressure ulcers since the last OASIS assessment
f.	Pressure ulcer treatment based on principles of moist wound healing			□ha	Dressings that support the principles of moist wound healing not indicated for this patient's pressure ulcers <u>OR</u> patient has no pressure ulcers with need for moist wound healing
	2410) To which Inpatient Facility has the pat 1 - Hospital [Go to M2430] 2 - Rehabilitation facility [Go to 3 - Nursing home [Go to M24. 4 - Hospice [Go to M0903] NA - No inpatient facility admission 2420) Discharge Disposition: Where is the answer.) 1 - Patient remained in the communication of the communication o	MO903 40] [Omit "N patient af unity (with	A" optio fter dischange nout form n formal a hospice	n on TRI arge from al assistive assistive s	your agency? (Choose only one we services)
	[Go to M0903]				

 1 - Improper medication administration, medication side effects, toxicity, ana 2 - Injury caused by fall 3 - Respiratory infection (e.g., pneumonia, bronchitis) 4 - Other respiratory problem 5 - Heart failure (e.g., fluid overload) 6 - Cardiac dysrhythmia (irregular heartbeat) 7 - Myocardial infarction or chest pain 8 - Other heart disease
9 - Stroke (CVA) or TIA 10 - Hypo/Hyperglycemia, diabetes out of control 11 - GI bleeding, obstruction, constipation, impaction 12 - Dehydration, malnutrition 13 - Urinary tract infection 14 - IV catheter-related infection or complication 15 - Wound infection or deterioration 16 - Uncontrolled pain 17 - Acute mental/behavioral health problem 18 - Deep vein thrombosis, pulmonary embolus 19 - Scheduled treatment or procedure 20 - Other than above reasons UK - Reason unknown Go to M0903]
(M2440) For what Reason(s) was the patient Admitted to a Nursing Home? (Mark all the
1 - Therapy services 2 - Respite care 3 - Hospice care 4 - Permanent placement 5 - Unsafe for care at home 6 - Other UK - Unknown [Go to M0903]
(M0903) Date of Last (Most Recent) Home Visit:
month / day / year (M0906) Discharge/Transfer/Death Date: Enter the date of the discharge, transfer, or death
month / day / year