


Survey Instrument Screenshots

DISPLAY 0



The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display0 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The Favorites bar contains "Favorites", "Free Hotmail", and "Web Slice Gallery". The main content area features a white box with the following text:

Obesity Survey

Thank you for your interest in this health survey. In this survey, we will ask you about weight management and what you think about devices that can be used to help people lose weight. Please answer the following questions to confirm that you are eligible to participate in this survey.

At the bottom right of the white box, there is a "Next" button.

DISPLAY

Knowledge Networks: Display - Windows Internet Explorer

English (United States) English (United States)

http://surveys.knowledgenetworks.com/InrDWeb/InrDWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: Display

Form Approved

OMB No. 0910-XXXX

Exp. Date:

Public Reporting burden of this collection of information is estimated to average 25 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to:

Department of Health and Human Services
Food and Drug Administration
Office of Chief Information Officer
Paperwork Reduction Act Staff
1350 Piccard Drive, Room 400
Rockville, MD 20850

Next

S2

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: S2 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The Favorites bar contains "Free Hotmail" and "Web Slice Gallery". The main content area displays a survey question: "About how tall are you?". Below the question are two input fields: a text box for "feet" and a text box for "inches", separated by the word "and". A "Next" button is located at the bottom right of the survey area.

Knowledge Networks: S2 - Windows Internet Explorer

English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: S2

About how tall are you?

feet and inches

Next

S3

Knowledge Networks: S3 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: S3


Home Stop Page Safety Tools >>

About how much do you weigh?


pounds

Next

If not qualified (INELIGIBLE):



If qualified (DISPLAY 1):



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display 1 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a search bar with "Google" and a menu bar with "Page", "Safety", and "Tools". The main content area features a white box with the following text:

Study Purpose

You are one of about 450 people in the United States who are being asked to take this survey to help us understand preferences for attributes of devices that can help people lose weight.

Study Duration


The survey will take about 25 minutes to complete.

Study Details

Research Triangle Institute (RTI) is doing this study for the U.S. Food and Drug Administration's Center for Devices and Radiological Health (FDA-CDRH). RTI is a non-profit research organization in Research Triangle Park, North Carolina. RTI has contracted with Knowledge Networks (KN) to collect data. If you have questions about this survey, please contact Panel Relations at 1-800-782-6899 (a toll-free number) and someone will direct your questions to a researcher at RTI.

At the bottom right of the white box, there is a "Next" button.

If qualified (DISPLAY 2):



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display2 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a search bar with "Google" and a menu bar with "Page", "Safety", and "Tools". The main content area is a white box with a black border containing the following text:

Possible Risks or Discomforts

If any questions make you uncomfortable, you do not need to answer them.

KN will protect your responses under its Privacy Policy. RTI and the FDA-CDRH will receive your survey responses without any personal identifiers. RTI will also make every effort to protect your responses. There is a potential risk of disclosure of the survey data, but the data could not be directly tied to you.


If you have any concerns about this survey, you may call the RTI Office of Research Protection at 1-866-214-2043 (a toll-free number).

Benefits

There are no direct benefits to you for participating in this study. Benefits of this survey apply to the broader population of people with obesity such that it will generate a better understanding of their preferences and potentially lead to a wider choice of treatments.

At the bottom right of the white box, there is a "Next" button.

If qualified (DISPLAY 3):



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display3 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a toolbar with icons for back, forward, home, and search, and a search box with the Google logo. The main content area displays a white box with the following text:

Confidentiality

Many steps have been taken to protect your information. KN will report only your responses to RTI, not your name or other contact information. If the results of this study are presented at scientific meetings or published in scientific journals, no information will be included that could identify you or your responses personally.

The Institutional Review Board (IRB) at RTI has reviewed this research. An IRB is a group of people who make sure that the rights of participants in research are protected. The IRB may check records of your activity in this research to see if proper procedures were followed.

Your Rights

Your decision to take part in this research study is completely voluntary. Your decision to participate in this study will not affect your usual medical care. You can refuse to answer any question or stop at any point after you begin the survey and still receive your KN points for participating in the survey.

Next

CONSENT 1

The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: CONSENT1 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The address bar also shows "EN English (United States)" and "English (United States)". The browser's toolbar includes "Favorites", "Free Hotmail", "Web Slice Gallery", and "Knowledge Networks: CONSENT1". The main content area displays a consent form with the following text:

*If you have read the previous screens and agree to participate, please click the **Yes** button, if not, click the **No** button.*

Select one answer only

- Yes, I agree to participate.*
- No, I do not agree to participate.*

At the bottom right of the form, there is a "Next" button.

If no consent (CONSENT 2):

Knowledge Networks: CONSENT2 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: CONSENT2

Are you sure you don't want to participate? Your opinions are important to us. Please select the **Yes** button to continue this survey; if not, select the **No** button to exit.


Select one answer only

Yes, I agree to participate.

No, I do not agree to participate.

Next

If no consent again (INELIGIBLE):



B7A

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: B7A - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area displays a survey question: "First we will ask you a few questions about yourself. What is your waist size?". Below the question are two radio button options: "inches" and "Don't know". A "Next" button is located at the bottom right of the survey area.

Knowledge Networks: B7A - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: B7A

Page Safety Tools

First we will ask you a few questions about yourself.

What is your waist size?

inches

Don't know

Next

B7B

Knowledge Networks: B7b - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: B7b

What is your hip size?

inches

Don't know

Next

B8

The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: B8 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area displays a survey titled "Managing your weight".

Managing your weight

Now we will ask you some questions about your experience with managing your weight and other weight-related health issues.


How many pounds have you gained or lost in the last 12 months?

Select one answer only

- Gained more than 70 pounds
- Gained between 40 and 69 pounds
- Gained between 15 and 39 pounds
- Gained less than 15 pounds
- No weight change
- Lost less than 15 pounds
- Lost between 15 and 39 pounds
- Lost between 40 and 69 pounds
- Lost more than 70 pounds

[Next](#)

If respondent reported losing 15 or more pounds (B8A):



The image shows a screenshot of a web browser window titled "Knowledge Networks: B8a - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a toolbar with navigation buttons, and a search bar with the Google logo. The main content area displays a survey question: "What motivated you to lose weight in the last 12 months?". Below the question, it says "Select all answers that apply". There is a list of seven options, each with a checkbox: "Improve problems of infertility", "Improve my appearance in general", "Improve my appearance for an upcoming event", "Improve my high blood pressure", "Improve my type 2 diabetes", "Improve my high blood cholesterol", and "Improve my overall health". The eighth option is "Other (please specify)" followed by a text input field. The ninth option is "Don't know". A "Next" button is located at the bottom right of the survey area.

Knowledge Networks: B8a - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: B8a

Next

What motivated you to lose weight in the last 12 months?

Select all answers that apply

- Improve problems of infertility
- Improve my appearance in general
- Improve my appearance for an upcoming event
- Improve my high blood pressure
- Improve my type 2 diabetes
- Improve my high blood cholesterol
- Improve my overall health
- Other (please specify)
- Don't know

B9

Knowledge Networks: B9 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: B9

Page Safety Tools

How many pounds have you gained or lost since high school?

Select one answer only

- Gained more than 70 pounds
- Gained between 40 and 69 pounds
- Gained between 15 and 39 pounds
- Gained less than 15 pounds
- No weight change
- Lost less than 15 pounds
- Lost between 15 and 39 pounds
- Lost between 40 and 69 pounds
- Lost more than 70 pounds

Next

B10

Knowledge Networks: B10 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: B10

Page Safety Tools >>

How many pounds would you like to lose?

Select one answer only

- I don't want to lose any weight
- Less than 10 pounds
- Between 10 and 20 pounds
- Between 21 and 40 pounds
- Between 41 and 60 pounds
- Between 61 and 80 pounds
- More than 80 pounds (please specify)
- Don't know

Next

B11

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: B11 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The toolbar contains icons for "Favorites", "Free Hotmail", "Web Slice Gallery", "Home", "Back", "Forward", "Print", "Page", "Safety", "Tools", and "Help". The main content area displays a survey question: "Which of the following health conditions are you currently taking a prescription medicine for?". Below the question, it says "Select all answers that apply" and lists five options with checkboxes: "High blood pressure", "Type 2 diabetes", "High cholesterol", "None of the above", and "Don't know". A "Next" button is located at the bottom right of the survey area.

Knowledge Networks: B11 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: B11

Home Back Forward Print Page Safety Tools Help

Which of the following health conditions are you currently taking a prescription medicine for?

Select all answers that apply

- High blood pressure
- Type 2 diabetes
- High cholesterol
- None of the above
- Don't know

Next

B11A

Knowledge Networks: B11a - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: B11a

Page Safety Tools

Which of the following conditions are you most concerned about?

Select one answer only

- High blood pressure
- Type 2 diabetes
- High cholesterol
- None of the above

Next

B12

Knowledge Networks: B12 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: B12

Page Safety Tools

Which of the following have you ever tried as a way to lose weight?

Select all answers that apply

- I have increased my physical activity
- I have followed a diet (eat particular kinds of food, avoid particular kinds of food, or limit the amount of food you eat)
- I have had regular counseling or I have joined a support group
- I have taken over-the-counter drugs
- I have taken herbal supplements
- I have taken prescription drugs
- I have had an operation to lose weight (e.g., bariatric bypass surgery)
- I have had a gastric banding procedure (e.g., LAP-BAND®, REALIZE®)
- Other (please specify)
- I have not done anything to lose weight

Next

If respondent does not report that he/she has not done anything to lose weight (B12A):

The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: B12a - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area displays a survey question: "What motivated you to try to lose weight?". Below the question is the instruction "Select all answers that apply" and a list of seven options, each with an unchecked checkbox. The options are: "Improve problems of infertility", "Improve my appearance in general", "Improve my appearance for an upcoming event", "Improve my high blood pressure", "Improve my type 2 diabetes", "Improve my high blood cholesterol", "Improve my overall health", "Other (please specify) [text input field]", and "Don't know". A "Next" button is located at the bottom right of the question area.

Knowledge Networks: B12a - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: B12a


Next

What motivated you to try to lose weight?

Select all answers that apply

- Improve problems of infertility
- Improve my appearance in general
- Improve my appearance for an upcoming event
- Improve my high blood pressure
- Improve my type 2 diabetes
- Improve my high blood cholesterol
- Improve my overall health
- Other (please specify)
- Don't know

If respondent reports that he/she had an operation to lose weight or a gastric banding procedure (B12B):



The screenshot shows a web browser window with the following details:

- Browser: Windows Internet Explorer
- Address Bar: <http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll>
- Page Title: Knowledge Networks: B12b
- Question Text: "When did you have an operation (e.g., bariatric bypass surgery) or gastric banding procedure (e.g., LAP-BAND®, REALIZE®) to lose weight?"
- Instruction: "Select one answer only"
- Options:
 - More than 4 years ago
 - 2-4 years ago
 - 1-2 years ago
 - less than a year ago
- Navigation: A "Next" button is located at the bottom right of the question area.

DISPLAY 4

The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display4 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with icons for home, back, forward, print, and search. The main content area is a white box with a black border containing the following text:

Weight-Loss Devices

Doctors can help people lose weight with operations that place a weight-loss device in their body to change how their body digests food. These weight-loss devices usually are placed in or around the stomach.


Weight-loss devices sometimes help people lose a lot of weight in a short period of time. The actual amount of weight people lose and how long the weight loss lasts depends on the type of weight-loss device, on how the body reacts, and on people's behavior.

Doctors cannot say exactly how much weight people will lose, or how long people will maintain the weight they lose with a weight-loss device. However, doctors know what has happened to people who have gotten a particular weight-loss device in the past. The typical or average result can help people understand what they could expect from that device themselves.

In this survey, we will ask you to think about features of devices used to help people lose weight.

Next

DISPLAY 5



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display5 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a status bar at the bottom with "Page", "Safety", and "Tools" options. The main content area features a white box with the following text:

Type of operation to place a weight-loss device

There are three kinds of operations to place a weight-loss device in a person's body.

Endoscopic surgery – Endoscopic surgery uses a long, flexible tube with a camera and light attached to it to place a device in the body. The tube is put into the stomach through the mouth and throat. For example, a stomach balloon is a device that is put into the stomach using this method. The balloon is filled with liquid or air, which makes less space for food.

Laparoscopic surgery – Laparoscopic surgery is an operation that uses small cuts in the belly. These openings are used for a camera with a light, tools for operating on the stomach or placing a device in the body to place the device in the body. For example, an adjustable lap band (laparoscopic band) is a device that is placed around the stomach through a small cut in the belly. It squeezes the stomach to make it smaller.

Open surgery – Open surgery is an operation that uses large cuts to open the belly to place a device in the body.

Next

If respondent reports that he/she had an operation to lose weight or a gastric banding procedure (Q1):

The image shows a screenshot of a web browser window titled "Knowledge Networks: Q1 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area displays a survey question: "What kind of bariatric operation did you have?". Below the question is the instruction "Select all answers that apply" and a list of four options, each with an unchecked checkbox: "Endoscopic surgery", "Laparoscopic surgery", "Open surgery", and "Other (please specify)". A text input field is provided for the "Other" option. A "Next" button is located at the bottom right of the question area.

Knowledge Networks: Q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Q1

Page Safety Tools

What kind of bariatric operation did you have?

Select all answers that apply

- Endoscopic surgery
- Laparoscopic surgery
- Open surgery
- Other (please specify)

Next

If respondent reports that he/she had an operation to lose weight or a gastric banding procedure (Q2):

The image shows a screenshot of a web browser window. The browser is titled "Knowledge Networks: Q2 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a search bar with "Google" as the search engine, and a toolbar with various icons. The main content area displays a survey question: "How satisfied were you with the information in the consent form you received before your operation that explained possible benefits and risks?". Below the question, it says "Select one answer only" and lists seven radio button options: "Very satisfied", "Somewhat satisfied", "Neither satisfied nor dissatisfied", "Somewhat dissatisfied", "Very dissatisfied", "I did not receive a consent form before my operation", and "Don't know". A "Next" button is located at the bottom right of the question area.

Knowledge Networks: Q2 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

English (United States)

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Q2

Page Safety Tools

How satisfied were you with the information in the consent form you received before your operation that explained possible benefits and risks?

Select one answer only

- Very satisfied
- Somewhat satisfied
- Neither satisfied nor dissatisfied
- Somewhat dissatisfied
- Very dissatisfied
- I did not receive a consent form before my operation
- Don't know

Next

If respondent reports that he/she had an operation to lose weight or a gastric banding procedure (Q3):

The image shows a screenshot of a web browser window. The browser is identified as "Knowledge Networks: Q3 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a toolbar with navigation buttons, and a search bar. The main content area displays a survey question: "Did you have any serious complications after your operation?". Below the question, it says "Select one answer only" and provides three radio button options: "Yes", "No", and "Don't know". The "Yes" option is currently selected. A "Next" button is located at the bottom right of the question area.

Knowledge Networks: Q3 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: Q3

Did you have any serious complications after your operation?

Select one answer only

Yes

No

Don't know

Next

If respondent did not report that he/she had an operation to lose weight or a gastric banding procedure (Q4)

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Q4 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The toolbar contains icons for "Favorites", "Free Hotmail", "Web Slice Gallery", and a search icon. The main content area displays a survey question: "Have you ever considered having bariatric surgery or getting a lap band to lose weight?". Below the question, it says "Select one answer only" and lists three radio button options: "Yes", "No", and "Don't know". The "Yes" option is currently selected. A "Next" button is located at the bottom right of the question box.

Knowledge Networks: Q4 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Q4

Page Safety Tools

Have you ever considered having bariatric surgery or getting a lap band to lose weight?

Select one answer only

Yes

No

Don't know

Next

If respondent did not report that he/she had an operation to lose weight or a gastric banding procedure (Q5):

The image shows a screenshot of a web browser window. The browser is titled "Knowledge Networks: Q5 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The browser's toolbar includes "Favorites", "Free Hotmail", "Web Slice Gallery", and a search bar with the "Google" logo. The main content area of the browser displays a survey question:

Have you ever had a major operation that required that you stayed at the hospital overnight (for example, C-section, hip replacement, or gallbladder removal)?

Select one answer only

- Yes
- No
- Don't know

At the bottom right of the survey area, there is a "Next" button.

If respondent did not report that he/she had an operation to lose weight or a gastric banding procedure (Q6):

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Q6 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area displays a survey question: "Do you know anyone who has ever had bariatric surgery or a lap band to lose weight?". Below the question, it says "Select one answer only" and lists three radio button options: "Yes", "No", and "Don't know". The "Yes" option is currently selected. A "Next" button is located at the bottom right of the question area.

Knowledge Networks: Q6 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Q6

Page Safety Tools

Do you know anyone who has ever had bariatric surgery or a lap band to lose weight?

Select one answer only


Yes

No

Don't know

Next

DISPLAY 6



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display6 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a toolbar with icons for back, forward, home, and search, and a search engine dropdown set to Google. The main content area displays the following text:

Diet restrictions

After getting a weight-loss device, people have to avoid eating certain foods, or change how much and how often they eat. When people don't follow these rules, they have stomach pain or more serious problems such as cramps, sweating, fast heartbeat, or diarrhea.

In addition to having these problems, people who do not follow the diet restrictions regain the weight they lost.

In this survey, we will ask you to consider 3 types of diet restrictions:

- **Eat 1/4 cup of food at a time** – This amount of food is about half the size of an apple. After eating, people have to wait at least 1 hour before eating again.
- **Wait 4 hours between meals** – People cannot eat food for 4 hours after finishing a meal.
- **Can't eat sweets or foods that are hard to digest** – People cannot eat sweets (such as ice cream or milk shakes) or that are difficult to digest (such as pizza, French fries, or steak). Also, people cannot eat food with a lot of fiber.

At the bottom right of the content area, there is a "Next" button.

Q7

Knowledge Networks: Q7 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: Q7

Page Safety Tools

Please indicate how difficult you think it would be to follow each of the 3 diet restrictions in the table below? *(Please select one level of difficulty for each diet restriction)*

Select one answer from each row in the grid

	Extremely difficult	Very difficult	Difficult	Somewhat difficult	Not difficult
Eat 1/4 cup of food at a time	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wait 4 hours between meals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Can't eat sweets or foods that are hard to digest	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Next

EXAMPLE 1

Knowledge Networks: Example 1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: Example 1

Example #1

Suppose there were two weight-loss devices with the following features.

Device A

Doctors place Device A in the body using endoscopic surgery, and recommend that everyone getting this device stop eating sweets (such as ice cream or milk shakes) and foods that are hard to digest such as pizza, French fries, or steak, and foods that have a lot of fiber to avoid stomach pain or more serious problems such as cramps, sweating, fast heartbeat, or diarrhea. Most people who have gotten Device A, and have followed the diet restrictions, have lost about 25 pounds.

Device B

Doctors place Device B in the body using open surgery, and recommend that everyone getting this device eat only 1/4 cup of food at a time. Most people who have gotten Device B, and have followed the diet restrictions, have lost about 50 pounds.

Device A and Device B do not necessarily describe devices that currently exist. We are interested in knowing what you would choose if they actually did exist.

Which weight-loss device do you think would be better for people like you?

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Open surgery
Diet restriction	Can't eat sweets or foods that are hard to digest	Eat 1/4 cup of food at a time
Average amount of weight loss	25 lbs	50 lbs.
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

DISPLAY 8


The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display8 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a toolbar with navigation and utility icons. The main content area features a white box with the following text:

How long the weight loss lasts

How long the weight loss lasts depends on the particular device and people's own behavior. When people lose weight after getting a weight-loss device, they need to change their lifestyle and accept diet restrictions to avoid regaining weight. In addition to diet restrictions, these changes include increasing physical activity and having weekly meetings with a support group.

At the bottom right of the white box, there is a "Next" button.

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (DISPLAY 9):



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display9 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a toolbar with icons for back, forward, home, and search, and a search box with the Google logo. The main content area features a white box with the following text:

Effects of weight loss on diabetes


Research studies show that people who are overweight are about 7 times more likely to develop diabetes than people with normal weight. Diabetes causes people's level of blood sugar to be higher than normal.

People with diabetes have a much higher chance of having health problems such as kidney failure, blindness, heart attacks, and amputations. Taking medicines and following diet limitations every day for the rest of their life can lower their blood sugar and decrease the chance of having these serious health problems.

If people can lose weight and maintain the weight loss after getting a weight-loss device, they can decrease the chance of getting diabetes. For people who already have diabetes, maintaining their weight loss can let them take less medicine or stop taking medicine.

At the bottom right of the white box, there is a "Next" button.

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity (DISPLAY 10):



The screenshot shows a Windows Internet Explorer browser window. The address bar contains the URL <http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll>. The browser's menu bar includes File, Edit, View, Favorites, Tools, and Help. The Favorites bar shows 'Free Hotmail' and 'Web Slice Gallery'. The main content area displays a survey question with the following text:

Effects of weight loss on high blood pressure


Research studies show that people who are overweight are about 6 times more likely to get high blood pressure than people with normal weight.

Although high blood pressure usually has no symptoms, over time people with high blood pressure have a higher chance of having health problems such as kidney damage, strokes, and heart attacks. Taking medicines and following diet limitations every day for the rest of their life can lower their blood pressure and decrease the chance of having these serious health problems.

If people can lose weight and maintain the weight loss after getting a weight-loss device, they can decrease the chance of having high blood pressure. For people who already have high blood pressure, maintaining their weight loss can let them take less medicine or stop taking medicine.

At the bottom right of the content area, there is a 'Next' button.

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (DISPLAY 11):



The screenshot shows a Windows Internet Explorer browser window. The address bar contains the URL <http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll>. The browser's menu bar includes File, Edit, View, Favorites, Tools, and Help. The Favorites bar shows 'Free Hotmail' and 'Web Slice Gallery'. The main content area displays a survey question titled 'Effects of weight loss on high cholesterol'. The text of the question is as follows:

Effects of weight loss on high cholesterol

Research studies show that people who are overweight are about 2 times more likely to develop high cholesterol than people with normal weight.

Although high cholesterol usually has no symptoms, over time people with high cholesterol have a higher chance of having health problems such as strokes and heart attacks. Taking medicines and following diet limitations every day for the rest of their life can lower their cholesterol and decrease the chance of having these serious health problems.

If people are able to maintain the weight they lose after getting a weight-loss device, they can decrease the chance of having high cholesterol. For people who already have high cholesterol, maintaining their weight loss can let them take less medicine or stop taking medicine.

At the bottom right of the content area, there is a 'Next' button.

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (Q8A):

The screenshot shows a Windows Internet Explorer browser window. The address bar contains the URL <http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll>. The browser title is "Knowledge Networks: Q8A - Windows Internet Explorer". The page content is a survey question:

About how much greater do you think your chance is of developing health problems related to diabetes compared to people with normal weight?

Select one answer only

- My chance is about the same as the chance faced by people with normal weight
- My chance is higher than the chance faced by people with normal weight, but lower than the chance faces by most people who are overweight
- My chance is about the same as most people who are overweight
- My chance is higher than most people who are overweight
- Not sure or don't know

At the bottom right of the question area, there is a "Next" button.

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity (Q8B):

Knowledge Networks: Q8B - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: Q8B

Page Safety Tools

About how much greater do you think your chance is of developing health problems related to high blood pressure compared to people with normal weight?

Select one answer only

- My chance is about the same as the chance faced by people with normal weight
- My chance is higher than the chance faced by people with normal weight, but lower than the chance faces by most people who are overweight
- My chance is about the same as most people who are overweight
- My chance is higher than most people who are overweight
- Not sure or don't know

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (Q8C):

The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Q8C - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser's menu bar includes "File", "Edit", "View", "Favorites", "Tools", and "Help". The Favorites bar shows "Favorites", "Free Hotmail", and "Web Slice Gallery". The main content area displays a survey question: "About how much higher do you think your chance is of developing health problems related to high cholesterol compared to people with normal weight?". Below the question, it says "Select one answer only" and lists five radio button options. The first option, "My chance is about the same as the chance faced by people with normal weight", is selected. A "Next" button is located at the bottom right of the survey area.

Knowledge Networks: Q8C - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Q8C

Page Safety Tools

About how much higher do you think your chance is of developing health problems related to high cholesterol compared to people with normal weight?

Select one answer only

- My chance is about the same as the chance faced by people with normal weight
- My chance is higher than the chance faced by people with normal weight, but lower than the chance faces by most people who are overweight
- My chance is about the same as most people who are overweight
- My chance is higher than most people who are overweight
- Not sure or don't know

Next

Q9

Knowledge Networks: Q9 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: Q9

Page Safety Tools

Side effects that limit daily activities several times a month

After getting a weight-loss device, some people have side effects. These side effects include difficulty swallowing, nausea, vomiting, and pain in or around the stomach. With some devices, side effects last about 1 month, on average. With other devices, the average duration of the side effects is much longer. People treat these side effects using over-the-counter medicines, or doctors prescribe medicines to help with these problems.

Even after taking over-the-counter or prescription medicine for these side effects, some people still do feel bad enough about once a week that they have trouble doing everyday work or social activities.

Which of the following symptoms do you think is most likely to make you feel bad enough that you would have trouble doing everyday work or social activities?

Select one answer only

- Difficulty swallowing
- Nausea
- Vomiting
- Pain
- Not sure or don't know

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (EXAMPLE 2):

Knowledge Networks: Example2 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Which of these two weight-loss devices do you think would be better for people like you?

Feature	Device A	Device B
Type of operation	Open Surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	No change
On average, how long side effects last (Remember that side effects will limit your ability to do daily activities several times a month.)	5 years	1 month
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
(EXAMPLE 2):

Which of these two weight-loss devices do you think would be better for people like you?

Feature	Device A	Device B
Type of operation	Open Surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Half the current dose to treat High Blood Pressure	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	1 month
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (EXAMPLE 2):

Which of these two weight-loss devices do you think would be better for people like you?

Feature	Device A	Device B
Type of operation	Open Surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Half the current dose to treat High Cholesterol	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	1 month
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

Experimental design for EXAMPLE 2:

Attribute Labels	Level Labels		Variable
Type of operation	Endoscopic surgery Laparoscopic surgery Open Surgery		OPTYP1 OPTYP2 OPTYP3
Average reduction in dose of prescription drugs for [comorbidity] at the lower weight Or Chance of getting [comorbidity]	For primary comorbidity: Eliminate need for prescription drugs to treat comorbidity Half the current dose to treat comorbidity No change	If no comorbidity: Eliminates risk 50% lower risk No change	COMOR1 COMOR2 COMOR3
On average, how long side effects last (Remember that side effects will limit your ability to do daily activities several times a month.)	None 1 month 1 year 5 years		SETIM1 SETIM2 SETIM3 SETIM4
Recommended diet restrictions	Eat ¼ cup of food at a time Wait 4 hours between eating Can't eat sweets or foods that are hard to digest		DIET1 DIET2 DIET3

Design instructions:

- Randomly assign subjects to one set in Version 0 (below).
- For the attribute "Average reduction in dose of prescription drugs for [co-morbidity] at the lower weight" OR "Chance of getting [co-morbidity]" do the following:
 - If B11 is equal to "Don't know" or "None of the above", use the "chance of getting [co-morbidity]" attribute label. Populate the '[co-morbidity]' field with the response to B11a. Use the "If no co-morbidity" set of level labels.
 - If B11 is equal to only one of 'Diabetes', 'High Blood Pressure', or 'High Cholesterol', use the "Average reduction in dose" attribute label, and populate the [co-morbidity] field with the response to B11. Use the "For primary co-morbidity" set of level labels
 - If B11 is equal to two or more of 'Diabetes', 'High Blood pressure', or 'High Cholesterol', use the "Average reduction in dose" attribute label. Populate the [Co-morbidity] field with the response to B11a. Use the "For primary co-morbidity" set of attribute labels.

In Version 0 we summarize the attribute levels shown under each pair of weight-loss devices in EXAMPLE 2. Each pair of rows (Alt 1 and Alt 2) represents the specific levels that will be used to populate EXAMPLE 2.

Version 0

SET	ALT	OPTYP	COMOR	SETIM	DIET
1	1	OPTYP1	COMOR2	SETIM3	DIET2
1	2	OPTYP2	COMOR1	SETIM2	DIET3
2	1	OPTYP2	COMOR2	SETIM1	DIET3
2	2	OPTYP3	COMOR3	SETIM4	DIET2
3	1	OPTYP2	COMOR1	SETIM1	DIET1
3	2	OPTYP1	COMOR3	SETIM3	DIET3
4	1	OPTYP2	COMOR2	SETIM4	DIET2
4	2	OPTYP1	COMOR3	SETIM3	DIET1
5	1	OPTYP3	COMOR1	SETIM4	DIET3
5	2	OPTYP2	COMOR2	SETIM2	DIET1
6	1	OPTYP1	COMOR1	SETIM1	DIET2
6	2	OPTYP3	COMOR2	SETIM4	DIET1
7	1	OPTYP1	COMOR1	SETIM2	DIET2
7	2	OPTYP2	COMOR3	SETIM1	DIET1
8	1	OPTYP1	COMOR1	SETIM3	DIET1
8	2	OPTYP2	COMOR2	SETIM2	DIET2
9	1	OPTYP2	COMOR1	SETIM2	DIET3
9	2	OPTYP3	COMOR2	SETIM3	DIET2
10	1	OPTYP2	COMOR1	SETIM3	DIET3
10	2	OPTYP1	COMOR3	SETIM2	DIET1
11	1	OPTYP2	COMOR1	SETIM1	DIET1
11	2	OPTYP1	COMOR2	SETIM3	DIET3
12	1	OPTYP1	COMOR3	SETIM1	DIET2
12	2	OPTYP3	COMOR1	SETIM2	DIET1
13	1	OPTYP2	COMOR3	SETIM3	DIET1
13	2	OPTYP1	COMOR1	SETIM4	DIET3
14	1	OPTYP1	COMOR3	SETIM4	DIET1
14	2	OPTYP3	COMOR1	SETIM2	DIET2
15	1	OPTYP3	COMOR3	SETIM2	DIET3
15	2	OPTYP1	COMOR1	SETIM3	DIET1
16	1	OPTYP2	COMOR3	SETIM2	DIET2
16	2	OPTYP3	COMOR1	SETIM4	DIET3
17	1	OPTYP3	COMOR2	SETIM2	DIET2
17	2	OPTYP1	COMOR3	SETIM4	DIET3
18	1	OPTYP2	COMOR2	SETIM1	DIET3
18	2	OPTYP3	COMOR3	SETIM4	DIET2
19	1	OPTYP3	COMOR3	SETIM3	DIET1
19	2	OPTYP1	COMOR2	SETIM4	DIET3
20	1	OPTYP1	COMOR3	SETIM2	DIET1
20	2	OPTYP3	COMOR1	SETIM1	DIET2
21	1	OPTYP2	COMOR1	SETIM2	DIET2
21	2	OPTYP3	COMOR2	SETIM1	DIET1
22	1	OPTYP2	COMOR3	SETIM4	DIET3

SET	ALT	OPTYP	COMOR	SETIM	DIET
22	2	OPTYP3	COMOR1	SETIM1	DIET2
23	1	OPTYP1	COMOR3	SETIM1	DIET2
23	2	OPTYP3	COMOR2	SETIM3	DIET3
24	1	OPTYP2	COMOR3	SETIM4	DIET2
24	2	OPTYP3	COMOR1	SETIM2	DIET1
25	1	OPTYP2	COMOR3	SETIM1	DIET3
25	2	OPTYP1	COMOR2	SETIM2	DIET2
26	1	OPTYP1	COMOR1	SETIM3	DIET3
26	2	OPTYP3	COMOR3	SETIM4	DIET2
27	1	OPTYP1	COMOR2	SETIM4	DIET1
27	2	OPTYP3	COMOR3	SETIM3	DIET2
28	1	OPTYP1	COMOR1	SETIM1	DIET2
28	2	OPTYP2	COMOR2	SETIM4	DIET1
29	1	OPTYP3	COMOR2	SETIM1	DIET3
29	2	OPTYP2	COMOR1	SETIM4	DIET2
30	1	OPTYP1	COMOR2	SETIM2	DIET3
30	2	OPTYP2	COMOR1	SETIM4	DIET1
31	1	OPTYP2	COMOR2	SETIM3	DIET1
31	2	OPTYP3	COMOR3	SETIM2	DIET3
32	1	OPTYP3	COMOR2	SETIM1	DIET1
32	2	OPTYP2	COMOR1	SETIM3	DIET3
33	1	OPTYP3	COMOR2	SETIM4	DIET2
33	2	OPTYP1	COMOR3	SETIM2	DIET1
34	1	OPTYP2	COMOR3	SETIM3	DIET3
34	2	OPTYP1	COMOR1	SETIM4	DIET1
35	1	OPTYP1	COMOR2	SETIM1	DIET2
35	2	OPTYP3	COMOR1	SETIM3	DIET1
36	1	OPTYP2	COMOR2	SETIM3	DIET2
36	2	OPTYP3	COMOR3	SETIM1	DIET3

DISPLAY 12

Knowledge Networks: Display12 - Windows Internet Explorer

EN English (United States) English (United States) ?

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Favorites Free Hotmail Web Slice Gallery

Knowledge Networks: Display12 Page Safety Tools >>

Side effects requiring hospitalization

Within a year after getting a weight-loss device, some people will need to be hospitalized to treat serious side effects.

Treating these serious side effects can often require:

- **Visits to the hospital with no operation** – After getting some weight-loss devices, some people have problems such as serious infections or dehydration from severe vomiting that require care in a hospital such as intravenous (IV) antibiotics or fluids. After being treated, people with these problems have to stay in the hospital for one or two days.
- **Visits to the hospital for an operation** – After getting some weight-loss devices, some people have problems such as serious bleeding inside the body that are severe enough that they require an emergency operation. After the operation, people with this kind of problem will have to stay in the hospital for several days.

Next

Q10

Knowledge Networks: Q10 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: Q10

Page Safety Tools >>

Which would you be more concerned about?

Select one answer only

- A 20% chance of a problem that required going to the hospital with no operation
- A 5% chance of a problem that required going to the hospital for an operation
- I'd be equally concerned about both
- Not sure or don't know

Next

DISPLAY 13

Knowledge Networks: Display13 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll


File Edit View Favorites Tools Help

Knowledge Networks: Display13

Thinking about the chance of dying from getting a weight-loss device

Now we will give you some information to help you think about the risk of dying as a result of a problem with the operation or with the device placed inside the body to lose weight. The following picture will help you understand how many people die from problems with the operation or the device.

Each human figure in the box below represents one person who gets a weight-loss device. There are 100 human figures representing 100 people in the box.



The human figures in color represent the number of people who die within a year after getting a weight-loss device.

The human figures in gray represent the number of people who do not die within a year after getting a weight-loss device.

1%
(1 out of 100)

Next

Q11

Knowledge Networks: Q11 - Windows Internet Explorer



http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: Q11

Page Safety Tools

Here is an example that shows how many people die within a year after getting one of two different weight-loss devices (Device A and Device B).

	Device A	Device B
Chance of dying from getting the weight-loss device		
	1% (1 out of 100)	2% (2 out of 100)


How many people die within a year after getting Device B?

Select one answer only


- 1% (1 out of 100)
- 2% (2 out of 100)
- 5% (5 out of 100)
- 10% (10 out of 100)

Next

If respondent provides an incorrect answer (Q11_INCORRECT):



DISPLAY 14



The screenshot shows a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Display14 - Windows Internet Explorer". The address bar contains the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a Favorites bar with "Free Hotmail" and "Web Slice Gallery", and a status bar at the bottom with "Page", "Safety", and "Tools" options.

The main content area displays the following text:

Your thoughts about weight-loss devices

We now will show you the features of 8 different pairs of weight-loss devices.

As before, for each pair of weight-loss devices, please tell us which device (Device A or Device B) you think is better for people like you. Even if you don't like either device very much, please tell us which one you think is the better option.

Please tell us how you personally feel about the devices presented. This is not a test. There are no right or wrong answers.

The weight-loss devices you will see do not necessarily describe devices that currently exist. We are interested in knowing what you would choose if they actually did exist.

Please assume that the initial weight loss from the device would occur during the first year after getting the device. Also, please assume that all of your medical bills, including the cost of medicines, additional operations and tests, are covered by health insurance.

Doctors cannot say exactly how much weight people will lose, or how long people will maintain the weight they lose with a weight-loss device. However, doctors know what has happened to people who have gotten a particular weight-loss device in the past. The typical or average result can help people understand what they could expect from that device themselves.

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 1):


Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 1):


Knowledge Networks: conjoint_page1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: conjoint_page1

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device B if it was available?



Select one answer only

Yes
 No
 Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 2):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average amount of weight loss	90 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	None
Chance of dying from getting the weight loss device	 15% (150 out of 1000)	 8% (80 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 2):

Knowledge Networks: conjoint_page2 - Windows Internet Explorer

http://qsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average amount of weight loss	90 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	None
Chance of dying from getting the weight loss device	 15% (150 out of 1000)	 8% (80 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device B if it was available?

Select one answer only

Yes
 No
 Not sure or don't know

FQ1

Knowledge Networks: FQ1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: FQ1

Page Safety Tools

You said that Device B would be better for people like you. This device has a diet restriction of "Eat 1/4 cup of food at a time."

On average, people who get Device B lose about 60 lbs. About how much weight do you think you would lose with this device and your own effort?

Select one answer only

- Less than 60 lbs.
- 60 lbs. to 70 lbs.
- 70 lbs. to 80 lbs.
- 80 lbs. to 100 lbs.
- 100 lbs. to 120 lbs.
- More than 120 lbs.. Please specify how much weight you think you would lose.
- Don't know or not sure

Next

FQ2

Knowledge Networks: FQ2 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

★ Favorites ★ Free Hotmail Web Slice Gallery

Knowledge Networks: FQ2

Page Safety Tools >>

On average, people who get Device B keep the weight off for about 6 months. About how long do you think you would keep the weight off with this device and your own effort?

Select one answer only



- Less than 6 months
- 6 months to 1 year
- 1 year to 18 months
- 18 months to 2 years
- Rest of my life
- Don't know or not sure

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 3):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Open Surgery
Recommended diet restrictions	Can't eat sweets or foods that are hard to digest	Eat 1/4 cup of food at a time
Average amount of weight loss	15 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	None	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	 8% (80 out of 1000)	 1% (10 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 3):

Knowledge Networks: conjoint_page3 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: conjoint_page3

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Open Surgery
Recommended diet restrictions	Can't eat sweets or foods that are hard to digest	Eat 1/4 cup of food at a time
Average amount of weight loss	15 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	None	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	 8% (80 out of 1000)	 1% (10 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device A if it was available?

Select one answer only

Yes

No

Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 4):



Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1



Feature	Device A	Device B
Type of operation	Open Surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 1% (10 out of 1000)	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 4):

Knowledge Networks: conjoint_page4 - Windows Internet Explorer

http://qsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Open Surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 1% (10 out of 1000)	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device A if it was available?


Select one answer only

Yes
 No
 Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 5):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	60 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	Eliminate need for prescription drugs to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	None
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	None
Chance of dying from getting the weight loss device	0%	 3% (20 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next


If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 5):

Knowledge Networks: conjoint_page5 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: conjoint_page5

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	60 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Eliminate need for prescription drugs to treat Diabetes	Eliminate need for prescription drugs to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	None
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	None
Chance of dying from getting the weight loss device	0%	 3% (20 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device A if it was available?


Select one answer only

Yes
 No
 Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 6):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll


Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	90 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	●	○

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 6):

Knowledge Networks: conjoint_page6 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	90 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device B if it was available?

Select one answer only

Yes
 No
 Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 7):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll


Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	No change	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 month
Chance of side effects requiring hospitalization	None	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	0%
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 7):

Knowledge Networks: conjoint_page7 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Can't eat sweets or foods that are hard to digest.
Average amount of weight loss	30 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for Diabetes at the lower weight	No change	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 month
Chance of side effects requiring hospitalization	None	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 15% (150 out of 1000)	0%
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device B if it was available?

Select one answer only

Yes
 No
 Not sure or don't know

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CHOICE QUESTION 8):

Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	15 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 6 months	Weight loss lasts 1 year
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 month	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	<p>3% (20 out of 1000)</p>
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for diabetes or diabetes is most concerning co-morbidity (CONJOINT_PAGE 8):

Knowledge Networks: conjoint_page8 - Windows Internet Explorer

http://qsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

File Edit View Favorites Tools Help

Knowledge Networks: conjoint_page8

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	15 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 6 months	Weight loss lasts 1 year
Average reduction in dose of prescription drugs for Diabetes at the lower weight	Half the current dose to treat Diabetes	Half the current dose to treat Diabetes
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 month	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 15% (150 out of 1000)	 3% (20 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Would you get Device B if it was available?

Select one answer only

Yes

No

Not sure or don't know

Q12

Knowledge Networks: Q12 - Windows Internet Explorer

EN English (United States) EN English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Google

Knowledge Networks: Q12

Page Safety Tools

What do you think your chance of dying within the next 5 years is if you do not lose weight?

Select one answer only

- Less than 1%
- 1% or more, but less than 2%
- 2% or more, but less than 5%
- 5% or more, but less than 10%
- More than 10%
- Don't know

Next

Q13

Knowledge Networks: Q13 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Google

Knowledge Networks: Q13

Page Safety Tools

Which of the following outcomes of losing weight is the most important to you?

Select one answer only

- Improving mobility
- Having more energy
- Having less pain
- Looking thinner
- Being able to do usual daily activities (such as dressing, getting out of chairs, getting into and out of vehicles) more easily
- Feeling good about yourself

Next

Q14

The image shows a screenshot of a Windows Internet Explorer browser window. The title bar reads "Knowledge Networks: Q14 - Windows Internet Explorer". The address bar shows the URL "http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll". The browser interface includes a search bar with "Google" and a menu bar with "Page", "Safety", and "Tools". The main content area displays a survey question: "Which of the following outcomes of losing weight is the least important to you?". Below the question, it says "Select one answer only" and lists six radio button options: "Improving mobility", "Having more energy", "Having less pain", "Looking thinner", "Being able to do usual daily activities (such as dressing, getting out of chairs, getting into and out of vehicles) more easily", and "Feeling good about yourself". A "Next" button is located at the bottom right of the question area.

Knowledge Networks: Q14 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Google

Knowledge Networks: Q14

Page Safety Tools

Which of the following outcomes of losing weight is the least important to you?

Select one answer only

- Improving mobility
- Having more energy
- Having less pain
- Looking thinner
- Being able to do usual daily activities (such as dressing, getting out of chairs, getting into and out of vehicles) more easily
- Feeling good about yourself

Next

Example choice questions if respondent currently receives only medication for high blood pressure or high cholesterol

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
(CHOICE QUESTION 1):

Knowledge Networks: q1 - Windows Internet Explorer



http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

EN English (United States) English (United States)

Google

Knowledge Networks: q1

For QC only: version = 5, set = 37

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Open Surgery
Recommended diet restrictions	Can't eat sweets or foods that are hard to digest	Eat 1/4 cup of food at a time
Average amount of weight loss	15 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Eliminate need for prescription drugs to treat High Blood Pressure	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	None	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	 8% (80 out of 1000)	 1% (10 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
(CHOICE QUESTION 2):

Knowledge Networks: q1 - Windows Internet Explorer



http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

EN English (United States) English (United States)

Google

Knowledge Networks: q1

For QC only: version = 5, set = 33

Feature	Device A	Device B
Type of operation	Open Surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Eliminate need for prescription drugs to treat High Blood Pressure	Half the current dose to treat High Blood Pressure
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 1% (10 out of 1000)	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 3):

Knowledge Networks: q1 - Windows Internet Explorer


http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

EN English (United States)

Google

Knowledge Networks: q1

For QC only: version = 5, set = 35

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	90 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Half the current dose to treat High Blood Pressure	Half the current dose to treat High Blood Pressure
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 4):

Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	90 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Half the current dose to treat High Blood Pressure	Half the current dose to treat High Blood Pressure
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	0%	<p>15% (150 out of 1000)</p>
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next


If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 5):

Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Knowledge Networks: q1


Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Half the current dose to treat High Blood Pressure	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 6):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	60 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Eliminate need for prescription drugs to treat High Blood Pressure	Eliminate need for prescription drugs to treat High Blood Pressure
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	None
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	None
Chance of dying from getting the weight loss device	0%	 3% (20 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 7):

Knowledge Networks: q1 - Windows Internet Explorer

EN English (United States) English (United States)

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Google

Knowledge Networks: q1


Feature	Device A	Device B
Type of operation	Endoscopic surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average amount of weight loss	90 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	Half the current dose to treat High Blood Pressure	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	None
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	<p>8% (80 out of 1000)</p>
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high blood pressure or high blood pressure is most concerning co-morbidity
 (CHOICE QUESTION 8):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll


Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Blood Pressure at the lower weight	No change	Half the current dose to treat High Blood Pressure
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 month
Chance of side effects requiring hospitalization	None	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 <p>15% (150 out of 1000)</p>	0%
Which weight loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE QUESTION 1):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mrIWeb/mrIWeb.dll

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Half the current dose to treat High Cholesterol	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE

QUESTION 2):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Eat 1/4 cup of food at a time
Average amount of weight loss	90 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Half the current dose to treat High Cholesterol	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital for surgery	None
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	<p>8% (80 out of 1000)</p>
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE



QUESTION 3):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Open Surgery
Recommended diet restrictions	Can't eat sweets or foods that are hard to digest	Eat 1/4 cup of food at a time
Average amount of weight loss	15 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Eliminate need for prescription drugs to treat High Cholesterol	No change
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	None	20% chance of going to hospital with no surgery
Chance of dying from getting the weight loss device	 8% (80 out of 1000)	 1% (10 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE



QUESTION 4):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Open Surgery	Open Surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Eliminate need for prescription drugs to treat High Cholesterol	Half the current dose to treat High Cholesterol
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 year	1 month
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	 1% (10 out of 1000)	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE


QUESTION 5):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Wait 4 hours between eating	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	60 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 5 years	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Eliminate need for prescription drugs to treat High Cholesterol	Eliminate need for prescription drugs to treat High Cholesterol
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	5 years	None
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	None
Chance of dying from getting the weight loss device	0%	 3% (20 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE


QUESTION 6):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Open Surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	90 lbs.	15 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Half the current dose to treat High Cholesterol	Half the current dose to treat High Cholesterol
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 year
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	0%	 15% (150 out of 1000)
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE

QUESTION 7):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Laparoscopic surgery	Endoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Can't eat sweets or foods that are hard to digest
Average amount of weight loss	30 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 1 year	Weight loss lasts 6 months
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	No change	Half the current dose to treat High Cholesterol
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	None	1 month
Chance of side effects requiring hospitalization	None	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	0%
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

If respondent reported currently receives only medication for high cholesterol or high cholesterol is most concerning co-morbidity (CHOICE

QUESTION 8):

Knowledge Networks: q1 - Windows Internet Explorer

http://qcsurveys.knowledgenetworks.com/mr1Web/mr1Web.dll

File Edit View Favorites Tools Help

Knowledge Networks: q1

Feature	Device A	Device B
Type of operation	Endoscopic surgery	Laparoscopic surgery
Recommended diet restrictions	Eat 1/4 cup of food at a time	Wait 4 hours between eating
Average amount of weight loss	15 lbs.	60 lbs.
On average, how long the weight loss lasts	Weight loss lasts 6 months	Weight loss lasts 1 year
Average reduction in dose of prescription drugs for High Cholesterol at the lower weight	Half the current dose to treat High Cholesterol	Half the current dose to treat High Cholesterol
On average, how long side effects last <small>(Remember that side effects will limit your ability to do daily activities several times a month.)</small>	1 month	5 years
Chance of side effects requiring hospitalization	5% chance of going to hospital with no surgery	5% chance of going to hospital for surgery
Chance of dying from getting the weight loss device	<p>15% (150 out of 1000)</p>	<p>3% (20 out of 1000)</p>
Which weight-loss device do you think is better for people like you?	<input type="radio"/>	<input type="radio"/>

Next

Experimental design of choice questions:

Attribute Labels	Level Labels		Variable
Average amount of weight loss	30% [Expressed in lbs; calculated based on reported weight] 20% [Expressed in lbs; calculated based on reported weight] 10% [Expressed in lbs; calculated based on reported weight] 5% [Expressed in lbs; calculated based on reported weight]		WTLS1 WTLS2 WTLS3 WTLS4
Type of operation	Endoscopic surgery Laparoscopic surgery Open Surgery		OPTYP1 OPTYP2 OPTYP3
Chance of dying from getting weight-loss device	Range 1 0% 1% (10 out of 1000) 3% (20 out of 1000) 5% (50 out of 1000) or 10% (100 out of 1000) or	Range 2 0% 1% (10 out of 1000) 3% (20 out of 1000) 8 % (80 out of 1000) 15% (150 out of 1000)	MORT1 MORT2 MORT3 MORT4 MORT5
Average reduction in dose of prescription drugs for [comorbidity] at the lower weight Or Chance of getting [comorbidity]	For primary comorbidity: Eliminate need for prescription drugs to treat comorbidity Half the current dose to treat comorbidity No change	If no comorbidity: Eliminates risk 50% lower risk No change	COMOR1 COMOR2 COMOR3
On average, how long the weight loss lasts	5 years 1 year 6 months		WLTIM1 WLTIM2 WLTIM3
On average, how long side effects last	None 1 month		SETIM1 SETIM2

Attribute Labels	Level Labels	Variable
(Remember that side effects will limit your ability to do daily activities several times a month.)	1 year	SETIM3
	5 years	SETIM4
Chance of side effects requiring hospitalization	None	HOSP1
	5% chance of going to hospital with no surgery	HOSP2
	20% chance of going to hospital with no surgery	HOSP3
	5% chance of going to hospital for surgery	HOSP4
Recommended diet restrictions	Eat ¼ cup of food at a time	DIET1
	Wait 4 hours between eating	DIET2
	Can't eat sweets or foods that are hard to digest	DIET3

Design instructions:

- Randomly assign subjects to one of Version1 to Version15 (below).
- Randomize the order of the questions each subject sees within version.
- Randomize the assignment of Range 1 and Range 2 under "Chance of dying from getting weight-loss device". Maintain assignment by respondent.
- For the attribute "Average reduction in dose of prescription drugs for [co-morbidity] at the lower weight" OR "Chance of getting [co-morbidity]" please do the following:
 - If B11 is equal to "Don't know" or "None of the above", use the "chance of getting [co-morbidity]" attribute label. Populate the '[co-morbidity]' field with the response to B11a. Use the "If no co-morbidity" set of level labels.
 - If B11 is equal to only one of 'Diabetes', 'High Blood Pressure', or 'High Cholesterol', use the "Average reduction in dose" attribute label, and populate the [co-morbidity] field with the response to B11. Use the "For primary co-morbidity" set of level labels
 - If B11 is equal to two or more of 'Diabetes', 'High Blood pressure', or 'High Cholesterol', use the "Average reduction in dose" attribute label. Populate the [Co-morbidity] field with the response to B11a. Use the "For primary co-morbidity" set of attribute labels.
- Subjects will answer one version or 8 questions in total.

From Version 1 to Version 15 we summarize the attribute levels shown under each pair of weight-loss devices in the choice questions. Within a version, each pair of rows (Alt 1 and Alt 2) represents the specific levels that will be used to populate the choice questions.

Version 1

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS3	OPTYP3	MORT1	COMOR2	WLTIM2	SETIM3	HOSP4	DIET1
1	2	WTLS4	OPTYP2	MORT5	COMOR3	WLTIM3	SETIM4	HOSP3	DIET2
2	1	WTLS2	OPTYP2	MORT1	COMOR3	WLTIM1	SETIM1	HOSP1	DIET3
2	2	WTLS1	OPTYP1	MORT2	COMOR2	WLTIM1	SETIM2	HOSP3	DIET2
3	1	WTLS2	OPTYP1	MORT2	COMOR2	WLTIM1	SETIM3	HOSP3	DIET3
3	2	WTLS1	OPTYP3	MORT3	COMOR1	WLTIM2	SETIM2	HOSP4	DIET1
4	1	WTLS2	OPTYP3	MORT3	COMOR1	WLTIM1	SETIM1	HOSP3	DIET2
4	2	WTLS3	OPTYP2	MORT2	COMOR2	WLTIM3	SETIM4	HOSP4	DIET3
5	1	WTLS3	OPTYP2	MORT5	COMOR2	WLTIM1	SETIM4	HOSP1	DIET2
5	2	WTLS4	OPTYP3	MORT3	COMOR3	WLTIM1	SETIM2	HOSP2	DIET1
6	1	WTLS4	OPTYP2	MORT4	COMOR2	WLTIM1	SETIM3	HOSP3	DIET1
6	2	WTLS1	OPTYP1	MORT5	COMOR2	WLTIM3	SETIM4	HOSP2	DIET3
7	1	WTLS2	OPTYP1	MORT5	COMOR1	WLTIM1	SETIM1	HOSP3	DIET2
7	2	WTLS2	OPTYP2	MORT3	COMOR3	WLTIM3	SETIM3	HOSP2	DIET1
8	1	WTLS4	OPTYP1	MORT4	COMOR1	WLTIM1	SETIM4	HOSP1	DIET1
8	2	WTLS1	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM1	HOSP3	DIET3

Version 2

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS2	OPTYP2	MORT3	COMOR3	WLTIM2	SETIM2	HOSP4	DIET2
1	2	WTLS2	OPTYP1	MORT2	COMOR1	WLTIM2	SETIM3	HOSP2	DIET1
2	1	WTLS4	OPTYP2	MORT5	COMOR3	WLTIM1	SETIM3	HOSP1	DIET2
2	2	WTLS3	OPTYP3	MORT3	COMOR2	WLTIM3	SETIM4	HOSP4	DIET3
3	1	WTLS4	OPTYP2	MORT3	COMOR3	WLTIM1	SETIM4	HOSP4	DIET3
3	2	WTLS3	OPTYP3	MORT5	COMOR2	WLTIM2	SETIM3	HOSP2	DIET1
4	1	WTLS4	OPTYP3	MORT4	COMOR2	WLTIM3	SETIM1	HOSP3	DIET3
4	2	WTLS2	OPTYP1	MORT2	COMOR2	WLTIM2	SETIM4	HOSP4	DIET1
5	1	WTLS4	OPTYP3	MORT2	COMOR2	WLTIM2	SETIM2	HOSP2	DIET2
5	2	WTLS3	OPTYP1	MORT1	COMOR1	WLTIM3	SETIM3	HOSP3	DIET3
6	1	WTLS3	OPTYP3	MORT1	COMOR2	WLTIM1	SETIM1	HOSP4	DIET3
6	2	WTLS2	OPTYP2	MORT4	COMOR1	WLTIM2	SETIM2	HOSP2	DIET3
7	1	WTLS4	OPTYP2	MORT2	COMOR3	WLTIM1	SETIM1	HOSP3	DIET3
7	2	WTLS1	OPTYP3	MORT3	COMOR3	WLTIM3	SETIM2	HOSP1	DIET2
8	1	WTLS2	OPTYP3	MORT3	COMOR2	WLTIM1	SETIM3	HOSP2	DIET2
8	2	WTLS3	OPTYP2	MORT5	COMOR3	WLTIM3	SETIM2	HOSP3	DIET1

Version 3

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS3	OPTYP2	MORT2	COMOR3	WLTIM3	SETIM2	HOSP2	DIET2
1	2	WTLS1	OPTYP3	MORT5	COMOR3	WLTIM2	SETIM3	HOSP3	DIET1
2	1	WTLS1	OPTYP2	MORT4	COMOR1	WLTIM3	SETIM2	HOSP4	DIET3
2	2	WTLS4	OPTYP3	MORT3	COMOR1	WLTIM1	SETIM1	HOSP3	DIET2
3	1	WTLS3	OPTYP1	MORT5	COMOR3	WLTIM2	SETIM1	HOSP2	DIET3
3	2	WTLS2	OPTYP2	MORT2	COMOR2	WLTIM3	SETIM2	HOSP1	DIET2
4	1	WTLS1	OPTYP1	MORT5	COMOR2	WLTIM1	SETIM3	HOSP4	DIET2
4	2	WTLS2	OPTYP3	MORT4	COMOR3	WLTIM3	SETIM2	HOSP1	DIET1
5	1	WTLS4	OPTYP1	MORT4	COMOR2	WLTIM1	SETIM1	HOSP2	DIET1
5	2	WTLS3	OPTYP3	MORT5	COMOR1	WLTIM2	SETIM2	HOSP1	DIET2
6	1	WTLS1	OPTYP3	MORT1	COMOR1	WLTIM1	SETIM4	HOSP3	DIET2
6	2	WTLS2	OPTYP3	MORT2	COMOR2	WLTIM2	SETIM1	HOSP2	DIET1
7	1	WTLS3	OPTYP3	MORT2	COMOR1	WLTIM1	SETIM2	HOSP3	DIET3
7	2	WTLS4	OPTYP3	MORT4	COMOR2	WLTIM1	SETIM1	HOSP4	DIET2
8	1	WTLS1	OPTYP1	MORT4	COMOR2	WLTIM1	SETIM1	HOSP1	DIET3
8	2	WTLS2	OPTYP3	MORT1	COMOR3	WLTIM3	SETIM3	HOSP4	DIET1

Version 4

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS1	OPTYP2	MORT3	COMOR2	WLTIM2	SETIM2	HOSP2	DIET2
1	2	WTLS2	OPTYP1	MORT1	COMOR3	WLTIM2	SETIM3	HOSP1	DIET3
2	1	WTLS4	OPTYP1	MORT2	COMOR3	WLTIM2	SETIM2	HOSP1	DIET3
2	2	WTLS3	OPTYP2	MORT4	COMOR2	WLTIM3	SETIM4	HOSP3	DIET1
3	1	WTLS2	OPTYP1	MORT2	COMOR1	WLTIM1	SETIM4	HOSP2	DIET3
3	2	WTLS2	OPTYP1	MORT4	COMOR3	WLTIM2	SETIM3	HOSP1	DIET2
4	1	WTLS2	OPTYP2	MORT3	COMOR3	WLTIM1	SETIM2	HOSP3	DIET1
4	2	WTLS1	OPTYP3	MORT2	COMOR2	WLTIM2	SETIM1	HOSP1	DIET2
5	1	WTLS3	OPTYP3	MORT4	COMOR3	WLTIM2	SETIM4	HOSP1	DIET2
5	2	WTLS2	OPTYP1	MORT3	COMOR2	WLTIM3	SETIM2	HOSP3	DIET3
6	1	WTLS3	OPTYP3	MORT4	COMOR2	WLTIM2	SETIM2	HOSP3	DIET1
6	2	WTLS2	OPTYP1	MORT1	COMOR1	WLTIM3	SETIM1	HOSP1	DIET3
7	1	WTLS1	OPTYP2	MORT2	COMOR3	WLTIM2	SETIM4	HOSP3	DIET2
7	2	WTLS3	OPTYP1	MORT5	COMOR3	WLTIM1	SETIM2	HOSP2	DIET3
8	1	WTLS1	OPTYP1	MORT4	COMOR1	WLTIM3	SETIM4	HOSP2	DIET2
8	2	WTLS4	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM2	HOSP1	DIET3

Version 5

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS3	OPTYP3	MORT2	COMOR1	WLTIM1	SETIM3	HOSP2	DIET2
1	2	WTLS4	OPTYP3	MORT5	COMOR2	WLTIM3	SETIM2	HOSP4	DIET3
2	1	WTLS4	OPTYP1	MORT5	COMOR2	WLTIM3	SETIM2	HOSP2	DIET1
2	2	WTLS2	OPTYP2	MORT3	COMOR2	WLTIM2	SETIM4	HOSP4	DIET2
3	1	WTLS3	OPTYP3	MORT1	COMOR2	WLTIM2	SETIM3	HOSP4	DIET1
3	2	WTLS4	OPTYP2	MORT5	COMOR3	WLTIM3	SETIM4	HOSP3	DIET2
4	1	WTLS1	OPTYP1	MORT5	COMOR2	WLTIM1	SETIM3	HOSP4	DIET2
4	2	WTLS2	OPTYP3	MORT4	COMOR3	WLTIM3	SETIM2	HOSP1	DIET1
5	1	WTLS4	OPTYP2	MORT4	COMOR1	WLTIM2	SETIM1	HOSP1	DIET3
5	2	WTLS4	OPTYP3	MORT2	COMOR3	WLTIM3	SETIM3	HOSP3	DIET1
6	1	WTLS1	OPTYP3	MORT1	COMOR2	WLTIM2	SETIM1	HOSP2	DIET1
6	2	WTLS4	OPTYP2	MORT5	COMOR2	WLTIM3	SETIM3	HOSP4	DIET2
7	1	WTLS3	OPTYP2	MORT5	COMOR3	WLTIM2	SETIM1	HOSP1	DIET1
7	2	WTLS2	OPTYP1	MORT1	COMOR2	WLTIM3	SETIM2	HOSP4	DIET3
8	1	WTLS2	OPTYP2	MORT1	COMOR1	WLTIM1	SETIM4	HOSP2	DIET2
8	2	WTLS4	OPTYP1	MORT3	COMOR1	WLTIM3	SETIM1	HOSP1	DIET3

Version 6

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS4	OPTYP1	MORT4	COMOR1	WLTIM1	SETIM4	HOSP1	DIET1
1	2	WTLS1	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM1	HOSP3	DIET3
2	1	WTLS3	OPTYP1	MORT1	COMOR3	WLTIM2	SETIM2	HOSP1	DIET2
2	2	WTLS1	OPTYP2	MORT5	COMOR3	WLTIM1	SETIM4	HOSP2	DIET1
3	1	WTLS2	OPTYP1	MORT4	COMOR2	WLTIM3	SETIM4	HOSP1	DIET1
3	2	WTLS3	OPTYP2	MORT5	COMOR3	WLTIM3	SETIM1	HOSP2	DIET2
4	1	WTLS4	OPTYP2	MORT1	COMOR3	WLTIM3	SETIM3	HOSP2	DIET1
4	2	WTLS3	OPTYP3	MORT2	COMOR2	WLTIM1	SETIM4	HOSP3	DIET2
5	1	WTLS1	OPTYP2	MORT5	COMOR2	WLTIM1	SETIM2	HOSP4	DIET2
5	2	WTLS2	OPTYP3	MORT1	COMOR3	WLTIM1	SETIM4	HOSP1	DIET3
6	1	WTLS2	OPTYP1	MORT2	COMOR2	WLTIM3	SETIM1	HOSP4	DIET1
6	2	WTLS1	OPTYP3	MORT4	COMOR1	WLTIM3	SETIM4	HOSP3	DIET3
7	1	WTLS1	OPTYP1	MORT4	COMOR2	WLTIM1	SETIM1	HOSP1	DIET3
7	2	WTLS2	OPTYP3	MORT1	COMOR3	WLTIM3	SETIM3	HOSP4	DIET1
8	1	WTLS1	OPTYP3	MORT3	COMOR1	WLTIM3	SETIM3	HOSP4	DIET1
8	2	WTLS2	OPTYP1	MORT4	COMOR2	WLTIM2	SETIM4	HOSP2	DIET2

Version 7

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS3	OPTYP2	MORT3	COMOR2	WLTIM1	SETIM3	HOSP1	DIET3
1	2	WTLS2	OPTYP3	MORT2	COMOR1	WLTIM2	SETIM1	HOSP4	DIET2
2	1	WTLS3	OPTYP1	MORT1	COMOR2	WLTIM3	SETIM4	HOSP2	DIET2
2	2	WTLS1	OPTYP3	MORT2	COMOR2	WLTIM1	SETIM2	HOSP1	DIET3
3	1	WTLS2	OPTYP1	MORT2	COMOR2	WLTIM3	SETIM1	HOSP4	DIET3
3	2	WTLS4	OPTYP3	MORT4	COMOR3	WLTIM1	SETIM3	HOSP3	DIET1
4	1	WTLS1	OPTYP3	MORT3	COMOR3	WLTIM3	SETIM2	HOSP2	DIET2
4	2	WTLS4	OPTYP2	MORT5	COMOR3	WLTIM2	SETIM4	HOSP4	DIET3
5	1	WTLS4	OPTYP2	MORT1	COMOR2	WLTIM3	SETIM1	HOSP2	DIET3
5	2	WTLS2	OPTYP1	MORT4	COMOR2	WLTIM2	SETIM2	HOSP3	DIET1
6	1	WTLS4	OPTYP3	MORT1	COMOR2	WLTIM3	SETIM1	HOSP4	DIET2
6	2	WTLS3	OPTYP2	MORT3	COMOR1	WLTIM2	SETIM3	HOSP1	DIET1
7	1	WTLS1	OPTYP1	MORT1	COMOR1	WLTIM2	SETIM1	HOSP3	DIET2
7	2	WTLS1	OPTYP3	MORT2	COMOR3	WLTIM1	SETIM4	HOSP1	DIET3
8	1	WTLS1	OPTYP3	MORT4	COMOR3	WLTIM3	SETIM1	HOSP3	DIET3
8	2	WTLS3	OPTYP2	MORT1	COMOR3	WLTIM2	SETIM4	HOSP4	DIET2

Version 8

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS4	OPTYP2	MORT4	COMOR2	WLTIM1	SETIM3	HOSP2	DIET3
1	2	WTLS2	OPTYP1	MORT3	COMOR2	WLTIM1	SETIM4	HOSP1	DIET1
2	1	WTLS3	OPTYP2	MORT2	COMOR3	WLTIM3	SETIM1	HOSP1	DIET2
2	2	WTLS2	OPTYP1	MORT5	COMOR2	WLTIM2	SETIM3	HOSP2	DIET3
3	1	WTLS4	OPTYP1	MORT5	COMOR2	WLTIM3	SETIM4	HOSP3	DIET3
3	2	WTLS3	OPTYP3	MORT4	COMOR1	WLTIM1	SETIM3	HOSP4	DIET1
4	1	WTLS4	OPTYP1	MORT4	COMOR1	WLTIM1	SETIM4	HOSP1	DIET1
4	2	WTLS1	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM1	HOSP3	DIET3
5	1	WTLS1	OPTYP2	MORT1	COMOR1	WLTIM1	SETIM3	HOSP2	DIET1
5	2	WTLS2	OPTYP3	MORT4	COMOR2	WLTIM2	SETIM2	HOSP3	DIET2
6	1	WTLS2	OPTYP1	MORT5	COMOR3	WLTIM2	SETIM1	HOSP4	DIET1
6	2	WTLS1	OPTYP2	MORT2	COMOR2	WLTIM1	SETIM3	HOSP1	DIET3
7	1	WTLS2	OPTYP3	MORT5	COMOR1	WLTIM1	SETIM4	HOSP2	DIET2
7	2	WTLS4	OPTYP1	MORT4	COMOR1	WLTIM3	SETIM3	HOSP3	DIET1
8	1	WTLS3	OPTYP3	MORT3	COMOR1	WLTIM3	SETIM1	HOSP2	DIET1
8	2	WTLS3	OPTYP1	MORT1	COMOR3	WLTIM2	SETIM2	HOSP3	DIET2

Version 9

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS1	OPTYP2	MORT4	COMOR1	WLTIM3	SETIM2	HOSP4	DIET3
1	2	WTLS4	OPTYP3	MORT3	COMOR1	WLTIM1	SETIM1	HOSP3	DIET2
2	1	WTLS2	OPTYP3	MORT5	COMOR2	WLTIM1	SETIM3	HOSP1	DIET1
2	2	WTLS3	OPTYP1	MORT4	COMOR3	WLTIM2	SETIM4	HOSP3	DIET3
3	1	WTLS4	OPTYP3	MORT1	COMOR2	WLTIM3	SETIM1	HOSP4	DIET2
3	2	WTLS3	OPTYP2	MORT3	COMOR1	WLTIM2	SETIM3	HOSP1	DIET1
4	1	WTLS4	OPTYP1	MORT5	COMOR1	WLTIM3	SETIM4	HOSP4	DIET3
4	2	WTLS1	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM2	HOSP2	DIET1
5	1	WTLS4	OPTYP1	MORT2	COMOR3	WLTIM2	SETIM2	HOSP1	DIET3
5	2	WTLS3	OPTYP2	MORT4	COMOR2	WLTIM3	SETIM4	HOSP3	DIET1
6	1	WTLS1	OPTYP1	MORT5	COMOR3	WLTIM2	SETIM1	HOSP1	DIET1
6	2	WTLS1	OPTYP3	MORT2	COMOR1	WLTIM3	SETIM4	HOSP2	DIET3
7	1	WTLS4	OPTYP3	MORT1	COMOR2	WLTIM1	SETIM2	HOSP4	DIET2
7	2	WTLS1	OPTYP2	MORT2	COMOR2	WLTIM3	SETIM1	HOSP2	DIET3
8	1	WTLS1	OPTYP1	MORT4	COMOR1	WLTIM3	SETIM4	HOSP2	DIET2
8	2	WTLS4	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM2	HOSP1	DIET3

Version 10

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS2	OPTYP1	MORT4	COMOR3	WLTIM1	SETIM3	HOSP2	DIET2
1	2	WTLS1	OPTYP3	MORT3	COMOR2	WLTIM2	SETIM4	HOSP1	DIET1
2	1	WTLS1	OPTYP3	MORT2	COMOR1	WLTIM3	SETIM2	HOSP4	DIET3
2	2	WTLS1	OPTYP1	MORT5	COMOR3	WLTIM1	SETIM1	HOSP1	DIET1
3	1	WTLS1	OPTYP1	MORT5	COMOR3	WLTIM2	SETIM2	HOSP2	DIET2
3	2	WTLS3	OPTYP2	MORT2	COMOR3	WLTIM1	SETIM1	HOSP3	DIET1
4	1	WTLS3	OPTYP2	MORT1	COMOR2	WLTIM3	SETIM2	HOSP2	DIET2
4	2	WTLS4	OPTYP1	MORT5	COMOR3	WLTIM1	SETIM1	HOSP4	DIET3
5	1	WTLS4	OPTYP2	MORT4	COMOR1	WLTIM2	SETIM1	HOSP1	DIET3
5	2	WTLS4	OPTYP3	MORT2	COMOR3	WLTIM3	SETIM3	HOSP3	DIET1
6	1	WTLS1	OPTYP3	MORT4	COMOR1	WLTIM3	SETIM3	HOSP3	DIET2
6	2	WTLS4	OPTYP2	MORT2	COMOR1	WLTIM2	SETIM2	HOSP4	DIET3
7	1	WTLS1	OPTYP1	MORT3	COMOR2	WLTIM1	SETIM4	HOSP4	DIET1
7	2	WTLS2	OPTYP3	MORT5	COMOR3	WLTIM1	SETIM2	HOSP3	DIET3
8	1	WTLS4	OPTYP2	MORT3	COMOR3	WLTIM1	SETIM4	HOSP4	DIET3
8	2	WTLS3	OPTYP3	MORT5	COMOR2	WLTIM2	SETIM3	HOSP2	DIET1

Version 11

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS2	OPTYP2	MORT1	COMOR1	WLTIM2	SETIM1	HOSP2	DIET1
1	2	WTLS3	OPTYP3	MORT3	COMOR2	WLTIM1	SETIM4	HOSP3	DIET3
2	1	WTLS3	OPTYP1	MORT5	COMOR3	WLTIM2	SETIM1	HOSP2	DIET3
2	2	WTLS2	OPTYP2	MORT2	COMOR2	WLTIM3	SETIM2	HOSP1	DIET2
3	1	WTLS1	OPTYP3	MORT1	COMOR3	WLTIM1	SETIM1	HOSP3	DIET3
3	2	WTLS3	OPTYP1	MORT3	COMOR3	WLTIM2	SETIM4	HOSP4	DIET2
4	1	WTLS3	OPTYP3	MORT3	COMOR2	WLTIM2	SETIM3	HOSP4	DIET2
4	2	WTLS4	OPTYP1	MORT1	COMOR3	WLTIM3	SETIM4	HOSP3	DIET1
5	1	WTLS4	OPTYP1	MORT2	COMOR1	WLTIM3	SETIM1	HOSP4	DIET1
5	2	WTLS4	OPTYP3	MORT3	COMOR3	WLTIM1	SETIM2	HOSP1	DIET2
6	1	WTLS2	OPTYP3	MORT4	COMOR1	WLTIM1	SETIM4	HOSP4	DIET3
6	2	WTLS4	OPTYP1	MORT3	COMOR1	WLTIM2	SETIM3	HOSP3	DIET2
7	1	WTLS2	OPTYP1	MORT3	COMOR2	WLTIM3	SETIM3	HOSP2	DIET3
7	2	WTLS1	OPTYP1	MORT5	COMOR1	WLTIM1	SETIM4	HOSP4	DIET1
8	1	WTLS3	OPTYP1	MORT1	COMOR3	WLTIM2	SETIM2	HOSP1	DIET2
8	2	WTLS1	OPTYP2	MORT5	COMOR3	WLTIM1	SETIM4	HOSP2	DIET1

Version 12

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS1	OPTYP3	MORT1	COMOR1	WLTIM1	SETIM4	HOSP4	DIET2
1	2	WTLS2	OPTYP2	MORT4	COMOR2	WLTIM2	SETIM1	HOSP3	DIET2
2	1	WTLS2	OPTYP3	MORT5	COMOR2	WLTIM1	SETIM3	HOSP1	DIET1
2	2	WTLS3	OPTYP1	MORT4	COMOR3	WLTIM2	SETIM4	HOSP3	DIET3
3	1	WTLS2	OPTYP3	MORT5	COMOR2	WLTIM1	SETIM3	HOSP1	DIET1
3	2	WTLS3	OPTYP1	MORT4	COMOR3	WLTIM2	SETIM4	HOSP3	DIET3
4	1	WTLS2	OPTYP3	MORT3	COMOR3	WLTIM1	SETIM1	HOSP4	DIET2
4	2	WTLS1	OPTYP3	MORT1	COMOR2	WLTIM2	SETIM4	HOSP1	DIET1
5	1	WTLS3	OPTYP1	MORT1	COMOR2	WLTIM3	SETIM4	HOSP2	DIET2
5	2	WTLS2	OPTYP3	MORT5	COMOR1	WLTIM1	SETIM2	HOSP1	DIET1
6	1	WTLS2	OPTYP1	MORT3	COMOR2	WLTIM3	SETIM4	HOSP1	DIET2
6	2	WTLS3	OPTYP3	MORT2	COMOR3	WLTIM1	SETIM3	HOSP4	DIET2
7	1	WTLS2	OPTYP1	MORT4	COMOR2	WLTIM3	SETIM2	HOSP3	DIET1
7	2	WTLS4	OPTYP2	MORT3	COMOR2	WLTIM2	SETIM3	HOSP2	DIET3
8	1	WTLS3	OPTYP1	MORT5	COMOR1	WLTIM3	SETIM3	HOSP4	DIET1
8	2	WTLS4	OPTYP3	MORT3	COMOR2	WLTIM1	SETIM4	HOSP3	DIET1

Version 13

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS1	OPTYP3	MORT4	COMOR2	WLTIM3	SETIM2	HOSP3	DIET3
1	2	WTLS2	OPTYP2	MORT1	COMOR3	WLTIM1	SETIM4	HOSP4	DIET2
2	1	WTLS2	OPTYP2	MORT3	COMOR1	WLTIM3	SETIM3	HOSP3	DIET1
2	2	WTLS3	OPTYP1	MORT4	COMOR2	WLTIM1	SETIM1	HOSP4	DIET1
3	1	WTLS1	OPTYP2	MORT2	COMOR2	WLTIM1	SETIM3	HOSP1	DIET1
3	2	WTLS4	OPTYP3	MORT5	COMOR2	WLTIM2	SETIM1	HOSP2	DIET3
4	1	WTLS3	OPTYP3	MORT2	COMOR2	WLTIM3	SETIM1	HOSP3	DIET1
4	2	WTLS2	OPTYP3	MORT3	COMOR1	WLTIM2	SETIM3	HOSP2	DIET3
5	1	WTLS3	OPTYP2	MORT5	COMOR2	WLTIM1	SETIM2	HOSP2	DIET2
5	2	WTLS2	OPTYP3	MORT2	COMOR1	WLTIM2	SETIM1	HOSP4	DIET2
6	1	WTLS2	OPTYP2	MORT3	COMOR3	WLTIM1	SETIM2	HOSP3	DIET1
6	2	WTLS1	OPTYP3	MORT2	COMOR2	WLTIM2	SETIM1	HOSP1	DIET2
7	1	WTLS4	OPTYP1	MORT1	COMOR3	WLTIM2	SETIM4	HOSP1	DIET1
7	2	WTLS3	OPTYP2	MORT3	COMOR2	WLTIM3	SETIM3	HOSP4	DIET3
8	1	WTLS3	OPTYP2	MORT4	COMOR1	WLTIM2	SETIM3	HOSP4	DIET1
8	2	WTLS3	OPTYP1	MORT2	COMOR3	WLTIM1	SETIM2	HOSP1	DIET2

Version 14

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS2	OPTYP3	MORT4	COMOR1	WLTIM1	SETIM4	HOSP4	DIET3
1	2	WTLS4	OPTYP1	MORT3	COMOR1	WLTIM2	SETIM3	HOSP3	DIET2
2	1	WTLS3	OPTYP1	MORT4	COMOR3	WLTIM1	SETIM3	HOSP3	DIET3
2	2	WTLS3	OPTYP2	MORT2	COMOR1	WLTIM2	SETIM2	HOSP2	DIET1
3	1	WTLS2	OPTYP1	MORT4	COMOR3	WLTIM1	SETIM3	HOSP2	DIET2
3	2	WTLS1	OPTYP3	MORT3	COMOR2	WLTIM2	SETIM4	HOSP1	DIET1
4	1	WTLS3	OPTYP3	MORT4	COMOR3	WLTIM2	SETIM4	HOSP1	DIET2
4	2	WTLS2	OPTYP1	MORT3	COMOR2	WLTIM3	SETIM2	HOSP3	DIET3
5	1	WTLS3	OPTYP2	MORT3	COMOR1	WLTIM3	SETIM1	HOSP1	DIET1
5	2	WTLS4	OPTYP1	MORT1	COMOR2	WLTIM2	SETIM2	HOSP3	DIET1
6	1	WTLS3	OPTYP3	MORT2	COMOR3	WLTIM2	SETIM2	HOSP2	DIET1
6	2	WTLS3	OPTYP2	MORT1	COMOR1	WLTIM3	SETIM1	HOSP3	DIET2
7	1	WTLS4	OPTYP3	MORT2	COMOR3	WLTIM2	SETIM4	HOSP1	DIET3
7	2	WTLS4	OPTYP1	MORT4	COMOR1	WLTIM1	SETIM3	HOSP4	DIET2
8	1	WTLS3	OPTYP2	MORT2	COMOR3	WLTIM3	SETIM1	HOSP1	DIET2
8	2	WTLS2	OPTYP1	MORT5	COMOR2	WLTIM2	SETIM3	HOSP2	DIET3

Version 15

Set	Alt	WTLS	OPTYP	MORT	COMOR	WLTIM	SETIM	HOSP	DIET
1	1	WTLS3	OPTYP2	MORT3	COMOR2	WLTIM1	SETIM3	HOSP1	DIET3
1	2	WTLS2	OPTYP3	MORT2	COMOR1	WLTIM2	SETIM1	HOSP4	DIET2
2	1	WTLS2	OPTYP1	MORT2	COMOR2	WLTIM1	SETIM3	HOSP3	DIET3
2	2	WTLS1	OPTYP3	MORT3	COMOR1	WLTIM2	SETIM2	HOSP4	DIET1
3	1	WTLS1	OPTYP2	MORT2	COMOR3	WLTIM2	SETIM4	HOSP3	DIET2
3	2	WTLS3	OPTYP1	MORT5	COMOR3	WLTIM1	SETIM2	HOSP2	DIET3
4	1	WTLS1	OPTYP2	MORT5	COMOR3	WLTIM2	SETIM1	HOSP4	DIET1
4	2	WTLS1	OPTYP3	MORT1	COMOR1	WLTIM1	SETIM4	HOSP2	DIET2
5	1	WTLS4	OPTYP1	MORT4	COMOR2	WLTIM1	SETIM1	HOSP2	DIET1
5	2	WTLS3	OPTYP3	MORT5	COMOR1	WLTIM2	SETIM2	HOSP1	DIET2
6	1	WTLS4	OPTYP3	MORT2	COMOR1	WLTIM2	SETIM3	HOSP4	DIET2
6	2	WTLS1	OPTYP1	MORT1	COMOR1	WLTIM3	SETIM2	HOSP1	DIET1
7	1	WTLS3	OPTYP1	MORT3	COMOR2	WLTIM1	SETIM1	HOSP3	DIET1
7	2	WTLS4	OPTYP1	MORT2	COMOR3	WLTIM3	SETIM4	HOSP1	DIET2
8	1	WTLS2	OPTYP3	MORT1	COMOR2	WLTIM1	SETIM1	HOSP3	DIET3
8	2	WTLS1	OPTYP1	MORT3	COMOR1	WLTIM1	SETIM3	HOSP1	DIET1