

**Recommended Format for Smokeless Tobacco Nicotine Data Reporting - CSTHEA**

Please attach additional pages if necessary

Public reporting burden of this collection of information is estimated to average 6.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC Reports Clearance Officer, 1600 Clifton Road, MS-74, Atlanta, GA 30333, ATTN: PRA (0920-0338).

**Date** \_\_\_\_\_

Office on Smoking and Health  
Attn. FCLAA Program Manager  
4770 Buford Hwy., NE, MS K-50  
Atlanta, GA 30341

This nicotine report is being submitted pursuant to the Comprehensive Smokeless Tobacco Health Education Act (CSTHEA), 15 U.S.C. §4403(a).

**Manufacturer\*** (Please indicate if the product is manufactured for another company)

---

---

**Variety** (Including brand families and brand variations)

---

---

**Brand Name** (e.g., Skoal Bandits, Skoal Long Cut Cherry, Skoal Long Cut Wintergreen, etc.)

---

---

\*If this Ingredient Report is submitted by a designated individual or entity on behalf of a cigarette manufacturer, packager, or importer, the form must specify on whose behalf the submission is being made.

**Product category** (check one)

- Dry snuff
- Moist (wet) snuff
- Snuff portion pouch
- Snus
- Snus portion pouch
- Plug
- Twist
- Loose leaf
- Compressed (pellet, tablet)
- Other (*specify*)

**Documentation of method used for random sample section**

---

---

---

---

**Documentation of Standards Addition Assay, including nicotine concentrations selected for standard curve**

---

---

---

	Sample Date	Manufacture Date	Lot Number	Sample Fraction <sup>1</sup>	Age of the product in days when received by testing facility/storage conditions prior to analysis	Nicotine <sup>2</sup>	Total Moisture <sup>3</sup>	pH	Estimated unionized (free) nicotine <sup>2</sup>	Estimated unionized (free) nicotine <sup>3</sup>
1										
2										
3										
4										
					Final mean value with 95% confidence interval					
					Range of values					
					Estimated precision of the mean <sup>4</sup>					

<sup>1</sup>Number of randomly sampled, sealed, packaged (so as to be representative of the product that is sold to the public) smokeless tobacco products selected per sampling date; <sup>2</sup>Units for nicotine and estimated unionized (free) nicotine content are milligrams of nicotine (or unionized (free) nicotine) per gram of tobacco (mg/g); <sup>3</sup>Total moisture and estimated unionized (free) nicotine as a percentage (%); <sup>4</sup>Reported as the standard deviation.