

Section # 08

Section Name Earnings

Section Universe [(QUEST = 25) OR [((WK=1) OR (ABS=1)) AND (PUIO1COW does not equal 7, 8) AND ((IODP1 = 2, D, R or blank) OR (IODP2 = 1) OR (IODP3 = 1, D, or R) OR (8500.PUMLR = 3-7) OR (8500.PRWERNAL = 1))] OR (AGERNG = 2-4 AND QUEST = 21, 22, or 28)] AND NOCONTACT = 0

Parallel Block Name

Specification Date 11/29/06

Specification Writer

Specification Version 2007.1

Other Information

1. Section Label: Earnings
2. Output Block Name:

Form Panes

Introduction [] earnings []	# hours per week []	Usual weekly
earnings [] Wages []	Estimated hours per week []	Total weekly
Specify [] earnings []	Calculated weekly earnings []	Usual
Receive overtime [] earnings []		Estimate of
Hourly rate of pay [] earnings []	Verify information []	Confirm
Est hourly rate of pay [] correction []	Edit hourly rate []	Earnings
# hours per wekk [] per year []	Edit hours per week [] Edit overtime, tips, comm []	Weeks paid
Rate of overtime pay [] []	Edit hourly earnings []	Earning rate
Amt overtime pay []]	Edit hours per week []	Hourly rate []
Estimated weekly overtime []		

Enrolled in school []

Type of school []

Full/part-time enrollment []

Universe (QUEST = 25) AND ((IO1INC = 1, BLANK) AND (BUS1 ne 1) AND ((8500.IO1COW neq 7, 8 or 11) OR (IODP1 ne 1))) AND ((IODP2 ne 2) OR (8500.PRWERNAL = 1))

>Question Text

This month I have a few questions about earnings.

1. Enter 1 to Continue

>Spanish Translation

Este mes tengo algunas preguntas sobre ingresos.

1. Enter 1 to Continue

>Variable Name ERNP	Description	Introduction
-------------------------------	--------------------	--------------

>Value/Skip Instructions

<1> [goto ERNPR]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe ERNP = 1

>Question Text

For your [fill: MAIN] job, what is the easiest way for you to report your total earnings BEFORE taxes or other deductions: hourly, weekly, annually, or on some other basis?

[fill: * Read if necessary: We use this information to compare the amount that people earn in different types of jobs.]

1. Hourly
2. Weekly
3. Bi-weekly
4. Twice monthly
5. Monthly
6. Annually
7. Other (specify)

>Spanish Translation

Con respecto a su trabajo [fill: PRINCIPAL], ¿cómo le resulta más fácil darnos el total de sus ingresos SIN DESCONTAR impuestos u otras deducciones? ¿Por hora, por semana, por año, o de qué otra manera?

[fill: * Read if necessary: Usamos esta información para comparar cuánto ganan las personas que trabajan en diferentes tipos de empleos.]

1. Por hora
2. Por semana
3. Cada dos semanas
4. Dos veces al mes
5. Por mes
6. Por año
7. Otra manera (specify)

>Variable Name	ERNPR	Description	Wages
--------------------------	-------	--------------------	-------

>Value/Skip Instructions

- <1-6,D> [goto ERNUOT]
- <7> [goto ERNPRS]
- <R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If MJ=1, then fill "* Read if necessary: We use this information to compare the amount that people earn in different types of jobs. " and "MAIN'.

>Spanish Fill Instructions

1. If MJ=1, then fill "* Read if necessary: Usamos esta información para comparar cuánto ganan las personas que trabajan en diferentes tipos de empleos. " and " PRINCIPAL ."

>Special Instructions

1. Store ERNPR in ERNPER.

Universe ERNPR = 7

>Question Text

* Enter Verbatim Response

>Spanish Translation

>Variable Name		Description	Specify
--------------------------	--	--------------------	----------------

>Value/Skip Instructions			
------------------------------------	--	--	--

<30 characters, D, R>		[goto ERNUOT]	
-----------------------	--	---------------	--

>Fill Instructions			
------------------------------	--	--	--

>Spanish Fill Instructions			
--------------------------------------	--	--	--

>Special Instructions			
---------------------------------	--	--	--

Universe (ERNPR = 1-6, D) OR (Entry in ERNPRS)

>Question Text

Do you usually receive overtime pay, tips, or commissions [fill: at your MAIN job]?

1. Yes
2. No

>Spanish Translation

¿Generalmente le pagan horas extras, le dan propinas, o comisiones [fill: en su trabajo PRINCIPAL]?

1. Sí
2. No

>Variable Name ERNUOT	Description	Receive overtime
---------------------------------	--------------------	------------------

>Value/Skip Instructions

<1,2,D,R> [If ERNPR = 1, goto ERNHRT]
 [If ERNPR= 2-7, or D, goto ERNWK2]

>Fill Instructions

1. If MJ=1, then fill "at your MAIN job"

>Spanish Fill Instructions

1. If MJ = 1, then fill "en su trabajo PRINCIPAL"

>Special Instructions

Universe ERNPR = 1

>Question Text

[fill: What /EXCLUDING overtime pay, tips and commissions, what] is your hourly rate of pay on [fill: this /your MAIN] job?

>Spanish Translation

[fill: ¿Cuánto / SIN CONTAR horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/ su trabajo PRINCIPAL]?

>Variable Name	ERNHRT	Description	Hourly rate of pay
--------------------------	--------	--------------------	--------------------

>Value/Skip Instructions

<0.00-99.99>	[goto ERNHR]
<D>	[goto ERNHRE]
<R>	[If AGERNG eq 2-4, D, R goto SCHENR] [Else goto ENDMID]

>Fill Instructions

1. If ERNUOT =1, fill "EXCLUDING overtime pay, tips and commissions, what" else fill "What"
2. If MJ=1, fill "your MAIN", else fill " this".

>Spanish Fill Instructions

1. If ERNUOT =1, fill " SIN CONTAR horas extras, propinas y comisiones, ¿cuánto " else fill " Cuánto "
2. If MJ=1, fill " su trabajo PRINCIPAL ", else fill " ese trabajo ".

>Special Instructions

1. If ERNHRT lt 001.00 or gt 030.00, display ERNRG1.
2. Display a \$ in the entry field
3. Store ENRHRT in ERNH1O
4. If ERNHRT is R then store R in ERNX1

Universe ERNHRT = D

>Question Text

What is your best estimate of your hourly rate of pay?

>Spanish Translation

¿Cuánto calcula usted que gana por hora, aproximadamente?

>Variable Name	ERNHRE	Description	Est. hourly rate of pay
--------------------------	--------	--------------------	-------------------------

>Value/Skip Instructions

<0.00-99.99>	[goto ERNHR]
<D,R>	[If AGERNG eq 2-4, D, R goto SCENR] [Else goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. If ERNHRE lt 001.00 or gt 030.00, display ERNRG1.
2. Display \$ in the entry field
3. Store ERNHRE in ERNH1O
4. If ERNHRE is D or R then store ERNHRE in ERNX1

Universe ERNHRT or ERNHRE is lt 001.00 or gt 030.00

>Question Text

Soft Edit

* Hourly earnings recorded as: [fill: \$ERNHRT/ERNHRE] hourly.

Is this entry correct?

>Spanish Translation

Soft Edit

* Ganancias por hora anotadas como: [fill: \$ERNHRT/ERNHRE] por hora.

¿Es correcta esta anotación?

>Variable Name	ERNRG1	Description	Soft edit
--------------------------	--------	--------------------	-----------

>Value/Skip Instructions

<Suppressed >	[goto ERNHR]
<Goto, Close>	[go back to ERNHRE/ERNHRT]

>Fill Instructions

1. If from ERNHRT, fill the amount entered in ERNHRT.
Else, fill the amount entered in ERNHRE.

>Spanish Fill Instructions

>Special Instructions

Universe ERNHRT = 0.00 - 99.99 OR ERNHRE = 0.00 - 99.99

>Question Text

How many hours do you usually work per week at this rate?

>Spanish Translation

Normalmente, ¿cuántas horas a la semana trabaja a ese salario por hora?

>Variable Name	ERNHR	Description	# hours per week
--------------------------	-------	--------------------	------------------

>Value/Skip Instructions

<01-99>	[If ERNUOT = 1, then goto ERNOTP. Else goto ERNVR1]
<D,R>	[If HRUSL1 is D, V, or R, then goto ERNWK2]
	[Else, if ERNUOT =1, goto ERNOTP]
	[Else, goto ERNVR1]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. If ERNHR is other than D or R then store ERNHR in ERNHRO
 If ERNHR is D or R AND HRUSL1 is D or V then store D in ERNHRO
 If ERNHR is D or R AND HRUSL1 is R then store R in ERNHRO
 If ERNHR is D or R AND HRUSL1 is not D, R, V then store HRUSL1 in ERNHRO

Universe ERNUOT = 1 AND (HRUSL1=1-99 and ERNHR=1-99)

>Question Text

[fill: How/At your MAIN job, how] much do you usually receive JUST in overtime pay, tips or commissions, before taxes or other deductions?

*Enter periodicity first.

1. Per hour
2. Per day
3. Per week
4. Per month
5. Per year
6. Other

>Spanish Translation

Generalmente, [fill: ¿cuánto/en su trabajo PRINCIPAL, ¿cuánto] le pagan SOLAMENTE por horas extras, propinas o comisiones, antes de los impuestos y otras deducciones?

*Enter periodicity first.

1. Por hora
2. Por día
3. Por semana
4. Por mes
5. Por año
6. Otro período

>Variable Name	ERNOTP	Description	Rate of overtime pay
--------------------------	--------	--------------------	----------------------

>Value/Skip Instructions

- <1-5> [goto ERNOTA]
- <6,D> [goto ERNOTE]
- <R> [If AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If MJ is 1, then fill " At your MAIN job, how" , else fill " How".

>Spanish Fill Instructions

1. If MJ is 1, then fill “en su trabajo PRINCIPAL, ¿cuánto”, else fill “cuánto”.

>Special Instructions

Universe ERNOTP = 1 - 5

>Question Text

* Enter Dollar Amount

>Spanish Translation

>Variable Name	ERNOTA	Description	Amt overtime pay
--------------------------	--------	--------------------	------------------

>Value/Skip Instructions

<0.00-99999.99> [if ERNOTP is 1 goto ERNOH]
 [if ERNOTP is 2 goto ERNOTE]
 [if ERNOTP is 3, 4, 5 goto ERNVR1]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. If ERNOTA is lt 1 or gt 30 and ERNOTP is 1, goto ERNRG2
 If ERNOTA is lt 1 or gt 240 and ERNOTP is 2 , goto ERNRG2
 If ERNOTA is lt 1 or gt 1500 and ERNOTP is 3, goto ERNRG2
 If ERNOTA is lt 1 or gt 6000 and ERNOTP is 4 , goto ERNRG2
 If ERNOTA is lt 1 or gt 72000 and ERNOTP is 5 , goto ERNRG2
2. Store ERNOTA in ERNOTO

Universe ERNOTP = 6 or D OR (Entry in ERNOTA and ERNOTP = 2)

>Question Text

What is your best estimate of how much you usually earn weekly, JUST in overtime pay, tips, or commissions, before taxes or other deductions?

>Spanish Translation

¿Cuánto calcula usted que gana normalmente POR SEMANA, SOLAMENTE por horas extras, propinas, o comisiones, sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

>Variable Name	ERNOTE	Description	Estimated weekly overtime
--------------------------	--------	--------------------	---------------------------

>Value/Skip Instructions

<0-9999>	[goto ERNVR1]
<D,R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. If ERNOTE is lt 1 or gt 1500, goto ERNRG2
2. Store ERNOTE in ERNOTO
3. Display a \$ and comma in the entry field

Universe (ERNOTP = 1 and ERNOTA not eq 1-30) OR (ERNOTP=2 and ERNOTA not eq 1-240) OR (ERNOTP=3 and ERNOTA not eq 1-1500) OR (ERNOTP=4 and ERNOTA not eq 1-6000) OR (ERNOTP=5 and ERNOTA not eq 1-72000) OR ERNOTE not eq 1-1500

>Question Text

Soft Edit

 Usual [fill: rate] earnings in overtime pay, tips or commissions recorded as:
 [fill: ERNOTA /ERNOTE]

Is this entry correct?

>Spanish Translation

Soft Edit

 Ganancias habituales de [fill: rate] como pago por horas extras, propinas o comisiones anotadas como:

[fill: ERNOTA /ERNOTE]
 ¿Es correcta esta anotación?

>Variable Name ERNRG2 **Description** Soft edit

>Value/Skip Instructions

<Suppressed > [goto ERNVR1]
 <Goto, Close> [go back to ERNOTE/ERNOTA]

>Fill Instructions

1. If ERNOTP is 3 and there is an entry in ERNOTE, fill "weekly" and ERNOTE.
 if ERNOTP is 2 , fill " daily"
 if ERNOTP is 4, fill "monthly"
 if ERNOTP is 5, fill "yearly"
 if ERNOTP is 6 and entry in ERNOTE, fill "weekly"
2. If from ERNOTE, fill ERNOTE. Else fill ERNOTA
3. If ERNOTP neq 5 and ERNOTA > 9999 then display hard edit "Not a Valid Entry"

>Spanish Fill Instructions

Spanish Fills

1. If ERNOTP is 3 and there is an entry in ERNOTE, fill "por semana" and ERNOTE.
 if ERNOTP is 2 , fill " por día"
 if ERNOTP is 4, fill "por mes"
 if ERNOTP is 5, fill "por año"
 if ERNOTP is 6 and entry in ERNOTE, fill "por semana"

>Special Instructions

Universe ERNOTP = 1 AND Entry in ERNOTA

>Question Text

How many hours do you usually work per week at this rate?

>Spanish Translation

Normalmente, ¿cuántas horas trabaja por semana a ese salario por hora?

ENTER NUMBER OF HOURS

>Variable Name		Description	# Hours per week
--------------------------	--	--------------------	-------------------------

>Value/Skip Instructions

<00-99>	[goto ERNVR1]		
<D>	[goto ERNOHE]		
<R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]		

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe ERNOH = D

>Question Text

What is your best estimate of the number of hours per week you usually work at this rate?

>Spanish Translation

¿Cuántas horas por semana calcula usted que trabaja a ese salario por hora?

ENTER NUMBER OF HOURS

>Variable Name	ERNOHE	Description	Estimated hours per week
--------------------------	--------	--------------------	--------------------------

>Value/Skip Instructions

<00-99> [goto ERNVR1]

<D,R> [If AGERNG eq 2-4, D, R goto SCENR] [goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe (ERNHR = 01-99 AND ERNUOT is not 1) OR (ERNHR = D, R AND HRUSL1 is not D, R, V AND ERNUOT is not 1) OR (ERNOTP = 3-5 AND Entry in ERNOTA) OR (ERNOTE = 0-9999) OR (ERNOH = 00-99) OR (ERNOHE = 00-99)

>Question Text

I have estimated your usual WEEKLY earnings [fill: for your main job] as [fill: \$ HWKRN] before taxes or other deductions.
Does that sound correct?

1. Yes
2. No

>Spanish Translation

Al calcular sus ingresos habituales POR SEMANA [fill: en su trabajo principal] obtengo como resultado [fill: \$ HWKRN] antes de descontar impuestos u otras deducciones.
¿Le parece que ésa es la cantidad correcta?

ENTER NUMBER OF HOURS

>Variable Name	ERNVR1	Description	Calculated weekly earnings
--------------------------	--------	--------------------	----------------------------

>Value/Skip Instructions

<1,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]
<2,D> [goto ERNVR2]

>Fill Instructions

1. If MJ = 1, fill "for your main job".

>Spanish Fill Instructions

1. If MJ = 1, fill "en su trabajo principal".

>Special Instructions

1. Set HWKRN
If (any onpath entry other than D or R in ERNHRO) AND (Onpath entry other than D or R in ERNH1O) then multiply ERNHRO by ERNH1O and store in HWKRN
2. Set ERNX1 and ERN
 - a. If Entry other than D or R in ERNOTO then if onpath entry other than D or R in ERNOTE then
store ERNOTO in ERN; add ERN to HWKRN and store HWKRN in ERNX1
ELSE If onpath entry of 1 in ERNOTP then

If onpath entry other than D or R in ERNOH then multiply ERNOH by ERNOTO and store in ERN; add ERN to HWKRN; store HWKRN in ERNX1

ELSE if onpath entry other than D or R in ERNOHE then multiply ERNOHE by ERNOTO and store in ERN; add ERN to HWKRN; store HWKRN in ERNX1
END

ELSE If onpath entry of 3 in ERNOTP then store ERNOTO in ERN; add ERN to HWKRN;
store HWKRN in ERNX1

ELSE If onpath entry of 4 in ERNOTP then divide ERNOTO by 4 and store in ERN; add ERN
to HWKRN; store HWKRN in ERNX1.

ELSE if onpath entry of 5 in ERNOTP then divide ERNOTO by 52 and store in ERN; add
ERN to HWKRN; store HWKRN in ERNX1

END

END

b. If NO entry in ERNOTO then, store HWKRN in ERNX1 {D or R in ERNOTO would not get
here}

Universe ERNVR1 = 2, D

>Question Text

I have recorded:

2. [fill: ERNH1O] as your hourly rate of pay.
3. [fill: ERNHRO] as the number of hours you usually worked at this rate.
4. [fill: ERNOTO] as the amount you usually earned [Fill: hourly/monthly/annually/weekly] in overtime pay, tips + commissions.
5. [fill: ERNOH] as the number of hours per week you usually work at this rate.

Which piece of information does not seem to be correct?

* Enter number(s) corresponding to line(s) requiring correction

1. All information correct and any other choice is not a valid entry
2. Hourly rate
3. Number of hours usually worked
- [fill: 4. Amount of overtime pay]
- [fill: 5. Number of overtime hours per week at this rate]

>Spanish Translation

He anotado:

2. [fill: ERNH1O] como su salario por hora.
3. [fill: ERNHRO] como el número de horas que trabajaba generalmente a ese salario por hora.
4. [fill: ERNOTO] como la cantidad que ganaba normalmente [Fill: por hora/por mes/por año/por semana] por horas extra, propinas + comisiones.
5. [fill: ERNOH] como el número de horas que trabaja normalmente por semana a ese salario por hora.

¿Qué parte de la información no parece ser correcta?

- * Enter number(s) corresponding to line(s) requiring correction
1. Toda la información es correcta
 2. Salario por hora
 3. Número de horas que trabaja normalmente
 - [fill: 4. Cantidad de pago por horas extras]
 - [fill: 5. Número de horas extra por semana a este salario]

>Variable Name	ERNVR2	Description	Verify information
--------------------------	--------	--------------------	--------------------

>Value/Skip Instructions

- <2-5> [If a 2 was selected goto ERNH1C]
 [if a 3 was selected goto ERNHC]
 [If a 4 was selected and ERNOTP is not 1 goto ERNOTC]
 [if a 4 was selected and ERNOTP is 1 goto ERNOHC]
 [If a 5 was selected, goto ERNH2C]
 <1,D> [goto ERNWK1]
 <R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNOTA offpath AND ERNOTE offpath AND then do not fill precode 4
2. If ERNOH or ERNOHE = 00 - 99 fill precode 5
3. If ERNOTP = 1 fill "hourly".
 ERNOTP = 4, fill "monthly"
 ERNOTP = 5, fill "annually"
 ELSE fill "weekly"

>Spanish Fill Instructions

3. If ERNOTP = 1 fill "por hora"
 ERNOTP = 4, fill "por mes"
 ERNOTP = 5, fill "por año"
 ELSE fill "por semana"

>Special Instructions

1. If ERNOTA offpath AND ERNOTE offpath AND then do not allow precode 4 to be selected.
 Hard edit message "*" Not a Valid Entry"
2. If ERNVR2 has 1 selected then do not allow 2, 3, 4, or 5 to be selected.
 Hard edit message "*"All information correct and any other choice is not a valid entry."

Universe If 2 selected in ERNVR2

>Question Text

What is your hourly rate of pay on this job, excluding overtime pay, tips or commissions?

ENTER DOLLAR AMOUNT\$

>Spanish Translation

¿Cuánto gana por hora en ese empleo, sin contar horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT\$

>Variable Name	ERNH1C	Description	Edit hourly rate
--------------------------	--------	--------------------	------------------

>Value/Skip Instructions

<0.00-99.99>	[if 3 selected in ERNVR2 then goto ERNHC] [if 4 selected in ERNVR2 AND ERNOTP is not 1, then goto ERNOTC] [If 4 selected in ERNVR2 AND ERNOTP is 1, goto ERNOHC] [if 5 selected in ERNVR2, then goto ERNH2C] [Else, goto ERNVR3]
<D, R>	[if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. Display a \$ in the entry field

Universe If 3 selected in ERNVR2

>Question Text

How many hours do you usually work per week at the rate of [fill: ERNH1C/ERNH1O]?

ENTER HOURS
01-99

>Spanish Translation

Normalmente, ¿cuántas horas trabaja por semana a [fill: ERNH1C/ERNH1O] por hora?

ENTER HOURS
01-99

>Variable Name	ERNHC	Description	Edit hours per week
--------------------------	-------	--------------------	---------------------

>Value/Skip Instructions

<1-99> [if 4 selected in ERNVR2 AND ERNOTP is not 1, then goto ERNOTC]
 [If 4 selected in ERNVR2 AND ERNOTP is 1, goto ERNOHC]
 [if 5 selected in ERNVR2, then goto ERNH2C]
 [Else, goto ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

If ERNH1C is not empty then fill ERNH1C
 Else fill ERNH1O

>Spanish Fill Instructions

>Special Instructions

Universe If 4 selected in ERNVR2 AND ERNOTP is not 1

>Question Text

How much do you usually earn [fill: weekly/monthly/annually] just in overtime pay, tips or commissions?

>Spanish Translation

Normalmente, ¿cuánto gana [fill: por semana/por mes/por año] solamente en horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT \$

>Variable Name	ERNOTC	Description	Edit overtime, tips, comm
--------------------------	--------	--------------------	---------------------------

>Value/Skip Instructions

<0.00-99999.99> [Goto ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNOTP is 4, fill "monthly"
 ERNOTP is 5, fill "annually"
 Else fill "weekly"

>Spanish Fill Instructions

1. If ERNOTP is 4, fill "por mes"
 ERNOTP is 5, fill " por año "
 Else fill "por semana"

>Special Instructions

1. Display \$ and comma in the entry field

Universe ERNVR2 = 4 AND ERNOTP = 1

>Question Text

How much do you usually earn hourly just in overtime pay, tips or commissions?

ENTER DOLLAR AMOUNT\$

>Spanish Translation

Normalmente, ¿cuánto gana por hora solamente por horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT\$

>Variable Name	ERNOHC	Description	Edit hourly earnings
--------------------------	--------	--------------------	----------------------

>Value/Skip Instructions

<00.00 - 99.99>	[If ERNVR2 = 5 goto ERNH2C] [Else goto ERNVR3]
-----------------	---

<D, R>	[if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]
--------	---

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. Display a \$ in the entry field

Universe If 5 selected in ERNVR2

>Question Text

How many hours do you usually work per week at the rate of [fill: ERNOHC/ERNOTO]?

>Spanish Translation

Generalmente, ¿cuántas horas trabaja por semana a [fill: ERNH1C/ERNH1O] por hora?

ENTER HOURS
00-99

>Variable Name	ERNH2C	Description	Edit hours per week
--------------------------	--------	--------------------	---------------------

>Value/Skip Instructions

<0-99> [goto, ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

If ERNOHC is empty then fill ERNOTO
ELSE fill ERNOHC

>Spanish Fill Instructions

>Special Instructions

Universe ERNVR2 = D or 1

>Question Text

Then, including overtime pay, tips and commissions, what are your usual WEEKLY earnings on [fill: this/your main] job, before taxes or other deductions?

>Spanish Translation

Entonces, incluyendo horas extras, propinas y comisiones, ¿cuánto gana normalmente POR SEMANA en [fill: ese trabajo/su trabajo principal], sin descontar impuestos u otras deducciones?

CORRECT ENTRY IS: \$

>Variable Name	ERNWK1	Description	Usual weekly earnings
--------------------------	--------	--------------------	-----------------------

>Value/Skip Instructions

<0-9999> [goto ERNVR3]

<D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If MJ = 1 fill "you main" Else fill "this"

>Spanish Fill Instructions

1. If MJ = 1 fill "su trabajo principal" Else fill "ese trabajo"

>Special Instructions

1. Display a \$ and comma in the entry field

- If (onpath entry of 1 in ERNOTP) AND (onpath entry other than D or R in ERNH2C) then

store (ERNOHC x ERNH2C) in ERN2; add ERN to HWKRN2;
store HWKRN2 in ERNX2

- Else If (onpath entry of 1 in ERNOTP) AND (no onpath entry in ERNH2C) then

If onpath entry other than D, R or blank in ERNOH then
store (ERNOHC x ERNOH) in ERN2; Add ERN2 to HWKRN2;
store HWKRN2 in ERNX2

Else If (onpath entry other than D, R or blank in ERNOHE) then
(ERNOHC x ERNOHE) in ERN2; Add ERN2 to HWKRN2
Store HWKRN2 in ERNX2

End

- Else If (onpath entry or 2 or 3 in ERNOTP) then

Store ERNOTC in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

- Else If (onpath entry of 4 in ERNOTP) then

Store ERNOTC / 4 in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

- Else If (onpath entry of 5 in ERNOTP) then

Store ERNOTC / 52 in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

End

END

- b. If (onpath entry other than D or R in ERNOTC) AND (no onpath entry in ERNOTP) then
store ERNOTC in ERN2; Store ERN2 in HWKRN2; Add HWKRN2 to ERNX2
- c. If (onpath entry other than D or R in ERNOHC) and (no onpath entry in ERNOTP) then
store ERNOHC in ERN2; Store ERN2 in HWKRN2; Add HWKRN2 to ERNX2
- d. If (no onpath entry in ERNOHC) AND (onpath entry of 1 in ERNOTP) AND (onpath entry
other than D or R in ERNH2C) AND (ERNOTO is not D, R or blank) then
store (ERNOTO x ERNH2C) in ERN2; Add ERN2 to HWKRN2;
Store HWKRN2 in ERNX2
- e.. If no entry of 3 or 4 in ERNVR2(1-4) then
store ERN in ERN2; store (ERN2 + HWKRN2) in ERNX2
- f. If onpath entry of 2 in ERNUOT then store HWKRN2 in ERNX2
- g. If onpath entry other than D or R in ERNWK1 then store ERNWK1 in ERNX2

Universe (ERNUOT = 1,2,D, or R AND ERNPR = 2,3,4,5,6,7 or D) OR
(ERNHR= D or R AND HRUSL1 = D,R or V)

>Question Text

[fill: Including overtime pay, tips and commissions, what], What] are your usual
[fill: weekly/monthly/annual/bi-weekly] earnings on [fill: this/your MAIN] job, before taxes
or other deductions?

>Spanish Translation

[fill: Incluyendo horas extras, propinas y comisiones, ¿cuánto], ¿Cuánto] gana normalmente [fill: por
semana/por mes/por año/cada dos semanas] en [fill: ese trabajo/su trabajo PRINCIPAL], sin descontar
impuestos u otras deducciones?

>Variable Name	ERNWK2	Description	Usual earnings
--------------------------	--------	--------------------	----------------

>Value/Skip Instructions

<0-999999>	[goto ERNVR4]
<D>	[goto ERNDKP]
<R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNUOT is 1, fill "Including overtime"
2. If MJ is 1, fill "this" . Else fill "your MAIN"
3. If ERNPR is 1,2,7, or D, fill "weekly"
If ERNPR is 4 or 5, fill "monthly"
If ERNPR is 6, fill "annual"
If ERNPR is 3, fill "bi-weekly"

>Spanish Fill Instructions

1. If ERNUOT is 1, fill " Incluyendo horas extras propinas y comisiones, ¿ cuanto"
2. If MJ is 1, fill " ese trabajo " . Else fill " su trabajo PRINCIPAL "
3. If ERNPR is 1,2,7, or D, fill " por semana "
If ERNPR is 4 or 5, fill " por mes "
If ERNPR is 6, fill " por año "
If ERNPR is 3, fill " cada dos semanas "

>Special Instructions

1. If ERNPR is 1,2,7, or D and ERNWK2 is lt 1 or gt 1500, goto ERNRG3
If ERNPR is 4 or 5, and ERNWK2 is lt 1 or gt 6000, goto ERNRG3
If ERNPR is 6, and ERNWK2 is lt 1 or gt 72000, goto ERNRG3
If ERNPR is 3, and ERNWK2 is lt 1 or gt 3000, goto ERNRG3
2. If ERNPR is 1,2,7, or D, store value in ERNWK

If ERNPR is 4 or 5, store value in ERNMON
If ERNPR is 6, store value in ERNANN
If ERNPR is 3, store value in ERNBWK

3. Store ERNWK2 in ERNAMT
4. If ERNPR not eq 6, do not allow a value gt 9999. Hard edit message "*" Not a Valid Entry"
5. Display a \$ and comma in the entry field

Universe ERNWK2 = D

>Question Text

What is your best estimate of your usual [fill: weekly/monthly/annual/bi-weekly] earnings before taxes or other deductions?

>Spanish Translation

¿Cuánto calcula usted que gana normalmente [fill: por semana/por mes/por año/cada dos semanas], sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

\$

>Variable Name	ERNDKP	Description	Estimate of earnings
--------------------------	--------	--------------------	----------------------

>Value/Skip Instructions

<0-999999>	[goto ERNVR4]
<D,R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNPR is 1,2,7, or D, fill "weekly"
 If ERNPR is 4 or 5, fill "monthly"
 If ERNPR is 6, fill "annual"
 If ERNPR is 3, fill "bi-weekly"

>Spanish Fill Instructions

1. If ERNPR is 1,2,7, or D, fill "por semana"
 If ERNPR is 4 or 5, fill "por mes"
 If ERNPR is 6, fill " por año"
 If ERNPR is 3, fill "cada dos semanas"

>Special Instructions

1. If ERNPR is 1,2,7, or D and ERNDKP is lt 1 or gt 1500, goto ERNRG3
 If ERNPR is 4 or 5, and ERNDKP is lt 1 or gt 6000, goto ERNRG3
 If ERNPR is 6, and ERNDKP is gt 72000, goto ERNRG3
 If ERNPR is 3, and ERNDKP is lt 1 or gt 3000, goto ERNRG3
2. If ERNPR is 1,2,7, or D, store value in ERNWK
 If ERNPR is 4 or 5, store value in ERNMON
 If ERNPR is 6, store value in ERNANN
 If ERNPR is 3, store value in ERNBWK
3. Store ERNDKP in ERNAMT
4. Display "\$" and " , " in the entry field
5. If ERNPR neq 6 then ERNDKP should not equal more than 9999. Display hard edit "invalid entry".

Universe (ERNPR = 1, 2, 7, or D and ERNWK2 or ERNDKP is lt 1 or gt 1500) OR
 (ERNPR = 4 or 5, and ERNWK2 or ERNDKP is lt 1 or gt 6000), OR
 (ERNPR = 6 and ERNWK2 or ERNDKP is gt 72000) OR
 (ERNPR = 3 and ERNWK2 or ERNDKP is lt 1 or gt 3000)

>Question Text

Soft edit

* [fill: Weekly/Monthly/Annual/Bi-weekly] earnings recorded as: [fill: ERNWK2/ERNDKP] [fill: weekly/monthly/annual/bi-weekly] is this entry correct?

>Spanish Translation

Soft edit

*Ganancias [fill: por hora/por mes/por año/cada dos semanas] anotadas como:
 [fill: ERNWK2/ERNDKP] [fill: por semana/por mes/por año/cada dos semanas] ¿Es correcta esta anotación?

>Variable Name	ERNRG3	Description	Soft Edit
--------------------------	--------	--------------------	-----------

>Value/Skip Instructions

<Suppressed>	[goto ERNVR4]
<Goto, Close>	[go back to ERNWK2/ERNDKP]

>Fill Instructions

1. If ERNPR is 1,2,7, or D, fill "Weekly"
 If ERNPR is 4 or 5, fill "Monthly"
 If ERNPR is 6, fill "Annually"
 If ERNPR is 3, fill "Bi-weekly"
2. If ERNPR is 1,2,7, or D, fill "weekly"
 If ERNPR is 4 or 5, fill "monthly"
 If ERNPR is 6, fill "annually"
 If ERNPR is 3, fill "bi-weekly"

>Spanish Fill Instructions

1. If ERNPR is 1,2,7, or D, fill "semanal"
 If ERNPR is 4 or 5, fill "mensual"
 If ERNPR is 6, fill "anualmente"
 If ERNPR is 3, fill "cada dos semanas"
2. If ERNPR is 1,2,7, or D, fill "semanal"
 If ERNPR is 4 or 5, fill "mensual"
 If ERNPR is 6, fill "anualmente"
 If ERNPR is 3, fill "cada dos semanas"

>Special Instructions

Universe ERNWK2 = 0-999999 OR ERNDKP = 0-999999

>Question Text

I have recorded your total earnings [fill: for your main job] as \$ [fill: ERNAMT] [fill: weekly/monthly/annually/bi-weekly] before taxes or other deductions. Is that correct?

1. Yes
2. No

>Spanish Translation

He anotado que el total de sus ingresos [fill: de su trabajo principal] son \$ [fill ERNAMT] [fill: por semana/por mes/por año/cada dos semanas] sin descontar impuestos u otras deducciones. ¿Le parece que ésa es la cantidad correcta?

1. Sí
2. No

>Variable Name ERNVR4	Description	Confirm earnings
---------------------------------	--------------------	------------------

>Value/Skip Instructions

<1,D,R> [If ERNPR is 1 and AGERNG eq 2-4, D, R goto SCHENR]
 [If ERNPR is 1 AND AGERNG not eq 2-4 goto ENDMID]
 [If ERNPR = 6 goto ERNWKP]
 [Else, goto ERNRT]
 <2> [goto ERNCOR]

>Fill Instructions

1. If ERNPR is 1,2,7, or D, fill "weekly"
 If ERNPR is 4 or 5, fill "monthly"
 If ERNPR is 6, fill "annually"
 If ERNPR is 3, fill "bi-weekly"
2. If MJ = 1, fill "for your main job"

>Spanish Fill Instructions

1. If ERNPR is 1,2,7, or D, fill " por semana "
 If ERNPR is 4 or 5, fill " por mes"
 If ERNPR is 6, fill " por año"
 If ERNPR is 3, fill " cada dos semanas"
2. If MJ = 1, fill "de su trabajo principal"

>Special Instructions

Universe ERNVR4 = 2

>Question Text

[fill: What /INCLUDING overtime pay, tips and commissions, what] are your usual [fill: weekly/monthly/annual/bi-weekly] earnings on [fill: this/your main] job, before taxes or other deductions?

>Spanish Translation

[fill: ¿Cuánto/INCLUYENDO horas extras, propinas y comisiones, ¿cuánto] gana normalmente [fill: por semana/por mes/por año/cada dos semanas] en [fill: ese trabajo/su trabajo principal], sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

\$

>Variable Name ERNCOR **Description** Earnings correction

>Value/Skip Instructions

<0-999999> [If ERNPR is 1 and AGERNG eq 2-4, D, R goto SCHENR]
 [If ERNPR is 1 AND AGERNG not eq 2-4 goto ENDMID]
 [if ERNPR is 6, goto ERNWKP]
 [Else, goto ERNRT]
 <D,R> [If ERNPR = 1 AND AGERNG = 2-4, D, R goto SCHENR]
 [If ERNPR = 1 AND AGERNG is not 2-4 goto ENDMID]
 [goto ERNRT]

>Fill Instructions

1. If ERNUOT is 1, then fill "INCLUDING overtime pay" ELSE fill "What"
2. If MJ is 1, then fill "your main". Else, fill "this".
3. If ERNPR is 1,2,7, or D, fill "weekly"
 If ERNPR is 4 or 5, fill "monthly"
 If ERNPR is 6, fill "annual"
 If ERNPR is 3, fill "bi-weekly"

>Spanish Fill Instructions

1. If ERNUOT is 1, then fill " INCLUYENDO horas extras propinas y comisiones, ¿ cuánto?" ELSE fill " Cuánto "
2. If MJ is 1, then fill " su trabajo principal ". Else, fill " ese trabajo ".
3. If ERNPR is 1,2,7, or D, fill " por semana"
 If ERNPR is 4 or 5, fill " por mes"
 If ERNPR is 6, fill " por año"
 If ERNPR is 3, fill " cada dos semanas"

>Special Instructions

1. If ERNPR = 1,2, 7, D AND ERNCOR lt 1 or gt 1500 display soft edit message
if ERNPR = 3 AND ERNCOR lt 1 or gt 3000 display soft edit message
If ERNPR = 4, 5 AND ERNCOR lt 1 or gt 6000 display soft edit message
If ERNPR = 6 and ERNCOR lt 1 or gt 72000 display soft edit message

soft edit message

"* [fill: weekly/monthly/annual/bi-weekly] earnings recorded as [fill: ERNAMT].
Is this entry correct?

1. If entry other than D, R in ERNCOR then Store amount in ERNAMT
2. Display a \$ and comma in the entry field

Universe ERNPR = 6 AND (ERNVR4 = 1, D, R OR ERNCOR is not D, R)

>Question Text

How many weeks a year do you get paid?

>Spanish Translation

¿Por cuántas semanas al año le pagan?

NUMBER OF WEEKS

>Variable Name	ERNWKP	Description	Weeks paid per year
--------------------------	--------	--------------------	---------------------

>Value/Skip Instructions

<1-52,D,R> [goto ERNRT]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe (ERNVR4 = 1, D, R AND ERNPR is not 1, 6) OR (ERNCOR is not D, R AND ERNPR is not 1, 6) OR (ERNCOR = D, R AND ERNPR is not 1) OR (Entry in ERNWKP)

>Question Text

[fill: Are/Even though you told me it is easier to report your earnings [fill: weekly/bi-weekly/monthly/annually], are] you PAID AT AN HOURLY RATE on [fill: this/your MAIN] job?

1. Yes
2. No

>Spanish Translation

[fill: ¿Le PAGAN/Aunque usted me dijo que le resulta más fácil decirnos sus ingresos [fill: por semana/cada dos semanas/por mes/por año, ¿le PAGAN] POR HORA en [fill: ese trabajo/su trabajo PRINCIPAL]?

1. Sí
2. No

>Variable Name	ERNRT	Description	Earnings rate
--------------------------	-------	--------------------	---------------

>Value/Skip Instructions

<1> [goto ERNH2]
 <2,D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNPR is D, 7, fill "Are". Else fill "Even though you told me".
2. If MJ is 1, fill "you MAIN". Else fill "this"
3. If ERNPR is 3, fill "bi-weekly"
 ERNPR is 4, 5, fill "monthly"
 ERNPR is 6, fill "annually"
 Else fill "weekly"

>Spanish Fill Instructions

1. If ERNPR is D, 7, fill " Le PAGAN ". Else fill " Aunque usted me dijo que le resulta más fácil decirnos sus ingresos [fill: por semana/cada dos semanas/por mes/por año, ¿le PAGAN] POR HORA en [fill: ese trabajo/su trabajo PRINCIPAL]?".
2. If MJ is 1, fill " su trabajo PRINCIPAL ". Else fill "": ese trabajo "
3. If ERNPR is 3, fill " cada dos semanas"
 ERNPR is 4, 5, fill " por mes"
 ERNPR is 6, fill " por año"
 Else fill " por semana"

>Special Instructions

Universe ERNRT = 1

>Question Text

[fill: What/EXCLUDING overtime pay, tips and commissions, what] is your hourly rate of pay on [fill: this/your MAIN] job?

>Spanish Translation

[fill: ¿Cuánto/EXCLUYENDO horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/su trabajo PRINCIPAL]?

>Variable Name	ERNH2	Description	Hourly rate
--------------------------	-------	--------------------	-------------

>Value/Skip Instructions

<0.00-99.99,D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

>Fill Instructions

1. If ERNUOT IS 1, fill "EXCLUDING overtime pay". Else, fill "What"
2. If MJ is 1, fill "your MAIN". Else, fill "this".

>Spanish Fill Instructions

1. If ERNUOT IS 1, fill " EXCLUYENDO horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/su trabajo PRINCIPAL]?"
". Else, fill " Cuánto
2. If MJ is 1, fill " su trabajo PRINCIPAL ". Else, fill " ese trabajo ".

>Special Instructions

1. If ERNH2 is lt 1 or gt 30, display soft edit message
"* Hourly earnings recorded as [fill: ERNH2] hourly.
Is this entry correct?
2. Display \$ and comma in the entry field

Universe (AGERNG = 2-4, 8, 9)

>Question Text

In the last seven days, were you enrolled in a high school, college, or university?

* Enter "1" if currently on holiday or spring break
 Enter "2" for summer vacation from school

- 1. Yes
- 2. No

>Spanish Translation

Tengo unas pocas preguntas más.
 ¿Está matriculado(a) o inscrito(a) en un "high school", "college" o universidad?

* Enter "1" if currently on holiday or seasonal vacation.
 * Enter "2" for summer vacation.

- 1. Sí
- 2. No

>Variable Name	SCHENR	Description	Enrolled in School
--------------------------	--------	--------------------	--------------------

>Value/Skip Instructions

<1>	[goto SCHLVL]
<2,D,R>	[goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe SCHENR = 1

>Question Text

* Ask only if necessary

Would that be high school, college, or university?

1. High school
2. College or university

>Spanish Translation

ASK ONLY IF NECESSARY

¿En cuál de las dos, en un “high school”, o en un “college” o universidad?

1. High school
2. College o Universidad

>Variable Name	SCHLVL	Description	Type of school
--------------------------	--------	--------------------	----------------

>Value/Skip Instructions

<1,2,D,R> [goto SCHFT]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe SCHLVL = 1, 2, D or R

>Question Text

Are you enrolled in school as a full-time or part-time student?

- 1. Full-time
- 2. Part-time

>Spanish Translation

¿Está matriculado(a) o inscrito(a) como estudiante de tiempo completo o de tiempo parcial?

- 1. De tiempo completo
- 2. De tiempo parcial

>Variable Name SCHFT	Description	Full/Part-time enrollment
--------------------------------	--------------------	---------------------------

>Value/Skip Instructions

<1,2,D,R> [goto ENDMID]

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe All

>Question Text

CHECK ITEM

>Spanish Translation

>Variable Name	S8_END	Description	Section 8 end flag
--------------------------	--------	--------------------	--------------------

>Value/Skip Instructions

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

1. Set section complete flag (Store "yes" in sectcomp (8)). As follows:
2. If ERNPR = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
3. If ERNHRT = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
4. If ERNHRE = D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
5. If ERNOTP = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
6. If ERNOTE = D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
7. If ERNOH = R and AND AGERNG neq 2-4, 8, 9 set section complete flag.
8. If ERNOHE = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
9. If ERNVR1 = 1 or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
10. If ERNVR2 = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
11. If ERNH1C = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
12. If ERNHC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
13. If ERNOHC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
14. If ERNOTC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
15. If ERNH2C = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
16. If ERNWK1 = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
17. If ERNVR3 = 1, or 2 AND AGERNG neq 2-4, 8, 9 set section complete flag.
18. If ERNWK2 = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
19. If ERNDKP = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
20. If ERNVR4 = 1, D, or R AND (ERNPR is 1 AND AGERNG neq 2-4, 8, 9) set section complete flag.
21. If ERNCOR = 0-999999 AND (ERNPR is 1 AND AGERNG neq 2-4, 8, 9) set section complete flag.
22. If ERNCOR = D, or R AND (ERNPR = 1 AND AGERNG is neq 2-4, 8, 9) set section complete flag.

23. If ERNRT = 1 AND (ERNWK2 is R OR ERNDKP is D, R) AND AGERNG neq 2-4, 8, 9 set section complete flag.
24. If ERNRT = 2, D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
25. If ERNH2 = 0.00-99.99, D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
26. If SCHENR = 2, D, or R set section complete flag.
27. If SCHFT = 1, 2, D, or R set section complete flag.
- 28: If [(IO1INC = 1 AND MLR = 3-7) or (IODP2 = 2 AND MLR = 1,2)] AND AGERNG neq 2-4, 8, 9 then set section complete flag.
29. If AGERNG neq 2-4, 8, 9 AND (BUS or BUS1 = 2) AND IO1INT = 4 AND IO1INC = 2 then set section complete flag.
30. If AGERNG neq 2-4,8 9 AND BUS1=1 AND IODP1=1 AND IODP2=1 AND IO1OCC neq blank then set section complete flag.

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNPER

Description

>Value/Skip Instructions

<1-6, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNH10

Description

>Value/Skip Instructions

<0.00-99.99, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNX1

Description

>Value/Skip Instructions

<0.00 - 999999.99>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNHRO

Description

>Value/Skip Instructions

<01-99, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNOTO

Description

>Value/Skip Instructions

<0.00 - 99999.99, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name HWKRN

Description

>Value/Skip Instructions

<0.00 - 999999.99>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERN

Description

>Value/Skip Instructions

<0.00 - 999999.99>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNX2

Description

>Value/Skip Instructions

<0.00 - 999999.99>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

If (onpath entry other than D, R or Blank in ERNH1C) and (onpath entry other than D or R in ERNHC) then multiply ERNH1C by ERNHC and store in HWKRN2

ELSE If (no onpath entry in ERNH1C) and (no onpath entry in ERNHC) then store HWKRN in HWKRN2

ELSE If (onpath entry other D, R or blank in ERNH1C) and (no onpath entry in ERNHC) then multiply ERNH1C by ERNHRO and store in HWKRN2

ELSE If (no onpath entry in ERNH1C) and (onpath entry other than D or R in ERNHC) AND (ERNH1O is not D, R or Blank) then multiply ERNH1O by ERNHC and store in HWKRN2

END

If (onpath entry other then D or R in ERNOTC) OR (onpath entry other then D or R in ERNOHC) then

If (onpath entry of 1 in ERNOTP) and (onpath entry other than D or R in ERNH2C) then multiply ERNOHC by ERNH2C and store in ERN2; Add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 1 in ERNOTP) and (no onpath entry in ERNH2C) then
If onpath entry other than D, R or Blank in EROH then multiply ERNOHC by ERNOH and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If onpath entry other than D, R or blank in EROHE then multiply ERNOHC by ERNOHE and store in ERN2;
add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 2 or 3 in ERNOTP) then store ERNOTC in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 4 in ERNOTP) AND (ERNOTC is not D, R or Blank) then divide ERNOTC by 4 and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 5 in ERNOTP) AND (ERNOTC is not D, R or blank) then divide ERNOTC by 52 and store in ERN2; ADD ERN2 to HWKRN2 and store in ERNX2.

If (onpath entry other than D or R in ERNOTC) and (no onpath entry in ERNOTP) then store ERNOTC in ERN2; store ERN2 in ERNX2; Add HWKRN2 to ERNX2

If (onpath entry other than D or R in ERNOHC) and (no onpath entry in ERNOTP) then store ERNOHC in ERN2; store ERN2 in ERNX2; Add HWKRN2 to ERNX2

If (no onpath entry in ERNOHC) and (onpath entry of 1 in ERNOTP) and (onpath entry other than D or R in ERNH2C) AND (ERNOTO is not D, R or blank) then multiply ERNOTO by ERNH2C and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If a 3 or 4 is not entered in any of ERNVR2(1-4) then store ERN in ERN2 and store (HWKRN + ERN2) in ERNX2

If onpath entry of 2 in ERNUOT then store HWKRN2 in ERNX2

If onpath entry other than D or R in ERNWK1 then store ERNWK1 in ERNX2.

Universe

> Question Text

** OUT VARIABLE **

> Spanish Translation

> Variable Name ERN2

Description

> Value/Skip Instructions

<0.00 - 999999.99>

> Fill Instructions

> Spanish Fill Instructions

> Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name HWKRN2

Description

>Value/Skip Instructions

<0.00 - 999999.99>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNWK

Description

>Value/Skip Instructions

<0-999.99, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNMON

Description

>Value/Skip Instructions

<0-9999.99, D,R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNANN

Description

>Value/Skip Instructions

<0.00 - 999999.99, D, R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNBWK

Description

>Value/Skip Instructions

<0-9999.99, D,R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions

Universe

>Question Text

** OUT VARIABLE **

>Spanish Translation

>Variable Name ERNAMT

Description

>Value/Skip Instructions

<0-9999.99, D,R>

>Fill Instructions

>Spanish Fill Instructions

>Special Instructions