Attachment 3:

MAPPS Interventions for Communities Putting Prevention to Work

Five evidence-based MAPPS strategies, when combined, can have a profound influence on improving health behaviors by changing community environments: Media, Access, Point of decision information, Price, and Social support/services. The evidence-based interventions below are drawn from the peer-reviewed literature as well as expert syntheses from the community guide and other peer-reviewed sources, cited below. Communities and states have found these interventions to be successful in practice. Awardees are expected to use this list of evidence-based strategies to design a comprehensive and robust set of strategies to produce the desired outcomes for the initiative.

	Tobacco	Nutrition	Physical Activity
Media	 Media and advertising restrictions consistent with federal law. (k) Hard hitting counter-advertising (l-n) Ban brand-name sponsorships (o) Ban branded promotional items and prizes (p) 	 Media and advertising restrictions consistent with federal law. (38-44) Promote healthy food/drink choices (42, 43, 45) Counter-advertising for unhealthy choices (46) 	 Promote increased physical activity (i, ii, vi, ix, xxix-xxx) Promote use of public transit (i, ii, vi, ix, xxix-xxx) Promote active transportation (bicycling and walking for commuting and leisure activities) (i, ii, vi, ix, xxix-xxx) Counter-advertising for screen time (i, ii, vi, ix, xxix-xxx)
Access	 Usage bans (i.e. 100% smoke-free policies or 100% tobacco-free policies) (f, g, v) Usage bans (tobacco-free school campuses) (e-g, h-j) Zoning restrictions (e-g) Restrict sales (e.g. internet; sales to minors; stores/events w/o tobacco) (e-g) Ban self-service displays & vending (e-g) 	 Healthy food/drink availability (e.g., incentives to food retailers to locate/offer healthier choices in underserved areas, healthier choices in child care, schools, worksites) (7-9, 10-21, 63-68, 76-82) Limit unhealthy food/drink availability (whole milk, sugar sweetened beverages, high-fat snacks) (17, 22-25, 69-73) Reduce density of fast food establishments (15, 26) Eliminate transfat through purchasing actions, labeling initiatives, restaurant standards (29-31) Reduce sodium through purchasing actions, labeling initiatives, restaurant standards 	 Safe, attractive accessible places for activity (i.e., access to outdoor recreation facilities, enhance bicycling and walking infrastructure, place schools within residential areas, increase access to and coverage area of public transportation, mixed use development, reduce community design that lends to increased injuries) (xxxix – xli) City planning, zoning and transportation (e.g., planning to include the provision of sidewalks, parks, mixed use, parks with adequate crime prevention measures, and Health Impact Assessments) (ii,iii,iv,v,viii,ix) Require daily quality PE in schools

		 (32-34) Procurement policies and practices (8, 9, 13, 14, 35, 36) Farm to institution, including schools, worksites, hospitals, and other community institutions (35, 36, 37) 	 (xvi – xxiii) Require daily physical activity in afterschool/childcare settings (i, ii, iii, v, viii, ix, xxiv-xxvii) Restrict screen time (afterschool, daycare) (x, xi, xii, xiii, xiv)
Point of Purchase/ Promotion	 Restrict point of purchase advertising as allowable under federal law. (q) Product placement (q) 	 Signage for healthy vs. less healthy items (8, 9, 47, 48, 74-75) Product placement & attractiveness (8, 9, 47, 48, 49, 74-75) Menu labeling (50-53) 	 Signage for neighborhood destinations in walkable/mixed-use areas (library, park, shops, etc) (ii, iii, iv, ix, xlxiii) Signage for public transportation, bike lanes/boulevards (ii, iii, iv, ix, xlxii, xlxiii)
Price	 Use evidence-based pricing strategies to discourage tobacco use (a-c) Ban free samples and price discounts (d) 	• Changing relative prices of healthy vs. unhealthy items (e.g. through bulk purchase/procurement/ competitive pricing) (5-9, 60-62)	 Reduced price for park/facility use (xxxvi – xxxviii) Incentives for active transit (xxxvii, xxxviii) Subsidized memberships to recreational facilities (ii, iii, viii,ix)
Social Support & Services	• Quitline and other cessation services (r-t)	Support breastfeeding through policy change and maternity care practices (54-59)	 Safe routes to school (vii, xv, xxxi-xxxv) Workplace, faith, park, neighborhood activity groups (e.g., walking hiking, biking) (ii, iii, viii, ix)

Tobacco references

Use evidence-based strategies to discourage tobacco use

- a. Centers for Disease Control and Prevention. Reducing tobacco use: a report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services, CDC; 2000
- b. Institute of Medicine. Ending the tobacco problem: a blueprint for the nation. Washington, DC: The National Academies Press; 2007.
- c. Task Force on Community Preventive Services. Guide to community preventive services: tobacco use prevention and control. Am J Prev Med 2001;20(2 Suppl 1):1--87.

Ban free samples and price discounts

d. Loomis BR, Farrelly MC, Mann NH. The Association of retail promotions for cigarettes with the Master Settlement Agreement, tobacco control programmes and cigarette excise taxes. Tob. Control 2006; 15;458-63.

Access (youth specific)

- e. Centers for Disease Control and Prevention. Reducing tobacco use: a report of the Surgeon General. Atlanta, GA: US Department of Health and Human Services; 2000
- f. Institute of Medicine. Ending the tobacco problem: a blueprint for the nation. Washington, DC: The National Academies Press; 2007.
- g. Task Force on Community Preventive Services. Guide to community preventive services: tobacco use prevention and control. Am J Prev Med 2001;20(2 Suppl 1):1--87.

Usage bans (smoke free campuses)

- h. Pentz MA. The power of policy: the relationship of smoking policy to adolescent smoking. *American journal of public health* 1989;79(7):857-62.
- i. Wakefield MA. Effect of restrictions on smoking at home, at school, and in public places on teenage smoking: cross sectional study. *BMJ* 2000;321(7257):333-7.
- j. Kumar R. School tobacco control policies related to students' smoking and attitudes toward smoking: national survey results, 1999-2000. *Health education & behavior* 2005;32(6):780-94.

Media and advertising restrictions

k. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph, No. 19; 2008.

Hard-hitting counter-advertising

- 1. Task Force on Community Preventive Services. Guide to community preventive services: tobacco use prevention and control. Am J Prev Med 2001;20(2 Suppl 1):1--87.
- m. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph, No. 19; 2008.
- n. Institute of Medicine. Ending the tobacco problem: a blueprint for the nation. Washington, DC: The National Academies Press; 2007.

Ban Brand-name sponsorship

o. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph, No. 19; 2008.

Ban Branded promotional items and prizes

p. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph, No. 19; 2008.

Restrict point of purchase advertising/product placement

q. National Cancer Institute. The role of the media in promoting and reducing tobacco use. Tobacco Control Monograph, No. 19; 2008.

Quitline and other cessation services

- r. Fiore MC, Jaen CR, Baker, TB, et al. Treating tobacco use and dependence: 2008 Update. Quick Reference Guide for Clinicians. Public Health Service; 2008.
- s. Task Force on Community Preventive Services. Guide to community preventive services: tobacco use prevention and control. Am J Prev Med 2001;20(2 Suppl 1):1--87.
- t. Institute of Medicine. Ending the tobacco problem: a blueprint for the nation. Washington, DC: The National Academies Press; 2007.

Nutrition References

1. Dietary Guidelines for Americans, 2005. U.S. Department of Health and Human Services and U.S. Department of Agriculture. Dietary Guidelines for Americans, 2005. 6th Edition, Washington, DC: U.S. Government Printing Office, January 2005. Foods Encouraged, Available at: http://www.health.gov/DietaryGuidelines/dga2005/document/html/chapter5.htm

5. French, S.A., M. Story, and R.W. Jeffery, *Environmental influences on eating and physical activity*. Annu Rev Public Health, 2001. 22: p. 309-35.

6. French SA, Wechsler H. School-based research and initiatives: fruit and vegetable environment, policy, and pricing workshop. Prev Med. 2004 Sep;39 Suppl 2:S101-7.

7. Ayala G. et al., 2009 – Evaluation of the Healthy Tienda project. The Public Health Effects of Food Deserts. Workshop Summary. Institute of Medicine and National Research Council, p 49-51. http://www.iom.edu/Object.File/Master/62/082/Session%204%20920%20am%20Ayala.pdf.

8. Glanz K, Yaroch AL. Strategies for increasing fruit and vegetable intake in grocery stores and communities: policy, pricing, and environmental change. Prev Med. 2004 Sep;39 Suppl 2:S75-80. Review.

9. Nonas C, 2009. Health Bucks in New York City. The Public Health Effects of Food Deserts. Workshop Summary. Institute of Medicine and National Research Council, p 59-60. Available at http://www.iom.edu/CMS/3788/59640/62078.aspx

Increase healthy food/drink availability (e.g., grocery, child care, schools, worksites)

Grocery

10. Bodor, J. N., Rose, D., Farley, T. A., Swalm, C., & Scott, S. K. (2007). Neighbourhood fruit and vegetable availability and consumption: the role of small food stores in an urban environment. *Public Health Nutrition*.

11. Gittelsohn J, Ethelbah M. Evaluation of the White Mountain and San Carlos Apache Healthy Stores Program, a multi-component intervention that included stocking healthier food items. Available at http://www.farmfoundation.org/news/articlefiles/450-Gittelsohn.pdf).

12. Morland K, Diez Roux AV, Wing S. Am J Prev Med. 2006 Apr;30(4):333-9 Supermarkets, other food stores, and obesity: the atherosclerosis risk in communities study.

13. Larson, N., Story, M., & Nelson, M. (2009). Neighborhood Environments Disparities in Access to Healthy Foods in the U. S. *American Journal of Preventive Medicine*. 36(1):74-81.

14. Story M, Kaphingst KM, Robinson-O'Brien R, Glanz K. Creating healthy food and eating environments: policy and environmental approaches. Annu Rev Public Health. 2008;29:253-72.

15. Moore, L.V., et al., Associations of the local food environment with diet quality--a comparison of assessments based on surveys and geographic information systems: the multi-ethnic study of atherosclerosis. Am J Epidemiol, 2008. 167(8): p. 917-24.

Childcare

16. Ward, D. S., Benjamin, S. E., Ammerman, A. S., Ball, S. C., Neelon, B. H., & Bangdiwala, S. I. (2008). Nutrition and physical activity in child care: results from an environmental intervention. *Am J Prev Med.*, *35*(4), 352-356. Epub 2008.

School

17. IOM (2007). <u>Nutrition Standards for Foods in Schools: Leading the Way Toward Healthier Youth</u> <u>Committee on Nutrition Standards for Foods in Schools</u>. Washington, D.C., The National Academies Press.

18. Ritenbaugh C, Tuefel-Shone N, et al. A lifestyle intervention improves plasma insulin levels among Native American high school youth. *Prev Med*.2003;36:309-319.

19. Jaime, P.C. and K. Lock, Do school based food and nutrition policies improve diet and reduce obesity? Prev Med, 2009. 48(1): p. 45-53.

Worksite

20. Sorensen, G., Linnan, L., & Hunt, M. K. (2004). Worksite-based research and initiatives to increase fruit and vegetable consumption. *Prev.Med.*, *39 Suppl 2*, S94-100.

21. The Community Guide to Preventive Services. Obesity prevention through worksite programs. Available at <u>http://www.thecommunityguide.org/obesity/workprograms.html</u>

Limit unhealthy food/drink availability (whole milk, sugar sweetened beverages, snacks)

See Ref 17

22. Schwartz, M. B., Novak, S. A., & Fiore, S. S. (2009). The Impact of Removing Snacks of Low Nutritional Value From Middle Schools. *Health Educ Behav*, *5*, 5.

23. Kubik, M.Y., et al., *The association of the school food environment with dietary behaviors of young adolescents*. Am J Public Health, 2003. 93(7): p. 1168-73.

24. Cullen, K.W. and I. Zakeri, *Fruits, vegetables, milk, and sweetened beverages consumption and access to a la carte/snack bar meals at school.* Am J Public Health, 2004. 94(3): p. 463-7.

25. Templeton, S.B., M.A. Marlette, and M. Panemangalore, *Competitive foods increase the intake of energy and decrease the intake of certain nutrients by adolescents consuming school lunch*. J Am Diet Assoc, 2005. 105(2): p. 215-20.

Reduce density fast food establishments

See Refs 12, 15

26. Ashe M, Jernigan D, Kline R, Galaz R. Land use planning and the control of alcohol, tobacco, firearms, and fast food restaurants. Am J Pub Health. 2003;93(9):1404-1408.

Eliminate trans fat

29. Mozaffarian D. Katan MB. Ascherio A. Stampfer MJ. Willett WC. <u>Trans Fatty Acids and</u> <u>Cardiovascular Disease</u>. New England Journal of Medicine. April 13, 2006. 354;15:1601-13.

30. Panel on Macronutrients, Institute of Medicine. <u>Letter report on dietary reference intakes for trans fatty</u> acids drawn from the Report on dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein, and amino acids. Washington, DC 2003.

31. Trans Fat Regulation: NYC Department of Health and Mental Hygiene – Board of Health Approves Regulation to Phase Out Artificial Trans Fat. Available at: <u>http://www.nyc.gov/html/doh/html/cardio/cardio-transfat-healthcode.shtml</u>; How to Comply: What Restaurants, Caterers, Food-Vending Units, and Others Need to Know" Accessed June 24, 2009 <u>http://www.nyc.gov/html/doh/downloads/pdf/cardio/cardio-transfat-bro.pdf</u>

Reduce sodium

32. Sacks, FM et al.(2001) Effects on blood pressure of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. DASH-Sodium Collaborative Research Group. New England Journal of Medicine 344(1):3-10.

33. City Purchasing Standards: New York City executive order for formal nutrition standards for all food purchased or served by New York City agencies including sodium. Available at : http://www.nyc.gov/html/doh/downloads/pdf/cardio/cardio-food-standards.pdf

34. New York City, Advocacy for External Efforts: Initiative to develop a voluntary partnership with industry leaders to reduce the level of sodium in processed and prepared foods nationwide. Available at: http://www.nyc.gov/html/doh/html/cardio/cardio-salt-initiative.shtml

Procurement policies and practices

See Refs 8, 9, 13, 14

35. Joshi, A., & Azuma, A. (2008). Do Farm-to-School Programs Make a Difference? Findings and Future Research Needs. *Journal of Hunger & Environmental Nutrition*, *3*, 2-3.

36. Zudrow D (2005) Food Security Begins at Home: Creating Community Food Coalitions in the South. Southern Sustainable Agriculture Working Group, pp 45-67, Available at: <u>http://www.ssawg.org/cfs-handbook.html</u>

Farm to institution

See Ref 35

37. Texas, Farm to Work program. Farm to Work Initiative of the Texas State Health Service provides a Farm to Work Toolkit. Available at http://www.texasbringinghealthyback.org/ and http://www.dshs.state.tx.us/obesity/pdf/F2WToolkit1008.pdf

Media and advertising restrictions

38. The Guide to Community Preventive Services - Obesity Prevention: Interventions to Reduce Screen Time http://www.thecommunityguide.org/obesity/screentime/index.html

<u>39. Story M, French S. Food Advertising and Marketing Directed at Children and Adolescents in the US.</u> Int J Behav Nutr Phys Act. 2004 Feb 10;1(1):3.

40. Chou SY, Rashad I, Grossman M. Fast-Food Restaurant Advertising on Television and Its Influence on Childhood Obesity. The Journal of Law and Economics, 2008:51; p 599-618

41. Coon KA, Tucker KL: Television and children's consumption patterns. A review of the literature. Minerva Pediatr 2002, 54:423-436.

42. WHO. 2004. Global Strategy on Diet, Physical Activity and Health. WHA 57.17. Geneva: WHO. Available at http://apps.who.int/gb/ebwha/pdf_files/WHA57/A57_R17-en.pdf

43. Norwegian ministry of Children and Family Affairs, 2005. Norway enacted a ban on TV advertisements to children ages 12 years and younger in 1992. Available at http://www.regjeringen.no/en/dep/bld/Documents/Reports-and-plans/Plans/2003-2/The-Norwegian-action-plan-to-reduce-comm.html?id=462256

44. Kwate, NOA. Take one down, pass it around, 98 alcohol ads on the wall: outdoor advertising in New York City's Black neighbourhoods. International Journal of Epidemiology. 2007; 36 (5): 988-990.

Promote healthy food/drink choices

See Refs 42, 43

45. Evidence of impact of advertising on food and beverage purchase requests of 2-11 year olds and usual dietary intake of 2-5 year olds: IOM (2006), Committee on Food Marketing and the Diets of Children and Youth. <u>Food Marketing to Children and Youth: Threat or Opportunity?</u> Washington, D.C., National Academies Press.

Counteradvertising for unhealthy choices

46. Dixon HG, Scully ML, Wakefield MA, White VM, Crawford DA. The effects of television advertisements for junk food versus nutritious food on children's food attitudes and preferences. Soc Sci Med. 2007 Oct;65(7):1311-23.

Signage for healthy vs. less healthy items

See Refs 8, 9

47. Seymour JD, Yaroch AL, Serdula M, Blanck HM, Khan LK. Impact of nutrition environmental interventions on point-of-purchase behavior in adults: a review. Prev Med. 2004 Sep;39 Suppl 2:S108-36. Review.

48. Glanz K, Hoelscher D. Increasing fruit and vegetable intake by changing environments, policy and pricing: restaurant-based research, strategies, and recommendations. Prev Med. 2004 Sep;39 Suppl 2:S88-93.

Product placement & attractiveness Ref 8, 9, 47, 48

49. Curhan, R.C., The effects of merchandising and temporary promotional activities on the sales of fresh fruit and vegetables in supermaket. Journal of Marketing Research 1974. 11: p. 286-94.

Menu labeling

50. Bassett, M.T., et al., Purchasing behavior and calorie information at fast-food chains in New York City, 2007. Am J Public Health, 2008. 98(8): p. 1457-9.

51. Simon, Jarosz, Kuo & Fielding. Menu Labeling as a Potential Strategy for Combating the Obesity Epidemic: A Health Impact Assessment. Los Angeles, CA: Los Angeles County Dept of Public Health; 2008

52. Burton S and Creyer EH. "What Consumers Don't Know Can Hurt Them: Consumer Evaluations and Disease Risk Perceptions of Restaurant Menu Items." Journal of Consumer Affairs, 38(1): 121-45, 2004.

53. Kozup KC, Creyer EH and Burton S. "Making Healthful Food Choices: The Influence of Health Claims and Nutrition Information on Consumers' Evaluations of Packaged Food Products and Restaurant Menu Items." Journal of Marketing, 67(2): 19-34, 2003.

Support Breastfeeding

54. Philipp BL et al. 2001. Baby-Friendly Hospital Initiative Improves Breastfeeding Initiation Rates in a US Hospital Setting. *Pediatrics* 108(3):677-681.

55. DiGirolamo AM, Grummer-Strawn LM, Fein SB. Effect of Maternity-Care Practices on Breastfeeding. *Pediatrics* 2008 October 1;122(Supplement_2):S43-S49.

56. Baby-Friendly USA. Implementing the UNICEF/WHO Baby Friendly Hospital Initiative in the U.S; Available at: http://www.babyfriendlyusa.org/eng/index.html Accessed June 24, 2009.

57. Cohen R, Mrtek MB. The impact of two corporate lactation programs on the incidence and duration of breastfeeding by employed mothers. *American Journal of Health Promotion* 1994;8(6):436–41.

58. Fein SB, Mandal B, Roe BE. Success of Strategies for Combining Employment and Breastfeeding. *Pediatrics* 2008 October 1;122(Supplement_2):S56-S62.

59. Health Resources and Services Administration. The Business Case for Breastfeeding Toolkit. HRSA 2008; Available at: http://ask.hrsa.gov/detail.cfm?PubID=MCH00254&recommended=1 Accessed June 2, 2009.

Selective Pricing (schools)

60. French, S.A., Story, M., Jefferey, R.W., Snyder, P., Marla, E., Sidebottom, A., & Murray, D. (1997). Pricing strategy to promote fruit and vegetable purchase in high school cafeterias. J Am Diet Assoc, 97(9): 1008-1010.

61. French, S.A., Jefferey, R.W., Story, M., Breitlow, K.K., Baxter, J.S., Hannan, P., & Snyder, M.P. (2001). Pricing and promotion effects on low–fat vending snack purchases: The CHIPS study. Am J Public Health, 91(1): 112-117.

62. Hannan, P., French, S.A., Story, M., & Fulkerson, J.A. (2002). A pricing strategy to promote sales of lower fat foods in high school cafeterias: Acceptability and sensitivity analysis. Am J Hlth Prom, 17(1): 1-6.

Healthy food/drink availability (schools)

63. Cullen, K.W., Hartstein, J., Reynolds, K.D., Vu, M., Resnicow, K., Greene, N., et al., 2007. Improving the school food environment: results from a pilot study in middle schools. J. Am. Diet Assoc. 107 (3), 484–489.

64. Lytle, L.A., Kubik, M.Y., Perry, C., Story, M., Birnbaum, A.S., Murray, D.M., 2006. Influencing healthful food choices in school and home environments: results from the TEENS study. Prev. Med. 43 (1), 8–13.

65. Perry, C.L., Bishop, D.B., Taylor, G.L., Davis, M., Story, M., Gray, C., et al., 2004. A randomized school trial of environmental strategies to encourage fruit and vegetable consumption among children. Health Educ. Behav. 31 (1), 65–76.

66. Sahota, P., Rudolf, M.C., Dixey, R., Hill, A.J., Barth, J.H., Cade, J., 2001. Evaluation of implementation and effect of primary school based intervention to reduce risk factors for obesity. BMJ 323 (7320), 1027–1029.

67. Sahota, P., Rudolf, M.C., Dixey, R., Hill, A.J., Barth, J.H., Cade, J., 2001. Randomised controlled trial of primary school based intervention to reduce risk factors for obesity. BMJ 323 (7320), 1029–1032.

68. Muckelbauer R, Libuda L, Clausen K, Toschke AM, Reinehr T, Kersting M. Promotion and provision of drinking water in schools for overweight prevention: Randomized, controlled cluster trial. *Pediatrics* 2009;123;e661-e667

Limit unhealthy food/drink

69. Cullen, K.W., Hartstein, J., Reynolds, K.D., Vu, M., Resnicow, K., Greene, N., et al., 2007. Improving the school food environment: results from a pilot study in middle schools. J. Am. Diet Assoc. 107 (3), 484–489.

70. Cullen, K.W., Watson, K., Zakeri, I., Ralston, K., 2006. Exploring changes in middle-school student lunch consumption after local school food service policy modifications. Public Health Nutr. 9 (6), 814–820.

71. Cullen, K.W., Watson, K. 2009. The Impact of the Texas Public School Nutrition Policy on Student Food Selection and Sales in Texas. Am J Public Health. 2009 Apr;99(4):706-12

72. Kubik M, Lytle L, Hannan P, Perry C, Story M. The association of the school food environment with dietary behaviors of young adolescents. Am J Public Health 2003;93:1168-73.

73. Stone, E.J., Osganian, S.K., McKinlay, S.M., Wu, M.C., Webber, L.S., Luepker, R.V., et al., 1996. Operational design and quality control in the CATCH multicenter trial. Prev. Med. 25 (4), 384–399.

Farm to institution

See Ref 35

Point of purchase promotion (in schools)

74. French, S. A., Jeffery, R. W., Story, M., Breitlow, K. K., Baxter, J. S., Hannan, P. & Snyder, M. P. (2001) Pricing and promotion effects on low-fat vending snack purchases: The CHIPS study. Am. J. Public Health 91:112-117.

75. French SA, Story M, Fulkerson JA, Hannan P. An Environmental Intervention to Promote Lower-Fat Food Choices in Secondary Schools: Outcomes of the TACOS Study. Am J Public Health 2004;94:1507-12

76. Institute of Medicine. *Local Government Actions to Prevent Childhood Obesity*. Washington, DC: The National Academies Press; 2009.

77. Centers for Disease Control and Prevention. *Recommended Community Strategies and Measurements to Prevent Obesity in the United States*. MMWR 2009; 58(No. RR-07): 1-26.

78. Ed Bolen et al., *Neighborhood Groceries: New Access to Healthy Food in Low-Income Communities*, (San Francisco, CA: California Food Policy Advocates, 2003).

79 PolicyLink: Equitable Development Toolkit: Healthy Food Retailing provides an online tool that focuses on increasing access to retail outlets that sell nutritious, affordable food in low-income communities of color. <u>http://www.policylink.org/EDTK/HealthyFoodRetailing</u>

80. Gittelsohn, J., et al., Process Evaluation of Baltimore Healthy Stores: A Pilot Health Intervention Program With Supermarkets and Corner Stores in Baltimore City. Health Promot Pract, 2009.

81. Flournoy R and Treuhaft S (2005). *Healthy food, healthy communities: improving access and opportunities through food retailing*. Oakland, CA: PolicyLink.

82. Bitler, M., and S. J. Haider. *An Economic View of Food Deserts in the United States. Research Conference on Understanding the Economic Concepts and Characteristics of Food Access.* Washington, DC: USDA, Economic Research Service and University of Michigan National Poverty Center, 2009.

Physical Activity References

i. US Department of Health and Human Services. Physical Activity Guidelines for Americans. Available at: http://www.health.gov/PAGuidelines/

ii. The Guide to Community Preventive Services: What works to Promote Health?. Oxford University Press, 2005, pp 80-113.
The Guide to Community Preventive Services is also Available at: http://www.thecommunityguide.org/pa/index.html

iii. Kahn, E.B., Ramsey, L.T., Brownson, R.C., Health, G.W., Howze, E.H., Powell, K.E. et al. 2002. The effectiveness of interventions to increase physical activity. A systematic review by the U.S. Task Force on Community Preventive Services. American Journal of Preventive Medicine 22, S73–102.

iv. Heath GW, Brownson RC, Kruger J, et al. The effectiveness of urban design and land use and transport policies and practices to increase physical activity: a systematic review. J Phys Act Health. 2006;3(suppl 1):S55-S76.

v. Hoehner CM, Soares J, Parra DP, Ribeiro IC, Joshu C, Pratt M et al. 2008. Systematic review of physical activity interventions in Latin America. Am J Prev Med 34(3), 224-233

vi. Roux L, Pratt M, Tengs TO, Yanagawa T, Yore M, et al., 2008. Cost Effectiveness of Communitybased Physical Activity Interventions. Am J Prev Med 35(6), 578-588

vii. Active Living Research Brief. Walking and biking to school, physical activity and health outcomes. May 2009

viii. Ramsey LT, Brownson RC. Increasing physical activity. Am J Prev Med 2002 (4S); 73-107

ix. Centers for Disease Control and Prevention. Planning, implementing and evaluating interventions. Available at: <u>http://www.cdc.gov/nccdphp/dnpa/physical/health_professionals/interventions/index.htm</u>

x. The Guide to Community Preventive Services - Obesity Prevention: Interventions to Reduce Screen Time. http://www.thecommunityguide.org/obesity/screentime/index.html

xi. New York City Amendments to the NYC Health Code (established limits on passive, sedentary TV viewing in group childcare services to 60 minutes or less per day. http://www.frac.org/pdf/nyc_cacfp_childcare_nutrphysact_law.pdf

xii. Delaware Child Care Policy to Improve Children's Health: regulatory changes through the Office of Child Care Licensing for all childcare in DE (center-based, family and after-school) that limit sedentary and media exposure to a maximum of 1 hour per day for children >2 years. http://www.nemours.org/department/nhps/policy-leader/child-care.html xiii. Benjamin SE, Cradock A Walker EM, Slining M, Gillman MW. Obesity prevention in child care: a review of U.S. state regulations. BMC Public Health. 2008;8:188.

xiv. Kaphingst LM, Story M. Child care as an untapped setting for obesity prevention: State child care licensing regulations related to nutrition, physical activity, and media use for preschool-aged children in the United States. Preventing Chronic Disease. 2009;6:1.

xv. Centers for Disease Control and Prevention. Kids Walk to School. Available at: http://www.cdc.gov/nccdphp/dnpa/kidswalk/

Require daily quality PE

xvi. Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE. The effectiveness of interventions to increase physical activity: a systematic review. *Am J Prev Med* 2002; 22(4S): 73-107.

xvii. McKenzie TL, Nader PL, Strikmiller PK, Yang M, Stone EJ, Perry CL, et al. School physical education: effect of the Child and Adolescent Trial for Cardiovascular Health. *Prev Med* 1996 25:423-431.

xviii. Pangrazi RP, Beighle A, Vehige T, Vack C. Impat of Promoting Lifestyle Activity for Youth (PLAY) on children's physical activity. *J Sch Health* 73(8): 317-321.

xix. Pate RR, Ward DS, Saunders RP, Felton G, Dishman RK, Dowda M. Promotion of physical activity among high school girls: a randomized controlled trial. *Am J Public Health* 2005; 95(9): 1582-1587.

xx. Harrell JS, McMurray RG, Bangdiwala SI, Frauman AC, Gansky SA, Bradley CB. Effects of a schoolbased intervention to reduce cardiovascular disease risk factors in elementary-school children: The Cardiovascular Health in Children (CHIC Study. *J Pediatr* 1996; 128:797-805.

xxi. Reed KE, Warburton DER, Macdonald HM, Naylor PJ, McKay HA. Action schools! BC: a schoolbased physical activity intervention designed to decrease cardiovascular risk factors in children. *Prev Med* 2008; 46:525-531.

xxii. Webber LS, Catellier DJ, Lytle LA, Murray DM, Pratt CA, Young DR, et al. Promoting physical activity in middle school girls: Trial of Activity for Adolescent Girls. *Am J Prev Med* 2008; 34(3): 173-184.

xxiii. Manios Y, Moschandreas J, Hatzis C, Kafatos A. Evaluation of a health and nutrition education program in primary school children of Crete over a three-year period. *Prev Med* 1999; 28:149-159.

Daily physical activity in after school

xxiv. Sallis JF, McKenzie TL, Conway TL, Elder JP, Prochaska JJ, Brown M et al. Environmental interventions for eating and physical activity: a randomized controlled trial in middle schools. *Am J Prev Med* 2003;24:209-17.

xxv. Kelder S, Hoelscher DM, Barroso CS, Walker JL, Cribb P, Shaohua H. The CATCH Kids Club: a pilot after-school study for improving elementary students' nutrition and physical activity. *Public Health Nutrition* 2005; 8(2): 133-140.

xxvi. Story M, Sherwood NE, Himes JH, Davis M, Jacobs DR, et al. An after-school obesity prevention program for African American girls: the Minnesota GEMS pilot study. *Ethn Dis* 2003; 13(1 suppl 1): S54-64.

xxvii. Yin, et al. Medical College of Georgia Fitkid Project. *Evaluation & the Health Professions* 2005; 67-89.

xxviii. Kien LC & Chiodo AR. Physical activity in middle school-aged children participating in a schoolbased recreation program. *Arch Pediatr Adolesc Med* 2003; 157:811-815.

Media to promote increased physical activity

xxix. Huhman M, Potter LD, Wong FL, Banspach SW, Duke JC, Heitzler CD. Effects of a mass media campaign to increase physical activity among children: year 1 results of the VERB campaign. *Pediatrics* 2005;116:e277-3284.

xxx. Huhman M, Bauman A, Bowles HR. Initial outcomes of the VERB campaign: tweens' awareness and understanding of campaign messages. *Am J Prev Med* 2008; 34(6S):S241-S248.

Safe routes to school

xxxi. Cooper AR, Page AS, Foster LJ, Qahwaji D. Commuting to school: are children who walk more physically active? Am J Prev Med 2003;25:273-6.

xxxii. Cooper AR. Physical activity levels of children who walk, cycle, or are driven to school. Am J Prev Med 2005;29:179-84.

xxxiii. Tudor-Locke C, Neff LJ, Ainsworth BE, Addy CL, Popkin BM. Omission of active commuting to school and the prevalence of children's health-related physical activity levels: the Russian Longitudinal Monitoring Study. Child Care Health Dev 2002;28:507-12.

xxxiv. Alexander LM, Inchley J, Todd J, Currie D, Cooper AR, Currie C. The broader impact of walking to school among adolescents: seven day accelerometry based study. BMJ 2005;331:1061-2.

xxxv. Sirard J, Riner WJ, McIver K, Pate R. Physical activity and active commuting to elementary school. Med Sci Sports Exerc 2005;37:2062-9.

Reduced cost and use

xxxvi. Managed-Medicare health club benefit and reduced health care costs among older adults. Nguyen HQ, Ackerman RT, Maciejewski M, Berke E, Patrick M. Williams B, LoGerfo JP, *Prev. Chronic Disease*, 2008 Jan 5(1) A14. Epub 2007 Dec 15.

xxxvii. Economic interventions to promote physical activity. Application of the SLOTH model. Pratt, M, Macera CA, Sallis JF, O'Donnell M, Frank LD. *Am J Prev. Med* 2004, 27(S1)

xxxviii. The economics of physical activity: Societal trends and rationales for interventions. Strum R, Am J Prev. Med, 2004, 27 (S1).

Safety and Park Use

xxxix. The built environment, neighborhood crime and constrained physical activity: An exploration of inconsistent findings. Foster, S, Giles-Corti B. *Prev Med* 2008, 47 (3) pp 241-251.

xl. Unsafe to play? Neighborhood disorder and lack of safety predict reduced physical activity among urban children and adolescents. Molnar, S, Gortmaker, S, Bull F, Buka SL. *Am J Health Prom* 2004, 18(5) pp 378-386.

xli. Parents' perceptions of neighborhood safety and children's physical activity. Weir, L, Etelson D, Brand D. *Prev. Med* 2006, 43(3) pp 212-217.

xlxii. Besser LM, Dannenberg AL. Walking to public transit: steps to help meet physical activity recommendations. Am J Prev Med. 2005; 29(4):273-80.

xlxiii. MMWR: Morbidity and Mortality Weekly Report. Recommended community strategies and measurements to prevent obesity in the United States. Centers for Disease Control and Prevention. July 24, 2009 58(RR07);1-26. <u>http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5807a1.htm</u>

Additional references

Comprehensive State and Community Programs

Arkansas Center for Health Improvement. Assessment of childhood and adolescent obesity in Arkansas; Year Four

Economos CD, et al. A community intervention reduces BMI z-score in children: Shape Up Somerville first year results. Obesity 2007;15:1325

Hoelscher DM et al. Regional and state initiatives lead to significant decreases in the prevalence of child overweight in Texas. Manuscript submitted.

Other references for "Signage prompts" for deterring sedentary behavior:

R.E Andersen, S.C Franckowiak, J Snyder, S.J Bartlett and K.R Fontaine, Can inexpensive signs encourage the use of stairs? Results from a community intervention, *Ann Intern Med* **129** (1998), pp. 363–369. J Kerr, F Eves and D Carroll, Posters can prompt less active people to use the stairs, *J Epidemiol Community Health* **54** (2000), pp. 942–943.

W Russell, D Dzewaltowski and G Ryan, The effectiveness of a point-of-decision prompt in deterring sedentary behavior, *Am J Health Promot* **13** (1999), pp. 257–259.