

Attachment 2b

**PATH Study Data Collection Instruments:
Individual Screener**

July 23, 2012

**PATH
Individual Screener
Version 6.2**

Section	Number of questions
Introductory Demographics	13
Tobacco Use	32

**PATH
Individual Screener
Version 6.2**

Table of Contents

INTRODUCTORY DEMOGRAPHICS 1
TOBACCO USE SECTION..... 6

**PATH
Individual Screener
Version 6.2**

OMB Control Number: 0925-XXXX Expiration Date: XX/XX/XXXX

Public reporting burden for this collection of information is estimated to average 6 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-XXXX). Do not return the completed form to this address.

**PATH
Individual Screener
Version 6.2**

INTRODUCTORY DEMOGRAPHICS

PATH ID: AM0001	Screen ID:
What is your date of birth?	
MM/DD/YYYY GO TO AM0004	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All respondents	
INTERVIEWER NOTE: Used to confirm 18+ years of age for eligibility.	

PATH ID: AM0002	Screen ID:
Can you tell me how old you are? Please enter age in years.	
1 <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> GO TO AM0004	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who refused to give or did not know their date of birth in AM0001	
INTERVIEWER NOTE: Used to confirm 18+ years of age for eligibility	

PATH ID: AM0003	Screen ID:
Are you ...	
1 Less than 18 years old,	
2 18 to 24 years old	
3 25 to 29 years old	
4 30 years old or older	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who refused to give or did not know date of birth (AM0001=DK,R) and age (AM0002=DK,R)	

PATH ID: AM0004	Screen ID:
What is your sex?	
1 Male	
2 Female	
-8 DON'T KNOW	
-7 REFUSED	
ASK: All respondents	

**PATH
Individual Screener
Version 6.2**

PATH ID: AM0005	Screen ID:
<p>Are you Hispanic, [Latino I Latina], or of Spanish origin? Choose all that apply.</p> <ul style="list-style-type: none">1 No, not of Hispanic, Latino or Latina, or Spanish origin2 Yes, Mexican, Mexican American, Chicano or Chicana3 Yes, Puerto Rican4 Yes, Cuban5 Yes, Another Hispanic, Latino or Latina, or Spanish origin-8 DON'T KNOW-7 REFUSED <p>ASK: All respondents PROGRAM: If male (AM0004=1), display "Latino"; if female (AM0004=2), display "Latina"</p>	

PATH ID: AM0006	Screen ID:
<p>What is your race? Choose all that apply.</p> <ul style="list-style-type: none">1 White2 Black or African American3 American Indian or Alaska Native4 Asian Indian5 Chinese6 Filipino7 Japanese8 Korean9 Vietnamese10 Other Asian11 Native Hawaiian12 Guamanian or Chamorro13 Samoan14 Other Pacific Islander-8 DON'T KNOW-7 REFUSED <p>ASK: All respondents</p>	

**PATH
Individual Screener
Version 6.2**

PATH ID: AM0007	Screen ID:
<p>Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard? Note: Active duty for the Reserves or National Guard does not include the regular training for the Reserves or Guard. It does include being activated for deployment, such as for the Iraq War.</p>	
1 Yes, now on active duty	
2 Yes, on active duty in the past, but not now	GO TO AM0010
4 No, training for Reserves or National Guard only	GO TO AC1003
5 No, never served in the military	GO TO AC1003
-8 DON'T KNOW	GO TO AC1003
-7 REFUSED	GO TO AC1003
ASK: All respondents	

PATH ID: AM0008	Screen ID:
<p>You said you are currently on active duty in the U.S. Armed Forces. Is that correct?</p>	
1 Yes	GO TO AM0009
2 No	GO BACK TO AM0007
-8 DON'T KNOW	GO TO AM0009
-7 REFUSED	GO TO AM0009
ASK: Respondents who are currently on active duty (AM0007=1)	

PATH ID: AM0009	Screen ID:
<p>[DISPLAY IF RESPONDENT IS CURRENTLY ON ACTIVE DUTY (AM0008 <> NO)]</p>	
<p>People who are currently on active duty in the U.S. Armed Forces are not eligible to be interviewed in this study. We appreciate you taking the time to speak with us. Please give the computer back to the interviewer.</p>	
ASK: Respondents who are currently on active duty (AM0007=1) and confirmed their response (AM0008<>NO)	

**PATH
Individual Screener
Version 6.2**

PATH ID: AM0010

Screen ID:

When did you serve on active duty in the U.S. Armed Forces? Choose all that apply, even if it was just for part of the period.

- 1 September 2001 or later
- 2 August 1990 to August 2001 (including Persian Gulf War)
- 3 September 1980 to July 1990
- 4 May 1975 to August 1980
- 5 Vietnam era (August 1964 to April 1975)
- 6 March 1961 to July 1964
- 7 February 1955 to February 1961
- 8 Korean War (July 1950 to January 1955)
- 9 January 1947 to June 1950
- 10 World War II (December 1941 to December 1946)
- 11 November 1941 or earlier
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have been on active duty, but are not currently on active duty (AM0007=2, 3)

BOX – DISPLAY INSTRUCTIONS

For AM0011, display a “Yes” and “No” column with options for each response category.

PATH ID: AM0011

Screen ID:

In which branch or branches did you serve on active duty? Choose all that apply.

- 1 Army
- 2 Navy
- 3 Air Force
- 4 Marine Corps
- 5 Coast Guard
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have been on active duty, but are not currently on active duty (AM0007=2, 3)

**PATH
Individual Screener
Version 6.2**

PATH ID: AM0012	Screen ID:
Have you ever been enrolled in VA health care?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have been on active duty, but are not currently on active duty (AM0007=2, 3)	

PATH ID: AM0013	Screen ID:
Have you used any VA health care benefits? Choose all that apply.	
1 I have received services at the VA	
2 VA has paid for some or all of my health care	
3 I have not received any VA health care benefits	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have been on active duty, but are not currently on active duty (AM0007=2, 3)	

**PATH
Individual Screener
Version 6.2**

TOBACCO USE SECTION

PATH ID: AC1002	Screen ID:
Have you ever smoked a cigarette, even one or two puffs?	
1 Yes	
2 No	GO TO BOX AE1
-8 DON'T KNOW	GO TO BOX AE1
-7 REFUSED	GO TO BOX AE1
ASK: All respondents	

PATH ID: AC1003	Screen ID:
Do you now smoke cigarettes...	
1 Every day	GO TO BOX AE1
2 Some days	GO TO BOX AE1
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have ever smoked a cigarette (AC1002 = 1)	

PATH ID: AC1004	Screen ID:
In the past 30 days, have you smoked a cigarette, even one or two puffs?	
1 Yes	
2 No	
-8 REFUSED	
-7 DON'T KNOW	
ASK: Respondents who do not currently smoke every day or some days (AC1003=3, DK, RF)	

Box AE1	Screen ID:
<p>The next questions are about electronic cigarettes, often called e-cigarettes. E-cigarettes look like regular cigarettes, but are battery-powered and produce vapor instead of smoke. There are many types of e-cigarettes. Some common brands include Smoking Everywhere, NJOY, Blu and Vapor King.</p> <p>SHOW GENERIC IMAGE OF E-CIGARETTES</p>	

**PATH
Individual Screener
Version 6.2**

PATH ID: AE1001	Screen ID:
Have you ever heard of an electronic cigarette or e-cigarette before this study?	
1 Yes	
2 No	GO TO BOX AG1
-8 DON'T KNOW	GO TO BOX AG1
-7 REFUSED	GO TO BOX AG1
ASK: All respondents	

PATH ID: AE1002	Screen ID:
Have you ever used an e-cigarette, such as Smoking Everywhere, NJOY, Blu or Vapor King, even one or two times?	
1 Yes	
2 No	GO TO BOX AG1
-8 DON'T KNOW	GO TO BOX AG1
-7 REFUSED	GO TO BOX AG1
ASK: Respondents who have heard of e-cigarettes (AE1001=1)	

PATH ID: AE1003	Screen ID:
Do you now use e-cigarettes...	
1 Every day	GO TO BOX AG1
2 Some days	GO TO BOX AG1
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used an e-cigarette (AE1002=1)	

PATH ID: AE1004	Screen ID:
In the past 30 days, have you used an e-cigarette, even one or two times?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used an e-cigarette (AE1002=1) AND do not currently use e-cigarettes every day or some days (AE1003=3, DK, RF)	

**PATH
Individual Screener
Version 6.2**

BOX AG1A

Traditional cigars contain tightly rolled cured tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, and Arturo Fuente, but there are many others.

SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX AG1B

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with plastic or wood tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, and Winchester.

SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS

PATH ID: AG1001

Screen ID:

Have you ever heard of a cigar, cigarillo, or filtered cigar before this study?

- | | | |
|----|------------|----------------|
| 1 | Yes | |
| 2 | No | GO TO BOX APH1 |
| -8 | DON'T KNOW | GO TO BOX APH1 |
| -7 | REFUSED | GO TO BOX APH1 |

ASK: All respondents

BOX – DISPLAY INSTRUCTIONS

For AG9002, display a “Yes” and “No” column with options for each response category.

PATH ID: AG9002

Screen ID:

Which type of cigar have you heard of before this study? Choose all that apply.

- | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 1 | Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, or others | |
| 2 | Cigarillos or filtered cigars like Black and Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Prime Time, Winchester, or others | |
| -8 | DON'T KNOW | GO TO BOX APH1 |
| -7 | REFUSED | GO TO BOX APH1 |

ASK: Respondents who have heard of a cigar, cigarillo or filtered cigar (AG1001=1)

GO TO: If R has not heard of either type of cigar (AG9002 NOT IN (1, 2)), go to BOX APH1

**PATH
Individual Screener
Version 6.2**

PATH ID: AG9003	Screen ID:
Have you ever smoked a traditional cigar, even one or two puffs?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have heard of a traditional cigar (AG9002 IN TRADITIONAL CIGAR)	
GO TO: If R has not heard of cigarillos or filtered cigars (AG9002 NOT IN "CIGARILLO OR FILTERED CIGAR"), go to BOX APH1	
PROGRAM: DISPLAY GENERIC IMAGE OF TRADITIONAL CIGARS	

PATH ID: AG9004	Screen ID:
Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
GO TO [CIGARFILL] SERIES	
ASK: Respondents who have heard of a cigarillo/FC (AG9002 IN "CIGARILLO OR FILTERED CIGAR")	
PROGRAM: DISPLAY GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS	

PATH ID: AG9006	Screen ID:
Have you ever smoked a cigarillo or filtered cigar that has a wooden or plastic tip?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have smoked a cigarillo/FC (AG9004 IN "CIGARILLO OR FILTERED CIGAR")	
PROGRAM: DISPLAY GENERIC IMAGE OF CIGARILLOS WITH TIPS	

PATH ID: AG9007	Screen ID:
Have you ever smoked a cigarillo or filtered cigar that has a filter?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have smoked a cigarillo/FC (AG9004 IN "CIGARILLO OR FILTERED CIGAR")	
PROGRAM: DISPLAY GENERIC IMAGE OF FILTERED CIGARS	

**PATH
Individual Screener
Version 6.2**

PATH ID: AG9008	Screen ID:
<p>Have you ever smoked a cigarillo or filtered cigar that does not have a tip or filter?</p> <p style="margin-left: 40px;">1 Yes</p> <p style="margin-left: 40px;">2 No</p> <p style="margin-left: 40px;">-8 DON'T KNOW</p> <p style="margin-left: 40px;">-7 REFUSED</p> <p>ASK: Respondents who have smoked a cigarillo/FC (AG9004 IN "CIGARILLO OR FILTERED CIGAR")</p> <p>PROGRAM: DISPLAY GENERIC IMAGE OF CIGARILLOS WITHOUT TIP OR FILTER</p>	

<p>PROGRAM: [CIGARFILL] SERIES</p> <p>Create [CIGARFILL] and repeat AG1003 and AG1004 for each product that the respondent has indicated that he or she used in questions AG9003, AG9006, AG9007 and AG9008.</p> <p>Create [CIGARFILL]. If AG9003=1, [CIGARFILL]=cigar. If AG9004=1 AND (AG9006=1 OR AG9008=1), [CIGARFILL]=cigarillo. If AG9004=1 AND AG9007=1, [CIGARFILL]=filtered cigar.</p> <p>Repeat the rest of the section once for each type of cigar the respondent has used (traditional cigars, cigarillos, filtered cigars). Display text below as follows:</p> <p>For respondents who have used traditional cigars, but have not used cigarillos or filtered cigars: No display.</p> <p>For all other respondents, display the following text each time they repeat the rest of the section. Add the last sentence only if they still have another CIGARFILL to answer questions about.</p> <p>The next questions are about [CIGARFILL]. Please think only about your use of [CIGARFILLS] like those shown below as you answer these questions. [SHOW GENERIC IMAGE FOR CIGARFILL]. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION]. There will be a separate section later about other kinds of cigars.</p>

PATH ID: AG1003	Screen ID:										
<p>Do you now smoke [CIGARFILL]s...</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; padding-left: 40px;">1 Every day</td> <td style="padding-left: 100px;">GO TO BOX APH1</td> </tr> <tr> <td style="padding-left: 40px;">2 Some days</td> <td style="padding-left: 100px;">GO TO BOX APH1</td> </tr> <tr> <td style="padding-left: 40px;">3 Not at all</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-8 DON'T KNOW</td> <td></td> </tr> <tr> <td style="padding-left: 40px;">-7 REFUSED</td> <td></td> </tr> </table> <p>ASK: Respondents who have smoked at least one type of cigar (regular cigar (AG9003=1) and/or cigarillo (AG9006=1) and/or FC (AG9007=1))</p>		1 Every day	GO TO BOX APH1	2 Some days	GO TO BOX APH1	3 Not at all		-8 DON'T KNOW		-7 REFUSED	
1 Every day	GO TO BOX APH1										
2 Some days	GO TO BOX APH1										
3 Not at all											
-8 DON'T KNOW											
-7 REFUSED											

**PATH
Individual Screener
Version 6.2**

PATH ID: AG1004	Screen ID:
<p>In the past 30 days, have you smoked a [CIGARFILL], even one or two puffs?</p> <p>1 Yes 2 No -8 DON'T KNOW -7 REFUSED</p> <p>ASK: Respondents who have smoked at least one type of cigar (regular cigar (AG9003=1) and/or cigarillo (AG9006=1) and/or FC (AG9007=1)) and do not currently smoke every day or Some Days (AG1003=3, DK, RF)</p>	

BOX APH1
<p>The next questions are about smoking tobacco in pipes.</p> <p>We first ask about smoking tobacco in a regular pipe. There are many different types of regular pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe. [GENERIC IMAGES OF PIPES]</p> <p>We next ask about smoking tobacco in a hookah, which is a type of water pipe used to smoke tobacco. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe that is used to smoke tobacco. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah. [GENERIC IMAGES OF HOOKAH]</p>

PATH ID: AP1001	Screen ID:
<p>Have you ever heard of a pipe before this study?</p> <p>1 Yes 2 No GO TO AH1001 -8 DON'T KNOW GO TO AH1001 -7 REFUSED GO TO AH1001</p> <p>ASK: All respondents</p>	

PATH ID: AP1002	Screen ID:
<p>Have you ever smoked a pipe filled with tobacco, even one or two puffs?</p> <p>1 Yes 2 No GO TO AH1001 -8 DON'T KNOW GO TO AH1001 -7 REFUSED GO TO AH1001</p> <p>ASK: Respondents who have heard of pipes (AP1001=1)</p>	

**PATH
Individual Screener
Version 6.2**

PATH ID: AP1003	Screen ID:
Do you now smoke a pipe filled with tobacco...	
1 Every day	GO TO AH1001
2 Some days	GO TO AH1001
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have a smoked pipe filled with tobacco (AP1002=1)	

PATH ID: AP1004	Screen ID:
In the past 30 days, have you smoked a regular pipe filled with tobacco, even one or two puffs?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have smoked a pipe filled with tobacco (AP1002=1) AND do not currently smoke pipes every day or Some Days (AP1003=3, DK, RF)	

PATH ID: AH1001	Screen ID:
Have you ever heard of a hookah before this study?	
1 Yes	
2 No	GO TO BOX ASU1
-8 DON'T KNOW	GO TO BOX ASU1
-7 REFUSED	GO TO BOX ASU1
ASK: All respondents	

PATH ID: AH1002	Screen ID:
Have you ever smoked tobacco in a hookah, even one or two puffs?	
1 Yes	
2 No	GO TO BOX ASU1
-8 DON'T KNOW	GO TO BOX ASU1
-7 REFUSED	GO TO BOX ASU1
ASK: Respondents who have heard of a hookah (AH1001=1)	

**PATH
Individual Screener
Version 6.2**

PATH ID: AH1003	Screen ID:
Do you now smoke a hookah...	
1 Every day	
2 Some days	
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have smoked a hookah (AH1002=1)	

Box ASU1	Screen ID:
The next questions ask about smokeless tobacco which you put in your mouth. Frequently you chew, suck or spit while using smokeless tobacco, although there is no need to do so for some types. Snus, for instance, is a type of smokeless tobacco that comes in a small pouch that you put under your lip.	
There are many kinds of smokeless tobacco, such as snus pouches, loose snusmoist snuff, dip, spit, and chewing tobacco. Common brands include Redman, Levi Garrett, Beechnut, Skoal, Nordic Ice and Copenhagen.	
SHOW GENERIC IMAGES OF SMOKELESS TOBACCO	

PATH ID: AS1001	Screen ID:
Have you ever heard of smokeless tobacco, such as snus pouches, loose snus, moist snuff, dip, spit or chewing tobacco, before this study?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
GO TO BOX AD1	
ASK: All respondents	

BOX – DISPLAY INSTRUCTIONS For AS1002, display a “Yes” and “No” column with options for each response category.

**PATH
Individual Screener
Version 6.2**

PATH ID: AS1002

Screen ID:

Have you ever used any of the following smokeless tobacco products, even one or two times? Choose all that apply.

- 1 Snus pouches
- 2 Loose snus, moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have heard of smokeless tobacco (AS1001=1)

GO TO: If respondent has used snus pouches (AS1002 = 1 IN SNUS POUCHES), go to AU1003

Else if respondent has used loose snus, moist snuff, dip, spit or chewing tobacco AND has NOT used snus pouches ((AS1002(1) NE 1 AND AS1002(2)=1)), go to BOX AS5

Else If respondent has NOT used any type of smokeless tobacco including snus pouches AND loose snus, moist snuff, dip, spit or chewing tobacco ((AS1002(1, 2) NE 1)), go to BOX AD1

BOX AS4

DEFINE VARIABLE [OTHPOUCH] to capture names of types of smokeless tobacco pouches other than snus pouches.

OTHPOUCH="Skoal Bandits"

PATH ID: AU1003

Screen ID:

You mentioned that you have used snus pouches. There are many brands of snus pouches. Did you use the brand called "[OTHPOUCH]"?

- 1 Yes, I used only [OTHPOUCH]
- 2 Yes, I used both [OTHPOUCH] and other brands of snus pouches
- 3 No, I did not use [OTHPOUCH]
- 8 DON'T KNOW
- 7 REFUSED

ASK: Respondents who have used snus ((AS1002(1)=1 IN SNUS POUCHES))

BOX AS5

DEFINE: CREATE AN ARRAY SMKLSSTYPE WITH 2 ELEMENTS - ONE FOR EACH SMOKELESS TOBACCO TYPE (SMOKELESS TOBACCO; SNUS) .

If respondent has ever used smokeless tobacco and has not used snus ((AS1002(1)=2 AND AS1002(2)=1)) then SMKLSSTYPE[1]=1;

If respondent has ever used snus (AS1002(1)=1) AND the snus was Skoal Bandits (AU1003=1 or 2), then SMKLSSTYPE[1]=1;

If respondent has ever used snus (AS1002(1)=1) AND the snus was NOT exclusively Skoal Bandits (AU1003=2 or 3), then SMKLSSTYPE[2]=2.

**PATH
Individual Screener
Version 6.2**

Then do the following:

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2] <> 2, complete the rest of this section one time, filling [SMKLSSFILL] with “smokeless tobacco”

If SMKLSSTYPE[1] <> 1 and SMKLSSTYPE[2]=2, complete the rest of this section one time, filling [SMKLSSFILL] with “snus”

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, complete the rest of this section TWICE. The first time, fill [SMKLSSFILL] with “snus”. The second time, fill [SMKLSSFILL] with “smokeless tobacco.”

BOX AS6

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=null (respondent uses smokeless tobacco, but not snus pouches), GO TO AS1003.

If SMKLSSTYPE[1]=null and SMKLSSTYPE[2]=2 (respondent uses snus pouches, but not other forms of smokeless), display the following text:

The next two questions are about snus pouches. Common brands of snus pouches include Camel snus, General snus, Marlboro snus, and Nordic Ice, but there are many others.

Please think about your use of snus pouches as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, (respondent uses snus pouches AND other forms of smokeless) FIRST TIME THROUGH, display the following text:

The next questions are about snus. Please think about your use of snus pouches as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

If SMKLSSTYPE[1]=1 and SMKLSSTYPE[2]=2, SECOND TIME THROUGH, display the following text:

The next questions are about your use of other kinds of smokeless tobacco, not including snus pouches. The questions will use the phrase “smokeless tobacco” to refer to these products.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

**PATH
Individual Screener
Version 6.2**

PATH ID: AS1003	Screen ID:
Do you now use [smokeless tobacco snus pouches]...	
1 Every day	GO TO BOX AD1
2 Some days	GO TO BOX AD1
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used smokeless tobacco (AS1002=1)	
PROGRAM: If SMKLSSTYPE[1]=1, display "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches".	

PATH ID: AS1004	Screen ID:
In the past 30 days have you used [smokeless tobacco snus pouches], even one or two times?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used smokeless tobacco (AS1002=1) AND do not currently use smokeless tobacco every day or Some Days (AS1003=3, DK, RF)	
PROGRAM: If SMKLSSTYPE[1]=1, display "smokeless tobacco"; if SMKLSSTYPE[2]=2, display "snus pouches".	

BOX AD1
The next questions ask about another new type of tobacco called dissolvable tobacco . You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.
Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, or Camel Orbs, Sticks or Strips.
SHOW GENERIC IMAGES OF DISSOLVABLES

**PATH
Individual Screener
Version 6.2**

PATH ID: AD1001	Screen ID:
Have you ever heard of dissolvable tobacco before this study?	
1 Yes	
2 No	GO TO BOX AX1
-8 DON'T KNOW	GO TO BOX AX1
-7 REFUSED	GO TO BOX AX1
ASK: All respondents	

PATH ID: AD1002	Screen ID:
Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?	
1 Yes	
2 No	GO TO BOX AX1
-8 DON'T KNOW	GO TO BOX AX1
-7 REFUSED	GO TO BOX AX1
ASK: Respondents who have heard of dissolvable tobacco (AD1001=1)	

PATH ID: AD1003	Screen ID:
Do you now use dissolvable tobacco...	
1 Every day	GO TO BOX AX1
2 Some days	GO TO BOX AX1
3 Not at all	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used dissolvable tobacco (AD1002=1)	

PATH ID: AD1004	Screen ID:
In the past 30 days, have you used dissolvable tobacco, even one or two times?	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Respondents who have used dissolvable tobacco AND do not currently use dissolvable tobacco every day or some days (AD1003=3, DK, RF)	

PATH
Individual Screener
Version 6.2

BOX AX1

The second stage sampling algorithm will be run here. After the sampling algorithm is run, do the following:
DEFINE: EVER USER CIG = YES (1) IF AC1002=1; = NO (2) IF AC1002=2, DK/R.

For respondents that are ever users of cigarettes (EVER USER CIG = 1): go to cigarette section, then to sections (in order) for the other products they use (if any), then to questions A*1027, A*1080, A*1081 for all other products (in order) they have heard of but do not use (if any). Then for respondents who are dual or poly users, go to polyuse section, for all others go to nicotine dependence section. Complete remaining sections in order.

For respondents that have never used cigarettes (EVER USER CIG = 2): go to sections (in order) for the product or products they use. Then for respondents who are dual or poly users, go to polyuse section, for all others go to nicotine dependence section. Complete remaining sections in order.

Create a summary screen displaying responses to all questions used in the Phase 2 sampling algorithm and/or in setting tobacco use-defined groups. Allow respondent either to 1) confirm in a master checkbox that there are no changes (can mean either all correct or does not wish to answer any remaining missing questions), or 2) check individual items for correction/filling any still-missing data.

For the master checkbox, label it as "Check here if you do not want to make any {more} changes."
[DISPLAY{more} IF RESPONDENT MAKES ANY CHANGES AND IS ROUTED BACK TO THIS BOX FOR CONFIRMATION AGAIN.

For any DK or RF response, display response as "Not answered".

For each item checkbox, label as "Check here to change" (if valid data) or "Check here to answer" (if missing).

Route the questionnaire back to each checked question and allow respondent to change answer. Save original answers in a history variable for each question. Apply the same missing probes or logic checks to any revisited question as specified for the initial administration of the question, e.g., probe for DK or Ref, but only once each.

After respondent has been routed through any checked items, display the summary screen again and allow further iterations until the respondent checks the master box.

Do not run the Phase 2 sampling algorithm until the respondent checks the master approval box.