




Attachment 2: Web-based Survey Instrument

The screenshot shows a Firefox browser window displaying a survey titled "HIV Prevention and Testing Messages". The browser's address bar shows the URL: www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%2fB9s8%3d. The survey title "HIV Prevention and Testing Messages" is displayed in a dark blue header bar, with an "Exit this survey" button on the right. Below the header, the text "Form Approved" is centered, followed by "OMB No. 0920-0920" and "Expiration Date 2/28/15". The main title of the survey is "HIV Prevention and Testing Messages for Act Against AIDS Social Marketing Campaigns Targeting Gay/Bisexual Men", with the subtitle "Web-based Survey". A paragraph of text explains the public reporting burden: "Public reporting burden of this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; Attn: OMB-PRA (0920-0920)". Below this text is a progress bar showing 33% completion, with "Prev" and "Next" buttons. At the bottom, it says "Powered by SurveyMonkey" and "Check out our [sample surveys](#) and create your own now!". The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time 7:15 AM.







[Sample campaign name]

The screenshot shows a web browser window with the address bar displaying a SurveyMonkey URL. The survey title is "HIV Prevention and Testing Messages" and there is an "Exit this survey" button in the top right corner. The main question asks respondents to rate their agreement with a campaign name. The response options are: Strongly disagree, Disagree, Neither disagree no agree, Agree, Strongly agree, and Refuse to answer. The survey progress bar shows 42% completion. Navigation buttons for "Prev" and "Next" are visible. At the bottom, there is a footer for SurveyMonkey with a link to "sample surveys". The Windows taskbar at the bottom shows several open applications, including Outlook, SurveyMonkey, and several web browser tabs, with the system clock showing 7:17 AM.

[Sample campaign name]

The screenshot shows a web browser window with the address bar displaying a SurveyMonkey URL. The survey title is "HIV Prevention and Testing Messages" and there is an "Exit this survey" button in the top right corner. The main question asks for a response to the statement "Overall, I liked this campaign name." The response scale includes "Strongly disagree", "Disagree", "Neither disagree no agree", "Agree", "Strongly agree", and "Refuse to answer". A progress bar below the question shows that 41% of the survey has been completed. Navigation buttons for "Prev" and "Next" are visible. At the bottom of the browser window, the Windows taskbar is visible, showing the Start button, several application icons, and the system tray with the time 3:36 PM.

[Sample campaign name]

The screenshot shows a web browser window with the following elements:

- Browser Title Bar:** Firefox
- Address Bar:** www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%2fB9s8%3d
- Survey Header:** HIV Prevention and Testing Messages (with an "Exit this survey" button)
- Question Text:** Tell us how strongly you disagree or agree with each as the name for an HIV prevention campaign:
- Item:** TALK HIV. Overall, I liked this campaign name.
- Response Scale:** A horizontal scale with six radio buttons labeled: Strongly disagree, Disagree, Neither disagree no agree, Agree, Strongly agree, and Refuse to answer.
- Progress Bar:** A yellow progress bar indicating 47% completion.
- Navigation:** "Prev" and "Next" buttons.
- Footer:** Powered by SurveyMonkey. Check out our [sample surveys](#) and create your own now!

The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time 7:19 AM.

[Sample campaign message]

The screenshot shows a web browser window with the address bar displaying a SurveyMonkey URL. The page title is "HIV Prevention and Testing Messages" and there is an "Exit this survey" button in the top right corner. The main content area contains the following text:

The following questions include potential messages for use in ads for an HIV prevention campaign that focuses on partner communication.

Tell us how strongly you disagree or agree with the following message:

Protect yourself and your partner. Talk about testing, your status, condoms and new options like medicines that prevent and treat HIV

Overall, I liked this message.

Strongly disagree Disagree Neither disagree no agree Agree Strongly agree Refuse to answer

Below the question is a horizontal progress bar that is approximately 46% full, with a "46%" label at the right end. Underneath the progress bar are "Prev" and "Next" buttons.

At the bottom of the survey area, it says "Powered by SurveyMonkey" and "Check out our sample surveys and create your own now!".

The Windows taskbar at the bottom shows several open applications: Start, Outlook, SurveyMonkey - Questio..., [SURVEY PREVIEW MO..., and Attachment 2_Web-base... The system tray on the right shows the time as 3:37 PM.

[Sample campaign message]

The screenshot shows a web browser window with the address bar displaying a SurveyMonkey URL. The page title is "HIV Prevention and Testing Messages" and there is an "Exit this survey" button in the top right corner. The main content area contains the following text:

Tell us how strongly you disagree or agree with the following message:

Talk about testing, your status, condoms and new options like medicines that prevent and treat HIV.

Below this text is a horizontal Likert scale with six response options: "Strongly disagree", "Disagree", "Neither disagree no agree", "Agree", "Strongly agree", and "Refuse to answer". Each option has a radio button. The text "Overall, I liked this message." is positioned to the left of the scale.

Below the scale is a progress bar showing 48% completion. There are "Prev" and "Next" buttons below the progress bar.

At the bottom of the survey area, it says "Powered by SurveyMonkey" and "Check out our sample surveys and create your own now!".

The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time 3:38 PM.

[Sample campaign message]

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%2fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

Tell us how strongly you disagree or agree with the following message:

Talk about testing, your status, condoms and medicines that prevent and treat HIV.


Strongly disagree Disagree Neither disagree no agree Agree Strongly agree Refuse to answer

Overall, I liked this message.

50%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!



[Sample campaign message]

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%62fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

Tell us how strongly you disagree or agree with the following message:

Talk about testing, your status, condoms and anti-HIV medicine.

Strongly disagree Disagree Neither disagree no agree Agree Strongly agree Refuse to answer

Overall, I liked this message.

52%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | [Icons] | Inbox - Microsoft Outlook | SurveyMonkey - Questio... | [SURVEY PREVIEW HO... | Attachment 2_Web-base... | [Icons] | 3:40 PM

[Sample campaign message]

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%62fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

Tell us how strongly you disagree or agree with the following message:

Talk about ways to protect yourself from HIV.

Strongly disagree Disagree Neither disagree no agree Agree Strongly agree Refuse to answer

Overall, I liked this message.

54%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | [Icons] | Inbox - Microsoft Outlook | SurveyMonkey - Questio... | [SURVEY PREVIEW HO... | Attachment 2_Web-base... | [Icons] | 3:42 PM

[See attachment for images of draft campaign concepts to be inserted before question. Questions repeated for each concept tested.]

HIV Prevention and Testing Messages Exit this survey

Now we are going to show you some draft ads one at a time and ask you questions about them.

Please indicate how much you agree or disagree with the following statements about this ad.

| | Strongly disagree | Disagree | Neither disagree nor agree | Agree | Strongly agree | Refuse to answer |
|---|-----------------------|-----------------------|----------------------------|-----------------------|-----------------------|-----------------------|
| Overall, I liked this ad. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| This ad got my attention. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| This ad was easy to understand. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I would read this ad if I saw it. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I like the way this ad looks. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Real people would talk or look the way the people in this ad would. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I can relate to what the people in this ad are going through. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I can do what this ad suggests. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I will do what this ad suggests. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| This ad gave me a good reason to talk to a partner about HIV. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



53%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | [Taskbar icons] | 10:11 AM

[See attachment for images of draft campaign concepts to be inserted before question. Questions repeated for each concept tested.]



[Images for each concept tested inserted before the question.]

HIV Prevention and Testing Messages Exit this survey


Please rank these advertisements by checking 1 by the ad you felt was the most effective in motivating you or someone else to talk to a sexual partner about HIV (e.g. getting tested, using a condom or sharing your HIV status), checking 2 by the second-most effective in motivating you to talk to your partner, and so on.

| | 1 | 2 | 3 | 4 | 5 |
|-------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Ad #1 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Ad #2 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Ad #3 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Ad #4 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Ad #5 | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

58%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!



[Sample campaign names]

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUSTSmxsFoXxXgicAsFjxTIXoch%2fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

Please rank these campaign names by checking 1 by the one you felt was the most effective in motivating you or someone else to talk to a sexual partner about HIV (e.g. getting tested, using a condom or sharing your HIV status), checking 2 by the second-most effective in motivating you to talk to your partner, and so on.


| | 1 | 2 | 3 |
|------------------------------|-----------------------|-----------------------|-----------------------|
| Start talking. Stop HIV. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Talk is key to stopping HIV. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| TALK HIV. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

60%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | [Taskbar icons] | 7:35 AM



Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUST3mxFoXxXgicAsFjxTIXodn%2fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

How many hours per day do you use the Internet for reasons other than work or school?

- 0–2 hours
- 3–5 hours
- 6–10 hours
- More than 10 hours



Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Windows taskbar showing Start button, application icons (Inbox, SurveyMonkey, File Explorer, Word, PowerPoint, Office), and system tray (network, volume, clock showing 7:36 AM).

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGUWUui%2bUSTSmxsFoXxXgicAsFjxTIXodn%2fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

How often do you visit the following Web sites or mobile services?

| | Daily | 2-5 times a week | Once a week | 2-3 times a month | Once a month | Less than once a month | Never |
|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|-----------------------|
| Facebook (www.facebook.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| MySpace (www.myspace.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| MIgente (www.migente.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| MIRaza (www.miraza.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Mocospace (www.mocospace.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Twitter (www.twitter.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| YouTube (www.youtube.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Guanabee (www.guanabee.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Remezcla (www.remezcla.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Adam4Adam (www.adam4adam.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Manhunt (www.manhunt.com) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Grindr (mobile app) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Scruff (mobile app) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Jack'd (mobile app) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

Are there other web sites or mobile services that you use on a daily basis?

67%

Prev Next

Powered by **SurveyMonkey**
Check out our [sample surveys](#) and create your own now!

Start | Inbox - Microsof... | SurveyMonkey -... | \\rtints23\hserpr... | Attachment 3_W... | Attachment 2_W... | Microsoft Office ... | [SURVEY PREVI... | 7:37 AM

Please tell us if you agree or disagree with the following statement:
I trust the CDC as the source of this information.

- Strongly disagree
- Disagree
- Neither disagree nor agree
- Agree
- Strongly agree
- Refuse to answer



Prev Next

Powered by **SurveyMonkey**
Check out our [sample surveys](#) and create your own now!

In this next section, please tell us if you think you should talk about the following with main and non-main (or casual) sex partners.

Most of my friends think you should talk to your partner(s) about ...

| | Strongly disagree | Disagree | Neither disagree nor agree | Agree | Strongly agree | Refuse to answer |
|-----------------------------|-----------------------|-----------------------|----------------------------|-----------------------|-----------------------|-----------------------|
| HIV testing | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| other sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| ways to reduce risk for HIV | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



Prev Next

Powered by [SurveyMonkey](#)
 Check out our [sample surveys](#) and create your own now!

Firefox

www.surveymonkey.com/s.aspx?PREVIEW_MODE=DO_NOT_USE_THIS_LINK_FOR_COLLECTION&sm=S3OyGWUui%2bUST3mxFoXxXgicAsFjxTIXodn%62fB9s8%3d

HIV Prevention and Testing Messages

Exit this survey

In this next section, we are going to ask about things you might talk about with your sex partners.



Prev Next

Powered by **SurveyMonkey**
Check out our [sample surveys](#) and create your own now!

Windows taskbar showing Start button, application icons (Inbox, SurveyMonkey, File Explorer, Word, PowerPoint, Office), and system tray (network, volume, clock showing 7:38 AM).

[Seen only by respondents who indicated they have a main partner.]

HIV Prevention and Testing Messages Exit this survey

How likely is it that you will discuss the following topics with your main partner before engaging in any sexual activities?

| | Very unlikely | Somewhat unlikely | Neither unlikely nor likely | Somewhat likely | Very likely | Refuse to answer |
|---|-----------------------|-----------------------|-----------------------------|-----------------------|-----------------------|-----------------------|
| Number of prior sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV testing history | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| History of sexually transmitted infections | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Different sexual positions based on HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs to treat HIV infection (e.g., antiretroviral therapy or ART) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs used to treat HIV infection to reduce chances of being HIV infected (e.g., post-exposure prophylaxis [PEP] or pre-exposure prophylaxis [PrEP]) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

77%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | Inbox - Microsof... | SurveyMonkey -... | \\rntins23\hserpr... | Attachment 3_W... | Attachment 2_W... | Microsoft Office ... | [SURVEY PREVI... | 7:38 AM

How likely is it that you will discuss the following topics with your your next casual partner before engaging in any sexual activities?

| | Very unlikely | Somewhat unlikely | Neither unlikely nor likely | Somewhat likely | Very likely | Refuse to answer |
|---|-----------------------|-----------------------|-----------------------------|-----------------------|-----------------------|-----------------------|
| Number of prior sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV testing history | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| History of sexually transmitted infections | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Different sexual positions based on HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs to treat HIV infection (e.g., antiretroviral therapy or ART) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs used to treat HIV infection to reduce chances of being HIV infected (e.g., post-exposure prophylaxis [PEP] or pre-exposure prophylaxis [PrEP]) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



Prev Next

Powered by [SurveyMonkey](#)
 Check out our [sample surveys](#) and create your own now!

[Seen only by respondents who indicated they have a main partner.]

HIV Prevention and Testing Messages Exit this survey

How sure are you that you could discuss the following topics with your main partner before engaging in any sexual activities?

| | Very unsure | Somewhat unsure | Neither unsure nor sure | Somewhat sure | Very sure | Refuse to answer |
|---|-----------------------|-----------------------|-------------------------|-----------------------|-----------------------|-----------------------|
| Number of prior sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV testing history | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| History of sexually transmitted infections | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Different sexual positions based on HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs to treat HIV infection (e.g., antiretroviral therapy or ART) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs used to treat HIV infection to reduce chances of being HIV infected (e.g., post-exposure prophylaxis [PEP] or pre-exposure prophylaxis [PrEP]) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

81%

Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

Start | [Taskbar icons] | 7:39 AM

How sure are you that you could discuss the following topics with your next casual partner before engaging in any sexual activities?

| | Very unsure | Somewhat unsure | Neither unsure nor sure | Somewhat sure | Very sure | Refuse to answer |
|---|-----------------------|-----------------------|-------------------------|-----------------------|-----------------------|-----------------------|
| Number of prior sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV testing history | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| History of sexually transmitted infections | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Different sexual positions based on HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs to treat HIV infection (e.g., antiretroviral therapy or ART) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs used to treat HIV infection to reduce chances of being HIV infected (e.g., post-exposure prophylaxis [PEP] or pre-exposure prophylaxis [PrEP]) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



Prev Next

Powered by [SurveyMonkey](#)
 Check out our [sample surveys](#) and create your own now!

How often do you think that your friends and other people close to you discuss the following topics with their sex partners?

| | Never | Occasionally | Usually | Always | Refuse to answer |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Number of prior sexual partners | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| HIV testing history | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| History of sexually transmitted infections | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Using condoms | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Different sexual positions based on HIV status | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs to treat HIV infection (e.g., antiretroviral therapy or ART) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Taking drugs used to treat HIV infection to reduce chances of being HIV infected (e.g., post-exposure prophylaxis [PEP] or pre-exposure prophylaxis [PrEP]) | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |



Prev Next

Powered by [SurveyMonkey](#)
 Check out our [sample surveys](#) and create your own now!

Please tell us how much you disagree or agree with the following statements.


| | Strongly disagree | Disagree | Neither disagree nor agree | Agree | Strongly agree | Refuse to answer |
|---|-----------------------|-----------------------|----------------------------|-----------------------|-----------------------|-----------------------|
| Most of my sex partners disclose their HIV status. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Most gay or bisexual men I know disclose their HIV status. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Disclosing your HIV status is difficult. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| Disclosing my HIV status allows me to have unprotected sex with partners who are the same HIV status as me. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |
| I plan to disclose my HIV status the next time I have sex with a new partner. | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |




Prev Next

Powered by [SurveyMonkey](#)
Check out our [sample surveys](#) and create your own now!

[Seen only by respondents who indicated they have a main partner.]



[Seen only by respondents who indicated they have a main partner.]



[Seen only by respondents who indicated they have had one or more non-main partners in the past 12 months.]

The screenshot shows a web browser window with the following content:

- Browser:** Firefox, address bar shows a SurveyMonkey URL.
- Page Title:** HIV Prevention and Testing Messages
- Buttons:** Exit this survey
- Question 1:** In the past 12 months, how many non-main or casual partners did you have unprotected anal sex with? (Enter 999 to refuse)
- Question 2:** In the past 12 months, how many of your non-main partners told you their HIV status? (Enter 999 to refuse)
- Question 3:** In the past 12 months, how many of your non-main partners did you tell your HIV status to? (Enter 999 to refuse)
- Progress Bar:** A yellow progress bar is shown at 95% completion.
- Navigation:** Prev and Next buttons.
- Footer:** Powered by SurveyMonkey. Check out our [sample surveys](#) and create your own now!

The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time 7:41 AM.

