

The screenshot shows a web browser window displaying a Blackboard Learn course page. The browser's address bar shows the URL: https://classes.uaa.alaska.edu/webapps/portal/frameset.jsp?tab_tab_group_id=2_1&url=%2Fwebapps%2Fblackboard%2Fexecute%2Fflaun. The page title is "Preview Survey: Course 1 FASD Knowledge Test".

The page layout includes a top navigation bar with "Courses" and "Sp 2012 PSY_A690_252_40149" selected. A left sidebar contains a navigation menu with options like "Start Here", "Announcements", "Syllabus", "Weekly Course Materials", "Assignments", "Discussion Board", "Grades", "FASD Resources", "UAA Resources", "Instructor Info", "Course Evaluation", "Tools", and "Help". Below this is a "COURSE MANAGEMENT" section with a "Control Panel" and expandable options for "Files", "Course Tools", "Evaluation", "Grade Center", "Users and Groups", "Customization", "Packages and Utilities", and "Help".

The main content area is titled "Preview Survey: Course 1 FASD Knowledge Test" and contains the following information:

- Description:**
 - Instructions: For each item, please choose the response that best completes the sentence or answers the question.
 - Multiple Attempts: Not allowed. This Survey can only be taken once.
 - Force Completion: This Survey can be saved and resumed later.
- Question Completion Status:** (Collapsible section)
- Save All Answers** and **Save and Submit** buttons.
- Question 1:** "The best public health message related to alcohol consumption by women of childbearing age is:"
 - a. Women who know they are pregnant should not consume alcohol.
 - b. Women who are pregnant or could become pregnant should not consume alcohol.
 - c. All sexually active women should not consume alcohol.
 - d. Women of childbearing age should not consume alcohol.
 - e. Alcohol use, in moderation, is safe for all women.
- Question 2:** "An episode of binge drinking or risky drinking for women of childbearing age (18-44 years old) is defined as more than ____ standard drinks in about a two hour period:"
 - a. 2
 - b. 3
 - c. 4
 - d. 5
 - e. 6
- Question 3:** (Header visible, content obscured)

The bottom of the screenshot shows a Windows taskbar with various application icons and a system tray displaying the time as 2:47 PM on 2/28/2012.

The public reporting burden of this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to - CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333 ATTN: PRA (XXXX-XXXX)

Firefox Blackboard Learn

alaska.edu https://classes.uaa.alaska.edu/webapps/portal/frameset.jsp?tab_tab_group_id=2_1&url=%2Fwebapps%2Fblackboard%2Fexecute%2Fflaun

U A A C L A S S E S

Rebecca Porter My Places Home Help Logout

UAA Courses
Utilities
Help

Question Completion Status:
 e. 6

Question 3 Save Answer

Which of these is NOT considered a standard drink:

- a. 12 ounces of beer
- b. 12 ounces of wine cooler
- c. 5 ounces of wine
- d. 3 ounces of vodka
- e. All of the above are standard drinks

Question 4 Save Answer

Positive responses give to items on the TWEAK or the T-ACE screening instruments indicate:

- a. A diagnosis of alcoholism.
- b. The likelihood that the woman will seek treatment for alcohol use.
- c. The need for the health care provider to discuss the risks associated with drinking alcohol, especially when the woman is pregnant.
- d. The difference between binge drinking and problem drinking.
- e. The need for immediate admission to a treatment facility for further evaluation.

Question 5 Save Answer

Which of these is NOT part of the addictive disease process?

- a. Craving and compulsion
- b. Violent behavior
- c. Loss of control
- d. Continued use despite adverse consequences
- e. All of the above are part of the addictive disease process

Question 6 Save Answer

Which of the following is a validated screening tool commonly used to ascertain alcohol use among pregnant women?

2:47 PM 2/28/2012

Firefox Blackboard Learn

alaska.edu https://classes.uaa.alaska.edu/webapps/portal/frameset.jsp?tab_tab_group_id=2_1&url=%2Fwebapps%2Fblackboard%2Fexecute%2Fflaun

Google

Rebecca Porter My Places Home Help Logout

U A A C L A S S E S

UAA Courses

Question Completion Status:

Question 6 Save Answer

Which of the following is a validated screening tool commonly used to ascertain alcohol use among pregnant women?

- a. SASSI-3
- b. T-ACE
- c. Addiction Severity Index
- d. MMPI
- e. DSM Screener

Question 7 Save Answer

Which organ system is primarily susceptible to damage or alteration caused by prenatal alcohol exposure?

- a. The circulatory system
- b. The skeletal system
- c. The central nervous system
- d. The reproductive system
- e. The digestive system

Question 8 Save Answer

Preventing the harms of prenatal alcohol exposure includes which of the following proactive measures:

- a. Education
- b. Substance abuse treatment
- c. Alcohol screening and referral services
- d. Encouragement of preconception abstinence from alcohol
- e. All of the above

Save and Submit

Save All Answers Save and Submit

2:49 PM 2/28/2012