Form Approved OMB No. 0920-0612 Exp. Date 3/31/2013

# Lifestyle Intervention MDE Field Descriptions

Data User's Manual Version 8.00

## **Current as of September 30, 2012**

ltem Numbe r	Variable Name	Position	Variable Label	Туре
0a	MDEVer	1-3	MDE version	Numeric
1a	StFIPS	4-5	State/Tribal FIPS code	Character
2a	NRec	6-11	Unique lifestyle intervention record ID number	Numeric
3a	EncodeID	12-26	Unique participant ID number	Character
4a	Intervention	27-34	Date of lifestyle intervention session (Date of referral to a community-based resource)	Numeric
5a	ContactType	35-36	Type of contact	Numeric
5b	Setting	37	Setting	Numeric
6a	Nutrition	38	Nutrition	Numeric
6b	NutLink	39	Linked to community-based nutrition resources	Numeric
6c	PA	40	Physical activity	Numeric
6d	PALink	41	Linked to community-based physical activity resources	Numeric
6e	QuitLine	42	Linked to proactive tobacco quit line	Numeric
6f	TobacLink	43	Linked to community-based tobacco cessation resources	Numeric
6g	TobacCoun	44	Received smoking cessation counseling during lifestyle intervention session	Numeric

#### Part A: Summary of MDEs in Lifestyle Intervention File

Item 0a: MDEver	MDE Version						
	This variable indicates the version of the MDE that was used to collect and report data in the file.						
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	3	<b>Beginning Position:</b>	1			
	Leading Zeros:	No	Valid Range:	See values; cannot be blank			
	Other Format: N/A						
DENOMINATOR	All records in a lifestyle intervention (LSI) file that are eligible for MDE submission.						
POPULATION	A record in an LSI file is eligible for MDE submission if it contains an LSI date, the type of contact completed, the setting of the LSI session, and the focus of the LSI session.						
	A record is also eligible if it has a community-based referral for a participant who did not have an LSI contact. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/referral, contact type, and at least one focus area.						
VALUES AND DESCRIPTION	800 MDE version 8.0 MDE version 8.0 should be used to collect data for all LSIs occurring July 1, 2011, and after						
ANALYSIS AND USE	To verify the MDE version used to collect and report data in the file						
OTHER	Guidance						
INFORMATION	A crosswalk table I	between version 7	.0 and version 8.0 is in Ap	pendix E.			

Item 1a: StFIPS	State/Tribal FIPS C	ode				
	This variable indicat intervention (LSI) oc		ibal program code for the s	tate or tribe where a lifestyle		
FORMAT	Туре:	Character	Justification:	Left		
	Length:	2	<b>Beginning Position:</b>	4		
	Leading Zeros:	Yes	Valid Range:	See values; cannot be blank		
	Other Format:	N/A				
DENOMINATOR POPULATION	WISEWOMAN participants who received at least one LSI contact or received a community-based referral.					
	NBCCEDP); has rec weight, first blood pr and has responded	eived all the follo essure diastolic to at least one he	owing screenings from the N measurement, and first blo ealth history question. (For	ne NBCCEDP service (enrolled in WISEWOMAN Program: height, od pressure systolic measurement; items 5a-8b, there must be at least to answer,' or '9 No answer		
				num, an LSI date, the type of		
		•		ne focus for the LSI session. for a participant who did not receive		
	an LSI contact but w	as referred to a wing MDE varia	community-based resource bles in the file have valid va	alues: date of session/community-		
VALUES AND	06 California (CA)	An LS	I that occurred in California	l		
DESCRIPTION	09 Connecticut (CT	) An LS	I that occurred in Connection	cut		
	17 Illinois (IL)	An LS	I that occurred in Illinois			
	19 Iowa (IA)	wa (IA) An LSI that occurred in Iowa				
		5 Massachusetts (MA) An LSI that occurred in Massachusetts				
	26 Michigan (MI)	An LS	I that occurred in Michigan			
	27 Minnesota (MN)	An LS	I that occurred in Minnesot	a		
	29 Missouri (MO)	An LS	I that occurred in Missouri			
	31 Nebraska (NE)	An LS	I that occurred in Nebraska	l		
	37 North Carolina (	NC) An LS	I that occurred in North Ca	rolina		
	41 Oregon (OR)	-	I that occurred in Oregon			
	42 Pennsylvania (P	An LS	I that occurred in Pennsylv	ania		
	45 South Carolina		I that occurred in South Ca			
	46 South Dakota (S	-	I that occurred in South Da	kota		
	49 Utah (UT)	-	I that occurred in Utah			
	50 Vermont (VT)		I that occurred in Vermont			
	51 Virginia (VA)		I that occurred in Virginia			
	54 West Virginia (V					
	55 Wisconsin (WI)		I that occurred in Wisconsi			
	85 Southeast Alash Regional Health Consortium (SEAR	kaa An LS	I that occurred within the tr			
	92 Southcentral Foundation (SCF)	An LS	I that occurred within the tr	ibal area of SCF		
ANALYSIS AND USE	To calculate the nun	her of women r	eceiving LSIs by each state	or tribal program		

ANALYSIS AND USE To calculate the number of women receiving LSIs by each state or tribal program

	To assess the reach of the WISEWOMAN Program's LSIs both nationally and within a particular state or tribe					
OTHER	Guidance					
INFORMATION	The state FIPS codes are the Federal Information Processing Standard codes developed by the National Institute of Standards and Technology. The tribal program codes are codes assigned by CDC to be used by tribal programs in lieu of FIPS.					
	Additional edits					
	Programs should always record the FIPS code for the state or tribe where their program is located. This may differ from the FIPS code for the participant's state or tribe of residence if the participant resides in a different state or tribe from where the program is located. The validation tool will flag as an error any FIPS code not the same as where the program is located.					

Item 2a: NRec	Unique Lifestyle Intervention (LSI) Record ID Number This variable indicates the unique placement of a record within an LSI file.						
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	6	<b>Beginning Position:</b>	6			
	Leading Zeros: Other Format:	No N/A	Valid Range:	1 to number in sequence of last record in file; cannot be blank			
DENOMINATOR POPULATION	WISEWOMAN par referral.	rticipants who	received at least one LSI co	ntact or received a community-based			
	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')						
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
	A referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/referral, contact type, and at least one focus area.						
VALUES AND DESCRIPTION	Unique LSI record ID Six-digit (numeric) value representing the sequence number of record						
	This value must be unique for each record in an LSI file. If a record number is a duplicate within an LSI file, the validation tool will flag it as an error						
ANALYSIS AND USE	To track the order	of records with	nin an LSI file				
OTHER	Guidance						
INFORMATION	NRec should be unique across all submitted MDE data files. Programs should continue numbering sequentially from the previous submission.						

Item 3a: EncodelD	Unique Participant ID Number This variable indicates a woman's unique identification number.						
FORMAT	Туре:	Character	Justification:	Left			
	Length:	15	Beginning Position:	12			
	Leading Zeros:	N/A	Valid Range:	Cannot be blank			
	Other Format:	N/A					
DENOMINATOR POPULATION	WISEWOMAN partie a community-based		ved at least one lifestyle inter	vention (LSI) contact or received			
	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')						
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.						
VALUES AND DESCRIPTION	Unique Participant Number	ID Up to 1 a partie	<b>o</b> ( <b>)</b> 1	esenting the unique identifier for			
ANALYSIS AND USE	To uniquely identify women who have had LSI services To link LSIs with screening records						
OTHER	Guidance						
INFORMATION	A participant's unique ID should be the same for NBCCEDP and WISEWOMAN.						
	A participant's unique ID should not change over time. If it does change, the program should notify the data contractor with a list of IDs that have changed at the time of data submission and upload a crosswalk of the previous participant unique ID to the new participant unique ID (see Appendix B).						
	If a participant's Soc	ial Security numb	oer is used as her unique ID, i	t must be encoded.			
	A participant's unique ID must be the same in the Screening and Assessment file and the LSI file.						

Item 4a: Intervention	Date of Lifestyle Intervention (LSI) Session (Date of Referral to a Community-Based Resource)						
	For LSI records, this variable indicates the date that the LSI session occurred. For community- based referral records, this variable indicates the date that the referral to a community-based resource was made.						
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	8	<b>Beginning Position:</b>	27			
	Leading Zeros: Other Format:	Yes MMDDCCYY for	Valid Range: mat	Valid date; cannot be blank			
DENOMINATOR	All contacts (LSI ar	d community-base	d referrals) among WISEWOMA	N participants.			
POPULATION	A WISEWOMAN pa NBCCEDP); has re weight, first blood p and has responded	articipant is a wom ceived all the follow ressure diastolic n to at least one hea	an who receives at least one NB wing screenings from the WISEV neasurement, and first blood pre alth history question. (For items Don't know,' '8 Don't want to ans	CCEDP service (enrolled in NOMAN Program: height, ssure systolic measurement; 5a-8b, there must be at least			
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.						
VALUES AND	LSI Session Date Valid date in MMDDCCYY format						
DESCRIPTION	Example: September 10, 2011 = 09102011						
	Date must occur within the submission period						
			ticipants who did not receive an e that a referral was made to a c				
ANALYSIS AND USE	To determine the date of the LSI session						
	To assist in determining whether the participant has received an LSI contact						
	To assist in calculating the number of LSI contacts per participant						
	To assess whether participants with risk factors receive LSI services						
	To assist in calculating performance measure #3: Program provides evidence that a minimum of 75% of WISEWOMAN participants screened with at least one modifiable risk factor attend at least one LSI session						
	To assess changes in risk profile between participants who participate in the LSI and participants who do not						
	To document the date of a referral to a community-based resource						
OTHER	Guidance						
INFORMATION	To calculate the number of LSI contacts per participant, the number of LSI dates is counted for each unique participant ID (3a: EncodeID).						
	An LSI session must occur on the same date or after the office visit (10a: BPDate).						
	Additional edits						
	the date that a valid	lation report is crea	bmitted as part of a LSI file shou ated. If an LSI or community-bas tion report is created, the valida	ed referral is coded as			
	<u>Error:</u> INTERV	ENTION > [current	date]				

Item 5a: ContactType	Type of Lifestyle Intervention (LSI) Contact					
				or participants who did not receive ral to a community-based resource.		
FORMAT	Туре:	Numeri	Justification:	Right		
	Length:	2	<b>Beginning Position:</b>	35		
	Leading Zeros:	No	Valid Range:	See values; cannot be blank		
	Other Format:	N/A				
DENOMINATOR	All contacts (LSI and community-based referrals) among WISEWOMAN participants.					
POPULATION	NBCCEDP); has re weight, first blood p and has responded	ceived all t ressure dia to at least	he following screenings from the stolic measurement, and first blo	ood pressure systolic measurement; items 5a-8b, there must be at least		
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.					
	an LSI contact but v is counted if the foll	was referre lowing MDI	d to a community-based resource	I for a participant who did not receive e. A community-based referral record alues: date of session/community-		
VALUES AND	1 Face-to-face		LSI session was completed face	-to-face		
DESCRIPTION	2 Phone		LSI session was completed by p	hone		
				iew of educational materials (mailed, unseling, the LSI session is recorded		
	3 Evidence that m materials were op and reviewed			eview of mailed materials. The that the materials were opened and ed during a confirmation phone call)		
	4 Evidence that audiotape or DVD opened and reviev		program has received evidence	eview of an audiotape or DVD. The that the audiotape or DVD was eling occurred during a confirmation		
	5 Evidence that computer-based s was completed	ession	LSI session was completed with program has received evidence twas completed	a computer-based session. The that the computer-based session		
	6 Referral to comm based resources v WISEWOMAN LSI-	with no	Participant <b>did not</b> participate in submission period, but she was resource, and there is evidence	referred to a community-based		
	confirmed		Evidence of participation may come from confirmation by the community-based resource or through self-report by the participant			
	7 Referral to comr based resources v WISEWOMAN LSI- not confirmed	with no	Participant <b>did not</b> participate in submission period, but she was resource. Participation has not b based resource or participant			
	77 Unknown		The LSI contact type is unknown	]		
			The validation tool will flag this v	alue as an error		
ANALYSIS AND USE				ing used within and across programs stent with programs' LSI models		

	To document number of confirmed and non-confirmed referrals to community-based resources for participants who did not participate in at least one LSI session					
OTHER	Guidance					
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.					
	Community-based resources are resources that are free or low-cost and for which little or no WISEWOMAN funds are used. They can supplement the lifestyle intervention services by providing additional free or low-cost support to participants.					
	If the receipt of mailed materials, an audiotape, or a DVD is confirmed by a phone call that includes counseling, the contact type should be coded as '2 Phone.' Together, the mailing of materials and follow-up call should be considered one LSI contact.					
	Cross edits					
	The contact type for group setting can only be face-to-face. If other contact types are marked as occurring in a group setting, the validation tool will flag this field as an error.					
	Error: SETTING = 2 AND CONTACTTYPE = 2, 3, 4, or 5					

Item 5b: Setting	Setting of Lifestyle Intervention (LSI) Session This variable indicates the setting of the LSI session.					
FORMAT	Type: Length: Leading Zeros: Other Format:	Numeric 1 No N/A	Justification: Beginning Position: Valid Range:	Right 37 See values; cannot be blank		
DENOMINATOR POPULATION	<ul> <li>All contacts (LSI and community-based referrals) among WISEWOMAN participants.</li> <li>A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')</li> <li>An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.</li> <li>A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community-based referral, contact type, and at least one focus area.</li> </ul>					
VALUES AND DESCRIPTION	1 Individual	All c	• •	ccurred as an individual session Intacts should be marked as individua		
	2 Group	LSI	SI contact for the participant occurred as a group session			
	7 Unknown		The setting of the LSI session for the participant is unknown The validation tool will flag this value as an error			
ANALYSIS AND USE	To assess how frequently different types of LSI settings are being used within and across programs To determine whether the settings of LSI sessions are consistent with programs' LSI models					
OTHER INFORMATION	<i>Guidance</i> Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only. <i>Additional edits</i> See related cross edit for item 5a: ContactType.					

Item 6a: Nutrition	Received Nutrition Counseling as Part of Lifestyle Intervention (LSI) Session						
	This variable indica session.	ates whether th	e participant received nutriti	ion counseling as part of the LSI			
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	1	<b>Beginning Position:</b>	38			
	Leading Zeros:	No	Valid Range:	See values; cannot be blank			
	Other Format:	N/A					
DENOMINATOR	All LSI contacts an	nong WISEWO	MAN participants.				
	NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')						
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
VALUES AND DESCRIPTION	<b>1 Yes</b> Participant received nutrition counseling as part of the LSI session						
	2 No	Participant did not receive nutrition counseling as part of the LSI session					
	7 Unknown	<b>7 Unknown</b> It is unknown whether the participant received nutrition counseling as part of the LSI session					
		The validation tool will flag this value as an error					
ANALYSIS AND USE	To determine the number of participants that received nutrition counseling as part of the LSI session						
OTHER	Guidance						
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.						

Item 6b: NutLink	Linked to Community-Based Nutrition Resources						
	This variable indicates whether the participant was linked to community-based nutrition resources.						
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	1	<b>Beginning Position:</b>	39			
	Leading Zeros:	No	Valid Range:	See values; cannot be blank			
	Other Format:	N/A					
DENOMINATOR POPULATION	All contacts (lifesty participants.	le intervention [	LSI] and community-based r	eferrals) among WISEWOMAN			
	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')						
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.						
VALUES AND DESCRIPTION	<b>1 Yes</b> Participant was linked to community-based nutrition resources						
	2 No	Par	ticipant was not linked to cor	mmunity-based nutrition resources			
	7 Unknown		It is unknown whether the participant was linked to community-base nutrition resources				
	The validation tool will flag this value as an error						
ANALYSIS AND USE	To determine the n	To determine the number of participants linked to community-based nutrition resources					
OTHER	Guidance						
INFORMATION		Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.					

	Part B: Lifesty	le Intervent	ion MDE Field Specific	ations	
Item 6c: PA	Received Physical Activity Counseling as Part of LSI Session			ssion	
	This variable indicates whether the participant received physical activity counseling as part LSI session.				
FORMAT	Туре:	Numeric	Justification:	Right	
	Length:	1	<b>Beginning Position:</b>	40	
	Leading Zeros:	No	Valid Range:	See values; cannot be blank	
	Other Format:	N/A			
DENOMINATOR POPULATION	All lifestyle intervention (LSI) contacts among WISEWOMAN participants.				
	NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.') An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.				
VALUES AND DESCRIPTION	1 Yes	Participant received physical activity counseling as part of the LSI session			
	2 No	Participant did not receive physical activity counseling as part of the LSI session			
		It is unknown whether the participant received physical activity counseling as part of the LSI session			
		The validation	tool will flag this value as a	an error	
ANALYSIS AND USE	To determine the number of participants that received physical activity counseling as part of an LSI session				
OTHER	Guidance				
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.				

Part	B: Lifestyle I	nterventi	on MDE Field Sp	ecifications			
ITEM 6d: PALink	Linked to Commu	Linked to Community-Based Physical Activity Resources					
	This variable indica resources.	his variable indicates whether the participant was linked to community-based physical activity esources.					
FORMAT	Туре:	Numeric	Justification:	Right			
	Length:	1	<b>Beginning Position:</b>	41			
	Leading Zeros:	No	Valid Range:	See values; cannot be blank			
	Other Format:	N/A					
DENOMINATOR POPULATION	All contacts (lifestyle intervention [LSI] and community-based referrals) among WISEWOMAN participants.						
	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (er NBCCEDP); has received all the following screenings from the WISEWOMAN Program: h weight, first blood pressure diastolic measurement, and first blood pressure systolic meas and has responded to at least one health history question. (For items 5a-8b, there must b one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answ recorded.')						
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.						
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.						
VALUES AND DESCRIPTION	1 Yes	Participant was linked to community-based physical activity resources					
	2 No	Participant was not linked to community-based physical activity resources					
	7 Unknown	It is unknown whether the participant was linked to community-based physical activity resources					
	The validation tool will flag this value as an error						
ANALYSIS AND USE	To determine the number of participants linked to community-based physical activity resources						
OTHER	Guidance						
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.						

Deut D. Lifestule Internetion MDE Field Cresting

ITEM 6e: QuitLine	Linked to Proactive Tobacco Quit Line					
	This variable indicates whether the participant was linked to a proactive tobacco quit line.					
FORMAT	Туре:	Numeric	Justification:	Right		
	Length:	1	<b>Beginning Position:</b>	42		
	Leading Zeros:	No	Valid Range:	See values; cannot be blank		
	Other Format:	N/A				
DENOMINATOR POPULATION	All contacts (lifestyle intervention [LSI] and community-based referrals) among WISEWOMAN participants who identify themselves as everyday or someday smokers. A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')					
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.					
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.					
VALUES AND DESCRIPTION	1 Yes		Participant was linked to a proactive quit line			
	2 No		Participant was not linked to a proactive quit line			
	7 Unknown It is unknown whether the participant was linke proactive quit line		the participant was linked to a			
			The validation tool will	flag this value as an error		
ANALYSIS AND USE	To determine the number of participants linked to a proactive quit line					
	To compare the smoking status at rescreening of women who were linked to the Quit Line versus those who were not					
OTHER	Guidance					
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.					

			on MDE Fleid Spe	cincations	
ITEM 6f: TobacLink	Linked to Community-Based Tobacco Resources This variable indicates whether the participant was linked to community-based tobacco resources.				
FORMAT	Туре:	Numeric	Justification:	Right	
	Length:	1	Beginning Position:	43	
	Leading Zeros:	No	Valid Range:	See values; cannot be blank	
	Other Format:	N/A			
DENOMINATOR POPULATION	All contacts (lifestyle intervention [LSI] and community-based referrals) among WISEWOMAN participants who identify themselves as everyday or someday smokers				
	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')				
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.				
	A community-based referral contact is defined as an LSI record for a participant who did not receive an LSI contact but was referred to a community-based resource. A community-based referral record is counted if the following MDE variables in the file have valid values: date of session/community- based referral, contact type, and at least one focus area.				
VALUES AND DESCRIPTION	1 Yes	Participant was linked to community-based tobacco resources			
	2 No	Participant was not linked to community-based tobacco resources			
	7 Unknown	It is unknown whether the participant was linked to community-based tobacco resources			
		The	validation tool will flag this va	lue as an error	
ANALYSIS AND USE	To determine the number of participants linked to community-based tobacco resources				
	To compare the smoking status at rescreening of women who were linked to community-based tobacco cessation resources versus those who were not				
OTHER	Guidance				
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.				

ITEM 6g: TobacCoun	Received Smoking Cessation Counseling During LSI Session					
	This variable indicates whether the participant received smoking cessation counseling as part of the LSI session.					
FORMAT	Туре:	Numeric	Justification:	Right		
	Length:	1	<b>Beginning Position:</b>	44		
	Leading Zeros:	No	Valid Range:	See values; cannot be blank		
	Other Format:	N/A				
DENOMINATOR	All lifestyle intervention (LSI) contacts among WISEWOMAN participants.					
POPULATION	A WISEWOMAN participant is a woman who receives at least one NBCCEDP service (enrolled in NBCCEDP); has received all the following screenings from the WISEWOMAN Program: height, weight, first blood pressure diastolic measurement, and first blood pressure systolic measurement; and has responded to at least one health history question. (For items 5a-8b, there must be at least one response that is not coded as '7 Don't know,' '8 Don't want to answer,' or '9 No answer recorded.')					
	An LSI contact is defined as an LSI record containing, at a minimum, an LSI date, the type of contact completed, the setting of the LSI session, and at least one focus for the LSI session.					
VALUES AND DESCRIPTION	1 Yes	Participant received smoking cessation counseling as part of the LSI session This includes counseling related to secondhand smoke exposure				
	2 No	Participant did not receive smoking cessation counseling as part of the LSI session				
	7 Unknown	It is unknown whether the participant received smoking cessation counseling as part of the LSI session				
		The validation tool will flag this value as an error				
ANALYSIS AND USE	<ul> <li>To determine the number of participants that received smoking cessation counseling as part of ar LSI session</li> <li>To compare the smoking status at rescreening of women who received smoking cessation counseling during an LSI session versus those who did not</li> </ul>					
OTHER	Guidance					
INFORMATION	Codes and response options highlighted in gray should not appear on the data collection forms completed by the provider. They are provided for funded program use only.					
	Both smokers and nonsmokers are included in the denominator. Nonsmokers may receive counseling on secondhand smoke exposure.					
	Smoking cessation counseling during an LSI session may include discussion of strategies to promote smoking cessation for the participant or avoid secondhand smoke exposure.					