GENERAL INSTRUCTIONS FOR COMPLETING THE HIV TEST FORM

- This form is designed to be read by an Optical Character Recognition (OCR) scanner. The legibility of this form depends on the quality of the hand-written and selected information.
- Carefully separate the sheets at the perforations. If the form tears, it may not be readable by the scanner or operator.
- Each part has a top sheet and a bottom carbonless copy. The top copy (white) is the only sheet that should be scanned. The bottom copy (yellow) should **NOT** be scanned; rather it should be used for record keeping purposes.
- **DO NOT** use red ink. Blue or black ink is preferred.
- **DO NOT** fold, staple, wrinkle or tear form(s).
- DO NOT USE WHITE OUT. White out sometimes will cause a mis-read by the scanning software.
- **DO NOT** mark on the bar codes of the Form ID numbers. Marking on the Form ID numbers (barcode) may cause the wrong number to be scanned.
- DO NOT make any stray marks on the form(s), particularly in the fields where answers will appear.
- Part 1 is the only form with a pre-printed code. You must attach a form identification sticker (barcode) located on the back of the carbonless copy (yellow) to Part 2 and/or Part 3 in order to link a client's information.
 - o Part 1 should be used for all testing events
 - o Part 2 should be used to record referral data on **confirmed HIV positive** clients
 - o Part 3 is used by jurisdictions funded to collect HIV Incidence data.

RESPONSE FORMATS

There are three different response formats on the form that you will use to record data: (1) text boxes, (2) check boxes, and (3) radio buttons. Instructions for each one of these formats are listed below.

Text boxes

Text boxes are used to record handwritten information (e.g., codes, dates). When writing letters or numbers in the boxes:

- use all capital letters and write neatly in your best penmanship. **DO NOT** use cursive.
- put only 1 letter or number per box and **DO NOT** have any part of the letter or number touch the edges of the box.

Here are examples of how to write letters and numbers:

LETTERS

A , B , C , D , E , F , G , H , I , J , K , L , M , N , O , P , Q , R , S , T , U , V , W , X , Y , Z

NUMBERS

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9

Check boxes


Check boxes are used to select all options that apply. For example, check boxes are used to record information about "Race."

- use an "X" instead of a check mark because the tail of the check mark might run over into another box.
- keep the "X" within the edges of the box.

Radio buttons

Radio buttons are ovals used to select <u>only one</u> option from among two or more options. For example, radio buttons are used to select "Current Gender." When selecting an option using a radio button:

- fill in the oval completely.
- **DO NOT** mark over area of the oval.





Code 128

000000000


HIV TEST FORM

PART₁



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

| | Session [| Date (MMDDYYYY) Unique | Agency ID Number | Intervention ID | | | | |
|--------------|---|--|---|--|--|--|--|--|
| <u>ن</u> | | | | | | | | |
| gency | | | | | | | | |
| Ag | Site ID | | Site Type | Site Zip Code | | | | |
| \geq | | Client ID | (See codes on reverse) Date of Birth (MMDDYYYY) St | tate County Zip Code | | | | |
| | | SHOIL ID | Date of Birat (MMDB 1111) | Line County 2.p code | | | | |
| | <u> </u> | Inicity Race — Check all that app | /y Current Gender Previous HI | V Test? Self-Reported Result | | | | |
| اج | Hispanio | c or Latino American Ind./AK Native | | Positive Indeterminate | | | | |
| Client | O Not Hisp On't kn | panic or Latino Asian | Female No Transgender – M2F Don | Negative Don't know Prelim. Pos. Declined | | | | |
| ပ | Declined | Black/African American | Transgender – F2M Dec | Slined Not asked | | | | |
| | Г | Native HI/Pac. Islander White | Not | asked Provide date of last test (MMYYYY) | | | | |
| | • | Don't know Decli | ned | | | | | |
| \geq | | | | | | | | |
| | Sample Date (MMDDYYYY) | | | | | | | |
| | Worker ID | | | | | | | |
| | Worker 15 | | | | | | | |
| | Test Election | Tested anonymouslyTested confidentially | Tested anonymouslyTested confidentially | Tested anonymously Tested confidentially | | | | |
| | | Declined testing | Declined testing | Declined testing | | | | |
| | Test | Conventional HIV TEST 1 | Conventional | Conventional Rapid HIV TEST 3 | | | | |
| | Technology | Rapid HIV IES I 1 | Rapid HIV TEST 2 Other | Rapid HIV IES I 3 Other | | | | |
| S. | | Blood: finger stick | Blood: finger stick | Blood: finger stick | | | | |
| ati | Specimen Type | Blood: venipuncture | Blood: venipuncture | Blood: venipuncture | | | | |
| r E | | Blood spotOral mucosal transudate | ─ Blood spot─ Oral mucosal transudate | Blood spot Oral mucosal transudate | | | | |
| nformation | | Urine | Urine | Urine | | | | |
| _ | Test Result | Positive/Reactive Indeterminate | Positive/Reactive Indeterminate | Positive/Reactive Indeterminate | | | | |
| Test | | NAAT-pos Invalid Negative No result | NAAT-posNegativeNo result | NAAT-pos Invalid Negative No result | | | | |
| ≥¦ | Result | Negative | Negative | | | | | |
| エ | Provided | ◯ Yes ◯ No | ◯ Yes ◯ No | Yes No | | | | |
| | Date Provided (MMDDYYYY) | | | | | | | |
| | If results not | Declined notification | Declined notification | Declined notification | | | | |
| | provided, why? | Did not return/Could not locateObtained results from another agency | Did not return/Could not locateObtained results from another agency | Did not return/Could not locate Obtained results from another agency | | | | |
| | If rapid | ◯ Yes | ◯ Yes | Yes | | | | |
| | reactive, did | Client declined confirmatory test Did not return/Could not locate | Client declined confirmatory test | Client declined confirmatory test Did not return/Could not locate | | | | |
| | confirmatory | Referred to another agency | Did not return/Could not locate Referred to another agency | Referred to another agency | | | | |
| | sample? | Other | Other | Other | | | | |
| S | Choose one if: Client was not asked about risk factors Client was asked, but no risk was identified Client declined to discuss risk factors | | | | | | | |
| Risk Factors | If client risk factor information was discussed, please mark all that apply: | | | | | | | |
| -ac | In past 12 months has client had:without using a condom? Injection Drug Use (IDU) Other Risk Factor(s) We size for Appl Say Oral Say with person who is an IDU? Has client used injection drugs in | | | | | | | |
| X | | past 12 months? | | | | | | |
| Ris | With Male | | Did client chare dr | <u> </u> | | | | |
| | With Female | with person who is HIV | positive? End client share di equipment? | (see codes on reverse) | | | | |
| | | Session Activity | Local Use F | Fields CDC Use Fields | | | | |
| | During this visit, was a risk reduction plan developed Yes No | | | | | | | |
| | | Other Session Activities (see codes on reverse | with person who is MSM? Only)with person who is HIV positive? Did client share drug injection equipment? Local Use Fields Total Plan developed Yes No vities (see codes on reverse) | | | | | |
| | | | | | | | | |





Code 128

000000000

HIV TEST FORM

PART₁



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

| Session | Date (MMDDYYYY) Unique | Agency ID Number | Intervention ID | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | |
| Site ID | | Cito Turo | Sita Zin Coda | | | | | | | |
| | | Site Type (See codes on reverse) | Site Zip Code | | | | | | | |
| | Client ID | Date of Birth (MMDDYYYY) St | ate County Zip Code | | | | | | | |
| 1 1 | | | | | | | | | | |
| | hnicity Race — Check all that app | | | | | | | | | |
| | Black/African American Native HI/Pac. Islander | Male Yes Female No Transgender – M2F Transgender – F2M Not | lined Not asked | | | | | | | |
| Sample Date (MMDDYYYY) | | | | | | | | | | |
| Worker ID | | | | | | | | | | |
| Test Election | Tested anonymously Tested confidentially Declined testing | Tested anonymously Tested confidentially Declined testing | Tested anonymously Tested confidentially Declined testing | | | | | | | |
| Test Technology | Conventional Rapid HIV TEST 1 Other | Conventional Rapid HIV TEST 2 Other | Conventional Rapid Other Conventional HIV TEST 3 | | | | | | | |
| Specimen Type | Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine | Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine | Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine | | | | | | | |
| Test Result | Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result | Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result | Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result | | | | | | | |
| Result Provided | ◯ Yes ◯ No | ◯ Yes ◯ No | ◯ Yes ◯ No | | | | | | | |
| Date Provided (MMDDYYYY) | | | | | | | | | | |
| If results not provided, why? | Declined notification Did not return/Could not locate Obtained results from another agency | Declined notificationDid not return/Could not locateObtained results from another agency | Declined notification Did not return/Could not locate Obtained results from another agency | | | | | | | |
| If rapid reactive, did client provide confirmatory sample? | Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other | Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other | Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other | | | | | | | |
| Choose one | if: Client was not asked about risk factors | Client was asked, but no risk was identifi | ied Client declined to discuss risk factors | | | | | | | |
| <u>0</u> | If client risk factor information | on was discussed, please mark all that apply: | | | | | | | | |
| Vagina With Male | months has client had:without using a cwith person whowith person who is M | is an IDU? Has client used injection past 12 months? SM? (Female Only) Did client share de | i marked | | | | | | | |
| with a chiale | equipment? | | | | | | | | | |
| During this visit for the client? | Session Activity , was a risk reduction plan developed Other Session Activities (see codes on reverse | L1 , , , , , | CDC Use Fields | | | | | | | |
| | | | | | | | | | | |

| | Cheft Identify | ing Data (Optional | , | | | |
|-------------------------------------|--|--------------------|--|---|--|--|
| Name: _ | | | | | | |
| Address:_ | | | | | | |
| Phone: _ | Other: | | | | | |
| odes for S | Site Type | F02.99 | Outpatient Facility- Ur | denoven | | |
| 01 | Inpatient Facility | F03 | Emergency Room | | | |
| 01.01 01.50 | Inpatient Hospital Inpatient- Drug / Alcohol Treatment | F04.01 F04.05 | Blood Bank, Plasma C HIV Counseling and T | | | |
| 01.88 | In patient Facility- Other | F06 | Community Setting | esting Site | | |
| 01.99 | Inpatient Facility- Unknown | F06.01 | Community Setting – A | AIDS Service Organization - non clin | | |
| 02 | Outpatient facility | F06.02 | , . | School/Education Facility | | |
| 02.03 02.04 | Outpatient- Private Medical Practice Outpatient- HIV Specialty Clinic | F06.03 F06.04 | | Church/Mosque/Synagogue/Temple Shelter/Transitional housing | | |
| 02.04 | Outpatient- Prenatal/ OBGYN Clinic | F06.05 | Community Setting – Commun | | | |
| 02.12 | Outpatient- TB Clinic | F06.06 | Community Setting – I | | | |
| 02.19 | Outpatient- Drug / Alcohol Treatment Clinic | F06.07 | | Bar/Club/Adult Entertainment | | |
| 02.20 | Outpatient- Family Planning Outpatient- Community Mental Health | F06.08 F06.09 | Community Setting – I Community Setting – V | | | |
| 02.50 | Outpatient- Community Health Clinic | F06.12 | Individual Residence | Workplace | | |
| 02.58 | Outpatient- School/University Clinic | F06.10 | Community Setting – C | Community Center | | |
| 02.60 | Outpatient- Health Department/Public Health Clinic | F06.88 | Community Setting – C | Other | | |
| 02.61 | Outpatient- Health Department/Public Health Clinic-HIV Outpatient- Health Department/Public Health Clinic-STD | F07 F88 | Correctional Facility Facility – Other | | | |
| 02.88 | Outpatient Facility- Other | 1.00 | racinty – Other | | | |
| | Other Risk factor(s) | | | | | |
| 1 | Exchange sex for drugs/money/or something they need | | | | | |
| 2 | While intoxicated and/or high on drugs | | | | | |
| 5 16 | With person of unknown HIV status With person who exchanges sex for drugs/money | | | | | |
| 8 | With anonymous partner | | | | | |
| 9 | With person who has hemophilia or transfusion/transplant recipient | | | | | |
| 1 | Sex with transgender | | | | | |
| | Other Session Activities | | | | | |
| 1.00 3.00 | Not Collected HIV Testing | 10.07 | Practice – Partner notific | ation | | |
| 4.00 | Referral | 10.88 | Practice – Other | ation | | |
| 5.00 | Personalized Risk assessment | 11.01 | Discussion - Sexual risk | | | |
| 6.00 | Elicit Partners | 11.02 | Discussion – IDU risk re | | | |
| 7.00 8.01 | Notification of exposure Information – HIV/AIDS transmission | 11.03 11.04 | Discussion – HIV testing Discussion – Other sexua | | | |
| 8.02 | Information-Abstinence/postpone sexual activity | 11.05 | Discussion – Other sexual Discussion – Disclosure | | | |
| 8.03 | Information-Other sexually transmitted diseases | 11.06 | Discussion - Partner not | ification | | |
| 8.04 | Information-Viral hepatitis | 11.07 | Discussion – HIV medic | | | |
| 8.05 8.06 | Information – Availability of HIV/STD counseling and testing Information-Availability of partner notification and referral | 11.08 11.09 | Discussion – Abstinence Discussion – IDU risk fr | | | |
| 0.00 | services | 11.10 | Discussion – HIV/AIDS | | | |
| 8.07 | Information – Living with HIV/AIDS | 11.11 | Discussion - Viral hepat | itis | | |
| 8.08 | Information – Availability of social services | 11.12 | Discussion – Living with | | | |
| 8.09 8.10 | Information – Availability of medical services Information – Sexual risk reduction | 11.13 11.14 | | of HIV/AIDS counseling testing of partner notification and referral | | |
| 8.11 | Information – JCX dai risk reduction | 11.17 | services | of partier notification and referrar | | |
| 8.12 | Information – IDU risk free behavior | 11.15 | Discussion - Availability | of social services | | |
| 8.13 | Information – Condom/barrier use | 11.16 | Discussion – Availability | | | |
| 8.14 8.15 | Information – Negotiation / Communication Information – Decision making | 11.17 11.18 | Discussion – Condom/ba Discussion – Negotiation | | | |
| 8.16 | Information – Decision making Information – Disclosure of HIV status | 11.19 | Discussion – Negotiation Discussion – Decision m | | | |
| 8.17 | Information – Providing prevention services | 11.20 | Discussion – Providing p | | | |
| 8.18 | Information – HIV testing | 11.21 | Discussion - Alcohol and | | | |
| 8.19 8.20 | Information – Partner notification Information – HIV medication therapy adherence | 11.22 11.23 | Discussion – Sexual heal Discussion – TB testing | th | | |
| 8.21 | Information – Alcohol and drug use prevention | 11.23 | Discussion – 1B testing Discussion – Stage Base | d Encounter | | |
| 8.22 | Information – Sexual health | 11.88 | Discussion – Other | | | |
| 8.23 | Information – TB testing | 12.01 | Other testing - Pregnanc | y | | |
| 8.66 | Information – Other | 12.02 | Other testing – STD | _atat_ | | |
| 9.01 9.02 | Demonstration – Condom/barrier use Demonstration – IDU risk reduction | 12.03 12.04 | Other testing – Viral hep Other testing – TB | auus | | |
| 9.03 | Demonstration – Negotiation / Communication | 13.01 | Distribution – Male cond | loms | | |
| 9.04 | Demonstration - Decision making | 13.02 | Distribution - Female co | ndoms | | |
| 9.05 | Demonstration – Disclosure of HIV status | 13.03 | Distribution – Safe sex k | | | |
| 9.06 9.07 | Demonstration – Providing prevention services Demonstration – Partner notification | 13.04 13.05 | Distribution – Safer inject Distribution – Lubricants | | | |
| 9.88 | Demonstration – Other | 13.06 | Distribution – Education | | | |
| 0.01 | Practice - Condom/barrier use | 13.07 | Distribution - Referral li | sts | | |
| 10.02 Practice – IDU risk reduction | | 13.08 | | | | |
| 0.03 0.04 | Practice – Negotiation / Communication Practice – Decision making | 13.09 13.88 | Distribution – Dental DA Distribution – Other | VINIZ | | |
| 0.04 | Practice – Decision making Practice – Disclosure of HIV status | 14.01 | Post-intervention follow | up | | |
| 0.06 | Practice – Providing prevention services | 14.02 | Post-intervention booster | session | | |
| | | 15.00 | HIV Testing History Sur | vey | | |
| | | 89 | Other | | | |
| | The state of the s | | | | | |
| 0- | odo 100 | | 20do 100 | Code 100 | | |
| Cc | ode 128 Code 128 | С | ode 128 | Code 128 | | |

Code 128

0000000000

Code 128

000000000

Code 128

000000000

Code 128

000000000