

**A
D
D
E
N
D
A**

**National Electronic Data Interchange
Transaction Set Implementation Guide**

**Health Care Claim:
Institutional**

837

ASC X12N 837 (004010X096A1)

October 2002

\$45.00 - Bound Document

\$35.00 - Portable Document (PDF) on Diskette

Portable Documents may be downloaded at no charge.

Contact **Washington Publishing Company** for more Information.

1.800.972.4334

www.wpc-edi.com

© 2002 WPC

Copyright for the members of ASC X12N by Washington Publishing Company.

Permission is hereby granted to any organization to copy and distribute this material internally as long as this copyright statement is included, the contents are not changed, and the copies are not sold.

Table of Contents

Introduction..... 5
Modified pages..... 7

1 Introduction to Modified Pages

This document is addenda to the X12N Health Care Claim: Institutional Implementation Guide, originally published May 2000 as 004010X096. As a result of the post publication review process, items were identified that could be considered impediments to implementation. These items were passed to the X12N Health Care Work Group that created the original Implementation Guide for their review.

Modifications based on those comments were reflected in a draft version of the Addenda to the X12N 004010X096 Implementation Guide. Since the X12N 004010X096 Implementation Guide is named for use under the Health Insurance Portability and Accountability Act of 1996 (HIPAA), an NPRM Draft Addenda went through a Notice of Proposed Rule Making (NPRM) comment process that began on May 31, 2002. The Addenda reflects changes based on comments received during the NPRM process and X12N's own review processes. Only the modifications noted in the NPRM Draft Addenda were considered in the NPRM and X12N review processes. The Addenda was approved for publication by X12N on October 10, 2002. When using the X12N Health Care Claim: Institutional Implementation Guide, originally published May 2000 as 004010X096 and incorporating the changes identified in the Addenda, the value used in GS08 must be "004010X096A1".

Each of the changes made to the 004010X096 Implementation Guide has been annotated with a note in red and a line pointing to the location of the change. In the event that a segment or loop has been deleted, the deletion will be identified in the Implementation table beginning on Page 7. For convenience, the affected 004010X096 Implementation Guide page number is noted at the bottom of the page. Please note that as a result of insertion or deletion of material Addenda pages may not begin or end at the same place as the original referenced page. Because of this, Addenda pages are not page for page replacements and the original pages should be retained.

Changes in the Addenda may have caused changes to the Data Element Dictionary and the Data Element Name Index (Appendix E in the original Implementation Guide), but these changes are not identified in the Addenda. Changes in the Addenda may also have caused changes to the Examples and the EDI Transmission Examples (Section 4 in the original Implementation Guide), again these are not identified in the Addenda.

IMPLEMENTATION

837 Health Care Claim: Institutional

Table 1 - Header

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
56	005	ST	Transaction Set Header	R	1	
57	010	BHT	Beginning of Hierarchical Transaction	R	1	
60	015	REF	Transmission Type Identification	R	1	
LOOP ID - 1000A SUBMITTER NAME						1
61	020	NM1	Submitter Name	R	1	
64	045	PER	Submitter EDI Contact Information	R	2	
LOOP ID - 1000B RECEIVER NAME						1
67	020	NM1	Receiver Name	R	1	

Table 2 - Billing/Pay-To Provider Detail

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
LOOP ID - 2000A BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL						>1
69	001	HL	Billing/Pay-To Provider Hierarchical Level	R	1	
71	003	PRV	Billing/Pay-To Provider Specialty Information	S	1	
73	010	CUR	Foreign Currency Information	S	1	
LOOP ID - 2010AA BILLING PROVIDER NAME						1
76	015	NM1	Billing Provider Name	R	1	
79	025	N3	Billing Provider Address	R	1	
80	030	N4	Billing Provider City/State/ZIP Code	R	1	
82	035	REF	Billing Provider Secondary Identification	S	8	
85	035	REF	Credit/Debit Card Billing Information	S	8	
87	040	PER	Billing Provider Contact Information	S	2	
LOOP ID - 2010AB PAY-TO PROVIDER NAME						1
91	015	NM1	Pay-To Provider Name	S	1	
94	025	N3	Pay-To Provider Address	R	1	
95	030	N4	Pay-To Provider City/State/ZIP Code	R	1	
97	035	REF	Pay-To Provider Secondary Identification	S	5	

Table 2 - Subscriber Detail

PAGE #	POS. #	SEG. ID	NAME	USAGE	REPEAT	LOOP REPEAT
LOOP ID - 2000B SUBSCRIBER HIERARCHICAL LEVEL						>1
99	001	HL	Subscriber Hierarchical Level	R	1	
101	005	SBR	Subscriber Information	R	1	
LOOP ID - 2010BA SUBSCRIBER NAME						1
106	015	NM1	Subscriber Name	R	1	
109	025	N3	Subscriber Address	S	1	

182	180	REF	Claim Identification Number For Clearinghouses and Other Transmission Intermediaries	S	1	Repeat Changed
184	180	REF	Document Identification Code	S	2	
185	180	REF	Original Reference Number (ICN/DCN)	S	1	
188	180	REF	Investigational Device Exemption Number	S	1	
190	180	REF	Service Authorization Exception Code	S	1	
192	180	REF	Peer Review Organization (PRO) Approval Number	S	1	
193	180	REF	Prior Authorization or Referral Number	S	2	
195	180	REF	Medical Record Number	S	1	
197	180	REF	Demonstration Project Identifier	S	1	
199	185	K3	File Information	S	10	
200	190	NTE	Claim Note	S	10	
203	190	NTE	Billing Note	S	1	
205	216	CR6	Home Health Care Information	S	1	
213	220	CRC	Home Health Functional Limitations	S	3	
220	220	CRC	Home Health Activities Permitted	S	3	
228	220	CRC	Home Health Mental Status	S	2	
234	231	HI	Principal, Admitting, E-Code and Patient Reason For Visit Diagnosis Information	S	1	Usage Changed
237	231	HI	Diagnosis Related Group (DRG) Information	S	1	
239	231	HI	Other Diagnosis Information	S	2	
248	231	HI	Principal Procedure Information	S	1	
250	231	HI	Other Procedure Information	S	2	
263	231	HI	Occurrence Span Information	S	2	
274	231	HI	Occurrence Information	S	2	
286	231	HI	Value Information	S	2	
295	231	HI	Condition Information	S	2	
304	231	HI	Treatment Code Information	S	2	
311	240	QTY	Claim Quantity	S	4	
313	241	HCP	Claim Pricing/Repricing Information	S	1	
LOOP ID - 2305 HOME HEALTH CARE PLAN INFORMATION					6	
319	242	CR7	Home Health Care Plan Information	S	1	
321	243	HSD	Health Care Services Delivery	S	12	
LOOP ID - 2310A ATTENDING PHYSICIAN NAME					1	
326	250	NM1	Attending Physician Name	S	1	Usage Changed
329	255	PRV	Attending Physician Specialty Information	S	1	Changed
331	271	REF	Attending Physician Secondary Identification	S	5	
LOOP ID - 2310B OPERATING PHYSICIAN NAME					1	
333	250	NM1	Operating Physician Name	S	1	
338	271	REF	Operating Physician Secondary Identification	S	5	
LOOP ID - 2310C OTHER PROVIDER NAME					1	
340	250	NM1	Other Provider Name	S	1	
345	271	REF	Other Provider Secondary Identification	S	5	
LOOP ID - 2310E SERVICE FACILITY NAME					1	Loop 2310D Deleted
347	250	NM1	Service Facility Name	S	1	
352	265	N3	Service Facility Address	R	1	
353	270	N4	Service Facility City/State/Zip Code	R	1	
355	271	REF	Service Facility Secondary Identification	S	5	
LOOP ID - 2320 OTHER SUBSCRIBER INFORMATION					10	
357	290	SBR	Other Subscriber Information	S	1	
363	295	CAS	Claim Level Adjustment	S	5	
369	300	AMT	Payer Prior Payment	S	1	
370	300	AMT	Coordination of Benefits (COB) Total Allowed Amount	S	1	
371	300	AMT	Coordination of Benefits (COB) Total Submitted Charges	S	1	

PRV Segments deleted

372	300	AMT	Diagnostic Related Group (DRG) Outlier Amount	S	1
374	300	AMT	Coordination of Benefits (COB) Total Medicare Paid Amount	S	1
376	300	AMT	Medicare Paid Amount - 100%	S	1
378	300	AMT	Medicare Paid Amount - 80%	S	1
380	300	AMT	Coordination of Benefits (COB) Medicare A Trust Fund Paid Amount	S	1
382	300	AMT	Coordination of Benefits (COB) Medicare B Trust Fund Paid Amount	S	1
384	300	AMT	Coordination of Benefits (COB) Total Non-covered Amount	S	1
385	300	AMT	Coordination of Benefits (COB) Total Denied Amount	S	1
386	305	DMG	Other Subscriber Demographic Information	S	1
388	310	OI	Other Insurance Coverage Information	R	1
390	315	MIA	Medicare Inpatient Adjudication Information	S	1
395	320	MOA	Medicare Outpatient Adjudication Information	S	1
LOOP ID - 2330A OTHER SUBSCRIBER NAME					1
398	325	NM1	Other Subscriber Name	R	1
402	332	N3	Other Subscriber Address	S	1
404	340	N4	Other Subscriber City/State/ZIP Code	S	1
406	355	REF	Other Subscriber Secondary Information	S	3
LOOP ID - 2330B OTHER PAYER NAME					1
408	325	NM1	Other Payer Name	R	1
410	332	N3	Other Payer Address	S	1
411	340	N4	Other Payer City/State/ZIP Code	S	1
413	350	DTP	Claim Adjudication Date	S	1
414	355	REF	Other Payer Secondary Identification and Reference Number	S	2
416	355	REF	Other Payer Prior Authorization or Referral Number	S	1
LOOP ID - 2330C OTHER PAYER PATIENT INFORMATION					1
418	325	NM1	Other Payer Patient Information	S	1
420	355	REF	Other Payer Patient Identification Number	S	3
LOOP ID - 2330D OTHER PAYER ATTENDING PROVIDER					1
422	325	NM1	Other Payer Attending Provider	S	1
424	355	REF	Other Payer Attending Provider Identification	R	3
LOOP ID - 2330E OTHER PAYER OPERATING PROVIDER					1
426	325	NM1	Other Payer Operating Provider	S	1
428	355	REF	Other Payer Operating Provider Identification	R	3
LOOP ID - 2330F OTHER PAYER OTHER PROVIDER					1
430	325	NM1	Other Payer Other Provider	S	1
432	355	REF	Other Payer Other Provider Identification	R	3
LOOP ID - 2330H OTHER PAYER SERVICE FACILITY PROVIDER					1
434	325	NM1	Other Payer Service Facility Provider	S	1
436	355	REF	Other Payer Service Facility Provider Identification	R	3
LOOP ID - 2400 SERVICE LINE NUMBER					999
438	365	LX	Service Line Number	R	1
439	375	SV2	Institutional Service Line	R	1
444	420	PWK	Line Supplemental Information	S	5
448	455	DTP	Service Line Date	S	1
450	455	DTP	Assessment Date	S	1
452	475	AMT	Service Tax Amount	S	1
453	475	AMT	Facility Tax Amount	S	1

Loop 2330G Deleted

SV4 Segment Deleted

454	492	HCP	Line Pricing/Repricing Information	S	1	
LOOP ID - 2410 DRUG IDENTIFICATION						25
459	494	LIN	Drug Identification	S	1	New 2410 Loop Added
462	495	CTP	Drug Pricing	S	1	
465	496	REF	Prescription Number	S	1	
LOOP ID - 2420A ATTENDING PHYSICIAN NAME						1
467	500	NM1	Attending Physician Name	S	1	
472	525	REF	Attending Physician Secondary Identification	S	1	
LOOP ID - 2420B OPERATING PHYSICIAN NAME						1
474	500	NM1	Operating Physician Name	S	1	
479	525	REF	Operating Physician Secondary Identification	S	1	
LOOP ID - 2420C OTHER PROVIDER NAME						1
481	500	NM1	Other Provider Name	S	1	
486	525	REF	Other Provider Secondary Identification	S	1	
LOOP ID - 2430 SERVICE LINE ADJUDICATION INFORMATION						25
488	540	SVD	Service Line Adjudication Information	S	1	Loop 2420D Deleted
492	545	CAS	Service Line Adjustment	S	99	
500	550	DTP	Service Adjudication Date	S	1	
501	555	SE	Transaction Set Trailer	R	1	

PRV
Segments
deleted

IMPLEMENTATION

TRANSMISSION TYPE IDENTIFICATION

Usage: REQUIRED

Repeat: 1

Example: REF*87*004010X096A1~ ——— Example Changed

STANDARD

REF Reference Identification

Level: Header

Position: 015

Loop: _____

Requirement: Optional


Max Use: 3

Purpose: To specify identifying information

Syntax: 1. R0203

At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			87	Functional Category
REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Transmission Type Code</i> SYNTAX: R0203	X AN 1/30
			<p>Note Changed → When piloting the transaction set, this value is 004010X096DA1. When sending the transaction set in a production mode, this value is 004010X096A1.</p>	
NOT USED	REF03	352	Description	X AN 1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O

IMPLEMENTATION

BILLING/PAY-TO PROVIDER SPECIALTY INFORMATION

Loop: 2000A — BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Required when adjudication is known to be impacted by the provider taxonomy code, and the Service Facility Provider is the same entity as the Billing and/or Pay-to Provider. In these cases, the Rendering Provider is being identified at this level for all subsequent claims/encounters in this HL and Loop ID-2310E is not used.

Note 1. Changed

2. PRV02 qualifies PRV03.

Example: PRV*BI*ZZ*203BA0200N~

STANDARD

PRV Provider Information

Level: Detail

Position: 003


Loop: 2000

Requirement: Optional

Max Use: 1

Purpose: To specify the identifying characteristics of a provider

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PRV01	1221	Provider Code Code identifying the type of provider	M ID 1/3
			CODE	DEFINITION
			BI	Billing
			PT	Pay-To

IMPLEMENTATION

PROPERTY AND CASUALTY CLAIM NUMBER

Loop: 2010BA — SUBSCRIBER NAME

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This is a property and casualty payer-assigned claim number. It is required on property and casualty claims. Providers receive this number from the property and casualty payer during eligibility determinations or some other communication with that payer. See Section 4.2, Property and Casualty, for additional information about property and casualty claims.
 2. In the case where the patient is the same person as the subscriber, the property and casualty claim number is placed in Loop ID-2010BA. In the case where the patient is a different person than the subscriber, this number is placed in Loop ID-2010CA. This number should be transmitted in only one place.

New Note 3. Added — 3. Not required for HIPAA (The statutory definition of a health plan does not specifically include workers' compensation programs, property and casualty programs, or disability insurance programs, and, consequently, we are not requiring them to comply with the standards.) but may be required for other uses.

Example: REF*Y4*4445555~

STANDARD

REF Reference Identification

Level: Detail

Position: 035

Loop: 2010

Requirement: Optional


Max Use: 20

Purpose: To specify identifying information

Syntax: 1. R0203

At least one of REF02 or REF03 is required.

DIAGRAM



NOT USED	PAT05	1250	Date Time Period Format Qualifier	X	ID	2/3
NOT USED	PAT06	1251	Date Time Period	X	AN	1/35
NOT USED	PAT07	355	Unit or Basis for Measurement Code	X	ID	2/2
NOT USED	PAT08	81	Weight	X	R	1/10
NOT USED	PAT09	1073	Yes/No Condition or Response Code	O	ID	1/1

Usage Changed

IMPLEMENTATION

PROPERTY AND CASUALTY CLAIM NUMBER

Loop: 2010CA — PATIENT NAME

Usage: SITUATIONAL

Repeat: 1

- Notes:**
1. This is a property and casualty payer-assigned claim number. It is required on property and casualty claims. Providers receive this number from the property and casualty payer during eligibility determinations or some other communication with that payer. See Section 4.2, Property and Casualty, for additional information about property and casualty claims.
 2. In the case where the patient is the same person as the subscriber, the property and casualty claim number is placed in Loop ID-2010BA. In the case where the patient is a different person than the subscriber, this number is placed in Loop ID-2010CA. This number should be transmitted in only one place.

New Note 3. Added — 3. Not required for HIPAA (The statutory definition of a health plan does not specifically include workers' compensation programs, property and casualty programs, or disability insurance programs, and, consequently, we are not requiring them to comply with the standards.) but may be required for other uses.

Example: REF*Y4*4445555~

STANDARD

REF Reference Identification

Level: Detail

Position: 035

Loop: 2010


Requirement: Optional

Max Use: 20

Purpose: To specify identifying information

Syntax: 1. R0203
At least one of REF02 or REF03 is required.

DIAGRAM



REQUIRED CLM09 1363 **Release of Information Code** O ID 1/1
Code indicating whether the provider has on file a signed statement by the patient authorizing the release of medical data to other organizations

UB-92 Reference [UB-92 Name]:

52 (A-C) [Release of Information Certification Indicator]

EMC v.6.0 Reference:

Record Type 30 Field No. 16 (Sequence 01-03)

CODE	DEFINITION
A	Appropriate Release of Information on File at Health Care Service Provider or at Utilization Review Organization
I	Informed Consent to Release Medical Information for Conditions or Diagnoses Regulated by Federal Statutes
M	The Provider has Limited or Restricted Ability to Release Data Related to a Claim UB-92 Reference [UB-92 Name]: 52 Code R [Restricted or Modified Release] EMC v.6.0 Reference: Record Type 30 Field No. 16 Code R
N	No, Provider is Not Allowed to Release Data UB-92 Reference [UB-92 Name]: 52 Code N [No Release]
O	On file at Payor or at Plan Sponsor
Y	Yes, Provider has a Signed Statement Permitting Release of Medical Billing Data Related to a Claim UB-92 Reference [UB-92 Name]: 52 Code Y [Yes]

Usage Changed

NOT USED	CLM10	1351	Patient Signature Source Code	O	ID	1/1
NOT USED	CLM11	C024	RELATED CAUSES INFORMATION	O		
NOT USED	CLM12	1366	Special Program Code	O	ID	2/3
NOT USED	CLM13	1073	Yes/No Condition or Response Code	O	ID	1/1
NOT USED	CLM14	1338	Level of Service Code	O	ID	1/3
NOT USED	CLM15	1073	Yes/No Condition or Response Code	O	ID	1/1
NOT USED	CLM16	1360	Provider Agreement Code	O	ID	1/1
NOT USED	CLM17	1029	Claim Status Code	O	ID	1/2

IMPLEMENTATION

DOCUMENT IDENTIFICATION CODE

Loop: 2300 — CLAIM INFORMATION

Usage: SITUATIONAL

Repeat: 2 — Repeat Count Changed

Notes: 1. Reference numbers at this position apply to the entire claim.

2. This segment is used to convey submittal of HCFA-485 and HCFA-486 data OR HCFA-486 data only.

Example: REF*DD*485~ — Example Changed

STANDARD

REF Reference Identification

Level: Detail

Position: 180

Loop: 2300

Requirement: Optional


Max Use: 30

Purpose: To specify identifying information

Syntax: 1. R0203

At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification	M ID 2/3
			CODE	DEFINITION
			DD	Document Identification Code
REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30
			INDUSTRY: Document Control Identifier	
			SYNTAX: R0203	

New Note Added

Use the form name as shown in the example. If both the 485 and 486 forms are being sent, repeat the segment.

IMPLEMENTATION

HOME HEALTH CARE INFORMATION

Loop: 2300 — CLAIM INFORMATION

Usage: SITUATIONAL

Repeat: 1

Notes: 1. This segment is required for Home Health claims when applicable.

Note 1. Changed

Example: CR6*4*941101*RD8*19941101-
19941231*941015*N*Y*I*****941101****A~

STANDARD

CR6 Home Health Care Certification

Level: Detail

Position: 216

Loop: 2300

Requirement: Optional

Max Use: 1

Purpose: To supply information related to the certification of a home health care patient

Syntax: 1. P0304

If either CR603 or CR604 is present, then the other is required.


2. P091011

If either CR609, CR610 or CR611 are present, then the others are required.

3. P151617

If either CR615, CR616 or CR617 are present, then the others are required.

DIAGRAM



IMPLEMENTATION

PRINCIPAL, ADMITTING, E-CODE AND PATIENT REASON FOR VISIT DIAGNOSIS INFORMATION

Loop: 2300 — CLAIM INFORMATION

Usage: SITUATIONAL — Usage Changed

Repeat: 1

- Notes:
- Note 1. Changed → 1. Required on all claims and encounters except claims for Religious Non-medical claims (Bill Types 4XX and 5XX) and hospital other (Bill Types 14X).
 - 2. The Admitting Diagnosis is required on all inpatient admission claims and encounters.
 - 3. An E-Code diagnosis is required whenever a diagnosis is needed to describe an injury, poisoning or adverse effect.
 - 4. The Patient Reason for Visit Diagnosis is required for all unscheduled outpatient visits.

Example: HI*BK:9976~

STANDARD

HI Health Care Information Codes

Level: Detail

Position: 231


Loop: 2300

Requirement: Optional

Max Use: 25

Purpose: To supply information related to the delivery of health care

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	HI01	C022	HEALTH CARE CODE INFORMATION	M To send health care codes and their associated dates, amounts and quantities

IMPLEMENTATION

ATTENDING PHYSICIAN NAME

Loop: 2310A — ATTENDING PHYSICIAN NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Note 1. Changed — Information in Loop ID-2310 applies to the entire claim unless it is overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

2. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

3. Required on all inpatient claims or encounters.

4. Required to indicate the Primary Physician responsible on a Home Health Agency Plan of Treatment.

Example: NM1*71*1*JONES*JOHN*****XX*12345678~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 250

Loop: 2310 Repeat: 9

Requirement: Optional

Max Use: 1


Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2310 contains information about the rendering, referring, or attending provider.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



IMPLEMENTATION

ATTENDING PHYSICIAN SPECIALTY INFORMATION

Loop: 2310A — ATTENDING PHYSICIAN NAME

Usage: SITUATIONAL — Usage Changed

Repeat: 1

- Notes:
1. The PRV segment in Loop ID-2310 applies to the entire claim unless overridden on the service line level by the presence of a PRV segment with the same value in PRV01.
 2. Use code value AT to report the specialty of the attending physician. Use code value SU when the physician is responsible for the patient's Home Health Plan of Treatment.
 3. PRV02 qualifies PRV03.

New Note 4. Added — 4. Required when the billing provider is a billing service and taxonomy is know to impact the adjudication of the claim.

Example: PRV*AT*ZZ*363LP0200N~

STANDARD

PRV Provider Information

Level: Detail

Position: 255


Loop: 2310

Requirement: Optional

Max Use: 1

Purpose: To specify the identifying characteristics of a provider

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	PRV01	1221	Provider Code Code identifying the type of provider	M ID 1/3
			CODE	DEFINITION
			AT	Attending
			SU	Supervising

IMPLEMENTATION

OPERATING PHYSICIAN NAME

Loop: 2310B — OPERATING PHYSICIAN NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Note 1. Changed — Information in Loop ID-2310 applies to the entire claim unless it is overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

2. This segment is required when any surgical procedure code is listed on this claim.

3. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

Example: NM1*72*1*MEYERS*JANE***XX*12345678~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 250

Loop: 2310 Repeat: 9

Requirement: Optional

Max Use: 1


Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2310 contains information about the rendering, referring, or attending provider.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



IMPLEMENTATION

OTHER PROVIDER NAME

Loop: 2310C — OTHER PROVIDER NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Note 1. Changed ——— Information in Loop ID-2310 applies to the entire claim unless it is overridden on a service line by the presence of Loop ID-2420 with the same value in NM101.

2. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

Note 3. Replaced ——— 3. Required when the claim/encounter involves an other provider such as, but not limited to: Referring Provider, Ordering Provider, Assisting Provider, etc.

Note 4. Deleted ———

Example: NM1*73*1*DOE*JOHN*A***34*201749586~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 250

Loop: 2310 Repeat: 9

Requirement: Optional

Max Use: 1


Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2310 contains information about the rendering, referring, or attending provider.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	SV201	234	Product/Service ID Identifying number for a product or service <i>INDUSTRY: Service Line Revenue Code</i> SYNTAX: R0102 SEMANTIC: SV201 is the revenue code. UB-92 Reference [UB-92 Name]: 42 [Revenue Code] EMC v.6.0 Reference: Record Type 50 Field No. 4, 11, 12, 13 Record Type 60 Field No. 4, 13, 14 Record Type 61 Field No. 4, 14, 15 See Code Source 132: National Uniform Billing Committee (NUBC) Codes.	X AN 1/48				
SITUATIONAL	SV202	C003	COMPOSITE MEDICAL PROCEDURE IDENTIFIER To identify a medical procedure by its standardized codes and applicable modifiers <i>ALIAS: Service Line Procedure Code</i> UB-92 Reference [UB-92 Name]: 44 (HCPCS) [HCPCS/Rates/HIPPS Rate Codes] This data element required for outpatient claims when an appropriate HCPCS exists for the service line item.	X				
REQUIRED	SV202 - 1	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) <i>INDUSTRY: Product or Service ID Qualifier</i> The NDC number is used for reporting prescribed drugs and biologics when required by government regulation, or as deemed by the provider to enhance claim reporting/adjudication processes. The NDC number is reported in the LIN segment of Loop ID-2410.	M ID 2/2				
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>HC</td> <td> Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes Because the AMA's CPT codes are also level 1 HCPCS codes, they are reported under HC. CODE SOURCE 130: Health Care Financing Administration Common Procedural Coding System </td> </tr> </tbody> </table>	CODE	DEFINITION	HC	Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes Because the AMA's CPT codes are also level 1 HCPCS codes, they are reported under HC. CODE SOURCE 130: Health Care Financing Administration Common Procedural Coding System	
CODE	DEFINITION							
HC	Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes Because the AMA's CPT codes are also level 1 HCPCS codes, they are reported under HC. CODE SOURCE 130: Health Care Financing Administration Common Procedural Coding System							

New Note Added

Note Deleted

New Note Added

Codes N1, N2, N3 and N4 Deleted

New Note Added

IV Home Infusion EDI Coalition (HIEC) Product/Service Code
 This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used: 1) If a new rule names HIEC as an allowable code set under HIPAA. 2) For Property & Casualty claims/encounters that are not covered under HIPAA.
 CODE SOURCE 513: Home Infusion EDI Coalition (HIEC) Product/Service Code List

ZZ Mutually Defined
 Use code ZZ to convey the Health Insurance Prospective Payment System (HIPPS) Skilled Nursing Facility Rate Code. This code list is available from:
 Division of Institutional Care
 Health Care Financing Administration
 S1-03-06
 7500 Security Boulevard
 Baltimore, MD 21244-1850

REQUIRED SV202 - 2

234 Product/Service ID M AN 1/48
 Identifying number for a product or service

INDUSTRY: Procedure Code

ALIAS: HCPCS Procedure Code

UB-92 Reference [UB-92 Name]:

44 (HCPCS) [HCPCS/Rates/HIPPS Rate Codes]

EMC v.6.0 Reference:

Record Type 60 Field No. 5, 13, 14

Record Type 61 Field No. 5, 14, 15

SITUATIONAL SV202 - 3

1339 Procedure Modifier O AN 2/2
 This identifies special circumstances related to the performance of the service, as defined by trading partners

ALIAS: HCPCS Modifier 1

UB-92 Reference [UB-92 Name]:

44 (HCPCS) [HCPCS/Rates/HIPPS Rate Codes]

EMC v.6.0 Reference:

Record Type 60 Field No. 9, 13, 14

Use this modifier for the first procedure code modifier.

This data element is required when the Provider needs to convey additional clarification for the associated procedure code.

IMPLEMENTATION

SERVICE LINE DATE

Loop: 2400 — SERVICE LINE NUMBER

Usage: SITUATIONAL

Repeat: 1

- Notes:
1. Required on outpatient claims when revenue, procedure, HIEC or drug codes are reported in the SV2 segment.
 2. In cases where a drug is being billed on a service line, the Date of Service DTP may be used to indicate the range of dates through which the drug will be used by the patient. Use RD8 for this purpose.
 3. In cases where a drug is being billed on a service line, the Date of Service DTP is used to indicate the date the prescription was written (or otherwise communicated by the prescriber if not written).

New Note 4. Added — 4. Assessment Date DTP is not used when this segment is present.

Example: DTP*472*D8*19960819~

STANDARD

DTP Date or Time or Period

Level: Detail

Position: 455


Loop: 2400

Requirement: Optional

Max Use: 15

Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3
		472	Service Use RD8 in DTP02 to indicate begin/end or from/to dates.	

REQUIRED DTP02 1250 **Date Time Period Format Qualifier** M ID 2/3
Code indicating the date format, time format, or date and time format

SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.

CODE	DEFINITION
------	------------

D8	Date Expressed in Format CCYYMMDD
----	-----------------------------------

Note Deleted

RD8	Range of Dates Expressed in Format CCYYMMDD-CCYYMMDD
-----	--

REQUIRED DTP03 1251 **Date Time Period** M AN 1/35
Expression of a date, a time, or range of dates, times or dates and times

INDUSTRY: *Service Date*

UB-92 Reference [UB-92 Name]:

45 [Service Date]

EMC v.6.0 Reference:

Record Type 60 Field No. 12, 13, 14

Record Type 61 Field No. 9, 14, 15

IMPLEMENTATION

ASSESSMENT DATE

Loop: 2400 — SERVICE LINE NUMBER
 Usage: SITUATIONAL
 Repeat: 1
 Notes: 1. Required when an assessment date is necessary (i.e. Medicare PPS processing).
 2. Refer to Code Source 132 National Uniform Billing Committee (NUBC) Codes for instructions on the use of this date.

New Note 3. Added — 3. Service date DTP is not used when this segment is present.


Example: DTP*866*19981210~

STANDARD

DTP Date or Time or Period

Level: Detail
 Position: 455
 Loop: 2400
 Requirement: Optional
 Max Use: 15
 Purpose: To specify any or all of a date, a time, or a time period

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	DTP01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time <i>INDUSTRY: Date Time Qualifier</i>	M ID 3/3
			CODE DEFINITION	
			866 Examination	
REQUIRED	DTP02	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format <i>SEMANTIC: DTP02 is the date or time or period format that will appear in DTP03.</i>	M ID 2/3
			CODE DEFINITION	
			D8 Date Expressed in Format CCYYMMDD	

IMPLEMENTATION

LINE PRICING/REPRICING INFORMATION

Loop: 2400 — SERVICE LINE NUMBER

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Used only by repricers as needed. This information is specific to the destination payer reported in the 2010BB loop.

Example: HCP*03*100*10*RPO12345~

STANDARD

HCP Health Care Pricing

Level: Detail

Position: 492

Loop: 2400

Requirement: Optional

Max Use: 1

Purpose: To specify pricing or repricing information about a health care claim or line item

Syntax: 1. R0113

At least one of HCP01 or HCP13 is required.


2. P0910

If either HCP09 or HCP10 is present, then the other is required.

3. P1112

If either HCP11 or HCP12 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES																																
REQUIRED	HCP01	1473	Pricing Methodology Code specifying pricing methodology at which the claim or line item has been priced or repriced <i>ALIAS: Pricing/Repricing Methodology</i> SYNTAX: R0113 Trading partners need to agree on which codes to use in this data element. There do not appear to be standard definitions for the code elements.	X ID 2/2																																
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr><td>00</td><td>Zero Pricing (Not Covered Under Contract)</td></tr> <tr><td>01</td><td>Priced as Billed at 100%</td></tr> <tr><td>02</td><td>Priced at the Standard Fee Schedule</td></tr> <tr><td>03</td><td>Priced at a Contractual Percentage</td></tr> <tr><td>04</td><td>Bundled Pricing</td></tr> <tr><td>05</td><td>Peer Review Pricing</td></tr> <tr><td>06</td><td>Per Diem Pricing</td></tr> <tr><td>07</td><td>Flat Rate Pricing</td></tr> <tr><td>08</td><td>Combination Pricing</td></tr> <tr><td>09</td><td>Maternity Pricing</td></tr> <tr><td>10</td><td>Other Pricing</td></tr> <tr><td>11</td><td>Lower of Cost</td></tr> <tr><td>12</td><td>Ratio of Cost</td></tr> <tr><td>13</td><td>Cost Reimbursed</td></tr> <tr><td>14</td><td>Adjustment Pricing</td></tr> </tbody> </table>	CODE	DEFINITION	00	Zero Pricing (Not Covered Under Contract)	01	Priced as Billed at 100%	02	Priced at the Standard Fee Schedule	03	Priced at a Contractual Percentage	04	Bundled Pricing	05	Peer Review Pricing	06	Per Diem Pricing	07	Flat Rate Pricing	08	Combination Pricing	09	Maternity Pricing	10	Other Pricing	11	Lower of Cost	12	Ratio of Cost	13	Cost Reimbursed	14	Adjustment Pricing	
CODE	DEFINITION																																			
00	Zero Pricing (Not Covered Under Contract)																																			
01	Priced as Billed at 100%																																			
02	Priced at the Standard Fee Schedule																																			
03	Priced at a Contractual Percentage																																			
04	Bundled Pricing																																			
05	Peer Review Pricing																																			
06	Per Diem Pricing																																			
07	Flat Rate Pricing																																			
08	Combination Pricing																																			
09	Maternity Pricing																																			
10	Other Pricing																																			
11	Lower of Cost																																			
12	Ratio of Cost																																			
13	Cost Reimbursed																																			
14	Adjustment Pricing																																			
REQUIRED	HCP02	782	Monetary Amount Monetary amount <i>INDUSTRY: Repriced Allowed Amount</i> <i>ALIAS: Pricing/Repricing Allowed Amount</i> SEMANTIC: HCP02 is the allowed amount.	O R 1/18																																

SITUATIONAL	HCP03	782	Monetary Amount Monetary amount <i>INDUSTRY: Repriced Saving Amount</i> <i>ALIAS: Pricing/Repricing Saving Amount</i> SEMANTIC: HCP03 is the savings amount.	O	R	1/18
This data element is required when it is necessary to report Savings Amount on claims which has been priced or repriced.						
SITUATIONAL	HCP04	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Repriced Organizational Identifier</i> <i>ALIAS: Pricing/Repricing Organizational Identifier</i> SEMANTIC: HCP04 is the repricing organization identification number.	O	AN	1/30
This data element is required when it is necessary to report Repricing Organization ID on claims which has been priced or repriced.						
SITUATIONAL	HCP05	118	Rate Rate expressed in the standard monetary denomination for the currency specified <i>INDUSTRY: Repricing Per Diem or Flat Rate Amount</i> <i>ALIAS: Pricing/Repricing Rate</i> SEMANTIC: HCP05 is the pricing rate associated with per diem or flat rate repricing.	O	R	1/9
This data element is required when it is necessary to report Pricing Rate on claims which has been priced or repriced.						
SITUATIONAL	HCP06	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>INDUSTRY: Repriced Approved Ambulatory Patient Group Code</i> <i>ALIAS: Approved APG Code, Pricing</i> SEMANTIC: HCP06 is the approved DRG code. COMMENT: HCP06, HCP07, HCP08, HCP10, and HCP12 are fields that will contain different values from the original submitted values.	O	AN	1/30
This data element is required when it is necessary to report Approved DRG Code on claims which has been priced or repriced.						
SITUATIONAL	HCP07	782	Monetary Amount Monetary amount <i>INDUSTRY: Repriced Approved Ambulatory Patient Group Amount</i> <i>ALIAS: Approved APG Amount, Pricing</i> SEMANTIC: HCP07 is the approved DRG amount.	O	R	1/18
This data element is required when it is necessary to report Approved DRG Amount on claims which has been priced or repriced.						

SITUATIONAL HCP08 234 **Product/Service ID** O AN 1/48

Identifying number for a product or service

INDUSTRY: Repriced Approved Revenue Code

ALIAS: Approved Revenue Code

SEMANTIC: HCP08 is the approved revenue code.

This data element is required when it is necessary to report Approved Revenue Code on claims which has been priced or repriced.

SITUATIONAL HCP09 235 **Product/Service ID Qualifier** X ID 2/2

Code identifying the type/source of the descriptive number used in Product/Service ID (234)

SYNTAX: P0910

Required when HCP10 exists.

CODE	DEFINITION
HC	Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes This code includes Current Procedural Terminology (CPT) and HCPCS coding. CODE SOURCE 130: Health Care Financing Administration Common Procedural Coding System

SITUATIONAL HCP10 234 **Product/Service ID** X AN 1/48

Identifying number for a product or service

INDUSTRY: Procedure Code

ALIAS: Pricing/Repricing Approved Procedure Code

SYNTAX: P0910

SEMANTIC: HCP10 is the approved procedure code.

This data element is required when it is necessary to report Approved HCPCS Code on claims which has been priced or repriced.

SITUATIONAL HCP11 355 **Unit or Basis for Measurement Code** X ID 2/2

Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

SYNTAX: P1112

CODE	DEFINITION
DA	Days
UN	Unit

SITUATIONAL HCP12 380 **Quantity** X R 1/15

Numeric value of quantity

INDUSTRY: Repricing Approved Service Unit Count

ALIAS: Pricing/Repricing Approved Units or Inpatient Days

SYNTAX: P1112

SEMANTIC: HCP12 is the approved service units or inpatient days.

This data element is required when it is necessary to report Approved Service Unit Count on claims which has been priced or repriced.

SITUATIONAL HCP13 901 **Reject Reason Code** X ID 2/2

Code assigned by issuer to identify reason for rejection

ALIAS: Reject Reason Code

SYNTAX: R0113

SEMANTIC: HCP13 is the rejection message returned from the third party organization.

This data element is required when it is necessary to report Rejection Message on claims which has been priced or repriced.

CODE	DEFINITION
T1	Cannot Identify Provider as TPO (Third Party Organization) Participant
T2	Cannot Identify Payer as TPO (Third Party Organization) Participant
T3	Cannot Identify Insured as TPO (Third Party Organization) Participant
T4	Payer Name or Identifier Missing
T5	Certification Information Missing
T6	Claim does not contain enough information for re-pricing

SITUATIONAL HCP14 1526 **Policy Compliance Code** O ID 1/2

Code specifying policy compliance

This data element is required when it is necessary to report Policy Compliance Code on claims which has been priced or repriced.

CODE	DEFINITION
1	Procedure Followed (Compliance)
2	Not Followed - Call Not Made (Non-Compliance Call Not Made)
3	Not Medically Necessary (Non-Compliance Non-Medically Necessary)
4	Not Followed Other (Non-Compliance Other)
5	Emergency Admit to Non-Network Hospital

SITUATIONAL HCP15 1527 **Exception Code** O ID 1/2

Code specifying the exception reason for consideration of out-of-network health care services

This data element is required when it is necessary to report Exception Reason Code on claims which have been priced or repriced.

SEMANTIC: HCP15 is the exception reason generated by a third party organization.

CODE	DEFINITION
1	Non-Network Professional Provider in Network Hospital
2	Emergency Care

3	Services or Specialist not in Network
4	Out-of-Service Area
5	State Mandates
6	Other

IMPLEMENTATION

DRUG IDENTIFICATION

Loop: 2410 — DRUG IDENTIFICATION Repeat: 25

Usage: SITUATIONAL

Repeat: 1

Notes: 1. The NDC number is used for reporting prescribed drugs and biologics when required by government regulation, or as deemed by the provider to enhance claim reporting/adjudication processes. The NDC number is reported in the LIN segment of Loop ID-2410.

2. Use Loop ID 2410 to specify billing/reporting for drugs provided that may be part of the service(s) described in SV2.

Example: LIN*N4*12345123412~

STANDARD

LIN Item Identification

Level: Detail

Position: 494

Loop: 2410 Repeat: >1

Requirement: Optional

Max Use: 1

Purpose: To specify basic item identification data

Set Notes: 1. Loop 2410 contains compound drug components, quantities and prices.

- Syntax:
1. **P0405**
If either LIN04 or LIN05 is present, then the other is required.
 2. **P0607**
If either LIN06 or LIN07 is present, then the other is required.
 3. **P0809**
If either LIN08 or LIN09 is present, then the other is required.
 4. **P1011**
If either LIN10 or LIN11 is present, then the other is required.
 5. **P1213**
If either LIN12 or LIN13 is present, then the other is required.
 6. **P1415**
If either LIN14 or LIN15 is present, then the other is required.
 7. **P1617**
If either LIN16 or LIN17 is present, then the other is required.
 8. **P1819**
If either LIN18 or LIN19 is present, then the other is required.
 9. **P2021**
If either LIN20 or LIN21 is present, then the other is required.

10. P2223

If either LIN22 or LIN23 is present, then the other is required.

11. P2425

If either LIN24 or LIN25 is present, then the other is required.

12. P2627

If either LIN26 or LIN27 is present, then the other is required.


13. P2829

If either LIN28 or LIN29 is present, then the other is required.

14. P3031

If either LIN30 or LIN31 is present, then the other is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
NOT USED	LIN01	350	Assigned Identification	O AN 1/20

REQUIRED	LIN02	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234)	M	ID	2/2
-----------------	-------	-----	--	---	----	-----

COMMENT: LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

CODE	DEFINITION
N4	National Drug Code in 5-4-2 Format

CODE SOURCE 240: National Drug Code by Format

REQUIRED	LIN03	234	Product/Service ID Identifying number for a product or service	M	AN	1/48
-----------------	-------	-----	--	---	----	------

ALIAS: *National Drug Code*

NOT USED	LIN04	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN05	234	Product/Service ID	X	AN	1/48
NOT USED	LIN06	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN07	234	Product/Service ID	X	AN	1/48
NOT USED	LIN08	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN09	234	Product/Service ID	X	AN	1/48
NOT USED	LIN10	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN11	234	Product/Service ID	X	AN	1/48
NOT USED	LIN12	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN13	234	Product/Service ID	X	AN	1/48
NOT USED	LIN14	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN15	234	Product/Service ID	X	AN	1/48
NOT USED	LIN16	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN17	234	Product/Service ID	X	AN	1/48
NOT USED	LIN18	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN19	234	Product/Service ID	X	AN	1/48
NOT USED	LIN20	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN21	234	Product/Service ID	X	AN	1/48
NOT USED	LIN22	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN23	234	Product/Service ID	X	AN	1/48
NOT USED	LIN24	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN25	234	Product/Service ID	X	AN	1/48
NOT USED	LIN26	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN27	234	Product/Service ID	X	AN	1/48
NOT USED	LIN28	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN29	234	Product/Service ID	X	AN	1/48
NOT USED	LIN30	235	Product/Service ID Qualifier	X	ID	2/2
NOT USED	LIN31	234	Product/Service ID	X	AN	1/48

IMPLEMENTATION

DRUG PRICING

Loop: 2410 — DRUG IDENTIFICATION

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Required when it is necessary to provide a price specific to the NDC provided in LIN03 that is different than the price reported in SV203.

Example: CTP***1.15*2*UN~

STANDARD

CTP Pricing Information

Level: Detail

Position: 495

Loop: 2410


Requirement: Optional

Max Use: 1

Purpose: To specify pricing information

- Syntax:**
- P0405**
If either CTP04 or CTP05 is present, then the other is required.
 - C0607**
If CTP06 is present, then CTP07 is required.
 - C0902**
If CTP09 is present, then CTP02 is required.
 - C1002**
If CTP10 is present, then CTP02 is required.
 - C1103**
If CTP11 is present, then CTP03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
NOT USED	CTP01	687	Class of Trade Code	O ID 2/2

NOT USED	CTP02	236	Price Identifier Code	X	ID	3/3										
REQUIRED	CTP03	212	Unit Price Price per unit of product, service, commodity, etc.	X	R	1/17										
			<i>ALIAS: Drug Unit Price</i>													
			SYNTAX: C1103													
REQUIRED	CTP04	380	Quantity Numeric value of quantity	X	R	1/15										
			<i>ALIAS: National Drug Unit Count</i>													
			SYNTAX: P0405													
REQUIRED	CTP05	C001	COMPOSITE UNIT OF MEASURE To identify a composite unit of measure	X												
			<i>ALIAS: Unit/Basis of Measurement</i>													
REQUIRED	CTP05 - 1	355	Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	M	ID	2/2										
			<i>ALIAS: Code Qualifier</i>													
			<table border="1"> <thead> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> </thead> <tbody> <tr> <td>F2</td> <td>International Unit</td> </tr> <tr> <td>GR</td> <td>Gram</td> </tr> <tr> <td>ML</td> <td>Milliliter</td> </tr> <tr> <td>UN</td> <td>Unit</td> </tr> </tbody> </table>	CODE	DEFINITION	F2	International Unit	GR	Gram	ML	Milliliter	UN	Unit			
CODE	DEFINITION															
F2	International Unit															
GR	Gram															
ML	Milliliter															
UN	Unit															
NOT USED	CTP05 - 2	1018	Exponent	O	R	1/15										
NOT USED	CTP05 - 3	649	Multiplier	O	R	1/10										
NOT USED	CTP05 - 4	355	Unit or Basis for Measurement Code	O	ID	2/2										
NOT USED	CTP05 - 5	1018	Exponent	O	R	1/15										
NOT USED	CTP05 - 6	649	Multiplier	O	R	1/10										
NOT USED	CTP05 - 7	355	Unit or Basis for Measurement Code	O	ID	2/2										
NOT USED	CTP05 - 8	1018	Exponent	O	R	1/15										
NOT USED	CTP05 - 9	649	Multiplier	O	R	1/10										
NOT USED	CTP05 - 10	355	Unit or Basis for Measurement Code	O	ID	2/2										
NOT USED	CTP05 - 11	1018	Exponent	O	R	1/15										
NOT USED	CTP05 - 12	649	Multiplier	O	R	1/10										
NOT USED	CTP05 - 13	355	Unit or Basis for Measurement Code	O	ID	2/2										
NOT USED	CTP05 - 14	1018	Exponent	O	R	1/15										
NOT USED	CTP05 - 15	649	Multiplier	O	R	1/10										
NOT USED	CTP06	648	Price Multiplier Qualifier	O	ID	3/3										
NOT USED	CTP07	649	Multiplier	X	R	1/10										
NOT USED	CTP08	782	Monetary Amount	O	R	1/18										
NOT USED	CTP09	639	Basis of Unit Price Code	O	ID	2/2										
NOT USED	CTP10	499	Condition Value	O	AN	1/10										
NOT USED	CTP11	289	Multiple Price Quantity	O	N0	1/2										

IMPLEMENTATION

PRESCRIPTION NUMBER

- Loop: 2410 — DRUG IDENTIFICATION
- Usage: SITUATIONAL
- Repeat: 1
- Notes:
 1. Required if dispense of the drug has been done with an assigned Rx number.
 2. In cases where a compound drug is being billed, the components of the compound will all have the same prescription number. Payers receiving the claim can relate all the components by matching the prescription number.

Example: REF*XZ*123456~


STANDARD

REF Reference Identification

- Level: Detail
- Position: 496
- Loop: 2410
- Requirement: Optional
- Max Use: 1
- Purpose: To specify identifying information
- Syntax:
 1. R0203

At least one of REF02 or REF03 is required.

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification <i>ALIAS: Code Qualifier</i>	M ID 2/3
			CODE	DEFINITION
			XZ	Pharmacy Prescription Number

REQUIRED	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier <i>ALIAS: Prescription Number</i> SYNTAX: R0203	X	AN	1/30
NOT USED	REF03	352	Description	X	AN	1/80
NOT USED	REF04	C040	REFERENCE IDENTIFIER	O		

IMPLEMENTATION

ATTENDING PHYSICIAN NAME

Loop: 2420A — ATTENDING PHYSICIAN NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

Note 2. Changed — 2. Required when line level provider information is known to impact adjudication.

Example: NM1*71*1*JONES*JOHN***SR.*24*123456789~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 500

Loop: 2420 Repeat: 10

Requirement: Optional


Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2420 contains information about the rendering, referring, or attending provider on a service line level. These segments override the information in the claim - level segments if the entity identifier codes in each NM1 segment are the same.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.
2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



IMPLEMENTATION

OPERATING PHYSICIAN NAME

Loop: 2420B — OPERATING PHYSICIAN NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

Note 2. Changed — 2. Required when line level provider information is known to impact adjudication.

Example: NM1*72*1*MEYERS*JANE*I***34*129847263~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 500

Loop: 2420 Repeat: 10

Requirement: Optional


Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2420 contains information about the rendering, referring, or attending provider on a service line level. These segments override the information in the claim - level segments if the entity identifier codes in each NM1 segment are the same.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.
2. **C1110**
If NM111 is present, then NM110 is required.

DIAGRAM



IMPLEMENTATION

OTHER PROVIDER NAME

Loop: 2420C — OTHER PROVIDER NAME Repeat: 1

Usage: SITUATIONAL

Repeat: 1

Notes: 1. Because the usage of this segment is “Situational” this is not a syntactically required loop. If this loop is used, then this segment is a “Required” segment. See Appendix A for further details on ASC X12 nomenclature.

Note 2. Changed — 2. Required when line level provider information is known to impact adjudication.

Note 3. Replaced — 3. Required when the claim/encounter involves an other provider such as, but not limited to: Referring Provider, Ordering Provider, Assisting Provider, etc.

Note 4. Deleted

Example: NM1*73*1*JONES*JOHN***SR.*24*123456789~

STANDARD

NM1 Individual or Organizational Name

Level: Detail

Position: 500

Loop: 2420 Repeat: 10

Requirement: Optional

Max Use: 1

Purpose: To supply the full name of an individual or organizational entity

Set Notes: 1. Loop 2420 contains information about the rendering, referring, or attending provider on a service line level. These segments override the information in the claim - level segments if the entity identifier codes in each NM1 segment are the same.

Syntax: 1. **P0809**
If either NM108 or NM109 is present, then the other is required.

2. **C1110**
If NM111 is present, then NM110 is required.

ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES
REQUIRED	SVD01	67	Identification Code Code identifying a party or other code <i>INDUSTRY: Payer Identifier</i> SEMANTIC: SVD01 is the payer identification code. EMC v.6.0 Reference: Record Type 30 Field No. 5, 6 (This must match one of the corresponding loops: 2010BC - Payer Name, or 2330B - Other Payer Name.)	M AN 2/80
REQUIRED	SVD02	782	Monetary Amount Monetary amount <i>INDUSTRY: Service Line Paid Amount</i> <i>ALIAS: Service Line Amount Paid</i> SEMANTIC: SVD02 is the amount paid for this service line.	M R 1/18
SITUATIONAL	SVD03	C003	COMPOSITE MEDICAL PROCEDURE IDENTIFIER To identify a medical procedure by its standardized codes and applicable modifiers Required when returned on an 835 payment for this claim or when needed to identify the service line adjudicated.	O
REQUIRED	SVD03 - 1	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) <i>INDUSTRY: Product or Service ID Qualifier</i> The NDC number is used for reporting prescribed drugs and biologics when required by government regulation, or as deemed by the provider to enhance claim reporting/adjudication processes. The NDC number is reported in the LIN segment of Loop ID-2410.	M ID 2/2

New Note Added

New Note Added

Codes N1, N2, N3, and N4 Deleted

CODE	DEFINITION
HC	Health Care Financing Administration Common Procedural Coding System (HCPCS) Codes Because the AMA's CPT codes are also level 1 HCPCS codes, they are reported under HC. CODE SOURCE 130: Health Care Financing Administration Common Procedural Coding System
IV	Home Infusion EDI Coalition (HIEC) Product/Service Code This code set is not allowed for use under HIPAA at the time of this writing. The qualifier can only be used: 1) If a new rule names HIEC as an allowable code set under HIPAA. 2) For Property & Casualty claims/encounters that are not covered under HIPAA. CODE SOURCE 513: Home Infusion EDI Coalition (HIEC) Product/Service Code List

Data elements are assigned a unique reference number. Each data element has a name, description, type, minimum length, and maximum length. For ID type data elements, this guide provides the applicable ASC X12 code values and their descriptions or references where the valid code list can be obtained.

Each data element is assigned a minimum and maximum length. The length of the data element value is the number of character positions used except as noted for numeric, decimal, and binary elements.

The data element types shown in matrix A4, Data Element Types, appear in this implementation guide.

SYMBOL	TYPE
Nn	Numeric
R	Decimal
ID	Identifier
AN	String
DT	Date
TM	Time
B	Binary

Matrix A4. Data Element Types

A.1.3.1.1

Numeric

A numeric data element is represented by one or more digits with an optional leading sign representing a value in the normal base of 10. The value of a numeric data element includes an implied decimal point. It is used when the position of the decimal point within the data is permanently fixed and is not to be transmitted with the data.

This set of guides denotes the number of implied decimal positions. The representation for this data element type is “Nn” where N indicates that it is numeric and n indicates the number of decimal positions to the right of the implied decimal point.

If n is 0, it need not appear in the specification; N is equivalent to N0. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted.

EXAMPLE

A transmitted value of 1234, when specified as numeric type N2, represents a value of 12.34.

Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. The length of a numeric type data element does not include the optional sign.

A.1.3.1.2

Decimal

A decimal data element may contain an explicit decimal point and is used for numeric values that have a varying number of decimal positions. This data element type is represented as “R.”

The decimal point always appears in the character stream if the decimal point is at any place other than the right end. If the value is an integer (decimal point at the right end) the decimal point should be omitted. For negative values, the leading minus sign (-) is used. Absence of a sign indicates a positive value. The plus sign (+) should not be transmitted.

Leading zeros should be suppressed unless necessary to satisfy a minimum length requirement. Trailing zeros following the decimal point should be suppressed unless necessary to indicate precision. The use of triad separators (for example, the commas in 1,000,000) is expressly prohibited. The length of a decimal type data element does not include the optional leading sign or decimal point.

EXAMPLE

A transmitted value of 12.34 represents a decimal value of 12.34.

New note

For implementation of this guide under the rules promulgated under the Health Insurance Portability and Accountability Act (HIPAA), decimal data elements in Data Element 782 (Monetary Amount) will be limited to a maximum length of 10 characters including reported or implied places for cents (implied value of 00 after the decimal point). Note the statement in the preceding paragraph that the decimal point and leading sign, if sent, are not part of the character count.

A.1.3.1.3

Identifier

An identifier data element always contains a value from a predefined list of codes that is maintained by the ASC X12 Committee or some other body recognized by the Committee. Trailing spaces should be suppressed unless they are necessary to satisfy a minimum length. An identifier is always left justified. The representation for this data element type is "ID."

A.1.3.1.4

String

A string data element is a sequence of any characters from the basic or extended character sets. The significant characters shall be left justified. Leading spaces, when they occur, are presumed to be significant characters. Trailing spaces should be suppressed unless they are necessary to satisfy a minimum length. The representation for this data element type is "AN."

A.1.3.1.5

Date

A date data element is used to express the standard date in either YYMMDD or CCYYMMDD format in which CC is the first two digits of the calendar year, YY is the last two digits of the calendar year, MM is the month (01 to 12), and DD is the day in the month (01 to 31). The representation for this data element type is "DT." Users of this guide should note that all dates within transactions are 8-character dates (millennium compliant) in the format CCYYMMDD. The only date data element that is in format YYMMDD is the Interchange Date data element in the ISA segment, and also used in the TA1 Interchange Acknowledgment, where the century can be readily interpolated because of the nature of an interchange header.

A.1.3.1.6

Time

A time data element is used to express the ISO standard time HHMMSSd..d format in which HH is the hour for a 24 hour clock (00 to 23), MM is the minute (00 to 59), SS is the second (00 to 59) and d..d is decimal seconds. The representation for this data element type is "TM." The length of the data element determines the format of the transmitted time.

EXAMPLE

Transmitted data elements of four characters denote HHMM. Transmitted data elements of six characters denote HHMMSS.

IMPLEMENTATION

FUNCTIONAL GROUP HEADER


Example: **GS*HC*SENDER CODE*RECEIVER
CODE*19940331*0802*1*X*004010X096A1~** ——— Example changed

STANDARD

GS Functional Group Header

Purpose: To indicate the beginning of a functional group and to provide control information

DIAGRAM



ELEMENT SUMMARY

USAGE	REF. DES.	DATA ELEMENT	NAME	ATTRIBUTES				
REQUIRED	GS01	479	Functional Identifier Code Code identifying a group of application related transaction sets	M ID 2/2				
<table border="1"> <tr> <th>CODE</th> <th>DEFINITION</th> </tr> <tr> <td>HC</td> <td>Health Care Claim (837)</td> </tr> </table>					CODE	DEFINITION	HC	Health Care Claim (837)
CODE	DEFINITION							
HC	Health Care Claim (837)							
REQUIRED	GS02	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners Use this code to identify the unit sending the information.	M AN 2/15				
REQUIRED	GS03	124	Application Receiver's Code Code identifying party receiving transmission. Codes agreed to by trading partners Use this code to identify the unit receiving the information.	M AN 2/15				
REQUIRED	GS04	373	Date Date expressed as CCYYMMDD SEMANTIC: GS04 is the group date. Use this date for the functional group creation date.	M DT 8/8				
REQUIRED	GS05	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) SEMANTIC: GS05 is the group time. Use this time for the creation time. The recommended format is HHMM.	M TM 4/8				

REQUIRED GS06 28 **Group Control Number** M N0 1/9
Assigned number originated and maintained by the sender

SEMANTIC: The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

REQUIRED GS07 455 **Responsible Agency Code** M ID 1/2
Code used in conjunction with Data Element 480 to identify the issuer of the standard

CODE DEFINITION

X Accredited Standards Committee X12

REQUIRED GS08 480 **Version / Release / Industry Identifier Code** M AN 1/12
Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

CODE DEFINITION

New code value

004010X096A1 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997, as published in this implementation guide.
When using the X12N Health Care Claim: Institutional Implementation Guide, originally published May 2000 as 004010X096 and incorporating the changes identified in the Addenda, the value used in GS08 must be "004010X096A1".

