OMB Approved No. 2900-XXXX Respondent Burden: 30 minutes Expiration Date: XX-XX-XXXX

Department of Veterans Affairs

HAND AND FINGER CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THIS REVERSE BEFORE COMPLETING FORM.								
NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER							
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA reserves the right to confirm the authenticity of ALL DBQ's completed by private health care providers.								
MEDICAL RECORD RI	EVIEW							
WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?								
YES NO								
IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE V	/ETERAN'S VA CLAIMS FILE:							
IF NO, CHECK ALL RECORDS REVIEWED:								
Military service treatment records Department of Defense Form 214 Separation	ion Documents							
Military service personnel records Veterans Health Administration medical rec	cords (VA treatment records)							
Military enlistment examination Civilian medical records								
Military separation examination Interviews with collateral witnesses (family	y and others who have known the veteran before and after military service)							
Military post-deployment questionnaire Other:								
No records were reviewed								
SECTION I - DIAGNO	OSIS							
NOTE: These are condition(s) for which an evaluation has been requested on an exam requested evidence be provided for submission to VA.	st form (Internal VA) or for which the Veteran has requested medical							
1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:								
NOTE: These are the diagnoses determined during this current evaluation of the claimed con	dition(s) listed above. If there is no diagnosis, if the diagnosis is different							
from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to	the claimed condition, explain your findings and reasons in comments							
section.	air on an annuariment data determined through record regions or reported							
Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagno history.	sis, of an approximate date determined through record review of reported							
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that	annly):							
The Veteran does not have a current diagnosis associated with any claimed condition listed								
	e: Date of diagnosis:							
	e: Date of diagnosis:							
	e: Date of diagnosis:							
	e: Date of diagnosis:							
	e: Date of diagnosis:							
Gamekeeper's thumb Side affected: Right Left Both ICD Code	e: Date of diagnosis:							
ligament sprain, chronic)	e: Date of diagnosis:							
U Volar plate injury Side affected: ☐ Right ☐ Left ☐ Both ☐ ICD Code	e: Date of diagnosis:							
Degenerative arthritis (MCP/PIP/DIP) Side affected: Right Left Both ICD Code	e: Date of diagnosis:							
MCP/PIP joint prosthetic Side affected: Right Left Both ICD Code replacement	e: Date of diagnosis:							
Ankylosis of digit joint(s), Side affected: Right Left Both ICD Code specify joint(s):	e: Date of diagnosis:							
Other (specify) Other diagnosis #1:								
Side affected: Right Left Both ICD Code:	Date of diagnosis:							
Other diagnosis #2:								
Side affected: Right Left Both ICD Code:	Date of diagnosis:							
Other diagnosis #3:								
Side affected: Right Left Roth ICD Code:	Date of diagnosis:							

SECTION II - MEDICAL HISTORY								
2A. DESCRIBE THE HISTORY (in	cluding o	nset and course) OF THE	VETERAN'S HAND, F	INGER OR THUMB CON	IDITION (brief summary):			
	_							
2B. DOMINANT HAND:								
	AMBIDEX	TROUS						
	/ (IVIDIDE/							
2C. DOES THE VETERAN REPOR	RT THAT	FLARE-UPS IMPACT TH	E FUNCTION OF THE	HAND, FINGER OR THU	MB?			
YES NO								
IF YES, DOCUMENT THE VETER	RAN'S DES	SCRIPTION OF THE IMPA	ACT OF FLARE-UPS IN	I HIS OR HER OWN HAN	NDS:			
2D. DOES THE VETERAN REPOR	RT HAVIN	IG ANY FUNCTIONAL LO	SS OR FUNCTIONAL	IMPAIRMENT OF THE JO	DINT OR EXTREMITY BEI	NG EVALUATED ON THIS		
DBQ (regardless of repetitive								
☐ YES ☐ NO								
IF YES, DOCUMENT THE VETER	RAN'S DES	SCRIPTION OF FUNCTIO	NAL LOSS OR FUNCT	IONAL IMPAIRMENT IN	HIS OR HER OWN WORD	OS:		
.,								
		SECTION III INITIA	L DANCE OF MOTI	ON <i>(ROM)</i> MEASURE	EMENTO			
Magaura BOM with a ganismater	rounding			()		hotwoon fingers and nalm		
Measure ROM with a goniometer, according to the guidance below. I								
pressure or manipulation, etc. Doc	-		, ,	· · · · · · · · · · · · · · · · · · ·		,		
Following the initial assessment of	ROM, per	rform repetitive-use testing	g. For VA purposes, rep	etitive-use testing must be	e included in all joint exam	ns. The VA has determined		
that 3 repetitions of ROM (at a min	,	· ·	e test of the effect of re	petitive use. After the initia	al measurement, reassess	ROM after 3 repetitions.		
Report post-test measurements in	•							
For digits II through V, the metacar flexion, and the distal (terminal) int								
degrees of flexion represents the fi					ong, mg, and mae migers	(digits ii, iii, iv, and v), zero		
3A. WERE ALL ROM MEASUREM			<u>-</u>					
YES NO, COMPLET	TE QUEST	TIONS 3B THROUGH 3F						
3B. FINGER FLEXION: DOCUME	NT THE R	OM IN DEGREES						
Check "Not Tested" only if all joints		•		e of each named individu	ıal joint, "Not Tested" simpl	y means that joint was not		
tested. In either case, provide reas	on for not	testing in the section prov	vided below the tables.					
		Left Hand	Not Tested					
Thumb		Index finger	Long finger	Ring finger	Little finger			
Not Tested		Not Tested	Not Tested	Not Tested	Not Tested			
	-			+	+ 🗕			
CMC ROM:	MP	ROM: Not tested	ROM:	ROM:	ROM:			
Not tested			Not tested		Not tested			
IP ROM:	PIP	ROM:	ROM:	ROM:	ROM:			
Not tested	<u> </u>	Not tested	Not tested	Not tested	Not tested			
	DIP	ROM:	ROM:	ROM:	ROM:			
		Not tested	Not tested	Not tested	Not tested			
Right Hand Not Tested								
Thumb		Index finger	Long finger	Ring finger	Little finger			
Not Tested		Not Tested	Not Tested	Not Tested	Not Tested			
				1 =	+ 🗕			
CMC ROM: Not tested	MP	ROM: Not tested	ROM: Not tested	ROM: Not tested	ROM: Not tested			
				1 =	+ 🗕			
IP ROM:	PIP	ROM:	ROM:	ROM:	ROM:			
Not tested		Not tested	Not tested	Not tested	Not tested			
DIP								
		Not tested	Not tested	Not tested	Not tested			
IF ANY OF THE ABOVE JOINTS \	IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform):							
		•	, 0,					

3C FINGER	R EXTENSION: DOCUM		ON III - INITIAL RA	NGE (OF MOTION (RO	<i>M)</i> N	MEASUREMENT	S (Ca	ontinued)		
Check "Not	Tested" only if all joints	within that	described hand/digit w	ere no	ot tested. In the case	e of ea	ach named individu	al joint	, "Not Tested" simp	bly means that joint was not	
tested. In ei	ther case, provide reaso	on for not t	esting in the section pro	ovided	below the tables.			•	•		
			Left Hand	N	lot Tested					7	
	Thumb		Index finger		Long finger		Ring finger		Little finger	1	
	Not Tested		Not Tested		Not Tested		Not Tested		Not Tested		
CMC	ROM:	MP	ROM:		ROM:		ROM:		ROM:		
	Not tested	\vdash	Not tested	1	Not tested	Ļ	Not tested	╀⊨	Not tested	_	
IP	ROM:	PIP	ROM:	\parallel	ROM:	l	ROM:	1 -	ROM:		
Not tested Not tested Not tested Not tested Not tested Not tested										-	
	DIP ROM: ROM: ROM: ROM: ROM: Not tested ROM: ROM										
			Right Hand		lot Tested				•	_]	
	Thumb		Index finger	T ''	Long finger		Ring finger		Little finger	_	
	Not Tested		Not Tested	$ \Box \Box$	Not Tested		Not Tested		Not Tested		
СМС	ROM:	MP	ROM:		ROM:		ROM:		ROM:	-	
	Not tested	IVIE	Not tested		Not tested		Not tested		Not tested		
IIP	ROM:	PIP	ROM:		ROM:		ROM:	۱Ŀ	ROM:		
	Not tested	\vdash	Not tested	$+$ \vdash	Not tested	Ļ	Not tested	╂╞	Not tested	_	
		DIP	ROM: Not tested		ROM: Not tested	H	ROM: Not tested	1 -	ROM: Not tested		
	TUE 450 /5 10 N TO 14	/FDF NOT		<u> </u>		7: .		, .			
IF ANY OF	THE ABOVE JOINTS W	ERE NOT	TESTED, PLEASE EX	XPLAIN	N WHY (e.g., not inc	dicate	ed or Veteran was	physic	cally not able to pe	rform):	
	RE A GAP BETWEEN <i>A</i> E EXTENT POSSIBLE?	ANY OF TH	HE BELOW LISTED FI	NGER	TIPS AND THE PRO	MIXC	AL TRANSVERSE	CREA	SE OF THE PALM	, WITH THE FINGER FLEXED	
	EXTENT TOOBLE:										
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		cm. gap		cm. g	јар						
Long finger	│		No gap								
miger		cm. gap		cm. g	yap						
3E. IS THE	RE A GAP BETWEEN T	HE THUM	IB PAD AND THE FING	GERS,	WITH THE THUMB	3 ATTI	EMPTING TO OPF	POSE	THE FINGERS?		
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		cm. gap		cm. g	ıap						
		3-1-									
Long	No gap		No gap								
finger	│	cm. gap	□	cm. g	јар						
6.	No gan		□ No gan								
Ring finger	│		No gap								
		cm. gap		cm. g	јар						
Little	No gap		No gap								
finger		cm. gap		cm. g	jap						
3F. DO AN	Y ABNORMAL ROMs N	OTED ABO	OVE CONTRIBUTE TO	FUNC	CTIONAL LOSS?						
YES	NO, EXPLAIN V	VHY THE	ABNORMAL ROMs DO	NOT	CONTRIBUTE:						

				,	<i>DM)</i> MEASUREMENT	,				
	ROM DOES NOT CONFOR dition, such as age, body l				BOVE BUT IS NORMAL F	FOR THIS VETERAN (for	reasons other than a hand			
con	attion, such as age, body i	падниз, п	eurologic disease), LAI	LAIN.						
		s	ECTION IV - ROM MI	EASUREMENTS AFT	ER REPETITIVE USE	TESTING				
4A. IS T	HE VETERAN ABLE TO P						OR HANDS?			
YE	ES, THE VETERAN <u>IS</u> ABL	E TO PE	RFORM REPETITIVE-US	SE TESTING FOR <u>AT LE</u>	AST ONE OF THE JOIN	TS OF THE DIGITS OR H	ANDS			
_	O, THE VETERAN IS <u>NOT</u>		PERFORM ANY REPE	TITIVE-USE TESTING FO	OR <u>ANY</u> OF THE JOINTS	OF THE DIGITS OR HAI	NDS			
	CONTINUE TO QUESTIO		OUEOTION 5							
IF NO, F	PROVIDE REASON, THEN	I SKIP TO	QUESTION 5:							
4B. IS T	HERE ANY ADDITIONAL	LIMITATIO	ON IN ROM IN ANY OF 1	THE JOINTS OF THE DIG	GITS OR HANDS AFTER	REPETITIVE-USE TEST	ING?			
	ES, THERE <u>IS A CHANGE</u>									
NO	O, THERE <u>IS NO CHANGE</u>	IN ROM	IN ANY OF THE JOINTS	OF THE DIGITS OR HA	ANDS AFTER REPETITIV	'E-USE TESTING				
IF YES,	COMPLETE QUESTIONS	C THRO	UGH G (report ROM aft	er a minimum of 3 repet	itions).					
IF NO, [DOCUMENTATION OF RO	M AFTER	R REPETITIVE-USE TES	STING IS NOT REQUIRE	D. PLEASE SKIP TO QUI	ESTION 5.				
4C. POS	ST-TEST FINGER FLEXIO	N: DOCU	MENT THE POST-TEST	ROM IN DEGREES:						
	No change in ROM" (or "No	change"	only if all joints within th	at described hand/digit w	ere tested and there was	no additional limitation in	ROM in any of the joints			
	at described hand/digit. Not Tested" only if all joints	within tha	at described hand/digit we	ere not tested. In the case	e of each named individua	al joint, "Not Tested" simpl	y means that joint was not			
tested. I	n either case, provide reas	on for not	testing in the section pro	ovided below the tables.						
			Left Hand No ch	hange in ROM N	lot Tested					
	Thumb		Index finger	Long finger	Ring finger	Little finger				
	No change in ROM		No change in ROM	No change in ROM	No change in ROM	No change in ROM				
	Not Tested		Not Tested	Not Tested	Not Tested	Not Tested				
CMC	ROM:	MP	ROM:	ROM:	ROM:	ROM:				
	Not tested		Not tested	Not tested	Not tested	Not tested				
IP	ROM:	PIP	ROM:	ROM:	ROM:	ROM:				
	Not tested	-	Not tested ROM:	Not tested ROM:	Not tested ROM:	Not tested ROM:				
		DIP	Not tested	Not tested	Not tested	Not tested				
		D'		I DOM D NUT	[<u> </u> 			
	Thumb	Rig	ht Hand No chang	ge in ROM Not 1 Long finger	Ring finger	Little finger				
	No change in		No change in	No change in	No change in	No change in				
	ROM		ROM	ROM	ROM	ROM				
	Not Tested	_	Not Tested	Not Tested	Not Tested	Not Tested				
CMC	ROM: Not tested	MP	ROM: Not tested	ROM: Not tested	ROM: Not tested	ROM:				
	ROM:		ROM:	ROM:	ROM:	ROM:				
IP	Not tested	PIP	Not tested	Not tested	Not tested	Not tested				
	DIP ROM: ROM: ROM: ROM:									
		Dii	Not tested	Not tested	Not tested	Not tested				
IF ANY	IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform):									
							,			

4D POS	T-TEST FINGER EXTENS		N IV - ROM MEASUR			EIII	IVE USE TEST	ING (Continued)	
	No change in ROM" (or "No					e tes	ted and there was	no ado	ditional limitation i	in ROM in any of the joints
Check "N	at described hand/digit. Not Tested" only if all joints v n either case, provide reaso					of ead	ch named individua	al joint,	"Not Tested" sim	nply means that joint was not
lested. II	Tellifer case, provide reaso			nange in ROI		Tes	tod			\neg
	Thumb	ш	Index finger		finger	1 103	Ring finger		Little finger	\dashv
	No change in		No change in	☐ No c	change in	П	No change in	П	No change in	
	ROM Not Tested		ROM Not Tested	RON	Л Tested		ROM Not Tested		ROM Not Tooted	
+	ROM:	\vdash	ROM:	RON		ዙ	ROM:	H	Not Tested ROM:	_
CMC	Not tested	MP	Not tested		tested	H	Not tested	\parallel	Not tested	-
-	ROM:	l	ROM:	RON		Ħ	ROM:	H	ROM:	\dashv
IP	Not tested	PIP	Not tested	Not	tested		Not tested		Not tested	-
		DIP	ROM:	RON	Л:		ROM:		ROM:	
			Not tested	Not 1	tested		Not tested		Not tested	
		Right	t Hand No chang	ge in ROM	Not Te	sted				\neg
	Thumb		Index finger	Long	finger		Ring finger		Little finger	
	No change in ROM		No change in ROM	No o	change in		No change in ROM		No change in ROM	
	Not Tested		Not Tested	l —	Tested	П	Not Tested	ΙП	Not Tested	
СМС	ROM:	MP	ROM:	RON	Л:		ROM:		ROM:	
CIVIC	Not tested	IVIE	Not tested	Not	tested		Not tested		Not tested	
IP	ROM:	PIP	ROM:	RON			ROM:		ROM:	_
	Not tested	\vdash	Not tested	-	tested	<u> </u>	Not tested	Щ	Not tested	
		DIP	ROM:	RON	Λ: tested	\vdash	ROM: Not tested	\parallel	ROM: Not tested	-
	ER REPETITIVE-USE TES M, WITH THE FINGER FLE				THE BELOW I	LISTE	ED FINGERTIPS A	ND TI	HE PROXIMAL TI	RANSVERSE CREASE OF THE
	Left Hand		Right Hand							
	No gan		No gan							
Index finger	No gap		No gap							
3-	c	m. gap		cm. gap						
Long	No gap		No gap							
finger		m. gap		cm. gap						
	ER REPETITIVE-USE TES BERS?	TING, IS T	THERE A GAP BETWE	EN THE THU	JMB PAD AND	THE	FINGERS, WITH	THE 1	HUMB ATTEMP	TING TO OPPOSE THE
	Left Hand		Right Hand							
Index finger	No gap		No gap							
iiiigei	c	m. gap		cm. gap						
Long	No gap		No gap	am aan						
	°	m. gap		cm. gap						
Ring finger	No gap	m. gap	No gap	cm. gap						
Little finger	No gap	m. gap	No gap	cm. gap						
	·		1							

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)											
YES (you v	4G. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMs NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS? YES (you will be asked to further describe these limitations in questions 6 below) NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMS DO NOT CONTRIBUTE:										
SECTION V - PAIN 5A. PAINFUL ROM MOVEMENTS ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING											
	Left Hand										
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D) If yes, does the pain contribute to functional loss or additional limitation of ROM?										
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
		Right Hand									
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?									
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)									
Little finger	Little finger Yes No Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)										

SECTION V - PAIN (Continued)									
5B. PAIN WHEN JOINT IS USED IN WEIGHT-BEARING OR IN NON WEIGHT-BEARING									
		Left Hand							
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?							
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
		Right Hand							
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?							
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)							
5C. LOCALIZED	TENDERNESS OR PAIN TO PALPATION								
	Door the Veteron have leastined to describe	Left Hand If you describe the tendernoss or pain (including location, severity and relationship to condition(s)							
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including location, severity and relationship to condition(s) listed in the Diagnosis section):							
Thumb	Yes No								
Index finger	Yes No								
Long finger	Yes No								
Ring finger	Yes No								
Little finger	Yes No								
	i e e e e e e e e e e e e e e e e e e e								

		SECTION V - PAIN (Continued)								
		Right Hand								
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including lo listed in the Diagnosis section):	cation, severity and rela	tionship to condition(s)						
Thumb	Yes No									
Index finger	III Yes IINO I									
Long finger	Yes No									
Ring finger	Ring finger Yes No									
Little finger	Yes No									
5D. COMMENTS	IT AND									
	SECTION VI - FUN	CTIONAL LOSS AND ADDITIONAL LIMITATION								
endurance. Using information	on from the history and physical exam, select	form normal working movements of the body with n the factors below that contribute to functional loss o epetitive use for the joint or extremity being evaluate	r impairment (regardless							
6A. CONTRIBUT	ING FACTORS OF DISABILITY (check all tha	t apply and indicate digit affected):								
=	al loss for left hand, thumb or fingers									
No function	al loss for right hand, thumb or fingers		,							
Contributing fac	ctor		Left Hand Right Hand							
	rement than normal nkylosis, limitation or blocking, adhesions, te	ndon-tie-ups, contracted scars, etc.)	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger						
More movement than normal (from flail joints, resections, nonunion of fractures, relaxation of ligaments, etc) None All Thumb Index finger Long finger Ring finger Ring finger Little finger Little finger										
Weakened movement (due to muscle injury, disease or injury of peripheral nerves, divided or lengthened tendons, etc.) None										
Excess fa	atigability		None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger						

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)							
6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate digit affected):							
Contributing factor Incoordination, impaired ability to execute skilled movements smoothly	Left Hand None All Thumb Index finger Long finger Ring finger Little finger	Right Hand None All Thumb Index finger Long finger Ring finger Little finger					
Pain on movement	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
Swelling	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
Deformity	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
Atrophy of disuse	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger					
Other, describe:	1						
NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion or could significantly limit functional ability during flare-ups or when the joint is <i>used repeatedly over a period of time</i> terms of the degree of ROM loss or gap distances due to pain on use or during flare-ups. The following section will appear to the degree of ROM loss or gap distances due to pain on use or during flare-ups. The following section will appear to the degree of ROM loss or gap distances due to pain on use or during flare-ups.	and that opinion, if feas	sible, should be expressed in					
6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION? YES, COMPLETE QUESTIONS 6C THROUGH 6E, AND F BELOW. NO, SKIP TO F.							

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

Pleason Extension Extension Extension Cap between the fingering and genome the proximate transverse crosses of the paint, with the finger with the trumb paid and per powner transverse crosses of the paint, with the finger and genome the fingery and paid the fingers with the trumb paid and provided transverse crosses of the paint, with the finger flowed to the outent possible of the paint, with the finger flowed to the outent possible of the paint, with the finger flowed flower than the paint of the paint with the finger should be about the control possible of the paint, with the finger flower to the outent possible of the paint, with the finger flower the paint and provided paint of the paint with the finger flower to the outent possible of the paint, with the finger flower the paint with the finger flower than the paint of the paint, with the finger should be painted in rot feasible. Thumb				timated ROM due to p ng flare-ups or when tl over a per	he joint i	s used repeatedly	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
Yes (complete summed ROM) Destinate is not feasible Est ROM: Est ROM: Pi		LEFT HAND		Flexion		Extension	the proximal transverse crease of the palm, with the finger	and the finger, with the thumb attempting to oppose	
P Estimate is not P Estimate is not Est ROM: Estimate is not Est ROM: Estimate is not Est ROM: Estimate is not Estim	Thumb	Thumb estimated ROM)		Estimate is not feasible	СМС	Estimate is not feasible	N/A	N/A	
Ves (complete estimated ROM and gap distances) Cast ROM: Cas			IP 🗀	Estimate is not	IP Estimate is not				
Set ROM:		Yes (complete	MP	Estimate is not feasible	MP	Estimate is not feasible	No estimated gap	No estimated gap	
DP Est. ROM: Castimate is not feasible Castimate i		estimated ROM and gap distances)	PIP	Estimate is not feasible	PIP	Estimate is not feasible	Est. cm gap	Est. cm gap	
Yes (complete estimated ROM and gap distances) No estimated gap Est ROM: Estimate is not feasible Pip Est ROM: Estimate is not feasible Est Rom: Estimate is not feasible Pip Est ROM: Estimate is not feasible Estimate is not feasible Estimate is not feasible Pip Est ROM: Estimate is not feasible Estimate is not feasible Estimate is not feasible Pip Est ROM: Estimate is not feasible Estimate is not feasible Pip Est ROM: Estimate is not feasible Estimate is not feasible Pip Est ROM: Estimate is not feasible Estimate is not feasible Estimate is not feasible Pip Est ROM: Estimate is not feasible Est ROM: Estimate is not feasible Estimate is not feasible Est ROM: Estimate is not feasible Esti			DIP _	Estimate is not feasible	DIP	Estimate is not feasible	icacible	10001010	
Long Estimate ROM Estimate so to feasible So to So		Yes (complete	MP _	Estimate is not feasible	MP	Estimate is not	No estimated gap	No estimated gap	
Set. ROM:		estimated ROM and gap distances)	PIP _	Estimate is not feasible	PIP	Estimate is not feasible	Est. cm gap Estimate is not	Est. cm gap	
Yes (complete estimated ROM and gap distances)			DIP _	Estimate is not feasible	DIP	Estimate is not	.000,210	.000,0,0	
Ring finger Est. ROM:		Yes (complete	MP _	Estimate is not feasible	MP	Estimate is not feasible	No estimated gap	☐ No estimated gap	
Set. ROM: Estimate is not feasible Est. ROM: Estimate is not feasible Estimate is n		and gap distances)	PIP _	Estimate is not feasible	PIP	Estimate is not	Est. cm gap Estimate is not	Estimate is not	
Yes (complete estimated ROM and gap distances)			DIP _	Estimate is not	DIP	Estimate is not	.000,210		
Little finger		Yes (complete	MP _	Estimate is not	MP	Estimate is not	No estimated gan	No estimated gap	
DIP Est. ROM: Estimate is not feasible DIP Est. ROM: Estimate is not feasible Estimate is not feasible Estimated ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time Extension Extension Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers Est. ROM: Est. ROM: Estimate is not feasible Est. ROM: Estimate is not feasible Est. ROM: Est.		estimated ROM and gap distances)	PIP _	Estimate is not	PIP	Estimate is not	Est. cm gap Estimate is not	Est. cm gap	
RIGHT HAND RIGHT HAND Flexion Flexion Extension Extension Extension Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible Thumb Yes (complete estimated ROM) No No RIGHT HAND Extension Extension Extension Extension Extension Extension Extension Extension Extension CMC Est. ROM: CMC Estimate is not feasible CMC Estimate is not feasible P Est. ROM: Est. ROM: Estimate is not feasible N/A N/A N/A N/A			DIP	Estimate is not	DIP	Estimate is not	icasible	icasible	
Thumb Th	during flare-ups or when the joint is used repeatedly during flare-ups or when the joint is used repeatedly								
Thumb Yes (complete estimated ROM) CMC Estimate is not feasible Estimate is not feasible N/A N/A	RIGHT HAND			Flexion			the proximal transverse crease of the palm, with the finger	and the finger, with the thumb attempting to oppose	
No	Thumb	estimated ROM)	СМС	Estimate is not	СМС	Estimate is not	N/A	N/A	
		│	IP 🗀	Estimate is not	IP	Estimate is not			

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

		Estimated ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time					Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
	RIGHT HAND		Flexion		Extension	the of	b between the fingertip and proximal transverse crease the palm, with the finger xed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		7 No. 11 (1)		
Index finger estimated ROM and gap distances)	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est cm gap Estimate is not		
	│	DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		7 No. 10 Process		
Long finger	estimated ROM and gap distances)	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est cm gap Estimate is not	
	No	DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		7 No. 11 (1)		
Ring finger	estimated ROM and gap distances)	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not feasible	
	│	DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	reasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		No estimated gap Est. cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not feasible	
Little finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible				
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	reasible	
	NY JOINTS IN WHICH EST DINT IS USED REPEATEDI							DURING FLARE-UPS OR WHEN	
	6E. FOR ANY JOINTS IN WHICH THERE IS A FUNCTIONAL LOSS DUE TO PAIN, DURING FLARE-UPS AND/OR WHEN THE JOINT IS USED REPEATEDLY OVER A								
PERIO	PERIOD OF TIME BUT THE LIMITATION OF ROM OR GAP DISTANCES CANNOT BE ESTIMATED, PLEASE DESCRIBE THE FUNCTIONAL LOSS:								
OF INDION									
	ATEDLY OVER A PERIOD (None All All		OR OTHERWISE:	<u>`</u>	ng finger Ring finge	,	Little finger	OR WHEN THE JOINT IS USED	
Right:	None All	Thum		_	ng finger Ring finge		Little finger		

SECTION VII - MUSCLE STRENGTH TESTING									
7A. MUSCLE STRENGTH - RATE STRENT	H ACCORDING TO	O THE FOLLOWING SCALE:							
2/5 Active movement with gravity elimina3/5 Active movement against gravity	1/5 Palpable or visible muscle contraction, but no joint movement 2/5 Active movement with gravity eliminated 3/5 Active movement against gravity 4/5 Active movement against some resistance								
All normal (5/5)									
Hand grip: Right: 5/5 4/5	3/5	2/5 1/5 0/5							
Left: 5/5 4/5	3/5	2/5 1/5 0/5							
IF THE VETERAN HAS A REDUCTION IN N		TH, IS IT DUE TO A DIAGNOSIS LISTED IN SEC	TION 1?						
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY? YES NO IF YES, IS THE MUSCLE ATROPHY DUE TO A DIAGNOSIS LISTED IN SECTION 1? YES NO IF NO, PROVIDE RATIONALE:									
FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.									
LOCATION OF MUSCLE ATROPHY:	oation of mosaumon	month.							
RIGHT UPPER EXTREMITY (specify lo CIRCUMFERENCE OF MORE NO CIRCUMFERENCE OF ATROPHI	ORMAL SIDE:	CM							
LEFT UPPER EXTREMITY (specify local	ation of measureme	ent):							
CIRCUMFERENCE OF MORE NO CIRCUMFERENCE OF ATROPHI									
7C. COMMENTS, IF ANY:		_ GW							
		SECTION VIII - ANKYLOSIS							
Complete this section if Veteran has ankylo		or finger joints. f a joint due to disease, injury or surgical procedu	ura						
8A. INDICATE LOCATION, SEVERITY AND		, , , , , , , , , , , , , , , , , , , ,	uic.						
		Left Hand							
		No ankylosis							
Name of joint Is	it ankylosed?	If ankylosed, what is the position of ankylosis	If ankylosed, is there rotation of a bone?	If ankylosed, is there angulation of a bone?					
CMC	Yes No	☐ In extension ☐ In full flexion ☐ Other, degrees of flexion	Yes No	Yes No					
No ankylosis	Yes No	☐ In extension ☐ In full flexion ☐ Other, degrees of flexion	Yes No	Yes No					
MCP Index Finger	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No					
No ankylosis	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No					

INDICATE LOCATION	, SEVERITY A	AND SIDE AFFECT	SECTION VIII - ANKYLOSIS (Continued) ED (check all that apply):				
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
			Right Hand No ankylosis				
	Name of joint	Is it ankylosed?	If ankylosed, what is the position of ankylosis	If ankylosed, is there rotation of a bone?	If ankylosed, is there angulation of a bone?		
Thumb No ankylosis	CMC	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	IP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Index Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
DOES THE ANKYLOSIS RESULT IN LIMITATION OF MOTION OF OTHER DIGITS OR INTERFERENCE WITH OVERALL FUNCTION OF THE HAND? YES NO IF YES, PLEASE DESCRIBE AND PROVIDE RATIONALE FOR YOUR RESPONSE:							

SECTION VIII - ANKYLOSIS (Continued)							
8C. COMMENTS, IF ANY:							
SECTION IX - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS							
9A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?							
YES NO IF YES, COMPLETE THE FOLLOWING SECTION							
9B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?							
YES NO IF YES, DESCRIBE (brief summary):							
9C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?							
YES NO							
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK?							
YES NO IF YES, ALSO COMPLETE A SCARS DBQ.							
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.							
Location:							
Measurements: length cm X width cm.							
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.							
9D. COMMENTS, IF ANY:							
SECTION X - ASSISTIVE DEVICES							
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES?							
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency):							
☐ Brace Frequency of use: ☐ Occasional ☐ Regular ☐ Constant							
Other: Frequency of use: Occasional Regular Constant							
10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:							
APATION VI. DEMANNING EFFECTIVE FUNCTION OF THE EXTREMITIES							
SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES							
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)							
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.							
☐ NO IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: ☐ RIGHT UPPER ☐ LEFT UPPER							
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE							
SPECIFIC EXAMPLES (brief summary):							
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should							
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the							
same degree as if there were an amputation of the affected limb.							

SECTION XII - DIAGNOSTIC TESTING										
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.										
12A. HAVE IMAGING STUDIES OF THE HANDS BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? YES NO										
IF YES, ARE THERE ABNORMAL FINDINGS? YES NO										
IF YES, INDICATE FINDINGS: DEGENERATIVE OR TRAUMATIC ARTHRITIS HAND: RIGHT LEFT BOTH IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED IN MULTIPLE JOINTS OF THE SAME HAND, INCLUDING THUMB AND FINGERS? YES NO IF YES, INDICATE HAND: RIGHT LEFT BOTH OTHER. DESCRIBE: HAND: RIGHT LEFT BOTH										
OTHER. DESCRIBE:	Т 📗 ВОТН									
	TYPE OF TEST OF	R PROCEDURE, DATE AND RESULTS (brie								
12C. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:										
SECTION XIII - FUNCTIONAL IMPACT										
NOTE: Provide the impact of only the diagnos	sed condition(s), w	ithout consideration of the impact of other	medical conditions or factors	, such as age.						
13. REGARDLESS OF THE VETERAN'S CURR ABILITY TO PERFORM ANY TYPE OF OCC YES NO IF YES, DESCRIBE	CUPATIONAL TASK		etc.)?							
SECTION XIV - REMARKS										
14. REMARKS, IF ANY:										
SECTION XV - PHYSICIAN'S CERTIFICATION AND SIGNATURE										
CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.										
15A. PHYSICIAN'S SIGNATURE		15B. PHYSICIAN'S PRINTED NAME		15C. DATE SIGNED						
15D. PHYSICIAN'S PHONE NUMBER 15E. PHYSICIAN		I 'S MEDICAL LICENSE NUMBER 15F. PHYSICIAN'S ADDI		SSS						
NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.										
IMPORTANT - Physician please fax the completed form to										
NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.										
PDIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38. Code of										

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.