OMB Approved No. 2900-XXXX Respondent Burden: 30 minutes Expiration Date: XX-XX-XXXX

Department of Veterans Affairs

HAND AND FINGER CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OPPOCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE REVERSE BEFORE COMPLETING FORM.	
NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affai provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA private health care providers.	rs (VA) for disability benefits. VA will consider the information you reserves the right to confirm the authenticity of ALL DBQ's completed by
MEDICAL RECORD RE	EVIEW
WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?	
YES NO	
IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE V	ETERAN'S VA CLAIMS FILE:
IF NO, CHECK ALL RECORDS REVIEWED:	
Military service treatment records Department of Defense Form 214 Separation	on Documents
Military service personnel records Veterans Health Administration medical rec	cords (VA treatment records)
Military enlistment examination Civilian medical records	
Military separation examination Interviews with collateral witnesses (family	and others who have known the veteran before and after military service)
Military post-deployment questionnaire Other:	
No records were reviewed	
SECTION I - DIAGNO	OSIS
NOTE: These are condition(s) for which an evaluation has been requested on an exam reques evidence be provided for submission to VA.	t form (Internal VA) or for which the Veteran has requested medical
1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:	
NOTE: These are the diagnoses determined during this current evaluation of the claimed cond	dition(s) listed above. If there is no diagnosis, if the diagnosis is different
from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to	the claimed condition, explain your findings and reasons in comments
section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis.	sis or an approximate data determined through record review or reported
history.	sis, of an approximate date determined unrough record review of reported
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that	annly):
The Veteran does not have a current diagnosis associated with any claimed condition listed	
	: Date of diagnosis:
Gamekeeper's thumb Side affected: Right Left Both ICD Code	: Date of diagnosis:
Instability (collateral ligament sprain, chronic) Side affected: Right Left Both ICD Code	: Date of diagnosis:
U Volar plate injury Side affected: ☐ Right ☐ Left ☐ Both ☐ ICD Code	: Date of diagnosis:
Degenerative arthritis (MCP/PIP/DIP) Side affected: Right Left Both ICD Code	: Date of diagnosis:
MCP/PIP joint prosthetic Side affected: Right Left Both ICD Code replacement	: Date of diagnosis:
Ankylosis of digit joint(s), Side affected: Right Left Both ICD Code specify joint(s):	: Date of diagnosis:
Other (specify) Other diagnosis #1:	
Side affected: Right Left Both ICD Code:	Date of diagnosis:
Other diagnosis #2:	
Side affected: Right Left Both ICD Code:	Date of diagnosis:
Other diagnosis #3:	
Side affected: Pight I Left Roth ICD Code:	Date of diagnosis:

		SE	CTION II - MEDICA	L HISTORY		
2A. DESCRIBE THE HISTORY (in	cluding o	nset and course) OF THE	VETERAN'S HAND, F	INGER OR THUMB CON	IDITION (brief summary):	
	_					
2B. DOMINANT HAND:						
	AMBIDEX	TROUS				
	/ (IVIDIDE/					
2C. DOES THE VETERAN REPOR	RT THAT	FLARE-UPS IMPACT TH	E FUNCTION OF THE	HAND, FINGER OR THU	MB?	
YES NO						
IF YES, DOCUMENT THE VETER	RAN'S DES	SCRIPTION OF THE IMPA	ACT OF FLARE-UPS IN	I HIS OR HER OWN HAN	NDS:	
2D. DOES THE VETERAN REPOR	RT HAVIN	IG ANY FUNCTIONAL LO	SS OR FUNCTIONAL	IMPAIRMENT OF THE JO	DINT OR EXTREMITY BEI	NG EVALUATED ON THIS
DBQ (regardless of repetitive						
☐ YES ☐ NO						
IF YES, DOCUMENT THE VETER	RAN'S DES	SCRIPTION OF FUNCTIO	NAL LOSS OR FUNCT	IONAL IMPAIRMENT IN	HIS OR HER OWN WORD	OS:
.,						
		SECTION III INITIA	L DANCE OF MOTI	ON <i>(ROM)</i> MEASURE	EMENTO	
Magaura BOM with a ganismater	rounding			()		hotwoon fingers and nalm
Measure ROM with a goniometer, according to the guidance below. I						
pressure or manipulation, etc. Doc	-		, ,	· · · · · · · · · · · · · · · · · · ·		,
Following the initial assessment of	ROM, per	rform repetitive-use testing	g. For VA purposes, rep	etitive-use testing must be	e included in all joint exam	ns. The VA has determined
that 3 repetitions of ROM (at a min	,	· ·	e test of the effect of re	petitive use. After the initia	al measurement, reassess	ROM after 3 repetitions.
Report post-test measurements in	•					
For digits II through V, the metacar flexion, and the distal (terminal) int						
degrees of flexion represents the fi					ong, mg, and mae migers	(digits ii, iii, iv, and v), zero
3A. WERE ALL ROM MEASUREM			<u>-</u>			
YES NO, COMPLETE QUESTIONS 3B THROUGH 3F						
3B. FINGER FLEXION: DOCUME	NT THE R	OM IN DEGREES				
Check "Not Tested" only if all joints		•		e of each named individu	ıal joint, "Not Tested" simpl	y means that joint was not
tested. In either case, provide reas	on for not	testing in the section prov	vided below the tables.			
		Left Hand	Not Tested			
Thumb		Index finger	Long finger	Ring finger	Little finger	
Not Tested		Not Tested	Not Tested	Not Tested	Not Tested	
	-			+	+ 🗕	
CMC ROM:	MP	ROM: Not tested	ROM:	ROM:	ROM:	
Not tested			Not tested		Not tested	
IP ROM:	PIP	ROM:	ROM:	ROM:	ROM:	
Not tested	<u> </u>	Not tested	Not tested	Not tested	Not tested	
	DIP	ROM:	ROM:	ROM:	ROM:	
		Not tested	Not tested	Not tested	Not tested	
Right Hand Not Tested						
Thumb		Index finger	Long finger	Ring finger	Little finger	
Not Tested		Not Tested	Not Tested	Not Tested	Not Tested	
				1 =	+ 🗕	
CMC ROM: Not tested	MP	ROM: Not tested	ROM: Not tested	ROM: Not tested	ROM: Not tested	
				1 =	+ 🗕	
IP ROM:	PIP	ROM:	ROM:	ROM:	ROM:	
Not tested Not tested Not tested Not tested Not tested						
DIP ROM: ROM: ROM: ROM:						
Not tested Not tested Not tested Not tested						
IF ANY OF THE ABOVE JOINTS \	WERE NO	T TESTED, PLEASE EXF	PLAIN WHY (e.g., not in	ndicated or Veteran was	physically not able to per	form):
		•	, 0,			

			ON III - INITIAL RAI	NGE (OF MOTION (RC	<i>DM)</i> N	MEASUREMENT	S (Ca	ntinued)		
3C. FINGE	R EXTENSION: DOCUM	IENT THE	ROM IN DEGREES								
	t Tested" only if all joints in the case, provide reaso					e of ea	ach named individu	al joint	"Not Tested" simp	ly means that joint	was not
Left Hand Not Tested											
	Thumb		Index finger	T '	Long finger		Ring finger		Little finger	-	
	Not Tested		Not Tested		Not Tested		Not Tested		Not Tested		
0.10	ROM:		ROM:		ROM:		ROM:	ĪΠ	ROM:		
CMC	Not tested	MP	Not tested		Not tested		Not tested		Not tested		
IP	ROM:	PIP	ROM:		ROM:		ROM:		ROM:	1	
	Not tested	PIP	Not tested		Not tested		Not tested		Not tested		
		DIP	ROM:		ROM:		ROM:		ROM:		
			Not tested		Not tested		Not tested		Not tested		
			Right Hand	N	lot Tested					7	
	Thumb		Index finger		Long finger		Ring finger		Little finger	1	
	Not Tested		Not Tested		Not Tested		Not Tested		Not Tested		
CMC	ROM:	MP	ROM:		ROM:		ROM:		ROM:		
	Not tested		Not tested		Not tested		Not tested		Not tested		
ll _{IP}	ROM:	PIP	ROM:		ROM:		ROM:		ROM:		
	Not tested	\vdash	Not tested		Not tested		Not tested		Not tested	_	
		DIP	ROM:		ROM:		ROM:		ROM:		
			Not tested		Not tested		Not tested		Not tested	_	
	RE A GAP BETWEEN A E EXTENT POSSIBLE?	NY OF TH	HE BELOW LISTED FIN	NGER	TIPS AND THE PR	OXIM	AL TRANSVERSE	CREA	SE OF THE PALM,	, WITH THE FING	ER FLEXED
	L EXTENT T OGGIBEL:										
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		m. gap		cm. g	ıap						
		3-1-									
Long finger	No gap	m. gap	No gap	cm. g	jap						
	•		•								
3E. IS THE	RE A GAP BETWEEN T	HE THUM	IB PAD AND THE FING	SERS,	WITH THE THUME	3 ATTI	EMPTING TO OPP	OSE T	HE FINGERS?		
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		m. gap		cm. g	jap						
Long	No gap		No gap								
finger		m. gap		cm. g	ıap						
		J-1-									
Ring	No gap		No gap								
finger	c	m. gap		cm. g	јар						
Little	No gap		No gap								
finger	c	m. gap		cm. g	jap						
	1		1								
3F. DO AN	Y ABNORMAL ROMs NO	OTED ABO	OVE CONTRIBUTE TO	FUNC	CTIONAL LOSS?						
YES	NO, EXPLAIN W	/HY THE /	ABNORMAL ROMs DO	NOT	CONTRIBUTE:						

SECTION III - INITIAL RAN	GE OF MOTION (ROM) MEASUREMENTS	S (Continued)
3G. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF M	MOTION IDENTIFIED ABOVE BUT IS NORMAL F	OR THIS VETERAN (for reasons other than a hand
condition, such as age, body habitus, neurologic disease), EXPL	AIN:	
SECTION IV - ROM ME	ASUREMENTS AFTER REPETITIVE USE	TESTING
4A. IS THE VETERAN ABLE TO PERFORM REPETITIVE-USE TEST	ING WITH 3 REPETITIONS FOR ANY OF THE J	OINTS OF THE DIGITS OR HANDS?
YES, THE VETERAN IS ABLE TO PERFORM REPETITIVE-USI	E TESTING FOR <u>AT LEAST ONE</u> OF THE JOINT	S OF THE DIGITS OR HANDS
NO, THE VETERAN IS <u>NOT</u> ABLE TO PERFORM <u>ANY</u> REPETI	ITIVE-USE TESTING FOR ANY OF THE JOINTS	OF THE DIGITS OR HANDS
IF YES, CONTINUE TO QUESTION B.		
IF NO, PROVIDE REASON, THEN SKIP TO QUESTION 5:		
4B. IS THERE ANY ADDITIONAL LIMITATION IN ROM IN ANY OF TI	HE JOINTS OF THE DIGITS OR HANDS AFTER	REPETITIVE-USE TESTING?
YES, THERE IS A CHANGE IN ROM IN AT LEAST ONE OF TH		
NO, THERE IS NO CHANGE IN ROM IN ANY OF THE JOINTS		
IF YES, COMPLETE QUESTIONS C THROUGH G (report ROM afte.		
IF NO, DOCUMENTATION OF ROM AFTER REPETITIVE-USE TEST	v 1	ESTION 5.
4C. POST-TEST FINGER FLEXION: DOCUMENT THE POST-TEST F		
Check "No change in ROM" (or "No change") only if all joints within that within that described hand/digit.	at described hand/digit were tested and there was	no additional limitation in ROM in any of the joints
Check "Not Tested" only if all joints within that described hand/digit we		l joint, "Not Tested" simply means that joint was not
tested. In either case, provide reason for not testing in the section prov	rided below the tables.	
Left Hand No cha	ange in ROM Not Tested	
Thumb Index finger	Long finger Ring finger	Little finger
No change in No change in	No change in No change in	No change in
ROM ROM Not Tested	ROM ROM Not Tested Not Tested	ROM Not Tested
ROM: ROM:	ROM: ROM:	ROM:
CMC Not tested MP Not tested	Not tested Not tested	Not tested
ROM: ROM:	ROM: ROM:	ROM:
IP Not tested PIP Not tested	Not tested Not tested	Not tested
ROM:	ROM: ROM:	ROM:
DIP Not tested	Not tested Not tested	Not tested
Right Hand No change		
Thumb Index finger	Long finger Ring finger	Little finger
No change in No change in ROM	No change in No change in ROM	No change in ROM
Not Tested Not Tested	Not Tested Not Tested	Not Tested
ROM: ROM: ROM:	ROM: ROM:	ROM:
CMC Not tested MP Not tested	Not tested Not tested	Not tested
IP ROM: PIP ROM:	ROM: ROM:	ROM:
Not tested Not tested Not tested	Not tested Not tested	Not tested
DIP ROM:	ROM: ROM:	ROM:
Not tested	Not tested Not tested	Not tested
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXF	PLAIN WHY (e.g., not indicated or Veteran was r	hwsically not able to perform)
II ANT OF THE ABOVE SOUNTS WERE NOT TESTED, I LEASE EXT	LAIN WITT (e.g., not indicated of veteral was p	mysicully not dole to perform).

4D. POST_TEST FINGER EXTENSIONE DOCUMENT THE POST_TEST FOOK IN DEGREES Once No Change In ROW (in You because you've you've light price with the described hand there was no additional limitation in ROM in any of the joints within the described hand described ha			SECTIO	N IV - ROM MEASUI	REMENTS	AFTER REPE	TITIVE USE TESTI	NG (Continued)	
within that described handloight. County = Not tested in your jill all joint within that described handloight were not tested. In the case of each named individual joint, "Not Tested tested. In other case, povide reason for not feeling in the existion provided before the tables. County = Not tested	4D. POS	T-TEST FINGER EXTEN	ISION: DOC	CUMENT THE POST-TE	EST ROM IN	DEGREES				
Thumb	within that Check "N	at described hand/digit. lot Tested" only if all joint	ts within that	t described hand/digit w	ere not teste	d. In the case of				-
No change in ROM No change in ROM RO				Left Hand No c	hange in RO	M Not T	ested			
ROM		Thumb		Index finger	Long	finger	Ring finger		Little finger	
Not Tested										
ROM						_ I _		$ \Box$		
Not resided Not resided Not resided Not resided PP ROM PP ROM				<u> </u>	+=-			H		
Not tested	CMC	=	MP	=	$\perp =$	=				
Not tested	ID.	ROM:	DID	ROM:	RO	м: [ROM:		ROM:	
Not tested Not	IP	Not tested	PIP	Not tested	Not	tested	Not tested		Not tested	
Not tested Not			DIP	ROM:	RO	М:	ROM:		ROM:	
Thumb				Not tested	Not	tested	Not tested		Not tested	
No change in ROM No change in ROM No change in ROM R			Righ	t Hand No chan	ge in ROM	Not Teste	d			
ROM				· ·	1				•	
Not Tested Not					1 1 1					
Not tested						_ I _				
Not tested Not	CMC	ROM:	MD	ROM:	RO	M:	ROM:		ROM:	
Not tested	CIVIC	Not tested	IVIF	Not tested	Not	tested	Not tested		Not tested	
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform): 4E. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN ANY OF THE BELOW LISTED FINGERTIPS AND THE PROXIMAL TRANSVERSE CREASE OF PALM, WITH THE FINGER FLEXED TO THE EXTENT POSSIBLE? 4E. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN ANY OF THE BELOW LISTED FINGERTIPS AND THE PROXIMAL TRANSVERSE CREASE OF PALM, WITH THE FINGER FLEXED TO THE EXTENT POSSIBLE? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? 4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS.	IP	=	PIP	=	$\perp =$	=	=			
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform): 4E. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN ANY OF THE BELOW LISTED FINGERTIPS AND THE PROXIMAL TRANSVERSE CREASE OF PALM, WITH THE FINGER FLEXED TO THE EXTENT POSSIBLE? Left Hand Right Hand No gap No gap No gap Cm. gap Ringer Cm. gap Cm. gap Ringer Cm. gap Right Hand Right Han		Not tested		<u> </u>	+=-			Щ		
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not able to perform): 4E. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN ANY OF THE BELOW LISTED FINGERTIPS AND THE PROXIMAL TRANSVERSE CREASE OF PALM, WITH THE FINGER FLEXED TO THE EXTENT POSSIBLE? Left Hand			DIP	=	$\perp =$	=	=	ᅵ片		
Index No gap No gap No gap Cm. gap C			,			THE BELOW LIS	STED FINGERTIPS A	ND TH	HE PROXIMAL TRA	ANSVERSE CREASE OF THE
Index No gap No gap No gap Cm. gap C		Left Hand		Right Hand		1				
finger		Leit Hand								
Long No gap No gap Cm. gap C	l l	No gap		No gap						
4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? Left Hand	finger		cm. gap		cm. gap					
4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? Left Hand	Long	□ No gan		□ No gan						
4F. AFTER REPETITIVE-USE TESTING, IS THERE A GAP BETWEEN THE THUMB PAD AND THE FINGERS, WITH THE THUMB ATTEMPTING TO OPPOSE THE FINGERS? Left Hand Right Hand Index No gap Cm. gap Cm. gap Long No gap Cm. gap Cm. gap Long No gap Cm. gap Cm. gap Ring No gap Cm. gap Cm. gap Little No gap Cm. gap Cm. gap Little No gap Cm. gap		The gap	cm gan		cm dan					
Left Hand Right Hand Right Hand Index finger No gap No gap cm.			Cili. yap		Cili. yap					
Index finger			ESTING, IS	THERE A GAP BETWE	EN THE TH	JMB PAD AND T	HE FINGERS, WITH	THE T	НИМВ АТТЕМРТІ	NG TO OPPOSE THE
finger		Left Hand		Right Hand						
finger	11.	□ No gan		□ No gan						
finger		П чо дар	cm. gap	No gap	cm. gap					
finger		No gap	cm. gap	No gap	cm. gap					
finger		No gap	cm. gap	No gap	cm. gap					
		No gap	cm. gap	No gap	cm. gap					

	SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)						
YES (you v	4G. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMS NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS? YES (you will be asked to further describe these limitations in questions 6 below) NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMS DO NOT CONTRIBUTE:						
5A. PAINFUL RO	DM MOVEMENTS ON ACTIVE, PASSIVE AND	SECTION V - PAIN /OR REPETITIVE USE TESTING					
		Left Hand					
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?					
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
		Right Hand					
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?					
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)					

		SECTION V - PAIN (Continued)
5B. PAIN WHEN	JOINT IS USED IN WEIGHT-BEARING OR IN	NON WEIGHT-BEARING
		Left Hand
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
		Right Hand
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)
5C. LOCALIZED	TENDERNESS OR PAIN TO PALPATION	
	Doop the Voteren have leading the desired	Left Hand If you describe the tendences or poin (including location, severity and relationship to condition(s)
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including location, severity and relationship to condition(s) listed in the Diagnosis section):
Thumb	Yes No	
Index finger	Yes No	
Long finger	Yes No	
Ring finger	Yes No	
Little finger	Yes No	

		SECTION V - PAIN (Continued)		
		Right Hand		
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including lo listed in the Diagnosis section):	cation, severity and rela	ttionship to condition(s)
Thumb	Yes No			
Index finger	Yes No			
Long finger	Yes No			
Ring finger	Yes No			
Little finger	Yes No			
5D. COMMENTS	IF ANY.			
	SECTION VI - FUN	CTIONAL LOSS AND ADDITIONAL LIMITATION form normal working movements of the body with n		h cheed coordination and/or
endurance. Using information	on from the history and physical exam, select	the factors below that contribute to functional loss o epetitive use for the joint or extremity being evaluate	r impairment (regardless	
	ING FACTORS OF DISABILITY (check all tha	t apply and indicate digit affected):		
=	al loss for left hand, thumb or fingers			
	al loss for right hand, thumb or fingers			T
Contributing fac	ctor		Left Hand	Right Hand
	rement than normal nkylosis, limitation or blocking, adhesions, te	ndon-tie-ups, contracted scars, etc.)	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
	vement than normal il joints, resections, nonunion of fractures, re	laxation of ligaments, etc)	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
	ed movement nuscle injury, disease or injury of peripheral i	nerves, divided or lengthened tendons, etc.)	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Excess fa	atigability		None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF	ROM (Continued)	
6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate digit affected):		
Contributing factor	Left Hand	Right Hand
Incoordination, impaired ability to execute skilled movements smoothly	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Pain on movement	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Swelling	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Deformity	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Atrophy of disuse	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger
Other, describe:		
NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion or could significantly limit functional ability during flare-ups or when the joint is <i>used repeatedly over a period of time</i> terms of the degree of ROM loss or gap distances due to pain on use or during flare-ups. The following section will 6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION?	and that opinion, if feas	ible, should be expressed in
YES, COMPLETE QUESTIONS 6C THROUGH 6E, AND F BELOW.		

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

			stimated ROM due to p ing flare-ups or when tl over a per	he joint i	s used repeatedly	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
	LEFT HAND		Flexion		Extension	Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
Thumb	Yes (complete estimated ROM)	СМС	Est. ROM: Estimate is not feasible Est. ROM:	СМС	Est. ROM: Estimate is not feasible Est. ROM:	N/A	N/A	
		IP _	Estimate is not feasible	IP	Estimate is not feasible			
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap	
Index finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible	Est. cm gap Estimate is not feasible	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	ISGOSIO	teasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap	
Long finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible	Est. cm gap Estimate is not feasible	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	.000,210	.000.00	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap	
Ring finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	Est. cm gap Estimate is not feasible	Est. cm gap Estimate is not feasible	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	iodolbie	icacibio	
	Yes (complete	MP _	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No estimated gap	No estimated gap	
Little finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	Est cm gap Estimate is not feasible	Est. cm gap Estimate is not feasible	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	Teasible	reasible	
Estimated ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time					ne joint is used repeatedly			
	RIGHT HAND		Flexion		Extension	Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
Thumb	Yes (complete estimated ROM)	СМС	Est. ROM: Estimate is not feasible	СМС	Est. ROM: Estimate is not feasible	N/A	N/A	
	No	IP _	Est. ROM: Estimate is not feasible	IP	Est. ROM: Estimate is not feasible			

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

		Estimated ROM due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time			E	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time			
	RIGHT HAND		Flexion		Extension	the of	b between the fingertip and proximal transverse crease the palm, with the finger xed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		7 No. 11 (1971)	□ No of out of out	
Index finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est cm gap Estimate is not	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		No estimated ass	No cotimated con	
Long finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		No estimated gas	No potimeted gap	
Ring finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		No estimated gap Est cm gap Estimate is not	No estimated gap Est cm gap Estimate is not	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible		No estimated gap	No estimated gap	
Little finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible		Est cm gap Estimate is not feasible	Est cm gap Estimate is not feasible	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		leasible	leasible	
	NY JOINTS IN WHICH EST DINT IS USED REPEATEDI							DURING FLARE-UPS OR WHEN	
								ISED REPEATEDLY OVER A	
PERIO	D OF TIME BUT THE LIMIT	TATION	OF ROM OR GAP DISTAN	ICES C	ANNOT BE ESTIMATED, F	PLEA	SE DESCRIBE THE FUNCT	TONAL LOSS:	
GE INDICA	TE ANY FINANCE IN WILL		DE IS FUNCTIONAL LOSS	C (not a	aggoriated with limitation o		tion) DUDING ELADE LIDE		
	ATEDLY OVER A PERIOD (None All		OR OTHERWISE:	<u>`</u>	ng finger Ring finge	,	Little finger	OR WHEN THE JOINT IS USED	
Right:	None All	Thum		_	ng finger Ring finge		Little finger		

SECTION VII - MUSCLE STRENGTH TESTING							
7A. MUSCLE STRENGTH - RATE STRENTH ACCORDING TO THE FOLLOWING SCALE:							
0/5 No muscle movement 1/5 Palpable or visible muscle contraction, but no joint movement 2/5 Active movement with gravity eliminated 3/5 Active movement against gravity 4/5 Active movement against some resistance 5/5 Normal strength							
All normal (5/5)							
Hand grip: Right: 5/5 4/5 3/5 2/5 1/5 0/5							
Left: 5/5 4/5 3/5 2/5 1/5 0/5							
IF THE VETERAN HAS A REDUCTION IN MUSCLE STRENGTH, IS IT DUE TO A DIAGNOSIS LISTED IN SECTION 1? YES NO IF NO, PROVIDE RATIONALE:							
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY? YES NO IF YES, IS THE MUSCLE ATROPHY DUE TO A DIAGNOSIS LISTED IN SECTION 1? YES NO IF NO, PROVIDE RATIONALE:							
FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.							
LOCATION OF MUSCLE ATROPHY:							
RIGHT UPPER EXTREMITY (specify location of measurement): CIRCUMFERENCE OF MORE NORMAL SIDE: CM CIRCUMFERENCE OF ATROPHIED SIDE: CM							
LEFT UPPER EXTREMITY (specify location of measurement):							
CIRCUMFERENCE OF MORE NORMAL SIDE: CM CIRCUMFERENCE OF ATROPHIED SIDE: CM							
7C. COMMENTS, IF ANY:							
To. Sommerto, il futt.							
SECTION VIII - ANKYLOSIS							
Complete this section if Veteran has ankylosis of any thumb or finger joints.							
NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure.							
8A. INDICATE LOCATION, SEVERITY AND SIDE AFFECTED (check all that apply):							
Left Hand No ankylosis							
Name of joint Is it ankylosed? If ankylosed, what is the position of ankylosis If ankylosed, is there rotation of a bone? If ankylosed, is there angulation of a bone?							
Thumb CMC Yes In extension In full flexion Yes Yes Thumb No Other, degrees of flexion No No							
No ankylosis IP Yes In extension In full flexion Yes Yes No No No							
Index Finger MCP Yes In extension In full flexion Yes Yes No No No							
No ankylosis PIP Yes In extension In full flexion Yes Yes No No No							

NDICATE LOCATION	, SEVERITY A	AND SIDE AFFECT	SECTION VIII - ANKYLOSIS (Continued) ED (check all that apply):					
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Right Hand								
	Name of joint	Is it ankylosed?	No ankylosis If ankylosed, what is the position of ankylosis	If ankylosed, is there rotation of a bone?	If ankylosed, is there angulation of a bone?			
Thumb No ankylosis	СМС	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	IP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Index Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No			
DOES THE ANKYLOSIS RESULT IN LIMITATION OF MOTION OF OTHER DIGITS OR INTERFERENCE WITH OVERALL FUNCTION OF THE HAND? YES NO IF YES, PLEASE DESCRIBE AND PROVIDE RATIONALE FOR YOUR RESPONSE:								

OC COMMENTO IF ANY.							
8C. COMMENTS, IF ANY:							
SECTION IX - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS							
9A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE? YES NO IF YES, COMPLETE THE FOLLOWING SECTION							
9B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY							
CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?							
YES NO IF YES, DESCRIBE (brief summary):							
9C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?							
YES NO							
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE							
LOCATED ON THE HEAD, FACE OR NECK? YES NO IF YES, ALSO COMPLETE A SCARS DBQ.							
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.							
Location:							
Measurements: length cm X width cm.							
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.							
9D. COMMENTS, IF ANY:							
SECTION X - ASSISTIVE DEVICES							
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES?							
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency):							
☐ Brace Frequency of use: ☐ Occasional ☐ Regular ☐ Constant							
Other: Frequency of use: Occasional Regular Constant							
10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:							
OFOTION VI. DEMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES							
SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES							
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)							
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN.							
□ NO							
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER							
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE SPECIFIC EXAMPLES (brief summary):							
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.							

SECTION XII - DIAGNOSTIC TESTING									
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.									
12A. HAVE IMAGING STUDIES OF THE HANDS BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? YES NO									
IF YES, ARE THERE ABNORMAL FINDINGS? YES NO									
IF YES, INDICATE FINDINGS: DEGENERATIVE OR TRAUMATIC ARTHRITIS HAND: RIGHT LEFT BOTH IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED IN MULTIPLE JOINTS OF THE SAME HAND, INCLUDING THUMB AND FINGERS? PYES NO IF YES, INDICATE HAND: RIGHT BOTH									
OTHER. DESCRIBE: HAND: RIGHT LEFT LEFT									
	TYPE OF TEST OF	R PROCEDURE, DATE AND RESULTS (brie							
12C. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:									
SECTION XIII - FUNCTIONAL IMPACT									
NOTE: Provide the impact of only the diagnos	sed condition(s), w	ithout consideration of the impact of other	medical conditions or factors	, such as age.					
13. REGARDLESS OF THE VETERAN'S CURR ABILITY TO PERFORM ANY TYPE OF OCC YES NO IF YES, DESCRIBE	CUPATIONAL TASK		etc.)?						
SECTION XIV - REMARKS									
14. REMARKS, IF ANY:									
SECTION XV - PHYSICIAN'S CERTIFICATION AND SIGNATURE									
CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.									
15A. PHYSICIAN'S SIGNATURE		15B. PHYSICIAN'S PRINTED NAME		15C. DATE SIGNED					
15D. PHYSICIAN'S PHONE NUMBER 15E. PHYSICIAN		I 'S MEDICAL LICENSE NUMBER 15F. PHYSICIAN'S ADDI		SSS					
NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.									
IMPORTANT - Physician please fax the completed form to									
NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.									
PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38. Code or									

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.