ľ	Δ	D	)epai	rtment	of	Veterans	Affairs

## STATE OR TRIBAL GOVERNMENT CEMETERY GRANTS SERVICE SPACE PROGRAM ANALYSIS - BUILDINGS

PROJECT LOCATION	PROJECT NAME			
	PROJECT FAI (Federal Application Identifier) NO.			
1. SUPPORT FACILITIES		PROPOSED BY APPLICANT	VA CRITERIA	TOTAL VA ALLOWED
BUILDING NUMBER 1 - SUPPORT FACILITIES - 2,555 NSF			3,090 GSF	
A. PUBLIC INFORMATION CENTER (PIC) 660 NSF (1.12 NG MU	LTIPLIER)		740 GSF	
1. ENTRY VESTIBULE			150 NSF	
with KIOSK (GRAVE LOCATOR)				
2. LOBBY			280 NSF	
KIOSK CLOSET (Included)			(25 NSF)	
ELECTRIC WATER COOLERS (2) (Included)				
JANITOR CLOSET with Utility Sink (Included)			(40 NSF)	
3. TOILETS MEN & WOMEN (1 each @ 115 NSF each)			230 NSF	
B. ADMINISTRATIVE OFFICES - 1,030 NSF (1.24 NG Multiplier)			1,275 GSF	
1. WAITING ROOM - Seats 4-6 persons			155 NSF	
2. RECEPTION/SECRETARY/CEMETERY REPRESENTATIVE			150 NSF	
3. CLOSET (coats & storage)			10 NSF	
4. OPERATIONS (COPY/WORK/FILES)			150 NSF	
5. DIRECTOR			165 NSF	
6. CONFERENCE			165 NSF	
7. HALL			90 NSF	
8. TOILET (1 unisex) wheelchair accessible			50 NSF	
9. MECHANICAL/ELECTRICAL/COMMUNICATIONS			95 NSF	
C. SHARED/HON GD/MAINTENANCE STAFF - 865 NSF (1.24 N	G Multiplier)		1,075 GSF	
1. HONOR GUARD - (meeting room with 1 - 2 tables/chairs)			260 NSF	
Kitchenette unit with under counter recycling containers (Includ	ded)		(175 NSF)	
Lockers/Bench in changing area (Included)			(35 NSF)	

Toilet unisex (Included)       Image: Staff         2. MAINTENANCE STAFF       Image: Staff         (1) FOREMAN       Image: Staff         (2) BOOTS & LOCKERS with bench to change shoes       Image: Staff         (3) CLOSET (housekeeping)       Image: Staff         (4) SHOWER & TOILET (1 unisex)       Image: Staff         (5) HALL       Image: Staff         (6) BREAK ROOM       Image: Staff         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF       Image: Staff         A. MAINTENANCE SERVICE AREA       Image: Staff         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)       Image: Staff         with Optional wash equipment room TBD       Image: Staff         2. SERVICE BAY #1/#2       Image: Staff         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.       Image: Staff         Optional - Heavy lift if equipment is not sent out for maintenance.       Image: Staff         3. PARTS AND TOOL STORAGE CAGE       Image: Staff	(50 NSF) <b>605 NSF</b> (140 NSF) (110 NSF) (10 NSF) (75 NSF) (105 NSF)	
(1) FOREMAN         (2) BOOTS & LOCKERS with bench to change shoes         (3) CLOSET (housekeeping)         (4) SHOWER & TOILET (1 unisex)         (5) HALL         (6) BREAK ROOM         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(140 NSF) (110 NSF) (10 NSF) (75 NSF)	
(2) BOOTS & LOCKERS with bench to change shoes         (3) CLOSET (housekeeping)         (4) SHOWER & TOILET (1 unisex)         (5) HALL         (6) BREAK ROOM         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(110 NSF) (10 NSF) (75 NSF)	
(3) CLOSET (housekeeping)         (4) SHOWER & TOILET (1 unisex)         (5) HALL         (6) BREAK ROOM         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(10 NSF) (75 NSF)	
(4) SHOWER & TOILET (1 unisex)         (5) HALL         (6) BREAK ROOM         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(75 NSF)	
(5) HALL (6) BREAK ROOM BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF A. MAINTENANCE SERVICE AREA 1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed) with Optional wash equipment room TBD 2. SERVICE BAY #1/#2 for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location. Optional - Heavy lift if equipment is not sent out for maintenance.		
(6) BREAK ROOM         BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	 (105 NSF)	
BUIDLING NUMBER 2 - MAINTENANCE SERVICE/GARAGE - 2,465 NSF         A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.		
A. MAINTENANCE SERVICE AREA         1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(165 NSF)	
1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	2,465 NSF	
1. OPTIONAL WASH BAY #1 (open or open 3 sides or closed)         with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	1,365 NSF	
with Optional wash equipment room TBD         2. SERVICE BAY #1/#2         for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.         Optional - Heavy lift if equipment is not sent out for maintenance.	(540 NSF)	
SERVICE BAY #1/#2     for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location.     Optional - Heavy lift if equipment is not sent out for maintenance.		
for routine maintenance with work bench at rear or side, heated and air-conditioned by climate location. Optional - Heavy lift if equipment is not sent out for maintenance.	(600 NSF)	
3. PARTS AND TOOL STORAGE CAGE		
	(150 NSF)	
4. AIR COMPRESSOR ROOM	(50 NSF)	
5. FLAMMABLE STORAGE CABINET	(25 NSF)	
B. VEHICLE AND EQUIPMENT STORAGE GARAGE	1,100 NSF	
unheated area at most locations		
BUIDLING NUMBER 3 - COMMITTAL SHELTER	1,025 GSF	
1. COVERED AREA - open on 3 sides	(900 GSF)	
with Bier to hold casket, seating for 20 persons, with 2 speakers		
2. STORAGE closet	(125 GSF)	
locate behind the Bier, with 2 wall sconces and the 5-service seals, locate at the front of the shelter, include shelf for equipment to play Taps, include storage of cleaning equipment, pressure wash, include storage to stack extra chairs		
3. UNCOVERED PAVED AREA	200 GSF	
with standing room for 20-30 additional persons		
COMPUTATIONS		
ROPOSED BY APPLICANT		

<b>CERTIFICATION:</b> I certify that this accurately reflects the proposed space program analysis for this project.				
SIGNATURE OF A & E FIRM REPRESENTATIVE	DATE SIGNED			
SIGNATURE OF STATE OR TRIBAL GOVERNMENT PROJECT MANAGER	DATE SIGNED			
SIGNATURE OF DESIGNATED STATE OR TRIBAL GOVERNMENT OFFICIAL	DATE SIGNED			
SIGNATURE OF STATE CEMETERY GRANTS SERVICE REVIEWER	DATE SIGNED			

Respondent Burden: Public reporting burden for this collection of information is estimated to average 3 hours. Statutory authority for a State Cemetery Grant is 38 U.S.C. 2408. The information requested is necessary to provide documentation on the appropriate size of the building, based on VA guidance on the net and gross square footage standards for cemetery buildings. VA may not conduct or sponsor and you are not required to respond to this collection of information unless it displays a valid OMB number. Respond to this collection is voluntary. Send comments regarding the burden estimate or any other aspects of this collection of information, including suggestions for reducing the burden to VA Clearance Officer (005R1B), 810 Vermont Avenue NW, Washington, DC 20420. SEND COMMENTS ONLY. Please do not send applications for a grant to this address.