

Surgical Site Infection (SSI)

Page 1 of 4

*required for saving **required for completion	
Facility ID:	Event #:
*Patient ID:	Social Security #:
Secondary ID:	Medicare #:
Patient Name, Last:	First: Middle:
*Gender: F M Other	*Date of Birth:
Ethnicity (Specify):	Race (Specify):
*Event Type: SSI	*Date of Event:
*NHSN Procedure Code:	ICD-9-CM Procedure Code:
*Date of Procedure:	*Outpatient Procedure: Yes No
*MDRO Infection Surveillance:	
<input type="checkbox"/> Yes, this infection's pathogen & location are in-plan for Infection Surveillance in the MDRO/CDI Module <input type="checkbox"/> No, this infection's pathogen & location are not in-plan for Infection Surveillance in the MDRO/CDI Module	
*Date Admitted to Facility:	Location:
Event Details	
*Specific Event:	
<input type="checkbox"/> Superficial Incisional Primary (SIP)	<input type="checkbox"/> Deep Incisional Primary (DIP)
<input type="checkbox"/> Superficial Incisional Secondary (SIS)	<input type="checkbox"/> Deep Incisional Secondary (DIS)
<input type="checkbox"/> Organ/Space (specify site): _____	
*Specify Criteria Used (check all that apply):	
<u>Signs & Symptoms</u>	<u>Laboratory</u>
<input type="checkbox"/> Purulent drainage or material	<input type="checkbox"/> Positive culture
<input type="checkbox"/> Pain or tenderness	<input type="checkbox"/> Not cultured
<input type="checkbox"/> Localized swelling	<input type="checkbox"/> Positive blood culture
<input type="checkbox"/> Redness	<input type="checkbox"/> Blood culture not done or no organisms detected in blood
<input type="checkbox"/> Heat	<input type="checkbox"/> Positive Gram stain when culture is negative or not done
<input type="checkbox"/> Fever	<input type="checkbox"/> Positive culture from ≥ 2 separate tissue or fluid samples from affected joint
<input type="checkbox"/> Incision deliberately opened/drained	<input type="checkbox"/> Other positive laboratory tests [‡]
<input type="checkbox"/> Wound spontaneously dehisces	<input type="checkbox"/> Imaging test evidence of infection
<input type="checkbox"/> Abscess	
<input type="checkbox"/> Other evidence of infection found on direct exam, during invasive procedure, or by diagnostic tests [‡]	<u>Clinical Diagnosis</u>
<input type="checkbox"/> Other signs & symptoms [‡]	<input type="checkbox"/> Physician diagnosis of this event type
	<input type="checkbox"/> Physician institutes appropriate antimicrobial therapy [‡]
*per organ/space specific site criteria	
*Detected: <input type="checkbox"/> A (During admission) <input type="checkbox"/> P (Post-discharge surveillance)	
<input type="checkbox"/> RF (Readmission to facility where procedure performed)	
<input type="checkbox"/> RO (Readmission to facility other than where procedure was performed)	
SSI was detected using the NHSN ICD Code-based Admit and Readmit SSI Surveillance Toolkit: <input type="checkbox"/> Yes <input type="checkbox"/> No	
*Secondary Bloodstream Infection: Yes No	**Died: Yes No SSI Contributed to Death: Yes No
Discharge Date:	*Pathogens Identified: Yes No *If Yes, specify on pages 2-3.
<small>Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 29 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666). CDC 57.120 (Front) Rev 5, v8.0</small>	

Surgical Site Infection (SSI)

Page 2 of 4

Pathogen #	Gram-positive Organisms								
_____	<i>Staphylococcus</i> coagulase-negative (specify species if available):		VANC SIRN						
_____	_____ <i>Enterococcus faecium</i>	DAPTO SNSN		GENTHL^s SRN	LNZ SIRN	VANC SIRN			
_____	_____ <i>Enterococcus faecalis</i>								
_____	_____ <i>Enterococcus</i> spp. (Only those not identified to the species level)								
_____	<i>Staphylococcus aureus</i>	CIPRO/LEVO/MOXI SIRN	CLIND SIRN	DAPTO SNSN	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN	LNZ SRN	
_____		OX/CEFOX/METH SIRN	RIF SIRN	TETRA SIRN	TIG SNSN	TMZ SIRN	VANC SIRN		
Pathogen #	Gram-negative Organisms								
_____	<i>Acinetobacter</i> (specify species)	AMK SIRN	AMPSUL SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN	
_____		GENT SIRN	IMI SIRN	MERO/DORI SIRN		PIP/PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
_____		TMZ SIRN	TOBRA SIRN						
_____	<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
_____		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB[†] SRN			
_____		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
_____		TIG SIRN	TMZ SIRN	TOBRA SIRN					
_____	<i>Enterobacter</i> (specify species)	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
_____		CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB[†] SRN			
_____		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
_____		TIG SIRN	TMZ SIRN	TOBRA SIRN					
_____	_____ <i>Klebsiella pneumonia</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
_____	_____ <i>Klebsiella oxytoca</i>	CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB[†] SRN			
_____		ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
_____		TIG SIRN	TMZ SIRN	TOBRA SIRN					

Surgical Site Infection (SSI)

Page 3 of 4

Pathogen #	Gram-negative Organisms (<i>continued</i>)											
_____	<i>Pseudomonas aeruginosa</i>	AMK SIR N	AZT SIR N	CEFEP SIR N	CEFTAZ SIR N	CIPRO/LEVO SIR N	COL/PB SIR N	GENT SIR N	IMI SIR N	MERO/DORI SIR N	PIP/PIPTAZ SIR N	TOBRA SIR N
Pathogen #	Fungal Organisms											
_____	<i>Candida</i> (specify species if available) _____	ANID SIR N	CASPO S NS N	FLUCO S S-DD R N	FLUCY SIR N	ITRA S S-DD R N	MICA S NS N	VORI S S-DD R N				
Pathogen #	Other Organisms											
_____	Organism 1 (specify) _____	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N		
_____	Organism 1 (specify) _____	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N		
_____	Organism 1 (specify) _____	Drug 1 SIR N	Drug 2 SIR N	Drug 3 SIR N	Drug 4 SIR N	Drug 5 SIR N	Drug 6 SIR N	Drug 7 SIR N	Drug 8 SIR N	Drug 9 SIR N		

Result Codes

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested

[§] **GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic**

[†] **Clinical breakpoints have not been set by FDA or CLSI, Sensitive and Resistant designations should be based upon epidemiological cutoffs of Sensitive MIC ≤ 2 and Resistant MIC ≥ 4**

Drug Codes:

AMK = amikacin	CEFTRX = ceftriaxone	FLUCY = flucytosine	OX = oxacillin
AMP = ampicillin	CEFUR = cefuroxime	GENT = gentamicin	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CETET = cefotetan	GENTHL = gentamicin –high level test	PIP = piperacillin
AMXCLV = amoxicillin/clavulanic acid	CIPRO = ciprofloxacin	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
ANID = anidulafungin	CLIND = clindamycin	ITRA = itraconazole	RIF = rifampin
AZT = aztreonam	COL = colistin	LEVO = levofloxacin	TETRA = tetracycline
CASPO = caspofungin	DAPTO = daptomycin	LNZ = linezolid	TIG = tigecycline
CEFAZ = ceftazidime	DORI = doripenem	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole
CEFEP = cefepime	DOXY = doxycycline	METH = methicillin	TOBRA = tobramycin
CEFOT = cefotaxime	ERTA = ertapenem	MICA = micafungin	VANC = vancomycin
CEFOX = ceftiofur	ERYTH = erythromycin	MINO = minocycline	VORI = voriconazole
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

Surgical Site Infection (SSI)

Page 4 of 4

Custom Fields																																																													
<p>Label</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; width: 70%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 5%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 15%;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> </table>		/		/			/		/			/		/			/		/			/		/			/		/		<p>Label</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-bottom: 1px solid black; width: 70%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 5%;"></td> <td style="border-bottom: 1px solid black; width: 5%; text-align: center;">/</td> <td style="border-bottom: 1px solid black; width: 15%;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black; text-align: center;">/</td> <td style="border-bottom: 1px solid black;"></td> </tr> </table>		/		/			/		/			/		/			/		/			/		/			/		/	
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
	/		/																																																										
Comments																																																													