



**A. DEMOGRAPHICS**

<b>Last Name</b> <sup>2000</sup> :		<b>First Name</b> <sup>2010</sup> :		<b>Middle Name</b> <sup>2020</sup> :	
<b>SSN</b> <sup>2030</sup> : - - <input type="checkbox"/> SSN N/A <sup>2031</sup>		<b>Patient ID</b> <sup>2040</sup> : (auto)		<b>Other ID</b> <sup>2045</sup> :	
<b>Birth Date</b> <sup>2050</sup> :		<b>Sex</b> <sup>2060</sup> : <input type="radio"/> Male <input type="radio"/> Female		<b>Hispanic or Latino Ethnicity</b> <sup>2076</sup> : <input type="radio"/> No <input type="radio"/> Yes	
<b>Race</b> : (check all that apply)		<input type="checkbox"/> White <sup>2070</sup> <input type="checkbox"/> Black/African American <sup>2071</sup>		<input type="checkbox"/> Asian <sup>2072</sup> <input type="checkbox"/> American Indian/Alaskan Native <sup>2073</sup> <input type="checkbox"/> Native Hawaiian/Pacific Islander <sup>2074</sup>	

**B. EPISODE OF CARE (ADMISSION)**

<b>Arrival Date</b> <sup>3000</sup> :		<b>Patient Zip Code</b> <sup>3005</sup> : <input type="checkbox"/> Zip Code NA <sup>3006</sup>	
<b>Reason for Admission</b> <sup>3010</sup> : <input type="radio"/> Admitted for this procedure <input type="radio"/> Cardiac - Heart Failure <input type="radio"/> Cardiac - Other <input type="radio"/> Non-Cardiac			
<b>Insurance Payor(s)</b> : (check all that apply) <input type="checkbox"/> Private Health Insurance <sup>3020</sup> <input type="checkbox"/> Medicare <sup>3021</sup> <input type="checkbox"/> Medicaid <sup>3022</sup> <input type="checkbox"/> Military Health Care <sup>3023</sup> <input type="checkbox"/> State-Specific Plan (Non-Medicaid) <sup>3024</sup> <input type="checkbox"/> Indian Health Service <sup>3025</sup> <input type="checkbox"/> Non-US Insurance <sup>3026</sup> <input type="checkbox"/> None <sup>3027</sup>			
<b>HIC</b> <sup>3030</sup> :			

**C. HISTORY AND RISK FACTORS (COMPLETE ONLY ONCE FOR EPISODES OF CARE/ADMISSIONS WITH A GENERATOR IMPLANT OR CHANGE)**

<b>Heart Failure</b> <sup>4000</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>Duration of Symptoms Since Initial Onset</b> <sup>4005</sup> : <input type="radio"/> < 3 months <input type="radio"/> 3 to 9 months <input type="radio"/> > 9 months	
→ If Yes, <b>Prior Heart Failure Hospitalization</b> <sup>4010</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>Prior HF Hospital Timeframe</b> <sup>4015</sup> : <input type="radio"/> <= 6 months <input type="radio"/> > 6 months	
<b>NYHA Functional Classification</b> <sup>4020</sup> : <input type="radio"/> Class I <input type="radio"/> Class II <input type="radio"/> Class III <input type="radio"/> Class IV	
<b>Non-Ischemic Dilated Cardiomyopathy</b> <sup>4025</sup> : <input type="radio"/> No <input type="radio"/> Yes → If Yes, <b>Timeframe</b> <sup>4030</sup> : <input type="radio"/> < 3 months <input type="radio"/> 3 to 9 months <input type="radio"/> >9 months	
<b>Prior Heart Transplant</b> <sup>4035</sup> : <input type="radio"/> No <input type="radio"/> Yes	<b>Syncope</b> <sup>4045</sup> : <input type="radio"/> No <input type="radio"/> Yes
<b>On Heart Transplant Waiting List</b> <sup>4040</sup> : <input type="radio"/> No <input type="radio"/> Yes	<b>Family History of Sudden Death</b> <sup>4050</sup> : <input type="radio"/> No <input type="radio"/> Yes
<b>Atrial Fibrillation/Flutter</b> <sup>4055</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>AFib/Flutter Classification</b> <sup>4060</sup> : <input type="radio"/> Paroxysmal <input type="radio"/> Persistent (> 7 days) <input type="radio"/> Permanent (> 1 year)	
<input type="radio"/> Secondary (reversible cause) <input type="radio"/> Unknown	
<b>Ventricular Tachycardia</b> <sup>4065</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>Hemodynamic Instability</b> <sup>4070</sup> : <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> Unknown	
→ If Yes, <b>VT Type</b> <sup>4075</sup> : <input type="radio"/> Non-sustained VT <input type="radio"/> Sustained monomorphic VT <input type="radio"/> Sustained polymorphic VT	
<input type="radio"/> Sustained monomorphic and polymorphic VT <input type="radio"/> Unknown	
<b>Cardiac Arrest</b> <sup>4080</sup> : <input type="radio"/> No <input type="radio"/> Yes → If Yes, <b>Most Recent Arrest Date</b> <sup>4085</sup> : mm/dd/yyyy	
→ If Yes, <b>VTach/VFib Arrest</b> <sup>4090</sup> : <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> Unknown	
→ If Yes, <b>Bradycardia Arrest</b> <sup>4095</sup> : <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> Unknown	
<b>Syndromes w/Risk of Sudden Death</b> <sup>4100</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>Syndrome Type</b> <sup>4105</sup> : <input type="radio"/> Long QT syndrome <input type="radio"/> Short QT syndrome <input type="radio"/> Brugada syndrome	
<input type="radio"/> Catecholaminergic polymorphic VT <input type="radio"/> Idiopathic/Primary VT/VF <input type="radio"/> Other	
<b>Previous ICD</b> <sup>4110</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Yes, <b>Type</b> <sup>4115</sup> : <input type="radio"/> Single chamber <input type="radio"/> Dual chamber <input type="radio"/> CRT-D	
→ If Yes, <b>Previous ICD Implant Site</b> <sup>4120</sup> : <input type="radio"/> Pectoral <input type="radio"/> Abdominal	
→ If Yes, <b>Previous ICD Date</b> <sup>4125</sup> : mm/dd/yyyy	
→ If Yes, <b>Previous ICD Reason</b> <sup>4130</sup> : <input type="radio"/> Primary prevention <input type="radio"/> Secondary prevention	
→ If Primary Prevention, <b>Implant Decision LVEF</b> <sup>4135</sup> : _____% <input type="checkbox"/> LVEF Not Available <sup>4136</sup>	
→ If Secondary Prevention, <b>Reason(s) for Initial Implant</b> : (check all that apply)	
<input type="checkbox"/> Cardiac Arrest/Arrhythmia-Etiology Unknown <sup>4140</sup> <input type="checkbox"/> Spontaneous Sustained VT <sup>4141</sup> <input type="checkbox"/> Syncope with High Risk Characteristics <sup>4142</sup>	
<input type="checkbox"/> Syncope with Inducible VT <sup>4143</sup> <input type="checkbox"/> Ventricular Fibrillation <sup>4144</sup> <input type="checkbox"/> Not Documented <sup>4145</sup>	

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0938-0967. The time required to complete this information collection is estimated to average fifteen (15) minutes per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

**Permanent Pacemaker**<sup>4150</sup>:  No  Yes (Includes previously placed)  
 → If Yes, **Pacemaker Type**<sup>4155</sup>:  Atrial chamber  Ventricular chamber  Dual chamber  CRT

**Ischemic Heart Disease**<sup>4160</sup>:  No  Yes  
 → If Yes, **One Epicardial Artery >=70% Confirmed by Angiography**<sup>4165</sup>:  No  Yes

**Prior MI**<sup>4170</sup>:  No  Yes → If Yes, **Most Recent MI Timeframe**<sup>4175</sup>:  <= 40 days  > 40 days

**Prior PCI**<sup>4180</sup>: (Prior to arrival)  No  Yes → If Yes, **Most Recent PCI Date**<sup>4185</sup>: mm/dd/yyyy

**Prior CABG**<sup>4190</sup>: (Prior to arrival)  No  Yes → If Yes, **Most Recent CABG Date**<sup>4195</sup>: mm/dd/yyyy

**Primary Valvular Heart Disease**<sup>4200</sup>:  No  Yes (Moderate to Severe)

**Other Structural Abnormalities**<sup>4205</sup>:  No  Yes  
 → If Yes, **Structural Abnormality Type(s)**: (check all that apply)  
 Amyloidosis<sup>4210</sup>  Atrial Septal Defect<sup>4211</sup>  Chagas Disease<sup>4212</sup>  Common Ventricle<sup>4213</sup>  
 Ebstein's Anomaly<sup>4214</sup>  Giant Cell Myocarditis<sup>4215</sup>  Hypertrophic Cardiomyopathy (HCM)<sup>4216</sup>  
 Left Ventricular Aneurysm<sup>4217</sup>  LV Non-compaction Syndrome<sup>4218</sup>  Right Ventricular Dysplasia (ARVD)<sup>4219</sup>  Sarcoidosis<sup>4220</sup>  
 Transposition of Great Vessels<sup>4221</sup>  Tetralogy of Fallot<sup>4222</sup>  Ventricular Septal Defect<sup>4223</sup>  Other<sup>4224</sup>

**OTHER RISK FACTORS**

<b>Height</b> <sup>4225</sup> : _____ cm	<b>Weight</b> <sup>4230</sup> : _____ kg
<b>Cerebrovascular Disease</b> <sup>4235</sup> : <input type="radio"/> No <input type="radio"/> Yes	<b>Chronic Lung Disease</b> <sup>4240</sup> : <input type="radio"/> No <input type="radio"/> Yes
<b>Diabetes Mellitus</b> <sup>4245</sup> : <input type="radio"/> No <input type="radio"/> Yes	<b>Sleep Apnea</b> <sup>4250</sup> : <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> Not assessed
<b>Currently on Dialysis</b> <sup>4255</sup> : <input type="radio"/> No <input type="radio"/> Yes	<b>Hypertension</b> <sup>4260</sup> : <input type="radio"/> No <input type="radio"/> Yes
<b>Patient Life Expectancy of &gt;=1 Year</b> <sup>4270</sup> : <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> Not documented (By physician estimate)	

**D. DIAGNOSTIC STUDIES** (COMPLETE ONLY ONCE FOR EPISODES OF CARE/ADMISSIONS WITH A GENERATOR IMPLANT OR CHANGE.)

**LVEF Assessed**<sup>5000</sup>:  No  Yes  
 → If Yes, **Most Recent LVEF**<sup>5005</sup>: \_\_\_\_\_ %  
 → If Yes, **Most Recent LVEF Timeframe**<sup>5010</sup>:  <1 month  ≥ 1 to ≤ 3 months  > 3 to ≤ 6 months  >6 months

**Electrophysiology Study**<sup>5015</sup>:  No  Yes (Most recent EP Study)  
 → If Yes, **EP Study Timeframe**<sup>5020</sup>:  <1 month  ≥ 1 to ≤ 3 months  > 3 to ≤ 6 months  >6 months  
 → If Yes, **Ventricular Arrhythmias Induced**<sup>5025</sup>:  No  Yes  Results Unattainable  
 → If Yes, **VT Ablation Performed**<sup>5030</sup>:  No  Yes  
 → If Yes, **EP Study Finding(s)**:  
 Non-sustained VT<sup>5031</sup>  Sustained Monomorphic VT<sup>5032</sup>  Sustained Polymorphic VT<sup>5033</sup>  
 Ventricular Flutter<sup>5034</sup>  Ventricular Fibrillation<sup>5035</sup>  
 (check all that apply)

**12 Lead ECG w/Automated Measurements**<sup>5040</sup>:  No  Yes  
 → If Yes, **ECG Date**<sup>5045</sup>: mm/dd/yyyy

**PR Interval**<sup>5055</sup>: \_\_\_\_\_ msec  **PR Interval Not Obtainable**<sup>5056</sup> (Exclude atrial fib, 2<sup>nd</sup> or 3<sup>rd</sup>° heart block, vent pacing)

**QRS Duration (Non-Ventricular Paced Complex)**<sup>5060</sup>: \_\_\_\_\_ msec  **Only Ventricular Paced QRS Complexes Present**<sup>5061</sup>  
 (From surface ECG closest to first generator procedure)

**Cardiac Rhythm(s)**:  
 AFib/Flutter<sup>5065</sup>  Atrial Tachycardia<sup>5066</sup>  Idioventricular<sup>5067</sup>  Junctional<sup>5068</sup>  
 Paced<sup>5069</sup>  Sinus Rhythm<sup>5070</sup>  Second Degree Heart Block<sup>5071</sup>  Third Degree Heart Block<sup>5072</sup>  
 → If Paced, **Underlying Atrial Rhythm**<sup>5075</sup>:  Sinus rhythm  Atrial fib/flutter  Sinus arrest  Unknown  
 → If Paced, **Pacing Type**<sup>5080</sup>:  Atrial pacing  Ventricular pacing  Both  
 → If Ventricular pacing or Both, **Ventricular Paced QRS Duration**<sup>5085</sup>: \_\_\_\_\_ msec

**Abnormal Intraventricular Conduction**<sup>5090</sup>:  No  Yes → If Yes, **Intraventricular Conduction Type(s)**: (check all that apply)  
 Left Anterior Fascicular Block<sup>5095</sup>  Left Posterior Fascicular Block<sup>5096</sup>  Left Bundle Branch Block (LBBB)<sup>5097</sup>  
 Delay, Nonspecific<sup>5098</sup>  Right Bundle Branch Block (RBBB)<sup>5099</sup>  Ventricular Paced Rhythm<sup>5100</sup>



<b>Blood Pressure</b> <sup>5105/5110</sup> : _____ / _____ mmHg	<b>BUN</b> <sup>5115</sup> : _____ mg/dL	<input type="checkbox"/> Not Drawn <sup>5116</sup>
<b>Hemoglobin</b> <sup>5120</sup> : _____ g/dL	<input type="checkbox"/> Not Drawn <sup>5121</sup>	<b>Sodium</b> <sup>5125</sup> : _____ mEq/L
<input type="checkbox"/> Not Drawn <sup>5121</sup>	<b>Potassium</b> <sup>5135</sup> : _____ mEq/L	<input type="checkbox"/> Not Drawn <sup>5126</sup>
<b>Creatinine</b> <sup>5130</sup> : _____ mg/dL	<input type="checkbox"/> Not Drawn <sup>5131</sup>	<input type="checkbox"/> Not Drawn <sup>5136</sup>
<b>BNP</b> <sup>5140</sup> : _____ pg/mL	(OR) <b>NT-proBNP</b> <sup>5145</sup> : _____ pg/mL	<input type="checkbox"/> Not Drawn <sup>5146</sup> (Closest to procedure)

**E. PROCEDURE INFORMATION** (COMPLETE FOR EACH LAB VISIT)

**Procedure Date/Time**<sup>6000/6001</sup>: mm/dd/yyyy hh:mm

**Procedure Type**<sup>6005</sup>:  Initial generator implant  Generator change  Lead only

**Prophylactic Antibiotics w/in 1 Hr of Procedure Start Time**<sup>6010</sup>:  
 No – not given, medical reason documented  No – not given, reason unspecified  Yes

**Routine Warfarin (Coumadin) Therapy**<sup>6015</sup>: (w/in 1 month)  No  Yes  
 → If Yes, **Held for Procedure**<sup>6020</sup>:  No  Yes  
 → If Yes, **INR Drawn**<sup>6025</sup>:  No  Yes  
 → If Yes, **INR**<sup>6030</sup>: \_\_\_\_\_ → If Yes, **INR Drawn Date**<sup>6035</sup>: mm/dd/yyyy

**Premarket Clinical Trial**<sup>6040</sup>:  No  Yes → If Yes, **Clinical Trial Name**<sup>6045</sup>: \_\_\_\_\_

**F. ICD IMPLANT / EXPLANT** (COMPLETE FOR EACH LAB VISIT IN WHICH AN INITIAL GENERATOR IMPLANT OR GENERATOR CHANGE WAS PERFORMED)

**Operator's Name**<sup>6100,6105,6110</sup>: \_\_\_\_\_ **NPI**<sup>6115</sup>: \_\_\_\_\_ **TIN**<sup>6120</sup>: \_\_\_\_\_

**ICD Indication**<sup>6125</sup>:  Primary prevention  Secondary prevention

**Planned Device Type**<sup>6130</sup>:  Single chamber  Dual chamber  CRT-D

**Device Implanted**<sup>6135</sup>:  No  Yes  
 → If Yes, **Final Device Type**<sup>6140</sup>:  Single chamber  Dual chamber  CRT-D  
 → If CRT-D, **CS/LV Lead Successful**<sup>6145</sup>:  Yes  Not implanted  Previously implanted  
 → If Not Implanted, **Reason CS/LV Lead Not Implanted**<sup>6150</sup>:  
 Vascular access  Coronary sinus access  Tributary vein access  
 CS dissection  Unacceptable threshold  Diaphragmatic stimulation

→ If Yes, **ID**<sup>6155</sup>: \_\_\_\_\_ OR **Manufacturer**<sup>6160</sup>: \_\_\_\_\_ **Model Name**<sup>6165</sup>: \_\_\_\_\_  
 → If Yes, **Serial Number**<sup>6175</sup>: \_\_\_\_\_ **Model Number**<sup>6170</sup>: \_\_\_\_\_  
 → If Yes, **Lowest Energy Tested (LET) that was Successful**<sup>6180</sup>: \_\_\_\_\_ Joules  LET Not Tested<sup>6181</sup>  
 → If Yes, **Upper Limit of Vulnerability (ULV)**<sup>6185</sup>: \_\_\_\_\_ Joules  ULV Not Tested<sup>6186</sup>

→ If Procedure Type<sup>6005</sup> = Generator Change

**Reason(s) for Re-implantation:** (check all that apply)

End of expected battery life<sup>6190</sup>  Replaced at time of lead revision<sup>6191</sup>  Upgrade<sup>6192</sup>  Infection<sup>6193</sup>  
 Under manufacturer advisory/recalled<sup>6194</sup>  Faulty Connector/Header<sup>6195</sup>  Device relocation<sup>6196</sup>  Malfunction<sup>6197</sup>  
 → If Malfunction, **Reason for Malfunction**<sup>6200</sup>:  Atrial pacing  LV pacing  RV pacing  
 Defibrillation  Premature battery depletion

**ATP or Shock Therapy Delivered**<sup>6205</sup>:  No  Yes  
 → If Yes, **ATP or Shock Therapy Appropriate**<sup>6210</sup>:  No  Yes  
 → If Yes, **ATP Therapy Successful**<sup>6215</sup>:  No  Yes  
 → If Yes, **Shock Therapy Successful**<sup>6220</sup>:  No  Yes

**Device Explanted**<sup>6225</sup>:  No  Yes (Code 'Yes' even if prior to this procedure)

→ If Yes, **Explant Date**<sup>6230</sup>: mm/dd/yyyy

→ If Yes, **Device Returned To Manufacturer**<sup>6235</sup>:  No  Yes

→ If Yes, **Battery Voltage**<sup>6240</sup>: \_\_\_\_\_  Voltage Not Available<sup>6241</sup>

→ If Yes, **ID**<sup>6245</sup>: \_\_\_\_\_ OR **Manufacturer**<sup>6160</sup>: \_\_\_\_\_ **Model Name**<sup>6165</sup>: \_\_\_\_\_  
 → If Yes, **Serial Number**<sup>6250</sup>: \_\_\_\_\_ **Model Number**<sup>6170</sup>: \_\_\_\_\_



**G. LEAD ASSESSMENT** (COMPLETE FOR ALL LEADS, INCLUDING NEW LEADS IMPLANTED, EXISTING LEADS EXTRACTED, ABANDONED, OR REUSED)

Operator's Name <sup>7000,7005,7010</sup> :		NPI <sup>7015</sup> :		TIN <sup>7020</sup> :	
Lead Counter <sup>7025</sup> :		1		2	
Identification <sup>7030</sup> :		<input type="radio"/> New Lead <input type="radio"/> Existing Lead		<input type="radio"/> New Lead <input type="radio"/> Existing Lead	
ID <sup>7035</sup> :	Manufacturer <sup>7040</sup> :				
	Model Name <sup>7045</sup> :				
	Model Number <sup>7050</sup> :				
Serial Number <sup>7055</sup> :					
Lead Location <sup>7060</sup> :		<input type="radio"/> RA endocardial <input type="radio"/> LV epicardial <input type="radio"/> RV endocardial <input type="radio"/> SVC/subclavian <input type="radio"/> LV via CVS <input type="radio"/> Subcutaneous array <input type="radio"/> Other		<input type="radio"/> RA endocardial <input type="radio"/> LV epicardial <input type="radio"/> RV endocardial <input type="radio"/> SVC/subclavian <input type="radio"/> LV via CVS <input type="radio"/> Subcutaneous array <input type="radio"/> Other	
<b>COMPLETE FOR EXISTING LEADS ONLY</b>					
Existing Lead Implant Date <sup>7065</sup> :					
Existing Lead Function <sup>7070</sup> :		<input type="radio"/> Normal <input type="radio"/> Abnormal <input type="radio"/> Not assessed		<input type="radio"/> Normal <input type="radio"/> Abnormal <input type="radio"/> Not assessed	
Manufacturer Advisory/Recall <sup>7075</sup> :		<input type="radio"/> No <input type="radio"/> Yes		<input type="radio"/> No <input type="radio"/> Yes	
Existing Lead Status <sup>7080</sup> :		<input type="radio"/> Extracted <input type="radio"/> Abandoned <input type="radio"/> Reused → If Extracted, Returned To Manufacturer <sup>7085</sup> :		<input type="radio"/> Extracted <input type="radio"/> Abandoned <input type="radio"/> Reused <input type="radio"/> No <input type="radio"/> Yes	
Existing Lead Placement Issues <sup>7090</sup> :		<input type="radio"/> No <input type="radio"/> Yes → If Yes, Dislodgement <sup>7095</sup> : → If Yes, Perforation <sup>7100</sup> : → If Yes, Erosion <sup>7105</sup> : → If Yes, Faulty Connector/Header <sup>7110</sup> : → If Yes, Patient's Clinical Status <sup>7115</sup> : → If Yes, Infection <sup>7120</sup> : → If Yes, Documented Infection <sup>7125</sup> :		<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes	
<b>COMPLETE IF "EXISTING LEAD FUNCTION"<sup>7070</sup> IS "ABNORMAL"</b>					
Pacing Issues <sup>7130</sup> :		<input type="radio"/> No <input type="radio"/> Yes → If Yes, Oversensing <sup>7135</sup> : → If Yes, Undersensing <sup>7140</sup> : → If Yes, Failure to Pace <sup>7145</sup> : → If Yes, Failure to Capture with Acceptable Safety Margin <sup>7150</sup> : → If Yes, Extracardiac Stimulation <sup>7155</sup> :		<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes	
Defibrillation Issues <sup>7160</sup> :		<input type="radio"/> No <input type="radio"/> Yes → If Yes, Oversensing w/Shock or ATP <sup>7165</sup> : → If Yes, Oversensing w/o Shock or ATP <sup>7170</sup> : → If Yes, Failure to Shock with Inadequate DFT Safety Margin <sup>7175</sup> :		<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes	
Lead Integrity Issues <sup>7180</sup> :		<input type="radio"/> No <input type="radio"/> Yes → If Yes, Insulation Failure <sup>7185</sup> : → If Yes, Conductor Failure <sup>7190</sup> :		<input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Yes	

**H. INTRA OR POST PROCEDURE EVENTS (COMPLETE FOR EACH LAB VISIT)**

Intra or Post Procedure Events Occurred<sup>8000</sup>:  No  Yes

→ If Yes, specify the Event(s):

<b>Cardiac Arrest</b> <sup>8005</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Myocardial Infarction</b> <sup>8055</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Drug Reaction</b> <sup>8010</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Pericardial Tamponade</b> <sup>8060</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Cardiac Perforation</b> <sup>8015</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Peripheral Embolus</b> <sup>8065</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Cardiac Valve Injury</b> <sup>8020</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Peripheral Nerve Injury</b> <sup>8070</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Conduction Block</b> <sup>8025</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Set Screw Problem</b> <sup>8075</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Coronary Venous Dissection</b> <sup>8030</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Pneumothorax</b> <sup>8080</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Hematoma</b> (Req re-op, evacuation or transfusion) <sup>8035</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>TIA or Stroke (CVA)</b> <sup>8085</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Hemothorax</b> <sup>8040</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Urgent Cardiac Surgery</b> <sup>8090</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Infection Requiring Antibiotics</b> <sup>8045</sup> :	<input type="radio"/> No <input type="radio"/> Yes	<b>Venous Obstruction</b> <sup>8095</sup> :	<input type="radio"/> No <input type="radio"/> Yes
<b>Lead Dislodgement</b> <sup>8050</sup> :	<input type="radio"/> No <input type="radio"/> Yes		

**I. DISCHARGE (COMPLETE FOR EACH EPISODE OF CARE/ADMISSION)**

**CABG**<sup>9000</sup>: (During this admission)  No  Yes → If Yes, **CABG Date**<sup>9005</sup>:

**PCI**<sup>9010</sup>: (During this admission)  No  Yes → If Yes, **PCI Date**<sup>9015</sup>:

**Discharge Date**<sup>9020</sup>: mm/dd/yyyy

**Discharge Status**<sup>9025</sup>:  Alive  Deceased  
 → If Deceased, **Cause of Death**<sup>9030</sup>:  Cardiac  Non-Cardiac  
 → If Deceased, **Death During the Procedure**<sup>9035</sup>:  No  Yes  
 → If Alive, **Discharged Against Medical Advice**<sup>9040</sup>:  No  Yes  
 → If No, specify the **Discharge Medication(s) Prescribed**:

Medication	Prescribed				Medication	Prescribed					
	No	Yes	Con	Blinded		No	Yes	Con	Blinded		
ACE Inhibitor (Any) <sup>9045</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Digoxin (Any) <sup>9130</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
Antiarrhythmic Agents	Amiodarone <sup>9050</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Lipid Lowering Agents	Diuretic (Any) <sup>9135</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Disopyramide <sup>9055</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Hydralazine (Any) <sup>9140</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Dofetilide <sup>9060</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Platelet Aggregation Inhibitors	Statin <sup>9145</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Flecainide <sup>9065</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Non-Statin <sup>9150</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Other <sup>9070</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Long Acting Nitroglycerin <sup>9155</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Procainamide <sup>9075</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Warfarin (Coumadin) <sup>9175</sup>	Clopidogrel <sup>9160</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Propafenone <sup>9080</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Prasugrel <sup>9165</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Mexiletine <sup>9085</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		Ticlopidine <sup>9170</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Quinidine <sup>9090</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Sotalol <sup>9095</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
ARB (Any) <sup>9100</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
ASA (Any) <sup>9105</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
Beta Blocker (Any) <sup>9110</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
Calcium Channel Blockers	Diltiazem <sup>9115</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Other <sup>9120</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Verapamil <sup>9125</sup>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						