

COVER SHEET
TPOPS Cell
Blaise Item-Level Specifications Report

Items contained in this report:

- CONTACT
- INTRODUCTION
- GEOGRAPHY
- Household Roster
- COMMODITY PURCHASES
- DEMOGRAPHIC
- Thank You
- TABs

CONTACT

CONTACT

Block

Description: Initial Contact Section

Tab Name: CT Section

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe: all

Universe Description: first section

Array:

Block Instructions: Set variable RES_NAME

Do not overwrite 8500.RESPNAME1 (from input file), spider variable name RES_NAME.

Before starting an interview, if RES_NAME is BLANK, store 8500.RESPNAME1 in RES_NAME. Make corrections/changes to the instrument variable RES_NAME.

Field

HELLO_RET
CONTACT.HELLO_RET

Description: Contact returning case

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (MARK = Blank or MARK It 3) AND INTNMBR = 2, 3, or 4 and RES_NAME ne blank

Universe Description: This screen is for FIRST CONTACT if INTNMBR=2,3,4

Question Text: Interview number: ^fINTNMBR
May I please speak to: ^fRES_NAME

✦ PLEASE VERIFY RESPONSE BEFORE GOING
TO THE NEXT SCREEN

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_RET

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	NoLongerThere	Person no longer lives there
5	PersonUnknown	Person unknown at this number
6	OtherProblem	Other outcome or problem interviewing respondent, including immediate hangup

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: <4> store <> in RES_NAME
<5> store <> in RES_NAME

Array:

Special Instructions: If HELLO_RET = 4 or 5, set REPLC_FL = 1;

Display Interview Number: INTNMBR = [fill: INTNMBR]

Skip Instructions: <1, 2, 3, 4, 5> goto LANDCELL
<6> goto PROBCALL

Field

HELLO_TWO
CONTACT.HELLO_TWO

Description: Subsequent contact

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: RES_NAME ne blank and MARK ne blank or ne 00

Universe Description: This screen is for a subsequent contact with any household in same quarter.

Question Text: May I please speak to ^fRES_NAME?

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_TWO

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	OtherProblem	Other outcome or problem interviewing respondent, including immediate hangup

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Set PROB_FLG = blank

Display Interview Number: INTNUM = [fill: INTNUM]

Skip Instructions: <1,2,3> go to LANDCELL
<4> goto PROBCALL

Field

LANDCELL
CONTACT.LANDCELL

Description: LandLine or Cell

Form Pane Label:

SAS Name: LANDCELL

Tag Name:

Inherited Universe: all

Universe: [(LANDCELL <> 1 or 2) and INTNMBR = 1] or
[REPLC_FL = 1 AND HELLO_TWO = EMPTY] OR
[(INTNMBR = 2, 3, or 4 AND RES_NAME = EMPTY and REPLC_FL = BLANK and
NAMEFLAG <> 1)] or
[(Hello_RET = 1, 2, 3, or 4) or Hello_TWO = (1 or 2)]

Universe Description:

Question Text: * *If necessary:* Hello. This is from the U.S. Census Bureau.

**I'm calling to conduct a survey for the Bureau of Labor Statistics that helps to
update the Consumer Price Index. Have I reached you on a cell phone?**

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: This variable is blanked for callbacks.

Skip Instructions: 1 = goto RESNUM
2 = goto CELL_SAFE

If PHONEFRAME = 1 (LL) and LANDCELL = DK, RF
GOTO RESNUM

If PHONEFRAME = 2 (CELL) and LANDCELL = DK, RF
GOTO EXCLBUSN

CELL_SAFE
CONTACT.CELL_SAFE

Field

Description: Respondent is in a safe place

Form Pane Label:

SAS Name: CELL_SAFE

Tag Name:

Inherited Universe: all

Universe: [ResNum2 = (2 or 3) OR Hello_Ret = (1, 2, 3 or 4) OR Hello_Two = (1 or 2)]
AND
[(LandCell = 2 OR DK OR RF) or (IntNmbr = 2 OR 3 OR 4) and Frame = 2]

Universe Description:

Question Text: [✦ If necessary:](#) This is from the U.S. Census Bureau.

**Since we have reached you on your cell phone, we want to ensure your safety.
Are you currently driving?**

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: This variable is blanked for callbacks.

Skip Instructions: 1 GOTO TY_CLBCK

2 If HELLO_RET = 1 or 2
If MARK gt 8,
goto ID_PART
Else if MARK lt 8 :
If INTNUM = 2, 3, or 4
If REPLC_FL ne 1 - go ID_RETRN
Else If REPLC_FL = 1, goto INTRO_1st
If INTNUM = 1; go to EXCLBUSN
Else If MARK = 8,


```
    go to ID_SPVR  
    IF HELLO_RET = 3 GOTO HELLO_RS  
    ELSE GOTO INTRO_1ST  
  
3 GOTO PROBCALL
```

EXCLBUSN
CONTACT.EXCLBUSN

Field

Description: excludes business only cellphones

Form Pane Label:

SAS Name: EXCLBUSN

Tag Name:

Inherited Universe: all

Universe: (LANDCELL = 2 or (PHONE_FRAME = 2 and LANDCELL = DK/RF)) and
RES_NAME = EMPTY

Universe Description:

Question Text: Is this number used exclusively for business?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: 1 = THANKRES

2 = HELLO_CELL

set OUTCOME = 00, SUBTYPE = 00, if MARK lt 6, set MARK = 6

3 = PROBCALL

DK,RF = HELLO_CELL

Field

HELLO_CELL
CONTACT.HELLO_CELL

Description: Initial contact for cell lines

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: [(HELLO_RET = 4 AND REPLC_FL = 1 AND HELLO_TWO = EMPTY) OR ((UNITYPE= 2 or EXCLUBUSN = 2) AND RES_NAME = EMPTY) OR PAYPHONE = 2] and (LANDCELL = 2 or (LANDCELL = dk/rf and PHONE_FRAME = 2))

Universe Description:

Question Text: I'd like to speak to some one who is 18 years old or old and knows about your household's expences. Would that be you?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: 1 = goto RESNUM2
2 = goto THANKRES
3 = goto PROBCALL

RESNUM2
CONTACT.RESNUM2

Field

Description: Type of place

Form Pane Label:

SAS Name: RESNUM2

Tag Name:

Inherited Universe: all

Universe: Hello_Cell = Over18 AND Cell_Safe = No

Universe Description:

Question Text: If incoming call: Verify phone number displayed on this screen. Interview number:
^fINTNMBR
Do not F10 from this screen.

*If necessary: This is ... from the U.S. Census Bureau *Sample Phone: (^fAREA)
^fPREFIX - ^ SUFFIX

Do you live in a private residence, college housing, or some other type of place?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fAREA

Instructions: Fill respondent's area code = AREA

Fills: fPREFIX

Instructions: Fill the respondent's first 3 digits of his/her phone number = PREFIX

Type: Enumerated

Length: 1

Answer List: tRESNUM

Value:	Mnemonic:	Description:
1	Business	Business
2	PrivateResidence	PRIVATE RESIDENCE
3	College	College housing

4	Other	Other type of place
5	PayPhone	Pay phone
6	CellPhone	Cellular or mobile phone
7	OtherNonRes	Other nonresidential number such as a charity or service organization
8	OtherProblm	Other outcome or problem interviewing respondent, including immediate hang-up

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Grey out answer 1, 5, and 6 and do not allow them to be selected.

If RESNUM = 7, DISPLAY: ENTER RESPONDENT'S VERBATIM RESPONSE

If RESNUM = 1, 3, 4, 5, 6, 7, 8, D, or R, store <> in CALLWHO

If RESNUM = 1, set OUTCOME = 20, SUBTYPE = 3; MARK = 22

If RESNUM = 2, set OUTCOME = 00, SUBTYPE = 00, MARK = 6, set CONTACT_FL = 1

If RESNUM = 3, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 5, set OUTCOME = 20, SUBTYPE = 13; MARK = 22

If RESNUM = 6, set OUTCOME = 20, SUBTYPE = 4; MARK = 22

If RESNUM = 7, set OUTCOME = 20, SUBTYPE = 3; MARK = 22

If RESNUM = 8, set OUTCOME = 00, SUBTYPE = 00; MARK = 3

If RESNUM = D, set OUTCOME = 00, SUBTYPE = 00; MARK = 3

If RESNUM = R, set MARK = 3

If RESNUM = F10, set MARK = 0

Soft Error: <1> : "VERIFY THAT YOU HAVE REACHED A BUSINESS NUMBER."

Soft Error: <5,6> : "VERIFY THAT YOU HAVE REACHED A PAY PHONE, CELLULAR PHONE, OR MOBILE PHONE"

Skip Instructions: <1> Invoke softcheck1 - goto THANKRES
<2> goto INTRO_1ST
<3> goto PAYPHONE
<4> goto OTHRES
<5,6> Invoke softcheck2 - goto THANKRES
<7> goto THANKRES

<8> goto PROBCALL
<D> goto TY_CLBCK
<R> goto EXITTHNK

Field

RESNUM
CONTACT.RESNUM

Description: Type of place

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: ([[PHONEFRAME = '1' AND (LandCell = Landline OR LandCell = DK OR LandCell = RF)] OR (PHONEFRAME = '2' AND LandCell = Landline)] OR (IntNmbr = 1 AND LandCell = Landline)) AND Res_Name = EMPTY AND NameFlag <> '1'

Universe Description:

Question Text: If incoming call: Verify phone number displayed on this screen. Interview number: ^fINTNMBR
Do not F10 from this screen.

* If necessary: This is ... from the U.S. Census Bureau * Sample Phone: (^fAREA) ^fPREFIX - ^ SUFFIX

Is this the number for a business, private residence, college housing, or some other type of place?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fAREA

Instructions: Fill respondent's area code = AREA

Fills: fPREFIX

Instructions: Fill the respondent's first 3 digits of his/her phone number = PREFIX

Type: Enumerated

Length: 1

Answer List: tRESNUM

Value:	Mnemonic:	Description:
1	Business	Business
2	PrivateResidence	PRIVATE RESIDENCE
3	College	College housing
4	Other	Other type of place
5	PayPhone	Pay phone
6	CellPhone	Cellular or mobile phone
7	OtherNonRes	Other nonresidential number such as a charity or service organization
8	OtherProblm	Other outcome or problem interviewing respondent, including immediate hang-up

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Grey out answer 6 and do not allow it to be selected.

If RESNUM = 7, DISPLAY: ENTER RESPONDENT'S VERBATIM RESPONSE
If RESNUM = 1, 3, 4, 5, 6, 7, 8, D, or R, store <> in CALLWHO

If RESNUM = 1, set OUTCOME = 20, SUBTYPE = 3; set MARK = 22
If RESNUM = 2, set OUTCOME = 00, SUBTYPE = 00, set MARK = 6, set CONTACT_FL = 1
If RESNUM = 3, set OUTCOME = 00, SUBTYPE = 00, MARK = 00
If RESNUM = 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00
If RESNUM = 5, set OUTCOME = 20, SUBTYPE = 13; set MARK = 22
If RESNUM = 6, set OUTCOME = 20, SUBTYPE = 4; set MARK = 22
If RESNUM = 7, set OUTCOME = 20, SUBTYPE = 3; set MARK = 22
If RESNUM = 8, set OUTCOME = 00, SUBTYPE = 00; set MARK = 3
If RESNUM = D, set OUTCOME = 00, SUBTYPE = 00; set MARK = 3
If RESNUM = R, set MARK = 3
If RESNUM = F10, set MARK = 0

Soft Error: <1> : "VERIFY THAT YOU HAVE REACHED A BUSINESS NUMBER."

Soft Error: <5,6> : "VERIFY THAT YOU HAVE REACHED A PAY PHONE, CELLULAR PHONE, OR MOBILE PHONE"

Skip Instructions: <1> Invoke softcheck1 - goto THANKRES
<2> goto HELLO_NEW

<3> goto PAYPHONE
<4> goto OTHRES
<5,6>Invoke softcheck2 - goto THANKRES
<7> goto THANKRES
<8> goto PROBCALL
<D> goto TY_CLBCK
<R> goto EXITTHNK

OTHRES
CONTACT.OTHRES

Field

Description: Other type of place

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: ([RESNUM or RESNUM2 = 4] AND HELLO_RET = 5) OR ([RESNUM or RESNUM2 = 4] AND HELLO_RET = EMPTY AND HELLO_TWO = Empty)

Universe Description:

Question Text: Interview number: ^fINTNMBR
What type of place is this?

Is it a ... ? (PROBE AS NECESSARY)

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 2

Answer List: tOTHRES

Value:	Mnemonic:	Description:
1	BoardingHouse	Boarding or rooming house
2	WorkersHousing	Housing facility for workers (includes migrant workers)
3	StaffQuarters	Staff quarters in hospital or home for the aged, infirm, or needy
4	Hotel	Permanent living quarters in hotel or motel
5	PatientsRoom	Patient's or inmate's room
6	Camp	Camp or commune
7	Convent	Convent or monastery
8	HalfwayHouse	Halfway house
9	OtherHospital	Other place in hospital or home for the aged, infirm, or needy
10	TransientHotel	Transient living quarters in hotel, motel, or mission
11	OtherResidence	Some other type of residence, including assisted-living

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

To save space, use two columns for answer categories.

If OTHRES = 1 - 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If OTHRES = 5, 6, 7, 8, 9, 10, or 11, set OUTCOME = 20, SUBTYPE = 2; set MARK = 22

If OTHRES = D, set OUTCOME = 20, SUBTYPE = 9; set MARK = 9

If OTHRES = R, set OUTCOME = 20, SUBTYPE = 9; set MARK = 6

If OTHRES = 5, set OUTCOME = 20, SUBTYPE = 13; set MARK = 22

If OTHRES = 6, set OUTCOME = 20, SUBTYPE = 4; set MARK = 22

If OTHRES = 7, set OUTCOME = 20, SUBTYPE = 3; set MARK = 22

If OTHRES = 8, set OUTCOME = 00, SUBTYPE = 00; set MARK = 3

If OTHRES = D, set OUTCOME = 00, SUBTYPE = 00; set MARK = 3

If OTHRES = R, set MARK = 3

If OTHRES = F10, set MARK = 0

Soft edits:

If OTHRES = 5, SIGNAL: VERIFY THAT YOU HAVE REACHED A PATIENT'S OR INMATE'S ROOM

If OTHRES = 6, SIGNAL: VERIFY THAT YOU HAVE REACHED A CAMP OR COMMUNE

If OTHRES = 7, SIGNAL: VERIFY THAT YOU HAVE REACHED A CONVENT OR MONASTERY

If OTHRES = 8, SIGNAL: VERIFY THAT YOU HAVE REACHED A HALFWAY HOUSE

If OTHRES = 9, SIGNAL: VERIFY THAT YOU HAVE REACHED A HOSPITAL OR HOME FOR THE AGED, INFIRM, OR NEEDY

If OTHRES = 10, SIGNAL: VERIFY THAT YOU HAVE REACHED TRANSIENT LIVING QUARTERS IN A HOTEL, MOTEL, OR MISSION

If OTHRES = 11, SIGNAL: VERIFY THAT YOU HAVE REACHED SOME OTHER TYPE OF RESIDENCE

Skip Instructions: <1-4> goto PAYPHONE
<5-11, D, R>goto THANKRES

PAYPHONE

CONTACT.PAYPHONE

Field

Description: This is pay phone

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (RESNUM = 3 OR OTHRES = 1, 2, 3, or 4) AND HELLO_TWO = EMPTY

Universe Description:

Question Text: Interview number: ^fINTNMBR
Is this a pay phone?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

If PAYPHONE = 1, set OUTCOME = 20, SUBTYPE = 13; if MARK It 22, set MARK = 22

If PAYPHONE = 2, set OUTCOME = 00, SUBTYPE = 00, MARK = 00, set CONTACT_FL = 1

If PAYPHONE = D,R, set OUTCOME = 20, SUBTYPE = 9

Skip Instructions: <1> goto THANKRES
<2> goto HELLO_NEW
<D,R> goto THANKRES

HELLO_NEW
CONTACT.HELLO_NEW

Field

Description: Is respondent 18+

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (Hello_Ret = 4 AND Replc_Fl = 1 AND Hello_Two = EMPTY) OR (ResNum = 2 AND Res_Name = EMPTY) OR LandCell = 1 OR (FRAME = '1' AND LandCell = DK) OR PayPhone = No

Universe Description: This screen is for INTNUM =1 or for REPLC_FL = 1 - that is, RES_NAME = blank.

Question Text: [Interview number:^fINTNMBR](#)

I'd like to speak with a resident who is 18 years old or older, who normally uses this phone, and who knows about household expenses.

[*If appropriate: Would that be you?](#)

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tHELLO_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup and teenage phone line

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNMBR = [fill: INTNMBR]

If HELLO_NEW = 3, set OUTCOME = 55, SUBTYPE = 2; set MARK = 6
If HELLO_NEW = 5, set OUTCOME = 00, SUBTYPE = 00; set MARK = 6
If HELLO_NEW = 1, 2, or 4 AND HELLO_TWO = EMPTY, set OUTCOME = 00,
SUBTYPE = 00; set MARK = 6

Skip Instructions: <1,2> If INTNMBR = 1 and ADLTR_FLG = 3 or 4, goto INTRO_LTR
else goto INTRO_1ST
<3> goto ID_OTHER
<4> goto FIND_OTH
<5> goto PROBCALL

HELLO_RS

CONTACT.HELLO_RS

Field

Description: New CU member is 18+

Form Pane Label:

SAS Name:

Tag Name: Is respondent 18+

Inherited Universe: all

Universe: (HELLO_RET = 3 and MARK It 3) OR (HELLO_TWO = 3)

Universe Description: This screen is for finding another member of the consumer unit to do INTNUM = 2,3,or 4.
INTRO_1st not needed-since same consumer unit.

Question Text: Interview number: ^fINTNMBR

Perhaps you can help me. I'd like to speak with a member of this household who is 18 years old or older and is either related to ^fRES_NAME by blood, marriage, or other legal arrangement or who shares major living expenses with ^fRES_NAME.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup and teenage phone line

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

1. If HELLO_RS = 1 or 2 or 4, store <> in RES_NAME; set NAMEFLAG = 1 - we will collect new respondent's first name in ID_RESP
2. If HELLO_RS = 3, set OUTCOME = 55, SUBTYPE = 2; set MARK = 6
3. If HELLO_RS = 1, 2, 4 or 5, set OUTCOME = 00, SUBTYPE = 00; set MARK = 6

NOTES:

This screen is for finding another member of the consumer unit to do INTNUM = 2, 3, or 4.

INTRO_1st not needed since same consumer unit.

Set PROB_FLG = blank

If HELLO_RS = 5, set PROB_FLG = 1

Skip Instructions: <1,2> goto INTRO_RS
<3> goto TY_CLBCK
<4> if HELLO_TWO = 3, goto TY_CLBCK; else goto FIND_OTH
<5> goto PROBCALL

PROBCALL
CONTACT.PROBCALL

Field

Description: Problem Interviewing

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: [(HELLO_RET = 6) and (HELLO_TWO = blank or HELLO_TWO = 4)] OR
[HELLO_TWO = 4] OR
[LANDCELL = 3] OR
[(HELLO_RS = 5) and (HELLO_TWO = blank or HELLO_TWO = 3)] OR
[HELLO_NEW = 5 AND HELLO_TWO = blank] OR
RESNUM = 8 or Hello_Cell = 3 OR ResNum2 = 8 OR Cell_Safe = 3 OR Exclubusn =
3

Universe Description:

Question Text: ♦ Do not read to the respondent
♦ Choose the category that best indicates the problem

1. Temporarily absent or away. Nobody available through closeout.
2. Ill, hospitalized. Nobody available through closeout.
3. Temporarily ill, hospitalized.
4. Vacant
5. Physically or mentally unable
6. Answering machine/service reached
7. Language problem - Refer to Supervisor
8. Hearing problem
9. Bad connection
10. Refused interview
11. Immediate hangup
12. No member in household 18 or older
13. No one uses this place as usual residence (for example: vacation home, recreation vehicle, car phone)
14. Teenager's phone line

Type: Enumerated

Length: 1

Answer List: tPROBCALL

Value:	Mnemonic:	Description:
1	Absent	Temporarily absent or away. Nobody available through closeout.
2	Ill	Ill, hospitalized. Nobody available through closeout.
3	TemporarilyIll	Temporarily ill, hospitalized
4	Vacant	Vacant
5	Unable	Physically or mentally unable
6	AnsweringMachine	Answering machine/service reached
7	LanguageProblem	Language problem - Refer to Supervisor
8	HearingProblem	Hearing Problem
9	BadConnection	Bad connection
10	Refused	Refused interview
11	Hangup	Immediate Hangup
12	NoOne18	No member in household 18 or older
13	AllIURE	No one uses this place as usual residence (for example, vacation home, recreation vehicle, car phone)
14	TeenagersLine	Teenager's phone line

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: SET PROB_FLG = 1 if PROBCALL = 1-14

Display Interview Number: INTNUM = [fill: INTNUM]

If PROBCALL = 1, set OUTCOME = 21, SUBTYPE = 2; if MARK It 22, set MARK = 22

If PROBCALL = 2, set OUTCOME = 21, SUBTYPE = 1; if MARK It 22, set MARK = 22

If PROBCALL = 3, set OUTCOME = 55, SUBTYPE = 1; if MARK It 6, set MARK = 6

If PROBCALL = 4, set OUTCOME = 20, SUBTYPE = 7; if MARK It 22, set MARK = 22

If PROBCALL = 5, set OUTCOME = 20, SUBTYPE = 10; if MARK It 22, set MARK = 22

If PROBCALL = 6, set OUTCOME = 86, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 7, set OUTCOME = 70, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 8, set OUTCOME = 71, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 9, set OUTCOME = 126, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 10, if MARK It 3, set MARK = 3
If PROBCALL = 11, if MARK It 3, set MARK = 3
If PROBCALL = 12, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6
If PROBCALL = 13, set OUTCOME = 20, SUBTYPE = 5; if MARK It 22, set MARK = 22
If PROBCALL = 14, set OUTCOME = 20, SUBTYPE = 11; if MARK It 22, set MARK = 22

fill STOPDATE

Set PROB_FLG = 1

Skip Instructions: <1, 2, 4, 5, 13> goto EXITTHNK
<3> If RES_NAME = blank, goto ID_OTHER; else goto TY_CLBCK
<6, 7, 8, 9, 10, 11> goto TY_LAST
<12> if RES_NAME = blank, goto FIND_OTH; else goto TY_CLBCK
<14> goto THANKRES

Field

FIND_OTH
CONTACT.FIND_OTH

Description: Other eligible respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (HELLO_NEW = 4 AND HELLO_TWO = EMPTY) OR (HELLO_RS = 4 AND HELLO_RET = 3) OR (PROBCALL = 4 AND (HELLO_TWO = 4 OR ((HELLO_RET = 6 OR HELLO_NEW = 5) AND HELLO_TWO = EMPTY)))

Universe Description:

Question Text: Perhaps you can help me. You indicated that no one living in this household is 18 years old or older. May I speak to a person who lives here, is at least 16 or 17 years old, and is knowledgeable about this household?

Would you or someone else there qualify?

Type: Enumerated

Length: 1

Answer List: tFIND_OTH

Value:	Mnemonic:	Description:
1	Yes	Yes, respondent qualifies
2	SomeoneCalled	Yes, someone else called to phone
3	NotAvailable	Yes, but person not home now or not available now
4	NoOneQualified	No, no qualified person lives there

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

If FIND_OTH = 1 or 2, set OUTCOME= 00, SUBTYPE= 00; set MARK= 6
If FIND_OTH = 3, set OUTCOME= 55, SUBTYPE= 2; set MARK= 6
If FIND_OTH = 4, set OUTCOME= 20, SUBTYPE= 11; set MARK= 22
If FIND_OTH = 1 or 2, set PROB_FLG = blank

<1,2> SET PROB_FLG = blank

Skip Instructions: <1,2>If INTNUM = 1 or CONTACT_FL = 1
 If ADLTR_FL = 3 or 4, goto INTRO_LTR
 Else goto INTRO_1st

 If INTNUM = 2, 3, or 4 and CONTACT_FL ne 1
 If REPLC_FL ne 1, goto INTRO_RS
 Else If REPLC_FL = 1, goto INTRO_1st

<3>goto ID_OTHER
<4>goto THANKRES
<D>goto TY_CLBCK
<R>goto EXITTHNK

Field

INTRO_RS
CONTACT.INTRO_RS

Description: Different respondent

Form Pane Label:

SAS Name:

Tag Name: Different respondent

Inherited Universe: all

Universe: (HELLO_RS = 1 or 2 AND NOT(INTNMBR = 1 AND (ADLTR_FL = 1 OR ADLTR_FL = 4))) OR
((INTNMBR = 2, 3, or 4) AND (FIND_OTH = 1 or 2) AND REPLC_FL ne 1)

Universe Description: This screen is for a new respondent in the SAME consumer unit.

Question Text: [+Reminder: DO NOT EXIT FROM THIS SCREEN.](#)

[If necessary:](#) This is ... from the U.S. Census Bureau

We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

NOTES: This screen is for a new respondent in the SAME consumer unit.

Skip Instructions: <1> If INTNUM = 2, 3, or 4 and CONTACT_FL = 1, goto INTRO_1st; else go to ID_SPVR

INTRO_LTR

CONTACT.INTRO_LTR

Field

Description: Get letter

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (IntNmbr = 1 AND Mark < 8 AND AdLtr_FI = (3 OR 4)) and
(Hello_Two = [1 or 2]) OR (Hello_New = [1 or 2]) OR (Hello_Cell = 1 AND Cell_Safe =
2) OR (Find_Oth = [1 or 2] AND Hello_Two = EMPTY) OR (Hello_Rs = [1 or 2])

Universe Description:

Question Text: Interview number: ^fINTNMBR

✦ If necessary: Hello. This is from the U.S. Census Bureau.

We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

Not long ago, we mailed a letter to your household telling you about this survey. Did you receive our letter?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: If INTRO_LTR = 1 and ADLTR = 4, set PROB_FLG = blank
If INTRO_LTR = 1 and ADLTR_FL = 4 and MARK It 8, set MARK = 8
If INTRO_LTR = 1, set GOT_LTR_FL = 1
If INTRO_LTR = 2, set GOT_LTR_FL = 2
If INTRO_LTR = D, set GOT_LTR_FL = 9
If INTRO_LTR = R, set GOT_LTR_FL = 8

Once the GOT_LTR_FL variable is set to 1, DO NOT reset to another value even if INTRO_LTR changes

Skip Instructions: <1> if ADLTR_FL = 4, go to ID_SPVR; else goto INTRO_1st
<2> goto INTRO_1ST
<D,R> goto INTRO_1ST

INTRO_1ST

CONTACT.INTRO_1ST

Field

Description: Initial introduction

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (IntNmbr = 1 AND Mark < 8 AND Hello_Cell = 1 AND Cell_Safe = 2 AND AdLtr_FI = [3 OR 4])
OR
(Mark = [EMPTY OR < 8] AND IntNmbr = [2, 3 OR 4] AND (Hello_New = [1 or 2] OR (Hello_Cell = 1 AND Cell_Safe = 2) OR Find_Oth = [1 or 2]) AND Hello_Two = EMPTY)
OR
(Mark = [EMPTY OR < 8] AND Intnmbr = 1 AND AdLtr_FI = [1 or 2]) AND (Hello_Two = [1 or 2] OR Hello_New = [1 or 2] OR (Hello_Cell = 1 AND Cell_Safe = 2) OR (Find_Oth = [1 or 2] AND Hello_Two = EMPTY) OR (Hello_Two = 3 AND Hello_Rs = [1 or 2] AND Intro_Ltr = EMPTY))
OR
(Mark = [EMPTY OR Mark < 8] AND (Intnmbr = 1 AND Intro_Ltr = 1 AND AdLtr_FI = 3) OR Intro_Ltr = [2, DK OR RF])
OR
(Mark < 8 AND (Intnmbr <> 1 AND Replc_FI <> '1' AND ORIG_NAME = EMPTY AND (Hello_Two IN [1 or 2])))
OR
(Mark < 8 AND IntNmbr = [2 OR 3 OR 4] AND (Hello_Two IN [1 or 2] AND Replc_FI = 1) OR (((Hello_New IN [1 or 2] OR Find_Oth IN [1 or 2]) AND Hello_Two = EMPTY) AND Replc_FI = 1))

Universe Description:

Question Text: [Interview number: ^fINTNMBR](#)

✦ [If necessary: Hello, this is from the U.S. Census Bureau.](#)

^INTRO_1ST

This survey is conducted quarterly. It will take about 7 to 15 minutes to complete and is voluntary. Without Office of Management and Budget approval under project 1220-0044, we could not conduct this survey. The BLS and the Census Bureau will use the information you provide for statistical purposes only. We will protect the confidentiality of the information in accordance with the Privacy Act of 1974 and the Confidential Information Protection and Statistical Efficiency Act of 2002.

Title 29, Section 2 and Title 13 of the United States Code authorize us to

conduct this survey.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: INTRO_1ST

Instructions: If [(ADLTR_FL = 1 or 2) or (REPLC_FL = 1)] and INTRO_RS ne 1, fill: We are conducting the Telephone Point of Purchase Survey for the Bureau of Labor Statistics to update the Consumer Price Index by identifying where consumers currently shop.

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Set PROB_FLG = blank

Skip Instructions: <1> Set MARK = 8 - go to ID_SPVR

GOT_LTR_FL
CONTACT.GOT_LTR_FL

Field

Description: This is a flag to indicate whether or not the respondent received the Introductory letter.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe:

Universe Description:

Question Text:

Type: Enumerated

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: This is a KEEP variable and should never be changed once set.

Block

INTRODUCTION

INTRODUCTION

Description: Introduction

Tab Name: ID

Fly Over Name: Introduction

Universe Type: If

Inherited Universe:

Universe:

Universe Description: SET SECTION TIME VARIABLES:

ID_START

ID_END

Array:

Block Instructions:

ID_PART

Field

INTRODUCTION.ID_PART

Description: Intro for partial interview cases

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: HELLO_TWO = 1 or 2 AND LSTMARK gt 8

Universe Description:

Question Text: ♦ Interview Number: ^fINTNMBR

♦ *If necessary:* Hello, This is from the U.S. Census Bureau.

We recently contacted your household as part of the Telephone Point of Purchase Survey. We completed part of the interview and would like to finish it now.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If ID_PART = 1 and MARK lt 8, set MARK = 8

Skip Instructions: <1> goto ID_SPVR

Field

ID_RETRN
INTRODUCTION.ID_RETRN

Description: Intro for returning cases

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (INTNMBR = 2, 3, or 4) AND [HELLO_RET = 1 or 2 OR
(HELLO_TWO = 1 or 2 AND REPLC_FL ne 1) AND ORIG_NAME ne EMPTY AND
ID_PART = EMPTY]

Universe Description:

Question Text: * Interview Number: ^fINTNMBR

* If necessary: Hello, I'm from the U.S. Census Bureau.

We contacted your household a few months ago as part of the Telephone Point of Purchase Survey. I'm calling this month to ask you about other purchases you may have made recently.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Check input file (8500. RESPNAME)for respondent name; if blank, this screen should

NOT be on path, since no contact was previously made with respondent

Skip Instructions: <1> go to ID_SPVR

Field

ID_SPVR
INTRODUCTION.ID_SPVR

Description: Supervisor may listen

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [(((Intro_1st_ = 1 OR Intro_Rs_ = 1 OR (Intro_Ltr = 1 AND AdLtr_Fl = 4) OR Id_Reetrn = 1) OR (Hello_Two_ IN [1 or 2] AND Cell_Safe_ <> 1))] AND PROB_FLG = "

Universe Description:

Question Text: ♦ *If necessary:* Hello. This is from the U.S. Census Bureau. We recently contacted your household as part of the Telephone Point of Purchase Survey.

^fID_SPVR

♦ *Persuade respondent to complete interview now, if possible.*

My supervisor is working with me today and may listen in to evaluate my performance.

Fills: fID_SPVR

Instructions: If ADLTR_FL = 4 and INTRO_LTR = 1, fill: "Just to remind you, this survey is conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential."

Type: Enumerated

Length: 1

Answer List: tID_SPVR

Value:	Mnemonic:	Description:
1		Continue with interview
2		Inconvenient time, callback needed
3		Refused to participate
4		Language problem OR refer to supervisor

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If ID_SPVR = 1, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 6, set MARK = 6
If ID_SPVR = 2, set OUTCOME = 55, SUBTYPE = 2; if MARK lt 8, set MARK = 8
If ID_SPVR = 3, if MARK lt 7, set MARK = 7
If ID_SPVR = 4, set OUTCOME = 20, SUBTYPE = 12; if MARK lt 7, set MARK = 7

If ADLTR_FL = 4 and INTRO_LTR = 1, fill: "Just to remind you, this survey is conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential."

Skip Instructions: <1> If MARK gt 8 AND RES_NAME ne blank -- goto ID_PTINT
If INTNUM = 1 OR REPLC_FL = 1, goto ID_RESP
If INTNUM = 2, 3, or 4 AND RES_NAME = blank, goto ID_RESP
Else if RES_NAME ne blank and if I_COUNTY ne blank - goto GEO_VER
Else goto GEO_ST

<2> If RES_NAME = blank goto ID_WHO ; else goto TY_CLBCK
<3, 4> goto EXITTHNK

Field

ID_RESP
INTRODUCTION.ID_RESP

Description: Name of respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ID_SPVR = 1 and RES_NAME = blank

Universe Description:

Question Text: May I have your first name.

* If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Enumerated

Length: 20

Answer List: tID_RESP

Value:	Mnemonic:	Description:
--------	-----------	--------------

1		Enter Name: [allow 20]
---	--	------------------------

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Hard Error if entry is all numeric:

HARD ERROR: THERE MUST BE AT LEAST ONE ALPHABETIC CHARACTER IN THIS FIELD. GO BACK TO CORRECT.

Store ID_RESP in RES_NAME

If MARK It 8, set MARK = 8

Skip Instructions: If INTNUM = 2, 3, or 4 and REPLC FL ne 1 and I COUNTY ne blank--goto

```
GEO_VER  
else goto GEO_ST
```

Field

ID_PTINT
INTRODUCTION.ID_PTINT

Description: Resume intro

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ID_SPVR = 1 AND MARK gt 8 AND PROB_FLG ne 1

Universe Description:

Question Text: Respondent: ^fRES_NAME

◆ Press the <END> key for the next unanswered question.

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Integer

Length: 1

Min: 1

Max: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <END> goto NEXT UNANSWERED QUESTION

ID_WHO

Field

INTRODUCTION.ID_WHO

Description: Who to call back

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: RES_NAME = blank and ID_SPVR = 2

Universe Description: First name of person to call back, if needed

Question Text: We can call back when it is more convenient. May I have your first name, so that we can ask for you when we call again?

* If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

If ID_WHO ne blank, D or R, set OUTCOME = 55, SUBTYPE = 2;
if MARK lt 6, set MARK = 6

store ID_WHO in RES_NAME

Skip Instructions: goto TY_CLBCK

Field

ID_OTHER
INTRODUCTION.ID_OTHER

Description: Who else to call

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [RES_NAME = blank] AND [HELLO_NEW = 3 or FIND_OTH = 3 or PROBCALL = 3]

Universe Description:

Question Text: Fine. I'll call back later. Whom should I ask for when I call back?

* If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. Display Hard Error if entry is all numeric:
HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

2. If ID_OTHER ne blank, AND PROBCALL ne 3,
set OUTCOME = 55, SUBTYPE = 2; if MARK lt 6, set MARK = 6

store ID_OTHER in RES_NAME

Skip Instructions: goto TY_CLBCK

GEOGRAPHY

GEOGRAPHY

Block

Description: Contains the geography questions for the survey

Tab Name: Geography

Fly Over Name: GEO

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

GEO_VER
GEOGRAPHY.GEO_VER

Description: Same county

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [ID_SPVR = 1 OR ID_RESP ne blank] AND
[INTNUM = 2, 3, or 4 AND REPLC_FL ne 1 AND
I_COUNTY ne blank]

Universe Description: Verify if collected in a previous interview.

Question Text: Is your household still located in ^fl_COUNTY?

Fills: fl_COUNTY

Instructions: Fill fl_COUNTY - I_COUNTY

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill county name and state from input file.
I_COUNTY (length = 30) located in record type 8500/location 37-66

If GEO_VER = 1, store I_COUNTY in COUNTY

If GEO_VER = 1, store FIPSCODE (8500/67-71) in
FIPS_ST and FIPS_CTY

If GEO_VER = 1, store I_MOVEDATE in MOVEDATE

If GEO_VER Make MOVERCL = NUMBER OF DAYS BETWEEN MOVEDATE AND
SYSDATE

If MARK lt 11, set MARK = 11

Skip Instructions: <1> goto GEO_DONE

<2,D,R> goto DFFSTATE

Field

DFFSTATE
GEOGRAPHY.DFFSTATE

Description: Respondent's state of residence

Form Pane Label:

SAS Name: DFFSTATE

Tag Name:

Inherited Universe:

Universe: INTNUM = 1 OR REPLC_FL = 1 OR (GEO_VER = 2, D, or R) OR I_COUNTY = blank

Universe Description:

Question Text: In which state do you live?

✦ Verify the state the interviewee lives in.

Type: Classification

Length: 2

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: 1-50 and with in CPI GOTO DFFCNTY
else GOTO THANKRES

DFFCOUNTY
GEOGRAPHY.DFFCOUNTY

Field

Description: Respondent's county of residence

Form Pane Label:

SAS Name: DFFCOUNTY

Tag Name:

Inherited Universe:

Universe: (DFFSTATE = valid PSU state) AND
[INTNUM = 1 OR REPLC_FL = 1 OR (GEO_VER = 2, D, or R) OR I_COUNTY =
blank]

Universe Description:

Question Text: What county do you live in?

[*Enter the verbatim response](#)

Type: Classification

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1-99 and with in CPI goto GEO_LONG
ELSE GOTO THANKRES

Field

GEO_LIM
GEOGRAPHY.GEO_LIM

Description: Inside city limits

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (GEO_CNTY = 1, 2, ... n, 26) AND [(PSU = A103) OR
(PSU = A110 and GEO_ST = 1 and GEO_CNTY = 1 - 4) OR
(PSU = B108) OR (PSU = B116)]

Universe Description:

Question Text: Do you live inside the limits of a city, town, borough, or village?

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: 1. If GEO_LIM = 1, set OUTCOME = 00, SUBTYPE = 00
2. If GEO_LIM = 2, set OUTCOME = 20, SUBTYPE = 8;
if MARK lt 22, set MARK = 22
3. If GEO_LIM = D, set OUTCOME = 20, SUBTYPE = 9;
if MARK lt 8, set MARK = 8
4. If GEO_LIM = R, if MARK lt 9, set MARK = 9

Array:

Special Instructions: SOFTCHECK: RESPONDENT DOES NOT LIVE IN CITY LIMITS?

Skip Instructions: <1> [goto GEO_TOWN]

<2> Invoke SOFT CHECK - goto THANKRES
<D> [goto EXITTHNK]
<R> [goto EXITTHNK]

Field

GEO_TOWN
GEOGRAPHY.GEO_TOWN

Description: Town/City of residence

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_LIM is 1

Universe Description:

Question Text: What is the name of the city or town?

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Store GEO_TOWN in TOWN

Array:

Special Instructions:

SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY CITY/TOWN LISTED?

HARDCHECK: TOWN NUMBER OUT OF RANGE FOR COUNTY

1. City/Town names are HARD-CODED in >TOWNS<
2. Number of cities/towns in GEO_TOWN in GEO_CNTY in PSU is stored in XTOWNS; display appropriate number
3. Reject if GEO_TOWN gt XTOWNS (town number out of range for GEO_TOWN in GEO_CNTY in PSU)
4. If GEO_TOWN = 1- 54, set OUTCOME = 00, SUBTYPE = 00
5. If GEO_TOWN = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK It 8, set MARK = 8

6. If GEO_TOWN = R, if MARK It 9, set MARK = 9

7. If GEO_TOWN = 95, set OUTCOME = 20, SUBTYPE = 8;
if MARK It 22, set MARK = 22

Skip Instructions: <1, 2 ... n, 54> [goto GEO_LONG]
<95> Invoke SOFT CHECK - goto THANKRES
<D> [goto EXITTHNK]
<R> [goto EXITTHNK]

Field

GEO_LONG
GEOGRAPHY.GEO_LONG

Description: How long in area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_CNTY = 1 - 26

Universe Description: all respondents during first interview

Question Text: How long have you lived in ^fLONGNAME?

Fills: fLONGNAME

Instructions: FIII fLONGNAME with LONGNAME

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: Fill LONGNAME

1.If MARK It 11, set MARK = 11

Skip Instructions: <1,D,R> If [INTNUM = 2, 3, 4 AND REPLC_FL ne 1 AND I_PSINCU
ne blank] - goto GEO_DONE
<2> [goto GEO_MN]

GEO_MN
GEOGRAPHY.GEO_MN

Field

Description: Month moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_LONG = 2

Universe Description: Lived less than 5 years in area

Question Text: What are the month and year you moved to the area?

Enter Month:

Type: Classification

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1-12, D, R> [goto GEO_YR]

Field

GEO_YR
GEOGRAPHY.GEO_YR

Description: Year moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_MN = 1-12, D, R (GEO_MN on path)

Universe Description:

Question Text: 2005 TO 2010

Enter Year:

Type: Classification

Length: 4

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: If GEO_MN and GEO_YR are more than 1 month ago - SET GEO_DY = 15 - goto GEO_DONE

Array:

Special Instructions: MAKE MOVEDATE [allow 8] = MMDDYYYY (MM = month, DD = day, YYYY = year)

If GEO_YEAR = D or R, store blank in MOVEDATE

If GEO_MN = D or R AND GEO_YR = CURRENT YEAR, store systems date in MOVEDATE

If GEO_MN = D or R AND GEO_YR ne D or R or current year, store current month in MOVEDATE (MM)

If GEO_YR ne D or R .and. GEO_MN ne D or R - MAKE MOVEDATE = GEO_MN +

GEO_DY + GEO_YR [allow 8] (MMDDYYYY)

If GEO_YR = D or R, set MOVEDATE = blank

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

Skip Instructions: If GEO_MN and GEO_YR are less than 1 month ago - goto GEO_DY
If GEO_MN and GEO_YR are more than 1 month ago - goto GEO_DONE

<D, R> goto GEO_DONE

Check

ERR_FUT1
GEOGRAPHY.ERR_FUT1

Description: Move date in the future

Inherited Universe:

Universe: GEO_YR <> blank and ((GEO_MN + GEO_YR) gt (I_MN + (I_YR - 5)))

Universe Description: Check if date entered is in the future

Text: DATE ENTERED IS IN THE FUTURE
To correct Month moved enter M
To correct Year moved Enter Y

Check Instructions: Allow FR to Correct GEO_MN, GEO_YR

Type: Hard

Skip Instructions: If <M>, then goto GEO_MN
If <Y>, then goto GEO_YR

ERR_LONG
GEOGRAPHY.ERR_LONG

Check

Description: Move date greater than 5 years

Inherited Universe:

Universe: GEO_YR <> blank and (GEO_MN gt I_MN) and (GEO_YR = I_YEAR)

Universe Description:

Text: DATE ENTERED IS MORE THAN FIVE YEARS AGO.

To correct Month moved enter M

To correct Year moved Enter Y

If respondent moved into the area over 5 years ago,
to correct GEO_LONG, enter L

Check Instructions: Allow FR to Correct GEO_MN, GEO_YR or GEO_LONG

Type: Hard

Skip Instructions: If <M>, then goto GEO_MN

If <Y>, then goto GEO_YR

If <L>, then goto GEO_LONG

Field

GEO_DY
GEOGRAPHY.GEO_DY

Description: Day moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_MN and GEO_YR are less than 1 month ago (moved less than 1 month ago)

Universe Description:

Question Text: Enter Day:

Type: Integer

Length: 2

Min:

Max:

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: MAKE MOVEDATE = GEO_MN + GEO_DY + GEO_YR

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

HARD CHECK: ERR_FUT2

DATE ENTERED IS IN THE FUTURE

Note: It is not necessary to do a check about past dates, since only those people that moved within the last 30 days will come to this point--and the dates entered would still fall in range.

Skip Instructions: <1-31, D,R> [goto GEO_DONE]

If GEO_MN gt I_MN and GEO_DY gt I_DY - Invoke HARD CHECK - goto ERR_FUT2

GEO_DONE

Field

GEOGRAPHY.GEO_DONE

Description: Section is complete

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (GEO_ST <> St95 OR Out_of_scope = '0') AND
(DFFCOUNTY <> EMPTY AND DFFCOUNTY <> DK AND DFFCOUNTY <> RF AND
PSU <> '0000')

Universe Description:

Question Text: ^fGEO_done

Fills: fGEO_DONE

Instructions: **IF GEO_VER = 1, Fill**

- This is the end of the Geographic Section.

- You cannot back up after you enter 1 to continue from this screen.

IF GEO_VER ne 1, Fill

- This is the end of the Geographic Section.

- Verify the below responses before continuing.

- You cannot back up after you enter 1 to continue from this screen.

Before we continue I need to verify that you live in (County, State or PSU Area) **and have lived there** (for 5 years or more / since GEO_MN GEO_YR)

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input

On Output

Array:

Special Instructions: This is a GATE variable. Before leaving the GEO section, the interviewer MUST enter "1".

Skip Instructions: <1> if I_PSINCU ne blank, goto HR_VER; else goto HR_SIZE

Household Roster

Block

Household Roster

Description: Questions about the members of the household

Tab Name: HR

Fly Over Name: Household Roster

Universe Type: lf

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

HR_ARMFC
Household Roster.HR_ARMFC

Description: pay from the armed forces account for at least half CU earnings

Form Pane Label:

SAS Name: DM_ARMFC

Tag Name:

Inherited Universe:

Universe: IntNum = 1 or REPLAC_FL = 1 or [(INTNum = 2,3 or 4) and (ResNum NOT = Empty or ResNUM2 NOT = Empty)]

Universe Description: Only asked 1 time during the first interview (may be asked during Q2-4 if not asked during 1st Q in sample.)
Also asked to Replacement HH

Question Text: * If the respondent asks if he/she should consider income from another source, click on the DEFs tab and choose number 6. Read the entire answer.

In the past year, did earnings from Armed Forces pay and allowances account for at least half of your total consumer unit income?

Type: Classification

Length: 1

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: If HR_ARMFC = 1, set OUTCOME = 20, SUBTYPE = 22, If MARK It 21 set MARK = 21

If HR_ARMFC = 2, set OUTCOME = 0, SUBTYPE = 00

HR_AFNOW

Field

Household Roster.HR_AFNOW

Description: is respondent in the armed forces

Form Pane Label:

SAS Name: HR_AFNOW

Tag Name:

Inherited Universe:

Universe: HR_ARMFC = DK or RF

Universe Description:

Question Text: ♦ If the respondent asks which branches of the service are included, click on the DEFs tab and choose number 5. Read entire answer.

Are you currently in the Armed Forces?

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: If HR_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, If MARK It 21 set MARK = 21

If HR_AFNOW = 2, DK, or RF, set OUTCOME = 0, SUBTYPE = 00

Skip Instructions: If HR_AFNOW = 1, goto TY_ENDIT

If HR_AFNOW = 2, d, or R

If INTNUM = 4, goto TY_ENDIT; else goto TY_NXTTM

Field

HR_VER
Household Roster.HR_VER

Description: Verify number HH members

Form Pane Label: Verify number HH members

SAS Name: HR_VER

Tag Name:

Inherited Universe:

Universe: (INTNMBR = 2 or INTNMBR = 3 or INTNMBR = 4) AND (REPLC_FL ne 1) AND (I_PSINCU ne blank) OR [(Hello_Rs = 1 or 2) and (I_PSINCU ne '01' and I_PSINCU ne blank)]

Universe Description: Asked to returning respondents.

Question Text: ♦ INTERVIEW NUMBER: ^fINTNMBR

In your last interview, we determined that there ^IS_ARE ^fl_PSINCU ^PERSON_PERSONS residing in your household. Is this still true?

♦ **If necessary:**A household includes all the people who occupy a housing unit as their usual place of residence.

Fills: IS_ARE

Instructions: if I_PSINCU = 1, Fill "is" / "es"
else fill "are" / "son"

Fills: fl_PSINCU

Instructions: Fill = I_PSINCU

Fills: PERSON_PERSONS

Instructions: if I_PSINCU = 1, Fill "person" / "persona"
else fill "persons" / "personas"

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: IS_ARE

Instructions: if I_PSINCU = 1, Fill "is" / "es"
else fill "are" / "son"

Fills: fl_PSINCU
Instructions: Fill = I_PSINCU

Fills: PERSON_PERSONS
Instructions: if I_PSINCU = 1, Fill "person" / "persona"
else fill "persons" / "personas"

Type: Classification
Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: <1>store I_PSINCU in PSINCU - goto CP_INTRO

Array:

Skip Instructions: <1> goto CP_INTRO
<2,D,R> goto HR_SIZE

Field

HR_SIZE
Household Roster.HR_SIZE

Description: Household size

Form Pane Label:

SAS Name: HR_SIZE

Tag Name:

Inherited Universe:

Universe: INTNMBR = 1 OR REPLC_FL = 1 OR HR_VER = 2, D, or R
OR (HELLO_RS = 1 or 2 and I_PSINCU = 1) OR I_PSINCU = blank

Universe Description:

Question Text: How many people are in your household?

Type: Integer

Length: 2

Min: 1

Max: 99

Don't Know

Refuse

Empty

On Input

On Output

Store Instructions: store HR_SIZE in PSINCU

Array:

Special Instructions: HR_SIZE gt 30: SOFT EDIT: SIGNAL - NUMBER SEEMS UNUSUALLY HIGH.
PLEASE VERIFY

Skip Instructions: goto CP_INTRO

COMMODITY PURCHASES

COMMODITY PURCHASES

Block

Description: Questions about CU commodity purchases

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

CP_INTRO
COMMODITY PURCHASES.CP_INTRO

Description: Commodity introduction

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: HR_ARMFC <> 1 AND HR_AFNOW <> 1

Universe Description:

Question Text: Now I have some questions about purchases ^YOU_YOUR may have made
^TIMEFILL. ^CP_INTRO_MULTIPLE

**Please include items purchased as gifts, but exclude items purchased for a
business.**

** If necessary:* A household includes all the people who occupy a housing unit as their
usual place of residence.

Fills: YOU_YOUR

Instructions: if PSINCU = 1, fill "you"
else fill "your household"

Fills: TIMEFILL

Instructions: if GEO_LONG = 1, D or R, fill "recently"
else fill "since you have lived in the area"

Fills: CP_INTRO_MULTIPLE

Instructions: If PSINCU >1 Fill "All questions refer to purchases made by you or any member
of your household."
If PSINCU = 1 Fill Blank

Fills: YOU_YOUR

Instructions: if PSINCU = 1, fill "you"
else fill "your household"

Fills: TIMEFILL

Instructions: if GEO_LONG = 1, D or R, fill "recently"
else fill "since you have lived in the area"

Fills: CP_INTRO_MULTIPLE

Instructions: If PSINCU >1 Fill "All questions refer to purchases made by you or any member
of your household."
If PSINCU = 1 Fill Blank

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Display how many POPSCATS are possible for the PSU in the left upper corner of the infopane. Show ORDER and TOTCOMM.

Array:

Skip Instructions: <1> [goto CP_PURC]

Field

CP_PURC
COMMODITY PURCHASES.CP_PURC

Description: Purchases/expenses, repeated for each commodity item purchased

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_INTRO = 1 or <ORDER> It <TOTCOMM>

RANDNMBR between LORANGE AND HIRANGE

Universe Description:

Question Text: ? [F1]

COMMODITY CODE = ^fPOPSCAT

In the ^fRECALLD ^HAVEHAS ^PAHEF2 ^TITLE?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fRECALLD

Instructions: If RPTIME = 1, fill "past week"

If RPTIME = 2, fill "past two weeks"

If RPTIME = 3, fill "past month"

If RPTIME = 4, fill "past three months"

If RPTIME = 5, fill "past six months"

If RPTIME = 6, fill "past year"

If RPTIME = 7, fill "past two years"

If RPTIME = 8, fill "past five years"

Fills: HAVEHAS

Instructions: if PSINCU = 1 fill "have you" else fill "has anyone"

Fills: PAHEF2

Instructions: if COMMTYPE = G (good) fill "purchased any"

if COMMTYPE = S (service)fill "had expenses for"

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fRECALLD

Instructions: If RPTIME = 1, fill "past week"
If RPTIME = 2, fill "past two weeks"
If RPTIME = 3, fill "past month"
If RPTIME = 4, fill "past three months"
If RPTIME = 5, fill "past six months"
If RPTIME = 6, fill "past year"
If RPTIME = 7, fill "past two years"
If RPTIME = 8, fill "past five years"

Fills: HAVEHAS

Instructions: if PSINCU = 1 fill "have you" else fill "has anyone"

Fills: PAHEF2

Instructions: if COMMTYPE = G (good) fill "purchased any"
if COMMTYPE = S (service)fill "had expenses for"

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
 On Output

Array:

Special Instructions: If POPSCAT = M08 - display

"Now I'll be asking questions about recent medical expenses. For these questions, only include your out-of-pocket expenses." / "Ahora le voy hacer preguntas sobre sus mas recientes gastos medicos. Para estas preguntas, solo incluya gastos que usted pago de su bolsa"

If POPSCAT = T14, display:

Local vehicle registration refers to city, county, or other LOCAL government registration for vehicles. State registration is NOT included. / La registracion local de la ciudad, condado o otra registracion del gobierno LOCAL para vehiculos. La registracion del Estado no esta incluida.

If POPSCAT = T10 - display

"Now I'll be asking questions about recent expenses of motor vehicle body work, maintenance, inspections, towing or motor vehicle repairs." / "Ahora le voy hacer preguntas acerca de recientes gastos del trabajo de cuerpo de vehiculo de motor, mantenimiento, inspecciones, remolque o vehiculo de motor reparaciones."

If POPSCAT = F57 - display

"Now I'll be asking questions about recent purchases of alcoholic beverages for home use in three categories: wine, liquor, beer, or other malt beverage" / "Ahora le voy hacer preguntas sobre las recientes compras de bebidas alcoholicas para uso domestico en tres categorias: vino, licor, cerveza u otras bebidas de Malta."

If POPSCAT = X90 - display

<> Verify the expenses are for completed trips, not upcoming trips. / "Verifique que los gastos son para viajes completados, no próximos viajes."

If ORDER ge 2, set PARTFLAG = 1 and MARKTWO = 001. If MARK lt 12, set MARK = 12. Set OUTCOME = 000.

PURCVER1, fill if recall period changes or if answer to previous PURC question = 1;

(fill: RECALLFL) (fill: HAVEHAS) (fill: PAHEF2) (fill: TITLE)?

PURCVER2

(fill: PAHEF1) (fill: TITLE)?

PAHEF1 Purchased any/Had expenses for
fill "Purchased any" if COMMTYPE = G (good)
or fill "Had expenses for" if COMMTYPE = S (service)

TITLE

fill commodity title from parameter file

Skip Instructions: <1> [if POPSCAT = H05 or H06 or R02 -- goto CP_DIRPY]
[goto CP_OLTNM]

<2,D,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

Field

CP_DIRPY
COMMODITY PURCHASES.CP_DIRPY

Description: Direct payment

Form Pane Label:

SAS Name: CP_DIRPY

Tag Name:

Inherited Universe:

Universe: POPSCAT = (H05 or H06 or R02) and CP_PURC = 1

Universe Description:

Question Text: [COMMODITY CODE: ^fPOPSCAT](#)

Were the expenses for ^TITLE ... :

[Read answer categories](#)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Type: Enumerated

Length: 1

Answer List: tCP_DIRPY

Value:	Mnemonic:	Description:
1		Paid directly to service provider (CASH, CHECK, OR CREDIT CARD)
2		Included in rent/condominium or other fee
3		Included in property taxes
4		Paid by other means

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1> [goto CP_OLTNM]

<2, 3, 4,>goto NEXT CP_OLTNM;
if no more CP_OLTNM, then
if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC);
else if ORDER = TOTCOMM, goto CP_END

<D,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then
if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC);
else if ORDER = TOTCOMM, goto CP_END

<F1> Commodity Help

Field

CP_OLTNM
COMMODITY PURCHASES.CP_OLTNM

Description: Outlet name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_PURC = 1 and CP_DIRPY = 1 or blank or CP_COST_DR not equal blank

Universe Description:

Question Text: ?[F1] COMMODITY CODE= ^fPOPSCAT

What are the names of all the places ^COMMFFILL?

If necessary: ^fRECALLFL

• If an outlet such as Groupon or Living Social is reported. Probe for the location the expense was intended for and enter it as the outlet name.

Any place else?

• If respondent mentions an outlet name more than one time, probe to be sure that the outlet mentioned again is actually at a separate LOCATION.

• Press ENTER when no more outlets are reported

• Enter 888 to delete an outlet

Fills: COMMFFILL

Instructions: if COMMTYPE = G (good)

fill "from which any ^TITLE was/were purchased"

else if COMMTYPE = S (service)

fill "where there were expenses for ^TITLE"

Fills: fRECALLFL

Instructions: If RPTIME = 1, fill "In the past week"

If RPTIME = 2, fill "In the past two weeks"

If RPTIME = 3, fill "In the past month"

If RPTIME = 4, fill "In the past three months"

If RPTIME = 5, fill "In the past six months"

If RPTIME = 6, fill "In the past year"

If RPTIME = 7, fill "In the past two years"

If RPTIME = 8, fill "In the past five years"

Since you moved to the area

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: COMMFILL

Instructions: if COMMTYPE = G (good)

fill "from which any ^TITLE was/were purchased"

else if COMMTYPE = S (service)

fill "where there were expenses for ^TITLE"

Fills: fRECALLFL

Instructions: If RPTIME = 1, fill "In the past week"

If RPTIME = 2, fill "In the past two weeks"

If RPTIME = 3, fill "In the past month"

If RPTIME = 4, fill "In the past three months"

If RPTIME = 5, fill "In the past six months"

If RPTIME = 6, fill "In the past year"

If RPTIME = 7, fill "In the past two years"

If RPTIME = 8, fill "In the past five years"

Since you moved to the area

Type: String

Length: 80

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1.SPECINST

If POPSCAT = R29:

IF RESPONDENT SAYS VENDING MACHINE, ENTER "VENDING MACHINE" / SI EL ENCUESTADO DICE MAQUINA EXPENEDORA, ENTER " MAQUINA EXPENEDORA"

IF RESPONDENT SAYS STREET VENDOR, ENTER "STREET VENDOR" / SI EL ENCUESTADO DICE VENDEDOR AMBULANTE, ENTER "VENDEDOR AMBULANTE"

If POPSCAT = M04:

IF RESPONSE INCLUDES THE WORD "HOSPITAL," PROBE FOR A SPECIFIC

PHYSICIAN'S NAME. IF UNABLE TO OBTAIN PHYSICIAN'S NAME, ENTER HOSPITAL NAME. / SI EL ENCUESTADO INCLUYE LA PALABRA " HOSPITAL", VERIFIQUE POR EL NOMBRE DEL DOCTOR. SI NO ES POSIBLE OBTENER EL NOMBRE DEL DOCTOR, PONER EL NOMBRE DEL HOSPITAL.

2. Fill NOTE

If POSCAT = T04, T17, H02, R26 OR R27

If respondent mentions and outlet name more than one time, probe to be sure that the outlet is mentioned again for a different occasion. / Si el encuestado menciona una tienda mas de una vez,este seguro de que esta tienda mencionada sea para una ocacion diferente.

Else, fill:

If respondent mentions and outlet name more than one time, probe to be sure that the outlet mentioned again is actually at a separate location. / Si el encuestado menciona una tienda mas de una vez,este seguro de que esta tienda mencionada este localizada en otra LOCACION

3. WHATOLT - SPECIAL WORDING REQUIRED for T14, H05, H06, R30

If POPSCAT = T14

What is the name of each local government agency from which ^YOU_YOUR had expenses for ^TITLE? / Cual es el nombre de cada agencia de gobierno local de las cuales ^YOU_YOUR tuvo gastos por ^TITLE?

If POPSCAT = H05 or H06

What is the name of each organization from which ^YOU_YOUR had expenses for ^TITLE? / Cual es el nombre de cada organizacion de las cuales ^YOU_YOUR tuvo gastos por ^TITLE

If POPSCAT = R30

What are the names of all ^TITLE ^YOU_YOUR purchased? / Cuales son los nombres de todas las ^TITLE ^YOU_YOUR ha comprador?

If POPSCAT = T17

What are the names of all the cruise lines or tour companies used? / Cuales son los nombres de todas las compañías para cruceros o guias que usted ha usado?

If POPSCAT = H02

What are the names of all the hotels, motel, or vacation rental used? / Cuales son los nombres de todos los hoteles, motels, o rentas vacaciones que ha usado?

If POPSCAT = T04

What are the names of all the rental companies used? / Cuales son los nombres de todas compañías para rentas ha usado?

If POPSCAT = R27

What are the names of all the places where the events were held, such as stadiums, arenas, parks and gyms? / Cuales son los nombres de todos los lugares donde los eventos tuvieron lugar, tales como estadios, arenas, parques y gimnacios?

If POPSCAT = R26

What are the names of all the places where the events occurred, such as theaters concert halls, museums, zoos or theme parks? / Cuales son los nombres de todos los lugares donde los eventos ocurrieron tales como teatros, conciertos, museos, zoológicos o parques de recreación?

If POPSCAT= X90:

On the last trip, what was the primary airline? / En el último viaje, ¿cual fue la línea aérea donde fueron gastados por tarifas aérea?

<> If multiple airlines are reported ask for the airline that covered the longest leg of the trip.

ALL OTHER POPSCATs (including R02, R29, or M04)

What are the names of all the DIFFERENT places from which ^YOU_YOUR ^PAHEF2 ^TITLE? / Cuales son los nombres de todos los DIFERENTES lugares de los cuales ^YOU_YOUR ^PAHEF2 ^TITLE?

4. fill: SPECINST]

[fill: WHATOLT - special wording for T14, H05, H06, R30 "What is the name of each local government agency from which ^YOU_YOUR has expenses for ^TITLE?" / Cual es el nombre de cada agencia de gobierno local de las cuales ^YOU_YOUR tuvo gastos por ^TITLE?

5. Provide/Output CP_CODE for every outlet identified.

The first 1 or 2 digits of CP_CODE refers to the ORDER of the POPSCAT - that is, the outlets identified for the first POPSCAT in the PSU (regardless of whether it is in sample) will begin with "1" and the outlets identified for the tenth POPSCAT in the PSU will begin with a "10." (The maximum value for the first 2 digits is "16".)

If a POPSCAT is in sample, but no outlets are identified for that POPSCAT, the order-identifier for that POPSCAT will not be used - that is, if no outlets are identified for the third POPSCAT in sample, no CP_CODE will begin with the number "3."

If a POPSCAT in the PSU is not in sample for the case, the order-identifier for that POPSCAT will not be used. For example, if the random number for a case excludes the fourth POPSCAT, no CP_CODE will begin with the number "4."

The last digit of CP_CODE numbers the outlet as it is identified - that is, the first outlet identified for a particular POPSCAT gets a "1" and the third outlet identified for

that SAME POPSCAT gets a "3." (The maximum value for the last digit is "5".)

6. ALLOW UP TO FIVE OUTLET NAMES FOR EACH COMMODITY, EXCEPT FOR POPSCAT X90. For X90 ALLOW ONLY ONE OUTLET.

CP_OLTNM1, CP_OLTNM2, CP_OLTNM3, CP_OLTNM4, CP_OLTNM5

7. If OLTNM = D, R, ask CP_COST_DR - DO NOT ASK ANY OTHER QUESTIONS FOR THIS OUTLET

8. If OLTNM is deleted (OLTNM = 888) check to see if address information is available for the outlet. If "YES," then address variables will remain on path. If "NO," then address variables will be off path. That is to say, an outlet reported and deleted before address information is collected, will not get address questions.

Skip Instructions: NO MORE

[if POPSCAT = H02,R26,R27,R30,T04,T17 or X90 goto CP_MAGSB]

[else goto CP_COST]

<D> [goto CP_COST_DR]

<R> [goto CP_COST_DR]

CP_COST_DR

Field

COMMODITY PURCHASES.CP_COST_DR

Description: Cost if no outlet name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTNM = BLANK, D, R

Universe Description:

Question Text: COMMODITY CODE= ^fPOPSCAT

About how much did ^YOU_YOUR spend there for ^TITLE?

If necessary: ^fRECALLFL

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: YOU_YOUR

Instructions: if PSINCU = 1, fill "you"
else fill "your household"

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fRECALLFL

Instructions: If RPTIME = 1, fill "In the past week"
If RPTIME = 2, fill "In the past two weeks"
If RPTIME = 3, fill "In the past month"
If RPTIME = 4, fill "In the past three months"
If RPTIME = 5, fill "In the past six months"
If RPTIME = 6, fill "In the past year"
If RPTIME = 7, fill "In the past two years"
If RPTIME = 8, fill "In the past five years"
Since you moved to the area

Type: Real / decimal

Length: 75

Min: 0

Max: 0

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: If CP_COST ne blank - set CP_OLTYP = 1
STORE CP_COST_DR in CP_COST

Array:

Special Instructions: 1. Fill RECALLFL: In the (RECALLD)/Since you moved to the area

2. SOFTCHECKS

<0> invoke SOFTCHECK (SOFTFREE): SOFTFREE: PLEASE VERIFY THAT THERE WAS NO COST.

[if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER): SOFTOVER: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.

3. If CP_COST ne blank - set CP_OLTYP = 1
STORE CP_COST_DR in CP_COST

4.If POPSCAT = X90

Do NOT display "If necessary: ^fRECALLFL"

NOTES: No Outlet Information needed for OUTLETS where OUTLET NAME not known

Skip Instructions: <0> invoke SOFTCHECK (SOFTFREE) - Go BACK to CP_OLTNM

<1-999999> [if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER) - Go BACK to CP_OLTNM

<D,R> Go BACK to CP_OLTNM

<F1> Commodity Help

CP_MAGSB

Field

COMMODITY PURCHASES.CP_MAGSB

Description: Direct subscription/ reservation

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (POPSCAT = H02, R26, R27, R30, T04, T17 or X90)and CP_OLTNM not equal D, R, or blank

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT
^DIRECT

Fills: DIRECT

Instructions: Was the subscription for [fill:CP_OLTNM] purchased directly from the publisher, or from a wholesale distributor or a secondary source?

1- Publisher

2- Wholesale distributor/secondary source

Was the reservation made directly with [CP_OLTNM] or was it booked through a different company?

1- Directly from [CP_OLTNM]

2- A different company

Where the tickets purchased directly from [CP_OLTNM] or were they purchased another way?

1- Directly from [CP_OLTNM]

2- Another way

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: DIRECT

Instructions: Was the subscription for [fill:CP_OLTNM] purchased directly from the publisher, or from a wholesale distributor or a secondary source?

1- Publisher

2- Wholesale distributor/secondary source

Was the reservation made directly with [CP_OLTNM] or was it booked through a different company?

- 1- Directly from [CP_OLTNM]**
- 2- A different company**

Where the tickets purchased directly from [CP_OLTNM] or were they purchased another way?

- 1- Directly from [CP_OLTNM]**
- 2- Another way**

Type: Enumerated
Length: 2

Answer List: tCP_MAGSB

Value:	Mnemonic:	Description:
1		Publisher
2		Wholesale distributor/secondary source

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If POPSCAT = R30

Was the subscription for ^fCP_OLTNM purchased directly from the publisher or from a wholesale distributor or a secondary source?

Answer Lists.tCP_MAGSB

- (1) Publisher - editor
- (2) Wholesale -venta al por mayor

If POPSCAT = T17, H02, T04 or X90

Was the reservation made directly with ^fCP_OLTNM or was it booked through a different company?

Answer Lists.tCP_MAGSB2

- (1) Directly with [CP_OLTNM] - directamente con [CP_OLTNM]
- (2) A different company - Una empresa diferente

If POPSCAT = R26 or R27

Where the tickets purchased directly from ^fCP_OLTNM or were they purchased another way?

Answer Lists.tCP_MAGSB3

(1) Directly from [CP_OLTNM] - directamente desde [CP_OLTNM]

(2) Another way - otra manera

Skip Instructions: <1,D,R> goto CP_COST

<2> goto CP_MAGDS

Field

CP_MAGDS
COMMODITY PURCHASES.CP_MAGDS

Description: Name of distributor

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_MAGSB = 2

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT
^NEWSOURCE

Enter Name:

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: NEWSOURCE

Instructions: IF POPSCAT = R30

What is the name of the wholesale distributor or secondary source from which you purchased.

If POPSCAT = T17, H02, H04

What is the name of the company you used to make your reservation for [CP_OLTNM]?

If POPSCAT = R26 or R27

What is the name of the company you used to purchased your tickets for [CP_OLTNM]?

If POPSCAT = X90

What is the name of the company used to make the reservation?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: NEWSOURCE

Instructions: IF POPSCAT = R30

What is the name of the wholesale distributor or secondary source from which you purchased.

If POPSCAT = T17, H02, H04

What is the name of the company you used to make your reservation for [CP_OLTNM]?

If POPSCAT = R26 or R27

What is the name of the company you used to purchased your tickets for [CP_OLTNM]?

If POPSCAT = X90

What is the name of the company used to make the reservation?

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: POST-PROCESSING: Store CP-MAGDS in CP_OLTNM

Copy CP_OLTNM into CP_MAGNM (no display - on OUTPUT FILE only)

Array:

Skip Instructions: <D,R> goto CP_COST

Field

CP_COST
COMMODITY PURCHASES.CP_COST

Description: Cost

Form Pane Label:

SAS Name: CP_COST

Tag Name:

Inherited Universe:

Universe: CP_MAGDS <> (EMPTY, D, R) AND CP_OLTNM <> (EMPTY, D, R)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

About how much was spent at ^fPLACE2 for ^TITLE ^fPLACE1?

If necessary: ^fRECALLFL

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fPLACE2

Instructions: If CP_MAGDS ne blank, fill: "at CP_MAGDS"

If CP_OLTNM = VENDING MACHINE,fill: "at the vending machine"

If CP_OLTNM = STREET VENDOR, fill: "at the street vendor"

If CP_MAGSB = 1, fill: "for the CP_OLTNM subscription" else, fill: CP_OLTNM

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fPLACE1

Instructions: If POPSCAT = X90, fill "on ^YOU_YOUR last trip"

If CP_MAGDS ne blank and If POPSCAT - H02, R26, R27 or T04, fill "at

CP_OLTNM" If CP_MAGDS ne blank and If POPSCAT = T17, fill "on

CP_OLTNM"

Fills: fRECALLFL

Instructions: If RPTIME = 1, fill "In the past week"

If RPTIME = 2, fill "In the past two weeks"

If RPTIME = 3, fill "In the past month"
If RPTIME = 4, fill "In the past three months"
If RPTIME = 5, fill "In the past six months"
If RPTIME = 6, fill "In the past year"
If RPTIME = 7, fill "In the past two years"
If RPTIME = 8, fill "In the past five years"
Since you moved to the area

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fPLACE2

Instructions: If CP_MAGDS ne blank, fill: "at CP_MAGDS"
If CP_OLTNM = VENDING MACHINE,fill: "at the vending machine"
If CP_OLTNM = STREET VENDOR, fill: "at the street vendor"
If CP_MAGSB = 1, fill: "for the CP_OLTNM subscription" else, fill: CP_OLTNM

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fPLACE1

Instructions: If POPSCAT = X90, fill "on ^YOU_YOUR last trip"
If CP_MAGDS ne blank and If POPSCAT - H02, R26, R27 or T04, fill "at CP_OLTNM" If CP_MAGDS ne blank and If POPSCAT = T17, fill "on CP_OLTNM"

Fills: fRECALLFL

Instructions: If RPTIME = 1, fill "In the past week"
If RPTIME = 2, fill "In the past two weeks"
If RPTIME = 3, fill "In the past month"
If RPTIME = 4, fill "In the past three months"
If RPTIME = 5, fill "In the past six months"
If RPTIME = 6, fill "In the past year"
If RPTIME = 7, fill "In the past two years"
If RPTIME = 8, fill "In the past five years"
Since you moved to the area

Type: Set

Max Number of Values:

Length: 10

Answer List: tCP_COST_DR

Value:	Mnemonic:	Description:
1		\$_____ .00

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. SOFTCHECKS
SOFTFREE
"Please verify that there was no cost."

SOFTOVER
"The amount entered is unusually high. Please verify."

2. If POPSCAT = T14, fill: Please do NOT include taxes based on the value of the motor vehicle. / Por favor no incluya los impuestos basados en el valor de su vehículo.

Skip Instructions: <0> invoke SOFT CHECK (SOFTFREE) - go BACK to CP_OLTNM

<1-999999> [if CP_COST greater than MAXTOVER, invoke SOFT CHECK (SOFTOVER)]- goto CP_SMOLT

<D,R> [goto CP_SMOLT]

<F1> Commodity Help

CP_SMOLT

Field

COMMODITY PURCHASES.CP_SMOLT

Description: Outlet already listed

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_COST <> EMPTY AND (POPSCAT <> T17, H02, T04, R26 or R27)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

◆ SCROLL and SCAN all PREVIOUS and CURRENT OUTLETS

◆ Is ^PLACE already listed below?

Previous outlets:

^fAPPOUTLET

Current outlets:

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Fills: fAPPOUTLET

Instructions: List all outlets reported in previous interviews.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Fills: fAPPOUTLET

Instructions: List all outlets reported in previous interviews.

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: the street vendor
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

2. PREVIOUS OUTLETS:
DISPLAY LIST OF OUTLET NAMES (I_OLTNM) COLLECTED DURING
PREVIOUS INTERVIEWS

3. CURRENT OUTLETS:
DISPLAY OUTLETS (CP_OLTNM) WHERE CP_OLTYP = 1 (FOR
CURRENT INTERVIEW)

4. RETURNING OUTLETS:

Display list of outlet names collected during previous interviews (up to 15 outlets may be displayed) in NUMERICAL ORDER

Display list of outlets names (if CP_OLTYP = 1) collected during current interview in the order in which they are collected.

Skip Instructions: <1> goto CP_OLTVR
<2> goto CP_OLTYP

Field

CP_OLTVR
COMMODITY PURCHASES.CP_OLTVR

Description: Verify same outlet

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SMOLT = 1

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Probe or ask: **Is this the ^PLACE that is located at . . . ?**

✦ Enter 995 if location is not on list.

✦ Determine if the current outlet is at the location mentioned in the list. If it is the SAME EXACT OUTLET (same shopping center or same street and cross street), enter the CODE for that outlet.

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: String

Length: 36

Don't Know

Refuse

Empty

- On Input
 On Output

Array:

Special Instructions: INSTRUMENT SHOULD ACCEPT ENTRY ONLY FOR VALID CODES (I.E., CODE MUST APPEAR ON THE LIST). DO NOT ALLOW INTERVIEWER TO ENTER A CODE THAT DOES NOT APPEAR ON THE LIST.

DISPLAY TWO LISTS OF OUTLETS.

PREVIOUS OUTLET LIST: shows alphabetical listing of up to 15 outlets collected during previous interviews and the associated outlet codes assigned on the input file (i.e., I_CODE = 171 through 185, as needed).

CURRENT OUTLET LIST: shows OUTLETS (CP_OLTYP = 1) collected during current interview and the CP_CODE assigned by the instrument (i.e., 11 through 165, as needed)

DISPLAY PREVIOUS OUTLETS:

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

I_CODE I_OLTNM I_SCNM I_STRT I_INET I_PHONE I_XSTRT

DISPLAY CURRENT OUTLETS:

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

CP_CODE CP_OLTNM CP_SCNM CP_NEWSC CP_STRT CP_XSTRT

If 995 is entered, blank out CP_STRT, CP_XSTRT, CP_CITY, and CP_STATE.

Skip Instructions: <11 - 165> STORE ALL ADDRESS INFORMATION FOR CP_OLTNM = CP_CODE
CP_STRT to CP_STRT [allow 36]
CP_XSTR to CP_XSTR [allow 36]
CP_CITY to CP_CITY [allow 22]
CP_CNTY to CP_CNTY [allow 20]
CP_ST to CP_ST [allow 2]
CP_LAND to CP_LAND [allow 20]
STORE <1> in CP_OLTYP - goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER It TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END

<171-185>STORE ALL ADDRESS INFORMATION FOR CP_OLTNM = I_OLTID

I_SCNM to CP_SCNM [allow 36]
I_STRT to CP_STRT [allow 36}
I_XSTR to CP_XSTR [allow 36]
I_CITY to CP_CITY [allow 22]
I_CNTY to CP_CNTY [allow 20]
I_ST to CP_ST [allow 2]
I_PHONE to CP_PHONE [allow 10]
I_INET to CP_INET [allow 20]
I_LAND to CP_LAND [allow 20]
I_OLTYP to CP_OLTYP [allow 1]
goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END

<995, D, R> goto CP_OLTYP

CP_OLTYP

Field

COMMODITY PURCHASES.CP_OLTYP

Description: Outlet type

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SMOLT = 2 OR CP_OLTVR = (995, D, or R) or POPSCAT = (T17, H02, T04, R26 OR R27)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

* Read categories if not apparent. If respondent asks how to categorize the outlet, click on the DEFS tab and choose number 4.

How was this ^ITEM_SERVICE?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: ITEM_SERVICE

Instructions: If COMMTYPE = G, fill "item purchased";
if COMMTYPE = S, fill "service obtained"
if COMMTYPE = R, fill "reservation made"

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: ITEM_SERVICE

Instructions: If COMMTYPE = G, fill "item purchased";
if COMMTYPE = S, fill "service obtained"
if COMMTYPE = R, fill "reservation made"

Type: Enumerated

Length: 1

Answer List: tCP_OLTYP

Value:	Mnemonic:	Description:
1		Personal Visit to [fill: PLACE]
2		Mail Order
3		Telephone Order
4		Internet
5		Private Individual
6		Public Sale (yard/garage sale or estate sale/auction)
7		Location Outside of the U.S.

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: PLACE If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending
machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Skip Instructions: <1, D> goto CP_LOCSC
<2> goto CP_CITY
<3> goto CP_PHONE
<4> goto CP_INET
<5> goto CP_INDIV
<6,7,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

CP_LOCSC

Field

COMMODITY PURCHASES.CP_LOCSC

Description: Outlet in shopping center

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 1 or D

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

♦ Read if not apparent.

Is ^PLACE located in a mall or shopping center?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1> goto CP_SCNM
<2, D, R> goto CP_STRT

CP_INDIV

Field

COMMODITY PURCHASES.CP_INDIV

Description: Private business

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 5

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Does ^PLACE provide this ^ITEM_SERVICE2 as part of a business?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Fills: ITEM_SERVICE2

Instructions: If COMMTYPE = G, fill "item"

if COMMTYPE = S, fill "service"

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1,D> goto CP_STRT
<2,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

CP_INET

Field

COMMODITY PURCHASES.CP_INET

Description: Outlet Internet address

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 4

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the Internet address of ^OBJECT?

Do not type WWW, special characters (!@#\$%^&".;'/?<>-=+ _~`[]{}) or use the space bar.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: ^PLACE

Type: Classification

Length: 40

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: Prefill the answer box with CP_OLTNM + ".com"

OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

Skip Instructions: <D> <R> goto NEXT CP_OLTNM; if no more CP_OLTNM,
Then if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC); else if ORDER =
TOTCOMM, goto CP_END

CP_PHONE

Field

COMMODITY PURCHASES.CP_PHONE

Description: Outlet Information

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 3

Universe Description:

Question Text: `COMMODITY CODE = ^fPOPSCAT`
What is the telephone number of ^PLACE?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: <allow 10> <D> <R>
goto NEXT CP_OLTNM; if no more CP_OLTNM,
then if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC);
else if ORDER = TOTCOMM, goto CP_END

Field

CP_SCNM
COMMODITY PURCHASES.CP_SCNM

Description: Mall/shopping center name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_LOCSC= 1

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the name of the mall or shopping center in which ^PLACE is located?

Begin typing name of mall or shopping center. Alphabetical listing of shopping centers will appear.

Highlight the name of the EXACT shopping center that matches the respondent's answer and hit 'Enter'

If more than one shopping center has the same name or a very similar name, verify correct shopping center by reading the CITY, STATE, STREET, and INTERSECTING STREET.

If respondent KNOWS the name of the shopping center, but the name of the shopping center does not appear in the list, ENTER 'X'

If respondent does not know the name of the shopping center or the shopping center is a strip mall without a name, ENTER 'CTRL-D'

If respondent refuses to provide the name of the shopping center, ENTER 'CTRL-R'

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Type: String
Length: 75

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: DISPLAY PARAMETER FILE CONTAINING NATIONAL LIST OF SHOPPING CENTERS

L_SCNAME L_SCID L_SCCITY L_SCST L_PSU

PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Skip Instructions: <allow = 36>

<anyname> STORE ALL ADDRESS INFORMATION FOR CP_SCNM = L_SCNM
L_STRT to CP_STRT [allow 36}
L_XSTRT to CP_XSTR [allow 36]
L_CITY to CP_CITY [allow 22]
L_ST to CP_ST [allow 2]
L_SCID to CP_SCID [allow 5]

goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER It TOTCOMM, goto
NEXTCOMM (CP_PURC);else if ORDER = TOTCOMM,goto CP_END

<X> goto CP_NEWSC

<D> goto CP_STRT

<R> goto NEXT CP_OLTNM; if no more CP_OLTNM,
then if ORDER It TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END

Field

CP_NEWSC
COMMODITY PURCHASES.CP_NEWSC

Description: Shopping Center Name not Listed

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SCNM = X

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the name of the mall or shopping center in which ^PLACE is located?

* ENTER NAME OF SHOPPING CENTER NOT ON THE NATIONAL SHOPPING CENTER LIST.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Type: String

Length: 36

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: goto CP_STRT

<D> goto CP_STRT

<R> if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC);

else if ORDER = TOTCOMM, goto CP_END

CP_STRT

Field

COMMODITY PURCHASES.CP_STRT

Description: Street name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_SCNM = D OR CP_NEWSC = (RESPONSE, or D) OR CP_LOSC = (2, D, R)
OR CP_INDIV = (1, D) OR ((CP_SMOLT = 2 AND CP_OLTY = 1) OR (CP_MAGSB
= RESPONSE AND CP_OLTY = 1)
OR (CP_SMOLT = 1 AND CP_OLTVR = None))

Universe Description:

Question Text: COMMODITY CODE = ^fPOPScat

What is the address of ^OBJECT?

◆Probe: street name?

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: ^PLACE

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: ^PLACE

Type: String

Length: 36

Don't Know

Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Skip Instructions: goto CP_XSTRT

CP_XSTRT

Field

COMMODITY PURCHASES.CP_XSTRT

Description: Nearest intersecting street

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYT <> 2 AND CP_STRT <> EMPTY

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address of ^OBJECT?

✦ Probe: nearest intersecting street?

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center

Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: ^PLACE

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center

Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: ^PLACE

Type: String

Length: 36

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: GOTO CP_CITY

CP_CITY

Field

COMMODITY PURCHASES.CP_CITY

Description: Street

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 2 OR CP_STRT <> EMPTY

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address ^OBJECT?

✦Probe: City?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center

Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: ^PLACE

Type: String

Length: 36

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center

Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

Skip Instructions: goto CP_STATE

<D> If CP_OLTYP = 2 goto CP_STATE; else goto CP_CNTY

<R> goto CP_STATE

CP_CNTY

Field

COMMODITY PURCHASES.CP_CNTY

Description: County

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP <> 2 AND CP_CITY = D

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address of ^OBJECT?

*Probe: county?

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: ^PLACE

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: ^PLACE

Type: String

Length: 36

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: GOTO CP_STATE

CP_STATE

Field

COMMODITY PURCHASES.CP_STATE

Description: State abbreviation

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ((CP_OLTY = 6 OR 7) OR (CP_INET <> EMPTY) OR
(CP_PHONE <> EMPTY) OR (CP_STATE <> EMPTY) OR (CP_INDIV = 2) OR
(CP_SCNM <> EMPTY)) AND POPSCAT= 'X90'

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address ^OBJECT?

◆ Enter the 2 character state abbreviation.

◆ If you need a list of the state abbreviations, click on the DEFS tab and choose number 1.

◆ Probe: State?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: If CP_NEWSC = D, fill: the shopping center

Else, if CP_NEWSC ne blank, fill: CP_NEWSC

else if CP_NEWSC = Blank, fill: ^PLACE

Type: String

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: If CP_OLTYP = 2, FILL CP_STNM
If POPSCAT = H02, T04, R26 or R27, goto POS_CITY
If no more CP_OLTNM,
then if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC);
else if ORDER = TOTCOMM, goto CP_END

If CP_OLTYP ne 2, goto CP_OLTNM

CP_STNM

Field

COMMODITY PURCHASES.CP_STNM

Description: State name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: IF CP_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN DISPLAY APPROPRIATE STATE NAME [allow 40]

AL Alabama	MT Montana
AK Alaska	NE Nebraska
AZ Arizona	NV Nevada
AR Arkansas	NH New Hampshire
CA California	NJ New Jersey
CO Colorado	NM New Mexico
CT Connecticut	NY New York
DE Delaware	NC North Carolina
DC District of Columbia	ND North Dakota
FL Florida	OH Ohio
GA Georgia	OK Oklahoma
HI Hawaii	OR Oregon
ID Idaho	PA Pennsylvania
IL Illinois	RI Rhode Island
IN Indiana	SC South Carolina
IA Iowa	SD South Dakota
KS Kansas	TN Tennessee
KY Kentucky	TX Texas
LA Louisiana	UT Utah
ME Maine	VT Vermont
MD Maryland	VA Virginia
MA Massachusetts	WA Washington
MI Michigan	WV West Virginia
MN Minnesota	WI Wisconsin
MS Mississippi	WY Wyoming
MO Missouri	

Type: Enumerated

Length: 40

Answer List: tCP_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3		AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9		DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

TRIP_TYPE
COMMODITY PURCHASES.TRIP_TYPE

Description: One-Way/Round Trip

Form Pane Label:

SAS Name: TRIP_TYPE

Tag Name:

Inherited Universe:

Universe: [(CP_OLTYP = 6 OR 7) OR (CP_INET <> blank) OR (CP_PHONE <> blank) OR (CP_STATE <> blank) OR (CP_INDIV= 2) OR (CP_SCNM <> blank)] AND POPSCAT= X90

Universe Description:

Question Text: Was the flight one way or round trip or a multi-city trip?

•Verify the respondent is not including layovers.

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: <1, 2, DK, R> goto ORIGIN_AIR

ORIGIN_AIR

Field

COMMODITY PURCHASES.ORIGIN_AIR

Description: Departure Airport

Form Pane Label:

SAS Name: ORIGIN_AIR

Tag Name:

Inherited Universe:

Universe: If TRIP_TYPE <> blank and POPSCAT= X90

Universe Description:

Question Text: What was the departure airport?

✦ If respondent provides city or state, Control D at Origin_Air

✦ Probe: Airport Name?

Type: String

Length: 50

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: If ORIGIN_AIR = <D> OR <R> goto ORIGIN_CITY
ELSE GOTO DEST_AIR

Field

ORIGIN_CITY
COMMODITY PURCHASES.ORIGIN_CITY

Description: Departure City

Form Pane Label:

SAS Name: ORIGIN_CITY

Tag Name:

Inherited Universe:

Universe: ORIGIN_AIR <> d and POPSCAT= X90

Universe Description:

Question Text: *If necessary: What was the departure airport?

*If airport is unknown, city and state are acceptable.

*Probe: City?

Type: String

Length: 22

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <D> <R> goto ORIGIN_STATE

ORIGIN_STATE

Field

COMMODITY PURCHASES.ORIGIN_STATE

Description: Departure State Abbreviation

Form Pane Label:

SAS Name: ORIGIN_STATE

Tag Name:

Inherited Universe:

Universe: ORIGIN_CITY <> blank and POPSCAT= X90

Universe Description:

Question Text: ♦ If necessary: What was the departure airport?

♦ If airport is unknown, city and state are acceptable.

♦ Enter the 2 character state abbreviation. Enter "X" if outside the United States.

♦ If you need a list of the state abbreviations, click on the DEFs tab and choose number 1.

♦ Probe: State?

Type: String

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: Fill CP_STNM - If ORIGIN_STATE = X, goto ORIGIN_CTRY
Else goto next POS_AIR;

Field

ORIGIN_STNM
COMMODITY PURCHASES.ORIGIN_STNM

Description: Departure State Name

Form Pane Label:

SAS Name: ORIGIN_STNM

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: IF ORIGIN_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN
DISPLAY APPROPRIATE STATE NAME [allow 40]

AL Alabama	MT Montana
AK Alaska	NE Nebraska
AZ Arizona	NV Nevada
AR Arkansas	NH New Hampshire
CA California	NJ New Jersey
CO Colorado	NM New Mexico
CT Connecticut	NY New York
DE Delaware	NC North Carolina
DC District of Columbia	ND North Dakota
FL Florida	OH Ohio
GA Georgia	OK Oklahoma
HI Hawaii	OR Oregon
ID Idaho	PA Pennsylvania
IL Illinois	RI Rhode Island
IN Indiana	SC South Carolina
IA Iowa	SD South Dakota
KS Kansas	TN Tennessee
KY Kentucky	TX Texas
LA Louisiana	UT Utah
ME Maine	VT Vermont
MD Maryland	VA Virginia
MA Massachusetts	WA Washington
MI Michigan	WV West Virginia
MN Minnesota	WI Wisconsin
MS Mississippi	WY Wyoming
MO Missouri	

Type: Enumerated

Length: 40

Answer List: tCP_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3		AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9		DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

ORIGIN_CTRY

Field

COMMODITY PURCHASES.ORIGIN_CTRY

Description: Departure Foreign Country

Form Pane Label:

SAS Name: ORIGIN_CTRY

Tag Name:

Inherited Universe:

Universe: ORIGIN_STATE = X and POPSCAT=X90

Universe Description:

Question Text: ♦ If necessary: What was the departure airport?

♦ Probe: Foreign Country?

Type: String

Length: 25

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: GOTO DEST_AIR

Field

DEST_AIR
COMMODITY PURCHASES.DEST_AIR

Description: Destination Airport

Form Pane Label:

SAS Name: DEST_AIR

Tag Name:

Inherited Universe:

Universe: TRIP_TYPE <> EMPTY AND POPSCAT = 'X90'

Universe Description:

Question Text: What was your final destination?

◆ Multiple answers allowed, not including connections. Airport is preferred, but city and state are acceptable. If respondent provides city or state, Control D at DEST_AIR.

◆ Press ENTER when no more destinations are reported

Type: String

Length: 80

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: ALLOW UP TO THREE DESTINATION NAMES.

DEST_AIR1

DEST_AIR2

DEST_AIR3

If DEST_AIR is deleted (DEST_AIR = 888) check to see if city, state or country information is available for the destination. If "YES," then city, state or country variables will remain on path. If "NO," then city, state or country variables will be off path. That is to say, a destination name reported and deleted before city, state or country information is collected, will not get city, state or country questions.

Skip Instructions: GOTO DEST_CITY

Field

DEST_CITY
COMMODITY PURCHASES.DEST_CITY

Description: Destination City

Form Pane Label:

SAS Name: DEST_CITY

Tag Name:

Inherited Universe:

Universe: DEST_AIR = D and POPSCAT=X90

Universe Description:

Question Text: ♦ If necessary: What was the final destination?

♦ Multiple answers are allowed, not including connections. Airport is preferred but city and state are acceptable.

♦ Probe: City?

Type: String

Length: 22

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: <D> <R> goto DEST_STATE

DEST_STATE

Field

COMMODITY PURCHASES.DEST_STATE

Description: Destination State Abbreviation

Form Pane Label:

SAS Name: DEST_STATE

Tag Name:

Inherited Universe:

Universe: DEST_AIR = D and POPSCAT= X90

Universe Description:

Question Text: * If necessary: What was the final destination?

* Multiple answers allowed, not including connections. Airport is preferred, but city and state are acceptable.

* Enter the 2 character state abbreviation. Enter "X" if outside the United States. If you need a list of the state abbreviations, click on the DEFs tab and choose number 1.

* Probe: State?

Type: String

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: Fill CP_STNM - If DEST_STATE = X, goto DEST_CTRY
Else goto next DEST_AIR;

If no more DEST_AIR
goto DIRECT

Field

DEST_STNM
COMMODITY PURCHASES.DEST_STNM

Description: Destination State Name

Form Pane Label:

SAS Name: DEST_STNM

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: IF DEST_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN
DISPLAY APPROPRIATE STATE NAME [allow 40]

AL Alabama	MT Montana
AK Alaska	NE Nebraska
AZ Arizona	NV Nevada
AR Arkansas	NH New Hampshire
CA California	NJ New Jersey
CO Colorado	NM New Mexico
CT Connecticut	NY New York
DE Delaware	NC North Carolina
DC District of Columbia	ND North Dakota
FL Florida	OH Ohio
GA Georgia	OK Oklahoma
HI Hawaii	OR Oregon
ID Idaho	PA Pennsylvania
IL Illinois	RI Rhode Island
IN Indiana	SC South Carolina
IA Iowa	SD South Dakota
KS Kansas	TN Tennessee
KY Kentucky	TX Texas
LA Louisiana	UT Utah
ME Maine	VT Vermont
MD Maryland	VA Virginia
MA Massachusetts	WA Washington
MI Michigan	WV West Virginia
MN Minnesota	WI Wisconsin
MS Mississippi	WY Wyoming
MO Missouri	

Type: Enumerated

Length: 40

Answer List: tCP_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3		AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9		DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEST_CTRY

Field

COMMODITY PURCHASES.DEST_CTRY

Description: Destination Foreign Country

Form Pane Label:

SAS Name: DEST_CTRY

Tag Name:

Inherited Universe:

Universe: DEST_STATE = X and POPSCAT= X90

Universe Description:

Question Text: * If necessary: What was the final destination?

* Probe: Country?

Type: String

Length: 25

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: goto NEXT DEST_AIR
If no more DEST_AIR,
goto DIRECT

Field

DIRECT
COMMODITY PURCHASES.DIRECT

Description: Direct/ Non-Stop

Form Pane Label:

SAS Name: DIRECT

Tag Name:

Inherited Universe:

Universe: TRIP_TYPE <> blank and POPSCAT = X90

Universe Description:

Question Text: Was it a non-stop flight?

✦ If any part of the trip had connections, the answer is No

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: GOTO FARE_CLASS

FARE_CLASS

Field

COMMODITY PURCHASES.FARE_CLASS

Description: Air Fare Class

Form Pane Label:

SAS Name: FARE_CLASS

Tag Name:

Inherited Universe:

Universe: DIRECT <> blank and POPSCAT= X90

Universe Description:

Question Text: Was the fare reserved as coach, first class or something else?

[+Mark one](#)

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: FARE_CLASS = 3 GOTO FARE_SPECIFY

Field

FARE_SPECIFY
COMMODITY PURCHASES.FARE_SPECIFY

Description: Fare Class Verbatim

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: FARE_CLASS = 3

Universe Description:

Question Text: Was the fare reserved as coach, first class or something else?

[✦ Enter verbatim response](#)

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

ADV_RSRV

Field

COMMODITY PURCHASES.ADV_RSRV

Description: Advance purchase

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: FARE_CLASS <> Blank and POPSCAT = X90

Universe Description:

Question Text: Estimate how far in advance of your departure date you purchased your flight?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: ADV_RSRV

Array:

Field

DEPART
COMMODITY PURCHASES.DEPART

Description: Departure day

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ADV_RSRV <> Blank and POPSCAT = X90

Universe Description:

Question Text: What day did you leave on?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

TRIP_LGTH

Field

COMMODITY PURCHASES.TRIP_LGTH

Description: Trip Length

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: DEPART <> Blank and POPSCAT = X90

Universe Description:

Question Text: How long was the last trip?

• Enter the length in days

Type: String

Length: 3

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Field

BAG_CHECK
COMMODITY PURCHASES.BAG_CHECK

Description: Baggage Check

Form Pane Label:

SAS Name: BAG_CHECK

Tag Name:

Inherited Universe:

Universe: TRIP_LGTH <> blank and POPSCAT = X90

Universe Description:

Question Text: Were any bags checked?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: goto NEXT CP_OLTNM

If no more CP_OLTNM, then if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC)

Else IF ORDER = TOTCOMM, goto CP_END

SERV_PAID

Field

COMMODITY PURCHASES.SERV_PAID

Description: Purchased Services

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: BAG_CHECK <> Blank and POPSCAT = X90

Universe Description:

Question Text: Did you purchase any extra services?

Extra services such as seat selection, priority boarding, printing of boarding passes

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

EXTRA_SERV
COMMODITY PURCHASES.EXTRA_SERV

Description: Extra Services Purchased

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: SERV_PAID = 1 and and POPSCAT = X90

Universe Description:

Question Text: Did you purchase any extra services?
Extra services such as seat selection, priority boarding, printing of boarding passes

What services?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If 7 Other is selected GOTO EXTRA_SPECIFY

EXTRA_SPECIFY

Field

COMMODITY PURCHASES.EXTRA_SPECIFY

Description: Services Verbatim

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: EXTRA_SERV = 7

Universe Description:

Question Text: Did you purchase any extra services?

Extra services such as seat selection, priority boarding, printing of boarding passes

What services?

[✦ Enter verbatim response](#)

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

POS_CITY
COMMODITY PURCHASES.POS_CITY

Description: Point of service city

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (POPSCAT = H02, T04, R26 or R27) AND (CP_MAGSB = 2 OR CP_OLTYP = 2, 3, 4, 5, 6, or 7)

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS

✦ Probe: city?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04

Fill "this reservation was made"

If POPSCAT = R26 or R26

Fill "tickets were purchased"

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04

Fill "this reservation was made"

If POPSCAT = R26 or R26

Fill "tickets were purchased"

Type: String

Length: 22

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <D><R> got to POS_STATE

Field

POS_STATE
COMMODITY PURCHASES.POS_STATE

Description: Point of service state

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: POS_CITY <> EMPTY

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS
* Enter the 2 character state abbreviation. Enter "X" if outside the United States. If you need a list of the state abbreviations, click on the DEFs tab and choose number 1.
* Probe: State?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Type: String

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill CP_STNM - If POS_STATE = X, goto POS_COUNTRY
Else goto next CP_OLTNM;

If no more CP_OLTNM
then If order lt TOTCOMM, go to NEXTCOMM (CP_PURC)
Else If ORDER = TOTCOMM, goto CP_END

Field

POS_COUNTRY
COMMODITY PURCHASES.POS_COUNTRY

Description: Foreign Country

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: POS_STATE = X

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS
◆Probe: Foreign Country?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Type: String

Length: 25

Don't Know

Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: goto NEXT CP_OLTNM

If no more CP_OLTNM, then if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC)

Else IF ORDER = TOTCOMM, goto CP_END

Field

CP_END
COMMODITY PURCHASES.CP_END

Description:

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: None

Universe Description:

Question Text:

Type: Enumerated

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: All commodity and outlet questions have been asked. SET COMPLETION FLAG = 1

Skip Instructions: goto DM_ENDCP

DEMOGRAPHIC

DEMOGRAPHIC

Block

Description: Demographic questions

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

DM_ENDCP
DEMOGRAPHIC.DM_ENDCP

Description: End expenditure questions

Form Pane Label:

SAS Name: DM_ENDCP

Tag Name:

Inherited Universe:

Universe: HR_ARMFC <> 1 AND HR_AFNOW <> 1 AND
YES AND PSU <> '0000'

Fig_CompleteGeoSection =

Universe Description:

Question Text: ^fDM_ENDCP

Fills: fDM_ENDCP

Instructions: DEMO fill "That completes the expenditure questions. I have a few remaining questions I'd like to ask to help us analyze the data"

RETURNING fill: "That completes today's interview."

END fill: "Enter 1 to Continue"

Fills: fDM_ENDCP

Instructions: DEMO fill "That completes the expenditure questions. I have a few remaining questions I'd like to ask to help us analyze the data"

RETURNING fill: "That completes today's interview."

END fill: "Enter 1 to Continue"

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: If INTNUM = 4 and REPLC_FL ne 1 and DM_DONE = 1
use fill END, goto TY_ENDIT

If DM_DONE = 1 and REPLC_FL ne 1,
use fill RETURNING, goto TY_NXTTM

If DM_DONE = BLANK OR REPLC_FL = 1 OR CONTACT_FL = 1
use fill DEMO, goto DM_LANDLINE

Field

DM_LANDLINE
DEMOGRAPHIC.DM_LANDLINE

Description: Number of LL

Form Pane Label:

SAS Name: DM_LANDLINE

Tag Name:

Inherited Universe:

Universe: DM_ENDCP = 1 and (INTNUM = 1 or REPLC_FL = 1 or CONTACT_FL = 1 or DM_DONE <>1)

Universe Description:

Question Text: Excluding all telephone numbers used exclusively for business.

How many Landline telephone numbers ^DoYou_DoesYourHH have?

✦ If more than 10 Landline numbers, enter 10.

Type: Integer

Length: 2

Min: 0

Max: 10

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: Soft Check:

IF LANDCELL = 1 and DM_LANDLINE = 0

Display "You said your Household does not regularly use any Land line phones, is that correct?"

Skip Instructions: GOTO DM_CELL

DM_CELL

Field

DEMOGRAPHIC.DM_CELL

Description: Number of CELL lines

Form Pane Label:

SAS Name: DM_CELL

Tag Name:

Inherited Universe:

Universe: DM_LANDLINE ne BLANK

Universe Description:

Question Text: Excluding all telephone numbers used exclusively for business.

How many cell phones ^DoYou_DoesYourHH have?

Does not include cellphone for Household members under 18

✦ If more than 10 Cell phones, enter 10.

Type: Integer

Length: 2

Min: 0

Max: 10

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: GOTO DM_LVQTR

Field

DM_LVQTR
DEMOGRAPHIC.DM_LVQTR

Description: Own or rent

Form Pane Label:

SAS Name: DM_LVQTR

Tag Name:

Inherited Universe:

Universe: DM_CELL <> EMPTY

Universe Description:

Question Text: Are your living quarters owned or rented?

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1, 2, D, R> if PSINCU = 1, goto DM_SEX; else goto DM_RELAT

DM_RELAT

Field

DEMOGRAPHIC.DM_RELAT

Description: relationship of current respondent to owner/renter of home

Form Pane Label:

SAS Name: DM_RELAT

Tag Name:

Inherited Universe:

Universe: DM_LVQTR <> EMPTY AND PSINCU > 1

Universe Description:

Question Text: How are YOU related to one of the persons who ^fDM_RELAT this home?

Fills: fDM_RELAT

Instructions: If DM_LVQTR = 1, fill: owns;
If DM_LVQTR = 2, fill: rents;
else fill: owns or rents

Fills: fDM_RELAT

Instructions: If DM_LVQTR = 1, fill: owns;
If DM_LVQTR = 2, fill: rents;
else fill: owns or rents

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: If PSINCU = 1 then set DM_RELAT = 1

Field

DM_SEX
DEMOGRAPHIC.DM_SEX

Description: gender of respondent

Form Pane Label:

SAS Name: DM_SEX

Tag Name:

Inherited Universe:

Universe: DM_RELAT ne blank

Universe Description:

Question Text: * If necessary, ask:

Are you male or female?

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: <1, 2, D, R> goto DM_MARTL

DM_MARTL

Field

DEMOGRAPHIC.DM_MARTL

Description: marital status of respondent

Form Pane Label:

SAS Name: DM_MARTL

Tag Name:

Inherited Universe:

Universe: DM_SEX ne blank

Universe Description:

Question Text: ♦ If necessary, ask:

Are you currently married, widowed, divorced, separated, or never married?

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1, 2, 3, 4, 5, D, R> goto DM_SPNSH

Field

DM_SPNSH
DEMOGRAPHIC.DM_SPNSH

Description: is respondent Spanish, hispanic or latino

Form Pane Label:

SAS Name: DM_SPNSH

Tag Name:

Inherited Universe:

Universe: DM_MARTL ne blank

Universe Description:

Question Text: Are you Spanish, Hispanic, or Latino?

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1, 2, D, R> goto DM_RACE

DM_RACE

Field

DEMOGRAPHIC.DM_RACE

Description: respondent's race

Form Pane Label:

SAS Name: DM_RACE

Tag Name:

Inherited Universe:

Universe: DM_SPNSH ne blank

Universe Description:

Question Text: * Mark all that apply.

* Press ENTER when done

What is your race? Please choose one or more categories from the following list:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1, 2, 3, 4, 5, D, R> goto DM_AGE
<6> goto DM_SPCFY

Field

DM_SPCFY
DEMOGRAPHIC.DM_SPCFY

Description: Respondent's race verbatim response

Form Pane Label:

SAS Name: DM_SPCFY

Tag Name:

Inherited Universe:

Universe: DM_RACE = 6

Universe Description:

Question Text: [✦ Enter verbatim response](#)

Type: Classification

Length: 65

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Skip Instructions: <Response> goto DM_AGE
<D,R> goto DM_AGE

DM_AGE

Field

DEMOGRAPHIC.DM_AGE

Description: respondent's age

Form Pane Label:

SAS Name: DM_AGE

Tag Name:

Inherited Universe:

Universe: DM_RACE ne blank

Universe Description:

Question Text: * If 99 or older, enter 99

What is your age?

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: HARDCHECK: RESPONDENT MUST BE AT LEAST 16 YEARS OLD.

SOFTCHECK: ENG YOU TOLD ME THAT YOU ARE ^DM_AGE YEARS OLD. IS THAT CORRECT?

SPA Me dijo que usted tiene ^DM_AGE años, ¿Es correcto?

Skip Instructions: If 0 - 15, invoke HARDCHECK.

If 16 or 17, invoke SOFTCHECK.

IF 18- 61

If PSINC = 1, set DM_ELDER = 0 - then goto DM_ARMFC
Else, if PSINCU = blank or PSINCU < 1 - goto DM_ELDER

IF 62- 99

If PSINC = 1, set DM_ELDER = 1 - then goto DM_ARMFC
Else, if PSINCU = blank or PSINCU < 1 - goto DM_ELDER

IF D,R goto DM_ELDER

DM_ELDER

Field

DEMOGRAPHIC.DM_ELDER

Description: are there people aged 62 or older in CU

Form Pane Label:

SAS Name: DM_ELDER

Tag Name:

Inherited Universe:

Universe: (PSINCUCU = EMPTY AND (DM_AGE >=16 , DK, RF)) OR (PSINCUCU > 1 AND (DM_AGE >=16, DK, RF))

Universe Description:

Question Text: ^fDM_ELDER many members of your household are aged 62 or older, if any?

Fills: fDM_ELDER

Instructions: IF DM_AGE >= 62, fill "Including yourself"
ELSE fill "How"

Fills: fDM_ELDER

Instructions: IF DM_AGE >= 62, fill "Including yourself"
ELSE fill "How"

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: PSINCUCU = 1 AND (DM_AGE >= 16 AND DM_AGE <=61) DM_ELDER = 0
PSINCUCU = 1 AND (DM_AGE >= 62 AND DM_AGE <=99) DM_ELDER = 1
Else ask DM_ELDER

If DM_ELDER = D/R, or DM_AGE = D/R or HR_SIZE = D/R then Continue (no soft/hard check)

If DM_ELDER = 0, invoke HARDCHECK_1.

IF DM_ELDER > PSINCU, invoke HARDCHECK_2:

If DM_AGE < 62 Then

 If DM_ELDER > (PSINCU -1), invoke HARDCHECK3:

IF DM_ELDER > 30, invoke SOFTCHECK.

SOFTCHECK: ENG "NUMBER SEEMS UNUSUALLY HIGH. PLEASE VERIFY."

HARDCHECK_1: "RESPONDENT REPORTED AGE AS 62 OR OLDER. GO BACK TO CORRECT."

HARDCHECK_2: "NUMBER OF ELDERLY MEMBERS CANNOT EXCEED THE NUMBER OF MEMBERS IN THE CONSUMER UNIT. GO BACK TO CORRECT."

HARDCHECK3: "NUMBER OF ELDERLY MEMBERS PLUS RESPONDENT UNDER AGE 62 CANNOT EXCEED THE NUMBER OF MEMBERS IN THE CONSUMER UNIT. GO BACK TO CORRECT."

ERR HH Size_1

Check

DEMOGRAPHIC.ERR HH Size_1

Description: Respondent did not count self

Inherited Universe:

Universe: DM_ELDER = 0 and DM_AGE > 62

Universe Description:

Text: [RESPONDENT REPORTED AGE AS 62 OR OLDER. GO BACK TO CORRECT.](#)

Check Instructions: GOTO Section:
DM_AGE
DM_ELDER
HH_SIZE

Type: Hard

Skip Instructions: If DM_ELDER = D/R, or DM_AGE = D/R or HH_SIZE = D/R then Continue (no soft/hard check)

Check

ERR HH Size_2
DEMOGRAPHIC.ERR HH Size_2

Description: More ELDERLY then Total HH Size

Inherited Universe:

Universe: DM_ELDER > PSINCU

Universe Description:

Text: NUMBER OF ELDERLY MEMBERS CANNOT EXCEED THE NUMBER OF MEMBERS IN THE CONSUMER UNIT. GO BACK TO CORRECT.

Check Instructions: GOTO Section:
DM_AGE
DM_ELDER
HH_SIZE

Type: Hard

Skip Instructions: If DM_ELDER = D/R, or DM_AGE = D/R or HR_SIZE = D/R then Continue (no soft/hard check)

Thank You

Block

Thank You

Description: Thank You - end of interview

Tab Name: TY

Fly Over Name: Thank You - end of interview

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

TY_WEBSITE
Thank You.TY_WEBSITE

Description: R Visit BLS Website

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: INTRO_LTR = 1 or VAL(IntNmbr) = (2, 3, or 4)

Universe Description: 1st interview cases that received the Intro letter.

Question Text: Did you visit the TPOPS respondent website before the interview to look up the product categories you would be asked?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

TY_NXTTM

Field

Thank You.TY_NXTTM

Description: Plans for call backs

Form Pane Label:

SAS Name: TY_NXTTM

Tag Name:

Inherited Universe:

Universe: ((HR_ArmFc_ = No AND VAL(IntNmbr) <> 4) OR
((HR_AfNow_ = No OR HR_AfNow_ = DK OR HR_AfNow_ = RF) AND VAL(IntNmbr)
<> 4) OR
(Dm_EndCP_ = Continue AND (VAL(IntNmbr) = 2 OR VAL(IntNmbr) = 3) AND
HR_ArmFc_ <> Yes AND HR_AfNow_ <> Yes))
AND Cell_Safe_ <> Yes

Universe Description:

Question Text: ^TY_VisitWebSite

Fills: TY_VisitWebSite

Instructions: If TY_Website=Yes & interview number=1-3

"Thank you for visiting the website, the information is updated for each quarter we conduct interviews. Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM. We encourage you to visit the website again for more information on the product categories you will be asked about in the next interview."

If TY_Website=No/I didn't know & interview number=1-3

Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM. We encourage you to visit the TPOPS respondent website for more information on the product categories you will be asked about in the next interview. The website can be located by searching for TPOPS respondents at www.bls.gov, or going directly to www.bls.gov/respondents/cpi/tpops/."

Else

Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM.

Fills: TY_VisitWebSite

Instructions: If TY_Website=Yes & interview number=1-3

"Thank you for visiting the website, the information is updated for each quarter we conduct interviews. Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM. We encourage you to visit the website again

for more information on the product categories you will be asked about in the next interview."

If TY_Website=No/I didn't know & interview number=1-3

Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM. We encourage you to visit the TPOPS respondent website for more information on the product categories you will be asked about in the next interview. The website can be located by searching for TPOPS respondents at www.bls.gov, or going directly to www.bls.gov/respondents/cpi/tpops/."

Else

Since we are interested in your shopping habits, we will be contacting you ^fTY_NXTTM.

Type: Classification
Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1> goto TY_R_FIRST_NAME

TY_R_FIRST_NAME

Field

Thank You.TY_R_FIRST_NAME

Description: Asks respondents first name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [TY_NXTTM =1 and (INTNMBR = 1 or 2)] and [ADLTR = 1 or (GOT_LTR_FL = 2 or 9) or Replc_FI = 1] and RANDNMBR < .5

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your ^TY_NAME_ADDRESS ?

•Probe: First name

Fills: TY_NAME_ADDRESS

Instructions: If RANDNMBR < .5
fill "name and mailing address"
If RANDNMBR >= .5
Fill "mailing address"

Type: String

Length: 20

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: R_FIRST_NAME

Array:

Special Instructions: Pre fill with over typing allowed for correction.

Skip Instructions: GOTO TY_R_LAST_NAME

Field

TY_R_LAST_NAME
Thank You.TY_R_LAST_NAME

Description: Asks respondents Last name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: TY_R_FIRST_NAME = NOT BLANK, D OR R

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

✦ [Probe: Last name](#)

Fills: TY_NAME_ADDRESS

Instructions: If **RANDNMBR < .5**
fill "name and mailing address"
If **RANDNMBR >= .5**
Fill "mailing address"

Type: String

Length: 20

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: R_LAST_NAME

Array:

Special Instructions: GOTO TY_R_ADDRESS_1

TY_R_ADDRESS_1

Field

Thank You.TY_R_ADDRESS_1

Description: Asks respondents ADDRESS

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (TY_R_LAST_NAME = NOT BLANK, D OR R)OR [[TY_NXTTM =1 and (INTNMBR = 1 or 2)] and [ADLTR = 1 or (GOT_LTR_FL = 2 or 9)or Replc_FI = 1] and RANDNMBR >= .5]

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

◆Probe: STREET ADDRESS LINE #1

Fills: TY_NAME_ADDRESS

Instructions: If RANDNMBR < .5
fill "name and mailing address"
If RANDNMBR >= .5
Fill "mailing address"

Type: String

Length: 20

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: R_STR1AD

Array:

Special Instructions: Grey question text if RANDNMBR < .5

Skip Instructions: IF TY_R_ADDRESS_1 <> R
GOTO TY_R_ADDRESS_2
ELSE GOTO TY_CMBLS

Field

TY_R_ADDRESS_2
Thank You.TY_R_ADDRESS_2

Description: Asks respondents ADDRESS Line 2

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: TY_R_ADDRESS_1 = NOT BLANK OR D

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

✦ Probe: STREET ADDRESS Line #2

Fills: TY_NAME_ADDRESS

Instructions: If RANDNMBR < .5
fill "name and mailing address"
If RANDNMBR >= .5
Fill "mailing address"

Type: String

Length: 20

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: R_STR2AD

Array:

Skip Instructions: GOTO TY_R_CITY

TY_R_CITY

Thank You.TY_R_CITY

Field

Description: Asks respondents CITY

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: TY_R_ADDRESS_1 = NOT BLANK OR D

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

✦ Probe: CITY

Fills: TY_NAME_ADDRESS

Instructions: If **RANDNMBR < .5**
fill "name and mailing address"
If **RANDNMBR >= .5**
Fill "mailing address"

Type: String

Length: 20

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: R_CITY

Array:

Skip Instructions: GOTO TY_R_STATE

Field

TY_R_STATE
Thank You.TY_R_STATE

Description: Asks respondents STATE

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: TY_R_CITY = NOT BLANK OR D

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

✦ Probe: STATE

Enter the 2 character state abbreviation.

If you need a list of the state abbreviations, click on the DEFS tab and choose
number 1.

Fills: TY_NAME_ADDRESS

Instructions: If RANDNMBR < .5
fill "name and mailing address"
If RANDNMBR >= .5
Fill "mailing address"

Type: String

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: GOTO TY_CMBLS

TY_STNM

Field

Thank You.TY_STNM

Description: State name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: IF CP_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN DISPLAY APPROPRIATE STATE NAME [allow 40]

AL Alabama	MT Montana
AK Alaska	NE Nebraska
AZ Arizona	NV Nevada
AR Arkansas	NH New Hampshire
CA California	NJ New Jersey
CO Colorado	NM New Mexico
CT Connecticut	NY New York
DE Delaware	NC North Carolina
DC District of Columbia	ND North Dakota
FL Florida	OH Ohio
GA Georgia	OK Oklahoma
HI Hawaii	OR Oregon
ID Idaho	PA Pennsylvania
IL Illinois	RI Rhode Island
IN Indiana	SC South Carolina
IA Iowa	SD South Dakota
KS Kansas	TN Tennessee
KY Kentucky	TX Texas
LA Louisiana	UT Utah
ME Maine	VT Vermont
MD Maryland	VA Virginia
MA Massachusetts	WA Washington
MI Michigan	WV West Virginia
MN Minnesota	WI Wisconsin
MS Mississippi	WY Wyoming
MO Missouri	

Type: Enumerated

Length: 40

Answer List: tCP_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3		AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9		DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

TY_R_ZIP
Thank You.TY_R_ZIP

Description: Asks respondents ZIP

Form Pane Label: Asks respondents ZIP

SAS Name:

Tag Name: Asks respondents ZIP

Inherited Universe:

Universe: TY_R_STATE = NOT BLANK OR D

Universe Description:

Question Text: I need to make sure that I have the best contact information for you. What is your
^TY_NAME_ADDRESS ?

Probe: ZIP

Fills: TY_NAME_ADDRESS

Instructions: If **RANDNMBR < .5**
fill "name and mailing address"
If **RANDNMBR >= .5**
Fill "mailing address"

Fills: TY_NAME_ADDRESS

Instructions: If **RANDNMBR < .5**
fill "name and mailing address"
If **RANDNMBR >= .5**
Fill "mailing address"

Type: Classification

Length: 5

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

TY_DAYS_TIMES

Field

Thank You.TY_DAYS_TIMES

Description: Best days and times to call back

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (DM_ArmFc = 2 and IntNmbr <> 4)

OR

(DM_AfNow = 2, DK, RF and IntNmbr <> 4)

OR

(DM_EndCP = 1 and IntNmbr =2, 3 and Replc_FI <> '1' and Contact_FI <> '1' and DM_ArmFc <>1 and DM_AfNow <>1)

Universe Description:

Question Text: What are the best days and times to call you?

Jot down the best and worst days and times on paper. You will record them in Web CATI after the interview has ended.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

TY_CMBLS
Thank You.TY_CMBLS

Description: Want BLS address

Form Pane Label:

SAS Name: TY_CMBLS

Tag Name:

Inherited Universe:

Universe: TY_NXTTM = 1

Universe Description:

Question Text: Comments or ideas about how to improve the survey can be sent to the Bureau of Labor Statistics.

Additional information can be found on the BLS TPOPS website.

Would you like either address?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If TY_CMBLS = 1, D or R, set OUTCOME = 00, SUBTYPE = 00

2. If TY_CMBLS = 2, set OUTCOME = 1, SUBTYPE = 1, MARK = 21

Skip Instructions: <1> goto TY_BLSAD

<2> goto EXITTHNK

TY_ENDIT

Field

Thank You.TY_ENDIT

Description: Thanks for last call

Form Pane Label:

SAS Name: TY_ENDIT

Tag Name:

Inherited Universe:

Universe: (DM_ENDCP = 1 and IntNmbr = 4) OR ((DM_AFNOW = 2, DK, or RF) and IntNmbr = 4) OR DM_ARMFC = 2 and IntNmbr = 4)

Universe Description:

Question Text: This completes the last regularly scheduled interview for this household for the Point of Purchase Survey.

If you have any comments regarding the burden estimate or any other aspect of this survey, including suggestions for reducing the time needed to respond, you may contact the Bureau of Labor Statistics.

Additional information can be found on the BLS TPOPS website.

Would you like either address?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If TY_ENDIT = 2 then

If DM_ARMFC = 1 or DM_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, and if MARK lt 21, set MARK = 21

else, set OUTCOME = 1, SUBTYPE = 1, and if MARK lt 21, set MARK = 21

Skip Instructions: <1> goto TY_BLSAD

<2> goto EXITTHNK

Field

TY_BLSAD
Thank You.TY_BLSAD

Description: BLS address

Form Pane Label:

SAS Name: TY_BLSAD

Tag Name:

Inherited Universe:

Universe: TY_CMBLS = 1 or TY_ENDIT = 1

Universe Description:

Question Text: Direct any comments you may have to:

**Bureau of Labor Statistics
2 Massachusetts Avenue, N.E., Room 3615
Washington, DC 20212**

or to their website at: <http://www.bls.gov/respondents/cpi/tpops>

Remember to include your name, address, and telephone number or your case identification number, if you would like a response.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: IF TY_BLSAD = 1,

 If DM_ARMFC = 1 or DM_AFNOW = 1, Set OUTCOME = 1, SUBTYPE = 5, set
 MARK = 21

 Else, SET OUTCOME = 1, SUBTYPE = 1, set MARK = 21

Skip Instructions: <1> EXITTHNK

THANKRES

Field

Thank You.THANKRES

Description: Thanks to ineligible HH

Form Pane Label:

SAS Name: THANKRES

Tag Name:

Inherited Universe:

Universe: (RESNUM = 1, 5, 6, or 7)
OR (OTHRES = 5, 6, 7, 8, 9, 10, 11, D or R)
OR (PAYPHONE = 1, D, or R) OR (PROBCALL = 14)
OR (FIND_OTH = 4)
OR (GEO_ST = 95 OR GEO_CNTY = 95
OR GEO_LIM = 2 OR GEO_TOWN = 95)
OR HR_ARMFC = 1
OR HR_AFNOW = 1

Universe Description:

Question Text: Thank you for your time. Your household is not eligible for this survey.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If THANKRES = 1,
IF HR_ARMFC = 1, no not change OUTCOME and SUBTYPE
ELSE set OUTCOME = 20, set SUBTYPE = 3.
If MARK lt 22, set MARK = 22

2. If RESNUM = 1 or EXCLUBUSN = 1 then display "Thank you for your time. Your phone number is not eligible for this survey."

Skip Instructions: <1> TY_LAST

Field

EXITTHNK
Thank You.EXITTHNK

Description: Thanks to end call

Form Pane Label:

SAS Name: EXITTHNK

Tag Name:

Inherited Universe:

Universe: (RESNUM = R) OR (PROBCALL = 1, 2, 4, 5, or 13)
OR (TY_CMBLS = 2 OR TY_ENDIT = 2 OR TY_BLSAD = 1)
OR (DFFSTATE = D OR R) OR (DFFCNTY = D OR R)
OR (GEO_LIM = D OR R) OR (GEO_TOWN = D OR R)
OR (ID_SPVR = 3 OR 4) OR (FIND_OTH = R)

Universe Description:

Question Text: Thank you for your time and cooperation.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If RES_NAME = BLANK, SET RES_NAME = LADY OR MAN OF HOUSE

Skip Instructions: <1> TY_LAST

TY_CLBCK

Field

Thank You.TY_CLBCK

Description: Thanks for call backs

Form Pane Label:

SAS Name: TY_CLBCK

Tag Name:

Inherited Universe:

Universe: RESNUM = DK OR ID_WHO <> blank OR ID_OTHER <> blank OR
(FIND_OTH = 3 and Res_Name <> blank) OR
(Res_Name ne blank and (HELLO_RS = 3 or ID_SPVR = 2)) OR
((PROBCALL = 3 or 12) and Res_Name <> blank and FIND_OTH <> 4) OR
(FIND_OTH = DK) OR
(HELLO_RS = 4 and HELLO_TWO = 3) OR
(CELL_SAFE= 2, DK, RF)

Universe Description:

Question Text: We will try again at another time.
What are the best days and times to call?

• Jot down the best and worst days and times on paper.
You will record them in WebCATI after the interview has ended.

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: If RES_NAME = blank, set RES_NAME = LADY OR MAN OF HOUSE

If MARK LT 3, SET MARK = 0

Skip Instructions: <1> TY_LAST

Field

F10_TY_CLBCK
Thank You.F10_TY_CLBCK

Description: Thanks for call backs

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: F10 - EXIT FROM ANY SCREEN

Universe Description:

Question Text: We will try again at another time. What are the best days and times to call?
Thank you for your help.

*Jot down the best and worst days and times on paper. You will record them in WebCATI after the interview has ended.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If RES_NAME = blank and RESNUM = 2, set RES_NAME = LADY OR MAN OF HOUSE

IF MARK LT 3, SET MARK = 0

Skip Instructions: <1> TY_LAST

TY_LAST

Thank You.TY_LAST

Field

Description: Reminders

Form Pane Label:

SAS Name: TY_LAST

Tag Name:

Inherited Universe:

Universe: (TY_BLSAD = 1) or (THANKRES = 1)
or EXITTHNK = 1)
or (TY_CLBCK = 1)
or (PROBCALL = 6, 7, 8, 9, 10, 11)

Universe Description:

Question Text: * Remember to Record the Language in which the interview was conducted.

* Remember to Record the Future Best and Worst Time to Call Information.

Type: Classification

Length: 1

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: 1. COPY RES_NAME into NAMERESP

If RES_NAME = blank, store LADY OR MAN OF HOUSE in NAMERESP

2. If PARTFLAG = 1, if MARK lt 12, set MARK = 12

If TY_LAST = 1 then

If PROBCALL = 10 then

If CP_INTRO = blank, set OUTCOME = 35, SUBTYPE = 4

else

set OUTCOME = 35, SUBTYPE = 3

Skip Instructions: <1> SHOW_CTRL

CHNG_RESP

Thank You.CHNG_RESP

Field

Description: Change Respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Whom should I ask for when I call back?

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: [store CHNG_RESP in RESPNAME] - goto MAIN PATH

Array:

Special Instructions: 1. Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

Skip Instructions: [store CHNG_RESP in RESPNAME] - goto MAIN PATH

Block

TABs
TABs

Description: This block contains information concerning the TABs

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions: Create a TAB for each item.

FAQs

TABs.FAQs

Block

Description: TAB - This block contains 20 FAQs

Tab Name: FAQ

Fly Over Name: Frequently Asked Question

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

FAQ_WHATSRVY
TABs.FAQs.FAQ_WHATSRVY

Description: FAQ 1 What is this survey about?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is this survey about?

The purpose of the Telephone Point of Purchase Survey is to provide information on the stores and businesses where people shop and the products they buy. This information is used to update the Consumer Price Index, which directly affects almost everyone.

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

FAQ_SRVYUSE

Field

TABs.FAQs.FAQ_SRVYUSE

Description: FAQ 2 How will the information be used?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: How will the information be used?

In order for the Bureau of Labor Statistics to update the Consumer Price Index, it is necessary to maintain an up-to-date list of the stores and businesses where people shop.

The Census Bureau conducts the Telephone Point of Purchase Survey to provide the statistical data needed to update this list.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_WHYME
TABs.FAQs.FAQ_WHYME

Description: FAQ 3 How was I selected? Why me?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: [How was I selected? Why me?](#)

We did not select you PERSONALLY; your PHONE NUMBER was randomly selected from a list of phone numbers.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_SOMEELSE

Field

TABs.FAQs.FAQ_SOMEELSE

Description: FAQ 4 Why don't you select someone else?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why don't you select someone else?

Your answers are very important to this survey because your phone number was selected randomly. Your household's <u1:p>purchases represent the purchases of many similar households. It would cost too much and take too long to call all <u1:p>households in the U.S. We cannot select another phone number because it would harm the quality of the information we <u1:p>collect.
<o:p><o:p> <o:p>

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Field

FAQ_HAVETODO
TABs.FAQs.FAQ_HAVETODO

Description: FAQ 5 Do I have to participate?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Do I have to participate?

Participation is voluntary and there are no penalties for not answering questions, but to ensure the validity and accuracy of the information it is very important that we have your cooperation in the survey. To collect information on the buying habits of the population, your telephone number was selected to represent hundreds of other households like yours.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_MAILME

TABs.FAQs.FAQ_MAILME

Field

Description: FAQ 6 Just mail me a questionnaire.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Just mail me a questionnaire

<o:p>We do not have a paper questionnaire.<o:p>The questionnaire's design and the nature of the questions require a trained person to record the information. This is the least expensive way of obtaining this information.<o:p>
<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_AUTHORIZ
TABs.FAQs.FAQ_AUTHORIZ

Description: FAQ 7 Is this survey authorized by law?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Is this surey authorized by law?<o:p>Participation is voluntary and there are no penalties for refusing to answer any questions in this survey which is authorized by Title 29, section 2, of the United States Code. Your participation is extremely important to ensure the completeness and accuracy of the statistical results.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_CONFPROT

Field

TABs.FAQs.FAQ_CONFPROT

Description: FAQ 8 What confidentiality protection do I have?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What confidentiality protection do I have?<o:p>The confidentiality of the information you provide is assured to the full extent permitted by law in accordance with the Privacy Act of 1974 and the Confidential Information Protection and Statistical Efficiency Act of 2002 (Title 5 of Public Law 107-347). The information you provide will only be used for statistical purposes.<o:p>We will not ask for your address, birth date, social security number, or last name. In fact, we will not ask for any information that will identify you as an individual. The information that you provide will be used only to identify the stores and businesses where Americans shop and the products they buy.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_WHYNAME
TABs.FAQs.FAQ_WHYNAME

Description: FAQ 9 Why do you need my name?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why do you need my name?<o:p>We ask for a first name so that we can refer to you during the interview.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_TAXWASTE

Field

TABs.FAQs.FAQ_TAXWASTE

Description: FAQ 10 I think this is a waste of taxes?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: I think this is a waste of taxes!
By calling a selected number of households we provide information to update the Consumer Price Index, which is required by law. This method is far less expensive than calling every housing unit.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_CNTDPEPL
TABs.FAQs.FAQ_CNTDPEPL

Description: FAQ 11 I thought you only counted people.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: I thought you only counted people. <o:p> <o:p>We also conduct surveys to collect information monthly, quarterly and yearly, on labor force, retail and wholesale trade, household expenses, household income, and education to name a few examples.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_TITLE29
TABs.FAQs.FAQ_TITLE29

Field

Description: FAQ 12 What is Title 29?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is title 29?<o:p>Title 29 is part of the United States Code which by law specifies the duties of the Bureau of Labor Statistics. It is very broad in scope. This title gives the Bureau of Labor Statistics authority to designate the Census Bureau to collect data including the data collected in this survey. The title includes acquiring and diffusing: "among the people of the United States useful information on subjects connected with labor ..."
Section 2 of the code specifically mentions the collection of many types of labor related data, including retail and wholesale trade information.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_CPI_USE
TABs.FAQs.FAQ_CPI_USE

Description: FAQ 13 Uses of the Consumer Price Index

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Uses of the Consumer Price Index<o:p>The Consumer Price Index is a measure of the average change in the prices paid by urban consumers for a fixed market basket of goods and services.

<o:p>The Consumer Price Index is commonly used as:<o:p> 1. A measure of inflation.<o:p> 2. An economic indicator. The President, the Congress, and the Federal Reserve use trends in the Consumer Price Index to aid in formulating fiscal and monetary policies. In addition, businesses, labor organizations and private citizens use the index as a guide in making economic decisions.<o:p>3. A means of adjusting income payments. Adjustments to wages, Social Security Pay- ments, retirement bene-fits and other compen-sation such as child support and payments received by millions of Americans are based on changes in the Consumer Price Index.<o:p> 4. An adjustment factor for tax brackets (indexing) to prevent 'bracket creep' due to inflation.

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

FAQ_TOLLPHN

Field

TABs.FAQs.FAQ_TOLLPHN

Description: FAQ 14 Confirm call/toll-free (800) numbers

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Confirm call/toll free (800) numbers <o:p>To verify that I am calling from the Census Bureau, you may call our toll free number:
Hagerstown: 1-800-392-6975
Tucson: 1-800-642-0469
Jeffersonville: 1-800-523-3205<o:p>When you call, please provide your name and the following case identification number:

Read CASEID number from lower left corner of screen.

IF NECESSARY

To verify that the toll free number is legitimate, you may call Directory Assistance on: 1-800-555-1212.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill CASEID number in [fill:]

Field

FAQ_BLSADDR
TABs.FAQs.FAQ_BLSADDR

Description: FAQ 15 BLS comments

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: [Bureau of Labor Statistics \(BLS\) Comments](#) **Direct any comments you have to: Bureau of Labor Statistics2 Massachusetts Avenue, N.E., Room 3615 Washington, DC 20212 or to their website at: <http://www.bls.gov/respondents/cpi/tpops>**

Reference the Telephone Point of Purchase Survey or "TPOPS"; in your correspondence. Remember to include your name, address, and telephone number or the following case identification number, if you request a response.[Read CASEID number from lower left corner of screen.](#)

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_DATAREQS

Field

TABs.FAQs.FAQ_DATAREQS

Description: FAQ 16 Data requests

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Data Requests<o:p>Neither the Census Bureau nor the Bureau of Labor Statistics publishes data collected from this survey.<o:p>The purpose of the Telephone Point of Purchase Survey is to provide the Bureau of Labor Statistics with a list of outlets (stores) where consumers buy the goods and services asked about during the interview. The Bureau of Labor Statistics uses data from of the Telephone Point of Purchase Survey, along with data from three other surveys to adjust the Consumer Price Index, which is a leading measure of inflation that indicates the cost of living in our country.<o:p> We can send you a pamphlet describing the Consumer Price Index and how people use it. The TPOPS survey collects the stores and service establishments mentioned in Chapter 8 of that pamphlet.

**THE PAMPHLET IS AVAILABLE IN ENGLISH ONLY
WRITE DOWN THE RESPONDENT'S NAME AND ADDRESS AND GIVE IT TO
YOUR SUPERVISOR**

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_ADDRESS
TABs.FAQs.FAQ_ADDRESS

Description: FAQ 17 How did you get my address?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: How did you get my address?<o:p>First, your telephone number was randomly selected from a computer-generated list of all possible phone numbers in your area code. Next, the residential address registered to your phone number was identified via a computer search of various telephone databases. <o:p>Finally, the address information was used exclusively to create and mail the letter to you. A permanent record of your address was not kept.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_SENDINFO

Field

TABs.FAQs.FAQ_SENDINFO

Description: FAQ 18 What is this advance letter about? How can I get one?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is this advance letter about? How can I get one?<o:p>The letter contains a brief explanation of the Telephone Point of Purchase Survey and its importance in creating the Consumer Price Index, as well as the legal authorizations for collecting this data. We would like to continue the interview at this time. If you like, we can send you another copy of the letter if you provide me with your name and address.

THE LETTER IS AVAILABLE IN ENGLISH ONLY.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_RACE
TABs.FAQs.FAQ_RACE

Description: FAQ 19 Why do we ask race and ethnicity questions?

Form Pane Label:

SAS Name: FAQ_RACE

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why do we ask race and ethnicity questions?<o:p> <o:p>In October 1997, the Office of Management and Budget, or OMB, issued Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity. These guidelines state that race and ethnicity are separate and distinct concepts and should be collected in different questions. The standards are available on the Internet at www.whitehouse.gov/omb/fedreg/1997standards.html. <o:p>All federal agencies, including the Census Bureau, which collect and report data on race and ethnicity, must follow these standards. <o:p>The Bureau of Labor Statistics uses the data from the TPOPS survey to produce a sample of retail stores and service establishments that is then used to price goods and services for the Consumer Price Index. The race and ethnicity questions are asked to ensure that the survey shows no bias regarding any ethnic group and that the shopping habits of the whole population are represented.

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_LIVE
TABs.FAQs.FAQ_LIVE

Field

Description: FAQ 20 Why do we ask about where you live?

Form Pane Label:

SAS Name: FAQ_LIVE

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: [Why do we ask about where you live?](#)

Respondents are selected at random from 87 cities throughout the U.S. To ensure the survey is collecting a representative sample, we ask for your address to verify we have contacted an eligible respondent from one of the 87 U.S. cities.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ21
TABs.FAQs.FAQ21

Description: FAQ21 Return to interview

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEFs
TABs.DEFs

Block

Description: TAB - Definition of 7 commodity concepts Help Screens

Tab Name: DEFs

Fly Over Name: Definition of some commodity concepts

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

STATE ABBREVIATIONS

TABs.DEFs.STATE ABBREVIATIONS

Description: 2-digit abbreviations of the 50 US states and the District of Columbia

Form Pane Label:

SAS Name:

Tag Name: Def 1. STATE ABBREVIATIONS

Inherited Universe:

Universe:

Universe Description:

Question Text: [State abbreviations](#)

AL	Alabama	MT	Montana
AK	Alaska	NE	Nebraska
AZ	Arizona	NV	Nevada
AR	Arkansas	NH	New Hampshire
CA	California	NJ	New Jersey
CO	Colorado	NM	New Mexico
CT	Connecticut	NY	New York
DE	Deleware	NC	North Carolina
DC	District of Columbia	ND	North Dakota
FL	Florida	OH	Ohio
GA	Georgia	OK	Oklahoma
HI	Hawaii	OR	Oregon
ID	Idaho	PA	Pennsylvania
IL	Illinois	RI	Rhode Island
IN	Indiana	SC	South Carolina
IA	Iowa	SD	South Dakota
KS	Kansas	TN	Tennessee
KY	Kentucky	TX	Texas
LA	Louisiana	UT	Utah
ME	Maine	VT	Vermont
MD	Maryland	VA	Virginia
MA	Massachusetts	WA	Washington
MI	Michigan	WV	West Virginia
MN	Minnesota	WI	Wisconsin
MS	Mississippi	WY	Wyoming
MO	Missouri		

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: IF GEO_VER =1, store FIPSCODE (8500/67-71) in FIPS_ST and FIPS CTY.

Output variable is GEO_ST

Array:

Special Instructions: Fill county name and state from input file, up to 4 Different States, or 95. Someplace Else.

[fill STATE_n associated with PSU in XSTATE]

1. Number of states in PSU stored in XSTATE; display appropriate number
2. Reject if GEO_ST gt XSTATE (state number out of range for PSU)
3. Store GEO_ST in FIPS_ST
4. If GEO_ST = 1 - 4, set OUTCOME = 00, SUBTYPE = 00
5. If GEO_ST = D, set OUTCOME = 20, SUBTYPE = 9; if MARK lt 8, set MARK = 8
6. If GEO_ST = R, if MARK lt 9, set MARK = 9
7. If GEO_ST = 95, set OUTCOME = 20, SUBTYPE = 8; if MARK lt 22, set MARK = 22

Field

DEF_CU
TABs.DEFs.DEF_CU

Description: Consumer Unit

Form Pane Label:

SAS Name:

Tag Name: Def 2, Consumer Unit

Inherited Universe:

Universe:

Universe Description:

Question Text: CONSUMER UNIT A consumer unit is a person living alone or a group of two or more people who are related by blood, marriage, or other legal arrangement or who share major living expenses.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_LVGEXP
TABs.DEFs.DEF_LVGEXP

Field

Description: Critical shared living expenses

Form Pane Label:

SAS Name:

Tag Name: Def 3. Living Expenses

Inherited Universe:

Universe:

Universe Description:

Question Text: Living Expenses Individuals will be considered part of the same consumer unit if they share at least two of the following major living expenses:

1. Housing Expenses
2. Food Expenses or
3. Other Expenses such as transportation, clothing, medical, or educational expenses.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

DEF_OUT_TYPE
TABs.DEFs.DEF_OUT_TYPE

Description: Different outlet types for consumer purchases

Form Pane Label:

SAS Name:

Tag Name: Def 4. Outlet Type

Inherited Universe:

Universe:

Universe Description:

Question Text: Outlet Type

The key to selecting the correct outlet type at screen CP_OLTYP is to determine HOW you entered into the ""contract"", either express or implied, to purchase the item or service.

SELECT (1) PERSONAL VISIT, if you made a personal visit to the store/business/outlet and either paid for the item at the store or made arrangements there to finance the purchase.

SELECT (2) MAIL ORDER, if you filled out a mail-order form and mailed the form to the vendor.

SELECT (3) TELEPHONE ORDER, if you ordered the item over the telephone by calling the vendor, or by sending the request order by fax. This includes food items that are delivered to the home, if the order was placed over the telephone (for example Pizza Delivery).

SELECT (4) INTERNET, if you filled out a form on an Internet web site or company home page and submitted the order electronically over the Internet or via e mail. (This is true, even if the company is located outside the U.S.)

SELECT (5) PRIVATE INDIVIDUAL, if the outlet name is a person's name (e.g., Joe Smith) and is not connected to a business. (This is true, even in cases where the contract was made by personal visit or over the telephone.) Precode (5) Private Individual has priority and should be selected if the outlet name is a person and not a business.

One exception: If the outlet name is a doctor or medical physician's name (e.g., Dr. Joe Smith), then Precode (5) should not be selected. Assume doctors have offices or make house calls and are ""normally"" in business, so Precode (1) Personal Visit or Precode (3) Telephone should be selected.

SELECT (6) PUBLIC SALE, if the outlet name given by the respondent

contains the phrase "public sale", "garage sale", "yard sale", "estate sale", "swap meet", or "auction". (This is true, even in cases where the contract was made by personal visit.) Precode (6) Public Sale has priority and should be selected if you know the purchase was made at a public sale.

If you are not sure if the purchase was made at a public sale (and the outlet name does not give an indication), Precode (1) Personal Visit should be selected.

SELECT (7) LOCATION OUTSIDE OF THE U.S., if the outlet is located outside the U.S., unless it is an Internet outlet. Precode (7) Location Outside the U.S. has priority and should be selected if the outlet is located outside the United States. (This is true, even in cases where the contract was made by personal visit, mail order, or telephone.)

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

DEF_INARMFC
TABs.DEFs.DEF_INARMFC

Description: Listing of the types of services, which to include and which to NOT include

Form Pane Label:

SAS Name:

Tag Name: Def 5. In Armed Forces

Inherited Universe:

Universe:

Universe Description:

Question Text: IN ARMED FORCES INCLUDE:

- U.S. Army
- U.S. Navy
- U.S. Air Force
- U.S. Marine Corps
- U.S. Coast Guard
- a Reserve Branch of any of the above
- Commissioned Officers of the U.S. Public Health Service
- National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order)

DO NOT INCLUDE:

- Coast Guard Temporary Reserve
- Active Reserve Training
- Merchant Marine, Maritime Commission, or American Field Service
- Civilian employees of the Department of Defense
- National Guard on standby status
- R.O.T.C., VISTA, or Peace Corps

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_AFCPAY

TABs.DEFs.DEF_AFCPAY

Field

Description: Description what the components of pay and the types of armed forces pay to include and NOT to include

Form Pane Label:

SAS Name:

Tag Name: Def 6. Armed Forces Pay

Inherited Universe:

Universe:

Universe Description:

Question Text: [Armed Forces Pay](#)

Total consumer unit income shall be defined as: total money earnings and selected money receipts of all consumer unit members 14 years of age or over during the 12 months preceding the interview.

Components of income include:

- wages and salaries,
- self-employment income,
- Social Security,
- private and government retirement,
- interest,
- dividends,
- rental income,
- unemployment and workers' compensation,
- veterans' benefits,
- public assistance,
- supplemental security income,
- food stamps,
- regular contributions for support, and
- other income such as cash scholarships, fellowships, and meals and rent as pay.

It does not include money from any non-periodic, one-time, or lump-sum items such as money received from the sale of property, withdrawals of bank deposits, money borrowed, tax refunds, or gifts.

Armed Forces pay consists of wages, salaries, and allowances earned while on active duty in the following:

- U.S. Army
- U.S. Navy

-
- U.S. Air Force
 - U.S. Marine Corps
 - U.S. Coast Guard

It also includes income received by individuals in the following:

- a Reserve Branch of any of the above
- Commissioned Officers of the U.S. Public Health Service
- National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order)

It does not include earnings of members in the following organizations:

- Coast Guard Temporary Reserve
- Active Reserve Training
- Merchant Marine, Maritime Commission, or American Field Service
- Civilian employees of the Department of Defense
- National Guard on standby status
- R.O.T.C., VISTA, or Peace Corps

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_BUSEXP
TABs.DEFs.DEF_BUSEXP

Field

Description: Definition of business expenses

Form Pane Label:

SAS Name:

Tag Name: DEF 7. Business Expenses

Inherited Universe:

Universe:

Universe Description:

Question Text:

Business

Expenses<o:p>Business expenses at a full service or limited service restaurant include any expense incurred directly by the employee who has been or will be reimbursed by an employer. This includes using personal funds or credit card, a company credit acrd, or money advanced by the employer. If the expense is incurred by a self-employed individual, then the expense should be included only if it is eligible to be deducted from income as a cost of doing business.
<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

ChangeResp
TABs.ChangeResp

Description: TAB - Change Respondent Help Screen

Form Pane Label: Change

SAS Name:

Tag Name: Change Respondent

Inherited Universe:

Universe:

Universe Description:

Question Text: Whom should I ask for when I call back?

Type: Classification

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Store CHNG_RESP in RESPNAME

Array:

Special Instructions: Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

Skip Instructions: goto MAIN PATH

TAB_INTNM

TABs.TAB_INTNM

Field

Description: TAB - Number of Interview Help Screen

Form Pane Label:

SAS Name:

Tag Name: Interview Number

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill INTNUM of current interview

Skip Instructions: goto MAIN PATH

Field

Instrument
TABs.Instrument

Description: Main path of the instrument

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Exit

Field

TABs.Exit

Description: Allows interviewer to exit interview using TY_CLBCK

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: See TY_CLBCK

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array: