

## 14 CFR Part 121

### Subpart AA—Continued Airworthiness and Safety Improvements

#### § 121.1115 Limit of validity.

(a) *Applicability.* This section applies to certificate holders operating any transport category, turbine-powered airplane with a maximum takeoff gross weight greater than 75,000 pounds and a type certificate issued after January 1, 1958, regardless of whether the maximum takeoff gross weight is a result of an original type certificate or a later design change. This section also applies to certificate holders operating any transport category, turbine-powered airplane with a type certificate issued after January 1, 1958, regardless of the maximum takeoff gross weight, for which a limit of validity of the engineering data that supports the structural maintenance program (hereafter referred to as LOV) is required in accordance with § 25.571 or § 26.21 of this chapter after January 14, 2011.

(b) *Limit of validity.* No certificate holder may operate an airplane identified in paragraph (a) of this section after the applicable date identified in Table 1 of this section unless an Airworthiness Limitations section approved under Appendix H to part 25 or § 26.21 of this chapter is incorporated into its maintenance program. The ALS must—

(1) Include an LOV approved under § 25.571 or § 26.21 of this chapter, as applicable, except as provided in paragraph (f) of this section; and

(2) Be clearly distinguishable within its maintenance program.

(c) *Operation of airplanes excluded from § 26.21.* No certificate holder may operate an airplane identified in § 26.21(g) of this chapter after July 14, 2013, unless an Airworthiness Limitations section approved under Appendix H to part 25 or § 26.21 of this chapter is incorporated into its maintenance program. The ALS must—

(1) Include an LOV approved under § 25.571 or § 26.21 of this chapter, as applicable, except as provided in paragraph (f) of this section; and

(2) Be clearly distinguishable within its maintenance program.

(d) *Extended limit of validity.* No certificate holder may operate an airplane beyond the LOV, or extended LOV, specified in paragraph (b)(1), (c), (d), or (f) of this section, as applicable, unless the following conditions are met:

(1) An ALS must be incorporated into its maintenance program that—

(i) Includes an extended LOV and any widespread fatigue damage airworthiness limitation items approved under § 26.23 of this chapter; and

(ii) Is approved under § 26.23 of this chapter.

(2) The extended LOV and the airworthiness limitation items pertaining to widespread fatigue damage must be clearly distinguishable within its maintenance program.

(e) *Principal Maintenance Inspector approval.* Certificate holders must submit the maintenance program revisions required by paragraphs (b), (c), and (d) of this section to the Principal Maintenance Inspector for review and approval.

(f) *Exception.* For any airplane for which an LOV has not been approved as of the applicable compliance date specified in paragraph (c) or Table 1 of this section, instead of including an approved LOV in the ALS, an operator must include the applicable default LOV specified in Table 1 or Table 2 of this section, as applicable, in the ALS.

**Table 1—Airplanes Subject to § 26.21**

Airplane model	Compliance date—months after January 14, 2011	Default LOV [flight cycles (FC) or flight hours (FH)]
Airbus—Existing <sup>1</sup> Models Only:		
A300 B2-1A, B2-1C, B2K-3C, B2-203	30	48,000 FC
A300 B4-2C, B4-103	30	40,000 FC
A300 B4-203	30	34,000 FC
A300-600 Series	60	30,000 FC/67,500 FH
A310-200 Series	60	40,000 FC/60,000 FH
A310-300 Series	60	35,000 FC/60,000 FH
A318 Series	60	48,000 FC/60,000 FH
A319 Series	60	48,000

		FC/60,000 FH
A320-100 Series	60	48,000 FC/48,000 FH
A320-200 Series	60	48,000 FC/60,000 FH
A321 Series	60	48,000 FC/60,000 FH
A330-200, -300 Series (except WV050 family) (non enhanced)	60	40,000 FC/60,000 FH
A330-200, -300 Series WV050 family (enhanced)	60	33,000 FC/100,000 FH
A330-200 Freighter Series	60	See NOTE.
A340-200, -300 Series (except WV 027 and WV050 family) (non enhanced)	60	20,000 FC/80,000 FH
A340-200, -300 Series WV 027 (non enhanced)	60	30,000 FC/60,000 FH
A340-300 Series WV050 family (enhanced)	60	20,000 FC/100,000 FH
A340-500, -600 Series	60	16,600 FC/100,000 FH
A380-800 Series	72	See NOTE.
Boeing—Existing <sup>1</sup> Models Only:		
717	60	60,000

		FC/60,000 FH
727 (all series)	30	60,000 FC
737 (Classics): 737-100, -200, -200C, -300, -400, -500	30	75,000 FC
737 (NG): 737-600, -700, -700C, -800, -900, -900ER	60	75,000 FC
747 (Classics): 747-100, -100B, -100B SUD, -200B, -200C, -200F, -300, 747SP, 747SR	30	20,000 FC
747-400: 747-400, -400D, -400F	60	20,000 FC
757	60	50,000 FC
767	60	50,000 FC
777-200, -300	60	40,000 FC
777-200LR, 777-300ER	72	40,000 FC
777F	72	11,000 FC
Bombardier—Existing <sup>1</sup> Models Only:		
CL-600: 2D15 (Regional Jet Series 705), 2D24 (Regional Jet Series 900)	72	60,000 FC
Embraer—Existing <sup>1</sup> Models Only:		
ERJ 170	72	See NOTE.
ERJ 190	72	See NOTE.
Fokker—Existing <sup>1</sup> Models Only:		
F.28 Mark 0070, Mark 0100	30	90,000 FC

Lockheed—Existing <sup>1</sup> Models Only:		
L-1011	30	36,000 FC
188	30	26,600 FC
382 (all series)	30	20,000 FC/50,000 FH
McDonnell Douglas—Existing <sup>1</sup> Models Only:		
DC-8, -8F	30	50,000 FC/50,000 FH
DC-9 (except for MD-80 models)	30	100,000 FC/100,000 FH
MD-80 (DC-9-81, -82, -83, -87, MD-88)	30	50,000 FC/50,000 FH
MD-90	60	60,000 FC/90,000 FH
DC-10-10, -15	30	42,000 FC/60,000 FH
DC-10-30, -40, -10F, -30F, -40F	30	30,000 FC/60,000 FH
MD-10-10F	60	42,000 FC/60,000 FH
MD-10-30F	60	30,000 FC/60,000 FH
MD-11, MD-11F	60	20,000 FC/60,000 FH

Maximum Takeoff Gross Weight Changes:		
All airplanes whose maximum takeoff gross weight has been decreased to 75,000 pounds or below after January 14, 2011, or increased to greater than 75,000 pounds at any time by an amended type certificate or supplemental type certificate	30, or within 12 months after the LOV is approved, or before operating the airplane, whichever occurs latest	Not applicable.
All Other Airplane Models (TCs and amended TCs) not Listed in Table 2	72, or within 12 months after the LOV is approved, or before operating the airplane, whichever occurs latest	Not applicable.

<sup>1</sup> Type certificated as of January 14, 2011.

**Note:** Airplane operation limitation is stated in the Airworthiness Limitation section.

Note: Airplane operation limitation is stated in the Airworthiness Limitation section.

**Table 2—Airplanes Excluded from § 26.21**

Airplane model	Default LOV [flight cycles (FC) or flight hours (FH)]
Airbus:	
Caravelle	15,000 FC/24,000 FH
Avions Marcel Dassault:	
Breguet Aviation Mercure 100C	20,000 FC/16,000 FH
Boeing:	
Boeing 707 (-100 Series and -200 Series)	20,000 FC
Boeing 707 (-300 Series and -400 Series)	20,000 FC
Boeing 720	30,000 FC

Bombardier:	
CL-44D4 and CL-44J	20,000 FC
BD-700	15,000 FH
Bristol Aeroplane Company:	
Britannia 305	10,000 FC
British Aerospace Airbus, Ltd.:	
BAC 1-11 (all models)	85,000 FC
British Aerospace (Commercial Aircraft) Ltd.:	
Armstrong Whitworth Argosy A.W. 650 Series 101	20,000 FC
BAE Systems (Operations) Ltd.:	
BAe 146-100A (all models)	50,000 FC
BAe 146-200-07	50,000 FC
BAe 146-200-07 Dev	50,000 FC
BAe 146-200-11	50,000 FC
BAe 146-200-07A	47,000 FC
BAe 146-200-11 Dev	43,000 FC
BAe 146-300 (all models)	40,000 FC
Avro 146-RJ70A (all models)	40,000 FC
Avro 146-RJ85A and 146-RJ100A (all models)	50,000 FC

D & R Nevada, LLC:	
Convair Model 22	1,000 FC/1,000 FH
Convair Model 23M	1,000 FC/1,000 FH
deHavilland Aircraft Company, Ltd.:	
D.H. 106 Comet 4C	8,000 FH
Gulfstream:	
GV	40,000 FH
GV-SP	40,000 FH
Ilyushin Aviation Complex:	
IL-96T	10,000 FC/30,000 FH
Lockheed:	
300-50A01 (USAF C 141A)	20,000 FC

[Doc. No. FAA-2006-24281, 75 FR 69785, Nov. 15, 2010, as amended by Amdt. 121-360, 77 FR 30878, May 24, 2012; Admt. 121-360A, 77 FR 55105, Sept. 7, 2012]