

# **FY 2013 Public Libraries Survey**

## **WebPLUS User's Guide** **Version 1.8**

**Guide For Reporting Data For The Public Libraries Survey, FY 2013  
Using The Web Public Library Universe System Software**

**December 2013**

**Institute of Museum and Library Services**

**U.S. Census Bureau**



## CONTENTS

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Background of the Public Libraries Survey	1
1.2	Reporting Data: Administrative Entities and Outlets	1
1.3	WebPLUS 1.8 Revisions	2
<b>2</b>	<b>Overview</b>	<b>3</b>
2.0	Web Instructions	3
2.1	WebPLUS	5
2.2	Other Helpful Tools	5
2.2.1	File Export	5
2.2.2	Tables	6
2.2.3	Help Menu Options	6
2.3	External Links	7
2.4	User Options	7
<b>3</b>	<b>Import</b>	<b>9</b>
3.1	Overview of Import	9
3.2	Upload and Import Data Files	9
3.3	Uploading Annotation Files	11
3.4	Preparing Administrative Entity and Outlet Import Files	12
<b>4</b>	<b>Data Keying</b>	<b>14</b>
4.1	User Options	14
4.1.1	Sort Order for Administrative Entities in View/Key/Update	15
4.1.2	Sort Order for Edit Report by Edit Number	15
4.1.3	Auto Save Data in View/Key/Update	15
4.1.4	Auto Generate Totals in View/Key/Update	15
4.2	View/Key/Update	15
4.2.1	State Characteristics	15
4.2.2	Administrative Entity	15
4.2.3	Outlets	16
4.3	Structure Changes	16
4.3.1	Administrative Entity Structure Change Options	17
4.3.2	Outlet Structure Change Options	18
<b>5</b>	<b>Match Report</b>	<b>19</b>
5.1	Match Report	19
5.2	Resolving Unsuccessful Records	21
<b>6</b>	<b>Edit Report</b>	<b>23</b>
6.1	Edit Messages and Conditions	23
6.1.1	Current-Year Edits	23
6.1.2	Historical Edits	24
6.1.3	Internal Edits Performed at the Census Bureau	24
6.2	Annotations	24

<b>7</b>	<b>Survey Lock</b>	<b>25</b>
<b>8</b>	<b>State Librarian Certification</b>	<b>25</b>
	<b>Appendix A – Survey instrument (Data Entry Screens and Data Element Definitions)</b>	<b>27</b>
	<b>Appendix B – Name, Address, and Structure Changes</b>	<b>63</b>
	<b>Appendix C – Resolving the Match Report</b>	<b>91</b>
	<b>Appendix D – Import File Specifications</b>	<b>127</b>
	<b>Appendix E – PLS Contacts</b>	<b>131</b>
	<b>Appendix F – Francis Keppel Award Criteria</b>	<b>133</b>
	<b>Appendix G – Standard Abbreviations</b>	<b>137</b>

## 1 INTRODUCTION

### 1.1 Background of the Public Libraries Survey

The Institute of Museum and Library Services has administered the Public Libraries Survey since October 1, 2007. From its inception in 1989 through 2007, this survey was administered by the National Center for Education Statistics (NCES). It is collected under the congressional mandate under the mandate in the Museum and Library Services Act of 2010 as stated in 20 U.S.C sec. 9108 (analysis of impact of museum and library services, policy research, analysis, data collection and dissemination) in SEC 210. Current, accurate and ongoing collection of library data is an essential foundation for quality library services in the United States. The Institute is committed to the continued excellence of this program.

In 1985, the NCES and the American Library Association (ALA) conducted a pilot project in 15 states to assess the feasibility of a federal-state cooperative program for collecting public library data. The project was jointly funded by NCES and the U.S. Department of Education's former Library Programs (LP) office. In 1987, the project's final report recommended the development of a nationwide data collection system. The Hawkins-Stafford Elementary and Secondary School Improvement Amendments of 1988 (P.L. 100-297)<sup>1</sup> charged NCES with developing a voluntary Federal-State Cooperative System (FSCS) for the annual collection of public library data. The NCES and the U.S. National Commission on Libraries and Information Science (NCLIS) formed a task force to carry out this mandate, and the FSCS was established in 1988.

The 1988 NCES-NCLIS task force evolved into the FSCS Steering Committee. This Committee has been integral to the design and conduct of the survey. Its membership has included State Data Coordinators (SDCs), representatives of the Chief Officers of State Library Agencies (COSLA), the NCLIS, the ALA, the IMLS, the U.S. Census Bureau (the data collection agent), and the NCES. With the transition of the collection from NCES to IMLS the steering committee was renamed the Public Library Statistics Cooperative (PLSC). Effective December 2008, this committee became part of the new Library Statistics Working Group (LSWG).

State Data Coordinators (SDCs) (appointed by COSLA) submit data for the annual "Public Libraries Survey" for a universe of over 9,200 public libraries in the 50 States, the District of Columbia, and the outlying areas. The IMLS will release the collection results in an annual data file (the only national database on public libraries) as well as a report based on the survey. The data are used for planning, research, evaluation, and policymaking decisions by federal, state, and local officials, professional associations, researchers, educators, local practitioners, and other interested users.

### 1.2 Reporting Data: Administrative Entities and Outlets

The Public Libraries Survey collects statistics on administrative entities and outlets.

The administrative entity is the legally established agency that provides library services to the population of a local jurisdiction. An administrative entity must operate one or more direct public library service outlets. The administrative entity's offices may be located in one of the outlets (e.g., a single-outlet central library or a branch of a decentralized multi-outlet operation) or in separate quarters (e.g., an office adjacent to an independent bookmobile's garage). The data reported for each administrative entity are the combined data for all of its outlets. (See Appendix A to review the administrative entity data elements included on the Public Libraries Survey.)

---

<sup>1</sup> This was superseded by the National Education Statistics Act of 1994 (P.L. 103-382) and, more recently by the Education Sciences Reform Act of 2002.

An outlet is a unit (i.e., central, branch, bookmobile, books-by-mail only) of an administrative entity that provides direct public library services. A single-outlet central library should not be confused with the administrative entity to which it belongs. Some data are reported for each outlet of an administrative entity, such as the outlet's name and address, telephone number, type of outlet, metropolitan status code, and square footage. (See Appendix A to review the outlet data elements included on the Public Libraries Survey.)

### 1.3 WebPLUS 1.8 Revisions

Data Element Number	Old	New	Data Element
<b>new</b>		552	'Circulation of Electronic Materials'
<b>changed</b>	552	553	'Interlibrary Loans Provided To'
<b>changed</b>	553	554	'Interlibrary Loans Received From'

Definition change: Administrative entity data element #453 Audio-Downloadable **Units**, and #455 Video-Downloadable **Units** – Report the number of **units**. The definition was changed to collect these data elements as '**units**' instead of 'titles'. See new definition for **units** below.

Definition change: Administrative entity data element #451 Electronic Books (E-Books), #453 Audio-Downloadable **Units**, and #455 Video-Downloadable **Units** – definition now includes:

NOTE: For purposes of this survey, units are defined as "units of acquisition or purchase". The "unit" is determined by considering whether the item is restricted to a finite number of simultaneous users or an unlimited number of simultaneous users.

**Finite simultaneous use:** units of acquisition or purchase is based on the number of simultaneous usages acquired (equivalent to purchasing multiple copies of a single title). For example, if a library acquires a title with rights to a single user at a time, then that item is counted as 1 "unit"; if the library acquires rights to a single title for 10 simultaneous users, then that item is counted as 10 "units".

**Unlimited simultaneous use:** units of acquisition or purchase is based on the number of titles acquired. For example, if a library acquires a collection of 100 books with unlimited simultaneous users, then that collection would be counted as 100 "units".

## 2 OVERVIEW

### Web Instructions

1. The **State Characteristics** data must be keyed before you can proceed further.
  - Select **View/Key/Update** and **State Char** from the **Tools** menu to create a record for keying. Press the "Save" button to save your data. To print a copy of your state data press the "Print" button.
2. Import **Administrative Entity** data by selecting **File Import/Log/Delete**.
  - Choose the location of your AE file and import. Any import errors will be displayed on your computer screen. Review and resolve all import errors, correct your data files and reload the revised data files.

**Note: Import errors must be fixed before you can continue.**

- OR, you can key Administrative Entity data manually by selecting **View/Key/Update** and **AE** from the **Tools** menu.
3. **Outlet data** are preloaded from last year's file.
    - If there are major changes to the data, a new outlet file can be imported by selecting **File Import/Log/Delete** from the **Tools** menu. Minor changes can be made by selecting **View/Key/Update** and **Outlets** from the **Tools** menu.
  4. Select **Run Match Report** from the **Reports** menu after all data have been imported or keyed.
    - The Match process will run in a pop-up window. When completed, the Match Report will be available. Census recommends saving the workbook to your hard drive in order to record your annotations during your review of the reports.

**Note: All match errors must be resolved before you can proceed to editing the data.**

- You can EITHER: 1) correct your data file(s) and re-import the revised data, OR 2) correct your problems directly in WebPLUS by using View/Key/Update menu or Structure Changes menu. Most problems are correctable in WebPLUS.
  - Please reference the Restorable AE tab and the Restorable Outlet tab on the Match. The Restorable AE and Restorable Outlet tabs provide a list of all closed, deleted, and temporary closure entities for your state. Before you open a newly created administrative entity or outlet (birth), structure code 02, the Census staff suggests that you check these tabs to make sure that the administrative entity or outlet you are trying to newly create is truly new. Meaning, the administrative entity or outlet was not previously reported and then closed, deleted, or temporarily closed.
5. Once your match report is resolved, select **Run Edit Report** from the **Reports** menu.
    - The Edit process runs like the Match process in a pop-up window. Review all of the Edit worksheets (in Excel format). Fix any critical edit warnings by keying corrections in WebPLUS and rerun the Edit Report.

- Annotate any non-critical edit warnings in the Excel worksheets or in a separate text file. Then import the annotations by selecting **File Import/Log/Delete** under the **Tools** menu and uploading the annotated Excel file (i.e., the workbook) or text file.

**Note: Data can only be locked after all critical edits are resolved, and annotations for non-critical edits are present.**

6. Once you are satisfied with your data, select **Lock Data** from the **Tools** menu.
7. After you have locked your PLS submission, you will not be allowed to change any data. If you need to make revisions, please contact us at [govs.pls@census.gov](mailto:govs.pls@census.gov) or 800-451-6235 and we will unlock your data submission.



## 2.1 WebPLUS

The URL for logging into WebPLUS is <https://harvester.census.gov/imls/plscollect/>. You will enter data directly into a database that is stored on a server at the Census Bureau for the IMLS. You will be provided a temporary password that you will change to access the web site. If you need assistance, please contact the PLS staff on 800-451-6235.

The first time you successfully enter WebPLUS, you will see a brief step-by-step set of instructions. You can access these again at any time from the Help menu at the top right of the screen.

The menu choices available to you are dependent on a progression of steps to guide you through the collection process. **Please note: You must enter data on the state characteristics screen before you can access the Import or Data Keying features.** Once you complete entering the state characteristics information, you can proceed. You can refer to the Survey Status page for a look at how your submission stands at any time and the next step in the submission process.

After you input all of your data, perform a successful match, and complete your edit review, (i.e., no critical edits remain and you have annotated your report), you can lock your data. Your submission is considered complete when you lock your data.

## 2.2 Other Helpful Tools

### 2.2.1 File Export

The File Export feature is located under the Tools menu. Current-year and prior-year data are available for administrative entities, outlets, and state characteristics. Administrative entity and outlet records that were previously deleted, i.e., closed or removed as an incorrect record, are also available from the file export should any of these need to be restored to the survey.

- New option: To export and reimport a file click on Data-Ready to Reimport under File Export. This version of the export file removes FSCSID assignments for reimport. This will allow you to export your file with changes you made in WebPLUS, make further revisions in the file, and reimport.

To obtain the files:

- Go to the Tools menu and click on File Export.
- Click on the file format you would like to download.
  - The Excel workbook contains all current, prior, and restore records on separate worksheets.
  - If you choose the fixed length or comma-delimited options you must select the files you want to save or view individually.
- If you want to save the files to a local drive
  - Right-click on the links in the window, select "Save Target As" or "Save Link As".
  - Navigate to where you want to save it and click "Save".
- If you wish to view the data file right-click "Open".
- If you want to save the file and open it right away the "Close this dialog box when download completes" must be unchecked. If it is checked and you want to clear it:
  - Go to the Tools menu for your browser (i.e., not the WebPLUS tools menu).
  - Select "Internet Options".
  - Go to the "Advanced" tab.
  - Scroll down to find "Notify when downloads are complete" and check the box.
- Click the "Close Window" button to exit and return to the survey status page.

### 2.2.2 Tables

The Tables feature is located under the Reports menu and creates an Excel workbook that contains 18 tables. The user will be able to save them to their hard drive. There are two summary tables and 16 individual library tables. The two summary tables are a 2-year comparison on the state totals and a 2-year comparison of the item response rates for the state. The individual library tables list out each library in the state and some tables calculate per capita or percentages. The two summary tables allow the respondent to perform a macro review of their whole state. The individual library tables will allow a micro review of the libraries.

To run and save your tables:

- Click on Run Tables under the Reports menu.
- Right-click on the “Tables Report” button in the window, select “Save Target As” or “Save Link As”.
- Navigate to where you want to save it and click “Save”
- You can also choose to click “Open” to view the data file
- Click the “Close Window” button to exit and return to the survey status page

### 2.2.3 Help Menu Options

The help menu provides access to all of the appendices in the user’s guide.

- **Web Instructions**  
The web instructions (also found at the beginning of this section) are a one-page list of the necessary steps to complete the submission process for the survey. This page is also displayed the first time you log into the application.
- **Data Element Definitions**  
Data element definitions (part of Appendix A) are all the items collected on the survey with the official definitions and item numbers.
- **Name, Address and Structure Changes**  
Name, address and structure changes (Appendix B) provide descriptions and diagrams of the correct format of records for administrative entities and outlets.
- **Resolving the Match Report**  
Resolving the Match Report (Appendix C) is a more detailed list of suggestions than is available in chapter 5.
- **Import Specifications**  
The import files must conform exactly to the specifications (Appendix D).
- **PLS Contacts**  
PLS Contacts (Appendix E) is a list of the Census and IMLS contact information including telephone numbers and e-mail addresses. This is also located on the main survey page before you log in.
- **Francis Keppel Award Criteria**  
The Francis Keppel Award for timely and accurate submission of data is based on a point system (Appendix F) covering important aspects of the original submission and post-submission processing.
- **Standard Abbreviations**

Standard abbreviations (Appendix G) should be used in this survey when the data exceed the field length.

- **Edit Messages and Conditions (this will be available online but not in print)**  
 Edit Messages and Conditions is a list of all checks performed by the Edit Report routine as well as a list of internal checks at Census during the edit follow-up.


**2.3 External Links**

Some external links have been provided to the user that might be helpful in preparing for their FY2011 data submission.

- **IMLS Public Libraries Survey**  
 This external link will take you to IMLS public libraries survey page. Things that can be found on this page are:
  - The public release data files and publications for the previous years of the Public Libraries Survey
  - The Compare Public Libraries tool that will compare individual libraries to their peers.
  - The Search for Public Libraries tool that will search for public libraries by Library System, Central Library, Branch Library, Bookmobiles, and Books-by-Mail.
  - Other general information about the Public Libraries Survey.
- **Public Library Statistics Cooperative (PLSC) Wiki**  
 This is the external link to the PLSC Wiki for SDCs to find information about PLS data elements, history of the Public Libraries Survey, SDC conference information, PLS contact information, news and discussion, and other information.

**2.4 User Options**

You can show how WebPLUS displays your state’s information for the following operations. The selected options are defaults.



User Options - Dewey

Public Library Survey  
 Fiscal Year 2012  
 OMB No. 3137-0074  
 Expires 12/31/2013

Sort Order for Administrative Entities in View/Key/Update
<input type="radio"/> FSCSID <input type="radio"/> LIBID <input checked="" type="radio"/> NAME <input type="radio"/> CITY
Sort Order for Outlets in View/Key/Update
<input type="radio"/> FSCSID <input type="radio"/> LIBID <input checked="" type="radio"/> NAME <input type="radio"/> CITY
Sort Order for Edit Report by Edit Number
<input checked="" type="radio"/> EDIT by FSCSID <input type="radio"/> EDIT by Annotation Status by FSCSID
Auto Save Data in View/Key/Update?
<input type="radio"/> Yes <input checked="" type="radio"/> No
Recalculate Totals when Detail changes?
<input type="radio"/> Yes <input checked="" type="radio"/> No

Apply Changes
Reset
Close Window

Please note: The “Would you like the Totals to be recalculated when Detail changes?” feature will only generate a total if all of the detail items are reported.

### 3 IMPORT

#### 3.1 Overview

After entering the state characteristics data, you can import data for administrative entities, outlets, and annotation files into WebPLUS. The Administrative Entity Import File Specifications, Outlet Import File Specifications, and Annotation Import File Specifications are provided in Appendix D.

Please note:

- You can import Administrative Entity data, Outlet data, and the Annotation file in Excel (.xls), comma delimited text (.csv), or fixed length text formats (.txt). The Excel import files must be saved as an .xls (Excel 97-2003) file, and not as an .xlsx (Excel 2007-2010) file.
- Each import file must contain only records of the same record types. For example, the administrative entity file can contain only administrative entity records; outlet records must be removed.
- New option: To export and reimport a file click on Data-Ready to Reimport under File Export. This version of the export file removes FSCSID assignments for reimport. This will allow you to export your file with changes you made in WebPLUS, make further revisions in the file, and reimport.

#### 3.2 Upload and Import Data Files

Once you have prepared your files (see section 3.4), you need to copy them from your local drive to the Census Bureau (for IMLS) server to import them into the WebPLUS database.

After you log onto the web site, go to the Tools menu and select “File Import/Log/Delete”. Click on the ‘Browse’ button to find the file you need from your computer. Click on ‘Upload and Import Data File’ once you have located your file.

The screenshot shows the 'Data Source Information - Dewey' page. At the top, there is a navigation bar with 'Survey Status', 'Tools', 'Reports', 'Help', 'External Links', and 'Logout'. Below this is the 'File Upload and Import' section, which includes a 'File Name:' input field with a 'Browse...' button and an 'Upload and Import File' button. A note below the input field states: '(When you press the "Upload and Import File" button, your browser will transmit the file to our web server. Data from the file will then be imported into our database. If the type of data from the load file above matches a data type previously loaded, the new data file will completely replace all records previously loaded for that data type.)' Below this is the 'Files Currently Loaded - 4' section, which contains a table of loaded files and three buttons: 'Delete All AE Data', 'Delete All Outlet Data', and 'Delete All Annotations'.

File Name	Date File Loaded	File Contents		
		Admin Entities	Outlets	Annotations
Copy of DY_ADMINCY_Reimport.xls	11/8/2012 8:51:07 AM	X		
DY_annotations.xls	11/8/2012 8:49:25 AM			X
Copy of DY_Edits-3.xls	11/2/2012 10:26:41 AM			X
Copy of DY_OUTLETCTY_Reimport.xls	10/25/2012 11:58:32 AM		X	

Several checks are performed while your file is being imported. If you have any problems that prevent a successful import, a message box will prompt you with the record affected. Please

note, however, that this will only find one error at a time. If other problems exist, the import will continue to fail until all problems are resolved.

The software can identify the type of file you are importing. When you import a file again the previous one is deleted. A "Files Previously Deleted" log is maintained so you can track the files you have used.

Please note:

- The files will not import successfully if any of the fields are blank. Refer to the sections below for instructions on preparing files for import.
- Imported data must be valid (see below):

<b>Numeric Data Elements:</b>	
Any positive number for numeric data elements	Enter the appropriate numeric data.
0	Zero for numeric data means the library has none of that item (e.g., the library does not maintain a video collection). Do not use zero when the value is not known (e.g., the city pays benefits but does not provide the figure). Use -1 described below.
-1	"-1" means that the appropriate figure is unavailable.
-3	"-3" means "Not Applicable" <u>and is used for this item only:</u> <ul style="list-style-type: none"> <li>• Square Footage of Outlet (use only for Bookmobiles and Books-by-Mail Only outlets)</li> </ul>
<b>Alphanumeric Data Elements:</b>	
Alphabetic and/or numeric data for alphanumeric data elements	Enter the appropriate alphabetic and/or numeric data. Some items require the selection of codes for data (e.g., Interlibrary Relationship Code = HQ, ME, or NO). See Appendix A.
-3	"-3" means "Not Applicable" <u>and is used for these items only:</u> <ul style="list-style-type: none"> <li>• Phone (use only if library has no phone)</li> </ul>
<b>Structure, Name, and Address Changes:</b>	
-3	"-3" means "Not Applicable" <u>and is used for these items only:</u> <ul style="list-style-type: none"> <li>• LINKID, OLDID, and PARENTID</li> </ul>

### 3.3 Uploading Annotation Files

You can import a file that contains annotations prior to running your first edit report. You must include the FSCSKEY and Edit ID# in order for the explanation to be applied to the correct edit record. After successfully importing the annotation file, you can run the edit report after you have successfully run the match report (see Appendix C: Resolving the Match Report) and review the results. See Appendix D for the import file record layout.

### 3.4 Preparing Administrative Entity and Outlet Import Files

Each year your current records are compared to the prior-year information. Any variance in the name, address, or organizational structure from the prior-year to the current must be explained by status codes defining the change.

The FSCS ID# is the link between each year and you must account for each record as it exists on the final FSCS prior-year data file. You can obtain the prior-year information through the File Export option on the Tools menu. Alternatively, you can contact the Census staff to receive a file with the FSCS identification, name, and address information to use in constructing your import files.

If you are unsure what changes may have occurred since the last submission, import your file, run the match, and use the report to see what you need to resolve. You can then decide whether to process the changes in WebPLUS (please see details in Chapter 4) or you can include the information on your data files and import again.

In order to process structure, name, and location changes from your import file, the following information must be included. Please see Appendix D for technical information on formatting your import records.

- **STATSTRU:** This code indicates the structure status of the record.

00 – No Change
01 – Existing Administrative Entity/Outlet Absorbs Another (Adoption)
02 – Newly Created Administrative Entity/Outlet
03 – Closed Administrative Entity/Outlet (Death)
04 – Move Outlet to Newly Created Administrative Entity (Divorce)
05 – Merge Two or More Administrative Entities/Outlets to Form a New Administrative Entity/Outlet (Marriage)
08 – Restore (Reopen) a Previously Closed Administrative Entity/Outlet
09 – Restore (Undo) a Previously Deleted Administrative Entity/Outlet
10 – Delete an Incorrect Record
11 – Outlet Moves to Different Previously Existing Administrative Entity.
13 – Add an Existing Administrative Entity/Outlet Not Previously Reported
22 – Future Administrative Entity/Outlet FSCS ID Request
23 – Temporary Closure
24 – Reopen a Temporarily Closed Administrative Entity/Outlet

- **STATNAME:** This code indicates the status of the library name.

00 – No Change
06 – Official Name Change
14 – Preferred Spelling for Library Name

- **STATADDR:** This code indicates the status of the physical location.

00 – No Change
07 – Move to a New Location
15 – Preferred Street Address



- **LINKID:** This is an identifier defined by the respondent and is used to associate two or more records that are involved in an adoption or marriage structure change. The LINKID must be unique for each set of records. For example, a merge requires at least three import records with the same LINKID. (See Appendix B, structure change 05 – Merge Two or More Administrative Entities to Form a New Administrative Entity (Marriage).
- **PARENTID:** This identifier is on the outlet import file and is used to associate the outlet to the proper parent. The value for this field should be the same as the LIBID of the parent administrative entity.
- **OLDID:** This identifier is reserved for structure changes where it is necessary to track the prior-year FSCSKEY information for records that will not be on the current-year file.


## 4 DATA KEYING

The **Tools** menu contains selections that allow you to directly enter data into WebPLUS:

- **User Options** allows you to choose the sort order you want for retrieving administrative entity and outlet records and viewing the Edit Report. You can choose to automatically save changes and generate totals. These options are available from every View/Key/Update screen.
- **View/Key/Update** is the only means of entering state characteristics data. It also provides access to current administrative entity and outlet records.
- **Structure Changes** allows you to add, delete, merge, or restore. If you imported your file, you can use the structure change menu to resolve any prior-year records you may be missing from your current-year file. You can also reset a record previously coded or marked for a structure change. Choose AE or Outlet as appropriate for the change you want to make. Further details are provided in section 4.3.

### 4.1 User Options

The selected options are the default settings.



### User Options - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Sort Order for Administrative Entities in View/Key/Update
<input type="radio"/> FSCSID <input type="radio"/> LIBID <input checked="" type="radio"/> NAME <input type="radio"/> CITY
Sort Order for Outlets in View/Key/Update
<input type="radio"/> FSCSID <input type="radio"/> LIBID <input checked="" type="radio"/> NAME <input type="radio"/> CITY
Sort Order for Edit Report by Edit Number
<input checked="" type="radio"/> EDIT by FSCSID <input type="radio"/> EDIT by Annotation Status by FSCSID
Auto Save Data in View/Key/Update?
<input type="radio"/> Yes <input checked="" type="radio"/> No
Recalculate Totals when Detail changes?
<input type="radio"/> Yes <input checked="" type="radio"/> No

Apply Changes

Reset

Close Window

#### 4.1.1 Sort Order for Administrative Entities and/or Outlets in View/Key/Update

You determine how to retrieve your administrative entity records for viewing and update as well as making structure changes.

- FSCS ID
- LIBID
- NAME – the administrative entity name is the default setting
- CITY

#### 4.1.2 Sort Order for Edit Report by Edit Number

You can sort your Edit Report by Edit Number with these options. (When you retrieve your edit report, you also have an option to save a version sorted by FSCS ID by Edit number.)

- Edit number by FSCSID– this is the default setting.
- Edit number by Annotation Status by FSCS ID

#### 4.1.3 Auto Save Data in View/Key/Update

You can set this option to:

- Yes
- No – this is the default setting. If you change data and do not 'Save' you will receive a pop-up message when you attempt to leave the page. You can either cancel or accept the change at that time.

#### 4.1.4 Auto Generate Totals in View/Key/Update

- Yes – generates a total only if all details are reported.
- No – this is the default setting.

### 4.2 View/Key/Update

Select State Char, AE, or Outlet to navigate to the appropriate screen you wish to update. Buttons that allow you to 'Save', 'Reset', and 'Print Page' appear at the bottom of every page. Use your Tab key to move from field to field or use your mouse.

If you did not choose to automatically save your corrections, be sure to click on 'Save' before leaving the page. To exit any of these screens, select Survey Status from the menu bar to return to the main WebPLUS page.

#### 4.2.1 State Characteristics

This screen consists of four data items. There is no link from this page to any other page except the Survey Status, User Options, and the Data Element Definitions, or you can choose to Logout. Once you have completed your updates you must return to the Survey Status if you want to continue with further actions.

#### 4.2.2 Administrative Entity

Data for administrative entity records is collected in nine screens. An additional screen for the associated outlets is available to access outlet data for that administrative entity. The names of each screen are provided as links on the left side of the screen. You can use your mouse to click on any of the links to go to the page you wish to correct. You can also scroll through the pages using the "Previous Page" and "Next Page" buttons located below the page links.

You can go to another administrative entity record by selecting one from the drop down menu at the top of the page. The records are listed by NAME by default. You can choose another sort order under User Options. "First", "Previous", "Next", and "Last" buttons are available at the top of the screen if you want to scroll through the records.

If you make a change to name and address information for an administrative entity, you must also select the appropriate status code (the name/address status codes and their values are included in Appendix B) to identify whether the change is an official name change or whether the address change indicates an actual location change.

**NOTE: Any changes to the name or address fields will require you to run the Match Report before you can proceed with any further processing of your submission.**

#### 4.2.3 Outlets

Outlet records require only one screen. You have two options to view your outlet records:

- You can access an outlet record from the parent administrative entity record. Only those outlets associated with the administrative entity are available to view this way.
- You can access all outlet records from the Tools menu. You can navigate through all of the outlet records from this option by using the drop down menu or the 'Next' button if you choose to scroll.

If you make a change to name and address information for an outlet, you must also select the appropriate status code (the name/address status codes and their values are included in Appendix B) to identify whether the change is an official name change or whether the address change indicates an actual location change.


**NOTE: Any changes to the name or address fields will require you to run the Match Report before you can proceed with any further processing of your submission.**

#### 4.3 Structure Changes

You can add, remove, change, or reset records through the Structure Changes menus. You can also resolve any missing prior-year records. Under the Tools menu, select 'Structure Changes' and then 'AE' or 'Outlet' depending on the record you need to change. Currently, you are restricted to one structure change per administrative entity or outlet record.

**Please note: When you complete all of your structure changes, you must complete a successful Match Report before you can continue processing your submission**

4.3.1 Administrative Entity Structure Change Options



**INSTITUTE of  
Museum and Library  
SERVICES**

**Structure Change - Administrative Entity - Dewey**

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
Tools
Reports
Help
External Links
Logout

**Administrative Entity (AE) Structure Change Options**

**Addition**

- (02) Add an AE Opened Since Last Survey (Birth)
- (13) Add an Existing AE Not Previously Reported
- (22) Add an AE that has Not Yet Opened to obtain FSCS ID (Future)

**Closure**

- (03) Close an AE (Death)
- (23) Temporarily Close an AE (Expected to Reopen)
- (10) Delete an Incorrect AE (Out of Scope)
- (26) Delete a Future AE (Will Not Open)

**Modification**

- (01) Existing AE Absorbs another AE (Adoption)
- (05) Merge two or more AEs to create a New AE (Marriage)


**Restoration**

- (08) Reopen a Closed AE (Restore an 03)
- (24) Reopen a Temporarily Closed AE (Restore a 23)
- (09) Restore a Deleted AE (Restore a 10)

**Other**

- Reset/Undo an AE Structure Change Code for the Current Year
- Resolve AEs listed on Prior Year but not on Current Year

4.3.2 Outlet Structure Change Options



**INSTITUTE of  
Museum and Library  
SERVICES**

**Structure Change - Outlet - Dewey**

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
Tools
Reports
Help
External Links
Logout

**Outlet Structure Change Options**

**Addition**

- (02) Add an Outlet Opened Since Last Survey (Birth)
- (13) Add an Existing Outlet Not Previously Reported
- (22) Add an Outlet that has Not Yet Opened to obtain FSCS ID (Future)

**Closure**

- (03) Close an Outlet (Death)
- (23) Temporarily Close an Outlet (Expected to Reopen)
- (10) Delete an Incorrect Outlet (Out of Scope)
- (26) Delete a Future Outlet (Will Not Open)

**Modification**

- (01) Existing Outlet Absorbs another Outlet (Adoption)
- (05) Merge two or more Outlets to create a New Outlet (Marriage)
- (04) Move Outlet to a Newly Created Administrative Entity (Divorce)
- (11) Move Outlet to a Different Previously Existing Administrative Entity

**Restoration**

- (08) Reopen a Closed Outlet (Restore an 03)
- (24) Reopen a Temporarily Closed Outlet (Restore a 23)
- (09) Restore a Deleted Outlet (Restore a 10)

**Other**

- Reset/Undo an Outlet Structure Change Code for the Current Year
- Resolve Outlets listed on Prior Year but not on Current Year

## 5 MATCH REPORT

After you import/enter data, you must run a successful match report. This step is necessary to record structure changes, (e.g., new or closed libraries), as well as official name and location changes to ensure file integrity. The match report compares your current-year records to the prior-year records on the publicly released data file using the FSCS ID information. After a successful match is run, new ID's are assigned to new libraries.

From the Reports menu, select Run Match Report to generate an Excel workbook that will detail the results of the match. If the program does not encounter any problems, any new administrative entities and outlets will be assigned FSCS IDs and you will see a message to proceed with the edit report. If the program cannot resolve the information you provide, you will see messages in the report letting you know what is causing a problem.

You **must** resolve all discrepancies in the match report. You can fix your original file and re-import, or you may be able to resolve problems through the Structure Change options under the Tools menu. If you need the prior-year FSCS ID information, you can use the File Export facility under the Tools menu. Appendix C provides additional guidance in sorting out the match report messages.

**Please note: Any time you import a data file or make any structure, name, or address changes to either an outlet or administrative entity record from the data keying screens, you must rerun the match report.**

### 5.1 Match Report

All results of the match are displayed in an Excel workbook with multiple worksheets. While you can view the report from the browser window, the implementation of Excel can be incomplete and we recommend saving the report by choosing "Save Target As" or "Save Link As" to your computer. If you wish to simply view the report, right-click on "Open".

**The report is not linked to the database. You must make any corrections by either importing a new file or through the WebPLUS screens, i.e., structure change menu and the name and address status code fields.**

**Note: Sometimes one error will produce more than one error message on the match report.**

The Excel workbook has the following worksheets:

- Summary – provides an overview and count of match errors. Specific errors can be found on the subsequent worksheets.

If you do not have any match problems, you will see the message: "Match has completed successfully. Check 'New ID' Sheet." New FSCS ID's will be assigned to any new administrative entity/outlets.

Otherwise, you will see which of the following conditions that failed, with a count of match errors per AE/Outlet:

Invalid Status Code (STATSTRU)
Record found current year but not prior year
Record found prior year but not current year
All FSCSKEYs and OLDIDs must be unique (unless "-3")

All LIBIDs must be unique for AE records
FSCS ID information must equal -3
FSCS ID information cannot equal -3
LINKID must equal -3
LINKID cannot equal -3
PARENTID must equal -3
PARENTID cannot equal -3
OLDID must equal -3
OLDID cannot equal -3
These records do not comply with the rules for Adoption
These records do not comply with the rules of Marriage
Cannot restore Record, there is no old AE
Administrative entity does not have any outlets
Outlet record is not on the AE file
PARENTID is not on the AE file
STATNAME and LIBNAME are inconsistent with the PY file
STATADDR and ADDRESS are inconsistent with the PY file

- New ID - provides the list of any new FSCS ID numbers that were generated. No resolution is required for these records because the software does not assign new identification numbers until the match is successful.
- Admin Single – displays problems with structure changes involving only one administrative entity record:

INVALID Status Code
This AE was not on the PY file
This AE was reported last year, but is missing on the CY file
FSCSKEY cannot be -3 for STATUS (“00”, “08”, “09”, or “24”) Records
FSCSKEY must be -3 for STATUS (“02”, “03”, “04”, “05”, “10”, “13”, “22”, or “23”) Records
LINKID cannot be -3 for STATUS (“01” or “05”) Records
LINKID must be -3 for STATUS (“00”, “02”, “03”, “04”, “08”, “09”, “10”, “13”, “22”, “23”, or “24”) Records
OLDID cannot be -3 for STATUS (“03”, “10”, or “23”) Records
OLDID must be -3 for STATUS (“00”, “02”, “04”, “08”, “09”, “13”, “22”, or “24”) Records
Cannot restore AE, there is no old AE with STATUS (“03”, “10”, or “23”)
Admin record does not have any outlets

- Admin Multi – displays problems with structure changes involving multiple administrative entity records:

All FSCSKEYs and OLDIDs must be Unique (unless -3)
All LIBIDs must be Unique for AE records
These records do not comply with the rules of Adoption
These records do not comply with the rules of Marriage

- Outlet Single – displays problems with structure changes involving only one outlet record:

INVALID Status Code
---------------------



This Outlet was not on the PY file
This Outlet was reported last year, but is missing on the CY file
FSCSKEY cannot be -3 for STATUS ("00", "08", "09", or "24") Records
FSCSKEY must be -3 for STATUS ("02", "03", "04", "05", "10", "11", "13", "22", or "23") Records
FSCS_SEQ cannot be -3 for STATUS ("00", "08", "09", or "24") Records
FSCS_SEQ must be -3 for STATUS ("02", "03", "04", "05", "10", "11", "13", "22", or "23") Records
LINKID cannot be -3 for STATUS ("01" or "05") Records
LINKID must be -3 for STATUS ("00", "02", "03", "04", "08", "09", "10", "13", "22", "23", or "24") Records
OLDID cannot be -3 for STATUS ("03", "04", "10", "11", or "23") Records
OLDID must be -3 for STATUS ("00", "02", "08", "09", "13", "22", or "24") Records
PARENTID cannot be -3 for STATUS ("02", "04", "11", "13", or "22") Records
PARENTID must be -3 for STATUS ("00", "01", "03", "08", "09", "10", "23", or "24") Records
Cannot restore Outlet, there is no old AE with STATUS ("03", "10", or "23")
Outlet Record is not on the AE File
PARENTID is not on the AE File

- Outlet Multi – displays problems with structure changes involving multiple outlet records:

All FSCSKEYs and OLDIDs must be Unique (unless -3)
These records do not comply with the rules of Adoption
These records do not comply with the rules of Marriage

- Name Changes – displays records with name change problems

STATNAME Invalid
STATNAME 00 and Name Change
STATNAME 07 and no name change
STATNAME 15 and no name change

- Address Changes – displays records with address change problems

STATADDR Invalid
STATADDR 00 and Address Change
STATADDR 07 and no name change
STATADDR 15 and no name change

- Restorable AE – provides a list of all closed, deleted, and temporary closure entities for the state used as a reference
- Restorable Outlet – provides a list of all closed, deleted, and temporary closure for the state used as a reference

## 5.2 Resolving Unsuccessful Records

*Please see Appendix C – Resolving the Match Report, for specific instructions and examples for how to resolve each individual match error.*

The match report runs assuming that the status structure code is the intended value and checks that the format of the record is consistent with the code. For example, if you wanted to close a library and used the correct STATSTRU = '03' but did not make the appropriate entries for the FSCSKEY and OLDID fields, the software will generate an error message.

The report displays information about the record, status code, and the error message. The error messages refer to problems with the format of a record based on the status structure change code you provide. If the status code is incorrect, you simply have to change it to the correct code. Otherwise, you must adjust the AE or Outlet information to match the status code.

You can correct fields on your data file and import the revised file. Or, for most problems, you can use the Structure Change menu option under the Tools menu. The "Resolve Records Listed on Prior Year Not Included on Current Year" option is the only way to resolve records that were on the prior-year but missing on the current year. However, you must fix problems with duplicate FSCS ID or OLDID information directly in the data file and import again.

The Restorable AE tab and the Restorable Outlet tab are provided for your reference. The Restorable AE tab provides a list of all closed, deleted, and temporary closure entities for your state. Before you open a newly created administrative entity (birth), structure code 02, you should check this tab to make sure that the administrative entity you are trying to newly create is truly new. Meaning, the administrative entity was not previously reported and then closed, deleted, or temporarily closed. This preserves the historical and longitudinal record for your state. This also applies for the Restorable Outlet tab.

**HINT:** Name and address changes can generate the largest number of error messages. You can run the match report and then decide how best to make corrections. For example, if you find that you are getting messages because all of the current-year address fields are incorrect you might want to copy the prior-year addresses to the current year and import the revised file. However, if you only need to change the status code for a few records, you can simply use the View/Key/Update screens.

## 6 EDIT REPORT

Once you have completed a successful match you must run the Edit Report by selecting Edit Report from the Reports menu.

The report is displayed in an Excel workbook with multiple worksheets and is **not** linked to the database. You must make changes to your data through the data keying options or through an updated import file. (Please note that if you import a corrected file you will have to run the match again.)

While you can view the report from the browser window, the implementation of Excel can be incomplete. We recommend saving the report by right-clicking on “Save Target As” or “Save Link As” and browsing to a location on your computer. Right-click on “Open” if you choose to simply view the report.

**Please note: You cannot annotate an edit report through the browser window. You must save the edit report, record and save your annotation(s) in the workbook, and import the revised version into WebPLUS.**

You can select one of two sort orders for the edit report from the browser window: Sort by edit number by FSCS ID, or FSCS ID by edit number. (You can sort the Edit Number by FSCS ID report by annotation status from the User Options menu).

Annotations to accompany your Edit Report are an essential part of your submission. These provide verification and explanations for data that flag edit conditions but are correct. **You must have at least one non-critical edit annotated before you can complete your submission.** If you make data changes or add annotations, you must rerun the edit report before you can lock your submission.

### 6.1 Edit Messages and Conditions

**A full list of edits and conditions are included under the WebPLUS Help menu options and are also published online on the IMLS website.** In addition to the current-year and historical edits, the conditions for internal checks conducted by the Census Bureau during edit follow-up are included. The types of edits are listed below:

#### 6.1.1 Current-Year Edits

- Critical edits **must** be resolved before you can lock your submission.
  - Any -2 value
  - Zero or -1 in any population data element
  - The state population is less than the unduplicated population
  - Non-response to 100% response items
  - Discrepancies between the number of outlets reported on the administrative entity record and its outlet records
  - A subset item is greater than the total (e.g., “Total Circulation” is less than “Circulation of Children’s Materials”)
  - Any occurrence where fully reported detail data do not equal the reported total
- Other current-year edits
  - Reporting patterns for data elements with detail items where not all items are reported (e.g., “Total Librarians” and “Total Staff” are reported as equal but “Other Paid Employees” is -1)
  - Inter-item comparison ratios (e.g., “Total Circulation” to “Annual Visits”)
  - Logical (e.g., an individual administrative entity’s report period start date is before the state’s report period start date)
  - Magnitude (e.g., “Databases” is greater than 1,000)

- Definitional (e.g., "Print Materials" is zero)

### 6.1.2 Historical Edits

Historical edits compare current-year to prior-year data as follows:

- Prior-year was -1 and current-year is zero
- Prior-year was -1 and current-year is 1
- Prior-year was greater than a calculated value and current-year is zero
- Current-year is greater than a calculated value and prior-year is zero
- Current-year and prior-year have the same value
- Current-year to prior-year ratio is outside a specified range

### 6.1.3 Internal Edits Performed at the Census Bureau

- State level
  - Over 65% of a data element was -1 in the prior-year and is reported zero for the current-year
  - Sum of any numeric variable is zero
- Other edits
  - A special summation check for operating expenditures
  - More than 85% non-response for an administrative entity
  - Street address checks
  - Discrepancies in address information between administrative entity and outlet records
  - State abbreviations in the address or city fields
  - Testing inter-item ratios

## 6.2 Annotations

Annotations are stored in the WebPLUS database and are applied to the edits when you run the edit report.

You can upload your annotation file into WebPLUS through the Import option under the Tools menu in the following formats:

- A comma delimited text file (see Annotation Import File Specifications in Appendix D)
- Fixed length text file (see Annotation Import File Specifications in Appendix D)
- Excel file (see Annotation Import File Specifications in Appendix D)

After you have uploaded your annotations and if you need to make more, you can upload them through the edit report. Save the Excel file generated by running the edit report, record your annotations, and re-upload the revised version.

Please note that only annotations associated with individual edits will display in the edit report. If you have a general explanation that applies to several libraries, you must copy that explanation into the annotations column for each record that applies.

**Please remember to review the Tables under the Reports option to check for any large state-wide discrepancies before locking.**

## 7 SURVEY LOCK

The Survey Lock is located under the Tools menu. The user must verify that they want to lock their data.

The following conditions must be met to lock your data:

- No critical edits are found when the edits are run. (Note: Critical edits are identified on the Edit Report in red. Also, "Critical Edit" is displayed in the edit message.)
- If there are non-critical edits flagged, then at least one annotation is present.

The respondent can perform the following actions after locking:

- View Survey Status
- Export data
- View blank survey form
- Run tables
- View help documents
- Access External Links
- Logout

After survey lock, the application does not allow the respondent to change any data, import files, perform the match routine, or run the Edit Report.

## 8 STATE LIBRARIAN CERTIFICATION

After the survey is locked, submit your paper certification by fax **or scan and email.**




**Appendix A – Survey Instrument (Data Entry Screens and Data Element Definitions)**

**State Characteristics Page**

	View/Key/Update - State Characteristics - Dewey	Public Library Survey Fiscal Year 2012 <small>OMB No. 3137-0074                  Expires 12/31/2013</small>	
Survey Status	User Options	Data Element Definitions	Logout

State Characteristics			
Item #	Item	Current Year	Prior Year
100	Reporting Period Start Date (MM/YYYY)	<input type="text" value="07/2011"/>	07/2010
101	Reporting Period End Date (MM/YYYY)	<input type="text" value="06/2012"/>	06/2011
102	State Total Population Estimate	<input type="text" value="544,270"/>	<input type="text" value="544,270"/>
103	Total Unduplicated Population of Legal Service Areas	<input type="text" value="544,270"/>	<input type="text" value="544,270"/>

Administrative Entity – Name/Addresses



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

[Survey Status](#)      [User Options](#)      [Data Element Definitions](#)      [Logout](#)

**Administrative Entity**

Name:


  
    
    

		Name / Addresses	
Item #	Item	Current Year	Prior Year
150	FSCS ID	DY0001	DY0001
150a	Structure Status	00	00
151	LIB ID	<input type="text" value="2"/>	2
152	Name	<input type="text" value="ALBANY COUNTY PUBLIC LIBRARY"/>	ALBANY COUNTY PUBLIC LIBRARY
152a	Name Status	<input type="text" value="00 (No Change)"/>	00
Street Address			
153	Address	<input type="text" value="23 WEST MAIN ST"/>	23 WEST MAIN ST
153a	Address Status	<input type="text" value="00 (No Change)"/>	00
154	City	<input type="text" value="WORLAND"/>	WORLAND
155	ZIP Code	<input type="text" value="82729"/>	82729
Mailing Address			
157	Address	<input type="text" value="1500 HEART MOUNTAIN STREET"/>	1500 HEART MOUNTAIN STREET
158	City	<input type="text" value="WORLAND"/>	WORLAND
159	ZIP Code	<input type="text" value="82729"/>	82729

- 
- [Name / Addresses](#)
  - [Other Identification](#)
  - [Population / Outlets / Staff](#)
  - [Operating Revenue](#)
  - [Operating Expenditures](#)
  - [Capital](#)
  - [Library Collections](#)
  - [Service Measures](#)
  - [Programs / Other Electronic](#)
  - [Associated Outlet\(s\)](#)



Administrative Entity – Other Identification



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

[Survey Status](#)      [User Options](#)      [Data Element Definitions](#)      [Logout](#)


**Administrative Entity**

Name:

		Other Identification		
		Current Year	Prior Year	
<a href="#">Previous Page</a> <a href="#">Next Page</a>  <a href="#">Name / Addresses</a> <a href="#">Other Identification</a> <a href="#">Population / Outlets / Staff</a> <a href="#">Operating Revenue</a> <a href="#">Operating Expenditures</a> <a href="#">Capital</a> <a href="#">Library Collections</a> <a href="#">Service Measures</a> <a href="#">Programs / Other Electronic</a> <a href="#">Associated Outlet(s)</a>	161	County	ALBANY	
	162	Phone	3015559781	
	200	Interlibrary Relationship Code	ME	ME
	201	Legal Basis Code	CO	CO
	202	Administrative Structure Code	MO	MO
	203	FSCS Public Library Definition	Y	Y
	204	Geographic Code	CO1	CO1
	205	Legal Service Area Boundary Change	N	N
	206	Reporting Period Start Date (MM/DD/YYYY)	07/01/2011	7/1/2010
	207	Reporting Period End Date (MM/DD/YYYY)	06/30/2012	6/30/2011

**Administrative Entity – Pop/Outlets/Staff**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013


Survey Status
User Options
Data Element Definitions
Logout

**Administrative Entity**

Name ALBANY COUNTY PUBLIC LIBRARY

Population / Outlets / Staff					
	Item #	Item	Current Year	Prior Year	
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <input type="button" value="Previous Page"/> <input type="button" value="Next Page"/> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li style="color: #006699;"><a href="#">Population / Outlets / Staff</a></li> <li><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li><a href="#">Service Measures</a></li> <li><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	208	Population of the Legal Service Area	33,979	33,979	
	Service Outlets				
	209	Number of Centrals	1	1	
	210	Number of Branches	2	2	
	211	Number of Bookmobiles	0	0	
	Paid Staff (Full-Time Equivalent)				
	250	ALA-MLS Librarians	3.00	3.00	
	251	Total Librarians	3.92	3.92	
	252	All Other Paid Staff	13.57	13.57	
	253	Total Paid Employees	17.49	17.49	

**Administrative Entity – Operating Revenue**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013


Survey Status
User Options
Data Element Definitions
Logout

**Administrative Entity**

Name

Operating Revenue				
	Item #	Item	Current Year	Prior Year
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <input type="button" value="Previous Page"/> <input type="button" value="Next Page"/> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li><a href="#">Population / Outlets / Staff</a></li> <li style="color: #006666;"><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li><a href="#">Service Measures</a></li> <li><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	300	Local Government Operating Revenue	737,077	737,077
	301	State Government Operating Revenue	0	0
	302	Federal Government Operating Revenue	8,236	8,236
	303	Other Operating Revenue	84,850	84,850
	304	Total Operating Revenue	830,163	830,163

Administrative Entity – Operating Expenditures



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

[Survey Status](#)      [User Options](#)      [Data Element Definitions](#)      [Logout](#)

**Administrative Entity**

Name:

		Operating Expenditures			
		Item #	Item	Current Year	Prior Year
<a href="#">Previous Page</a> <a href="#">Next Page</a>  <a href="#">Name / Addresses</a> <a href="#">Other Identification</a> <a href="#">Population / Outlets / Staff</a> <a href="#">Operating Revenue</a> <a href="#">Operating Expenditures</a> <a href="#">Capital</a> <a href="#">Library Collections</a> <a href="#">Service Measures</a> <a href="#">Programs / Other Electronic</a> <a href="#">Associated Outlet(s)</a>	Staff Expenditures				
	350	Salaries & Wages Expenditures	450,275	450,275	
	351	Employee Benefits Expenditures	112,393	112,393	
	352	Total Staff Expenditures	562,668	562,668	
	Collection Expenditures				
	353	Print Materials Expenditures	73,241	73,241	
	354	Electronic Materials Expenditures	500	500	
	355	Other Materials Expenditures	4,114	4,114	
	356	Total Collection Expenditures	77,855	77,855	
	357	Other Operating Expenditures	183,337	183,337	
358	Total Operating Expenditures	823,860	823,860		

**Administrative Entity – Capital**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
User Options
Data Element Definitions
Logout

**Administrative Entity**

Name

Capital					
	Item #	Item	Current Year	Prior Year	
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <input type="button" value="Previous Page"/> <input type="button" value="Next Page"/> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li><a href="#">Population / Outlets / Staff</a></li> <li><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li style="color: #006699;"><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li><a href="#">Service Measures</a></li> <li><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	Capital Revenue				
		400	Local Government Capital Revenue	<input type="text" value="0"/>	<input type="text" value="0"/>
		401	State Government Capital Revenue	<input type="text" value="0"/>	<input type="text" value="0"/>
		402	Federal Government Capital Revenue	<input type="text" value="0"/>	<input type="text" value="0"/>
		403	Other Capital Revenue	<input type="text" value="0"/>	<input type="text" value="0"/>
		404	Total Capital Revenue	<input type="text" value="0"/>	<input type="text" value="0"/>
	Capital Expenditures				
	405	Total Capital Expenditures	<input type="text" value="0"/>	<input type="text" value="0"/>	

**Administrative Entity – Library Collections**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
User Options
Data Element Definitions
Logout

**Administrative Entity**


Name: ALBANY COUNTY PUBLIC LIBRARY

|< First
< Previous
Next >
Last >|

Library Collections					
	Item #	Item	Current Year	Prior Year	
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <span>Previous Page</span> <span>Next Page</span> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li><a href="#">Population / Outlets / Staff</a></li> <li><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li><a href="#">Service Measures</a></li> <li><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	450	Print Materials	107,639	107,639	
	451	Electronic Books	0	0	
	452	Audio - Physical Units	8,864	8,864	
	453	Audio - Downloadable Titles	5,135	5,135	
	454	Video - Physical Units	3,188	3,188	
	455	Video - Downloadable Titles	0	0	
	Licensed Databases				
	456	Local/Other cooperative agreements	1	1	
	457	State (state government or state library)	92	92	
	458	Total Licensed Databases	95	95	
Serial Subscriptions					
460	Current Print Serial Subscriptions	366	366		

Save
Reset
Print Page

**Administrative Entity – Service Measures**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013


Survey Status
User Options
Data Element Definitions
Logout

**Administrative Entity**

Name

Service Measures					
	Item #	Item	Current Year	Prior Year	
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <input type="button" value="Previous Page"/> <input type="button" value="Next Page"/> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li><a href="#">Population / Outlets / Staff</a></li> <li><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li style="color: #006699;"><a href="#">Service Measures</a></li> <li><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	500	Public Service Hours Per Year	<input type="text" value="3,580"/>	<input type="text" value="3,580"/>	
	501	Library Visits	<input type="text" value="123,727"/>	<input type="text" value="123,727"/>	
	502	Reference Transactions	<input type="text" value="9,401"/>	<input type="text" value="9,401"/>	
	503	Registered Users	<input type="text" value="18,474"/>	<input type="text" value="18,474"/>	
	550	Total Circulation	<input type="text" value="183,638"/>	<input type="text" value="183,638"/>	
	551	Children's Circulation	<input type="text" value="67,125"/>	<input type="text" value="67,125"/>	
	552	Interlibrary Loans Provided To	<input type="text" value="3,326"/>	<input type="text" value="3,326"/>	
	553	Interlibrary Loans Received From	<input type="text" value="5,528"/>	<input type="text" value="5,528"/>	

**Administrative Entity – Programs/Other Electronic**



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
User Options
Data Element Definitions
Logout


**Administrative Entity**

Name: ALBANY COUNTY PUBLIC LIBRARY ▼

Programs / Other Electronic				
	Item #	Item	Current Year	Prior Year
<div style="display: flex; justify-content: space-between; margin-bottom: 5px;"> <input type="button" value="Previous Page"/> <input type="button" value="Next Page"/> </div> <ul style="list-style-type: none"> <li><a href="#">Name / Addresses</a></li> <li><a href="#">Other Identification</a></li> <li><a href="#">Population / Outlets / Staff</a></li> <li><a href="#">Operating Revenue</a></li> <li><a href="#">Operating Expenditures</a></li> <li><a href="#">Capital</a></li> <li><a href="#">Library Collections</a></li> <li><a href="#">Service Measures</a></li> <li style="color: #006699;"><a href="#">Programs / Other Electronic</a></li> <li><a href="#">Associated Outlet(s)</a></li> </ul>	Library Programs			
	600	Total Library Programs	574	574
	601	Children's Programs	480	480
	602	Young Adult Programs	47	47
	Other Electronic Information			
	603	Total Program Attendance	11,703	11,703
	604	Children's Program Attendance	10,521	10,521
	605	Young Adult Program Attendance	115	115
	650	Internet Computers Used by the General Public	31	31
	651	Uses of Public Internet Computers Per Year	29,135	29,135



Outlet Page



View/Key/Update AE - Dewey

Public Library Survey  
Fiscal Year 2012  
OMB No. 3137-0074  
Expires 12/31/2013

Survey Status
User Options
Data Element Definitions
Logout

Administrative Entity

Name

Associated Outlets

Name

Associated Outlet(s)				
	Item #	Item	Current Year	Prior Year
<a href="#">Previous Page</a> <a href="#">Next Page</a>  <a href="#">Name / Addresses</a> <a href="#">Other Identification</a> <a href="#">Population / Outlets / Staff</a> <a href="#">Operating Revenue</a> <a href="#">Operating Expenditures</a> <a href="#">Capital Library Collections</a> <a href="#">Service Measures</a> <a href="#">Programs / Other Electronic</a> <a href="#">Associated Outlet(s)</a>	700	FSCS ID	DY0001-008	DY0001-008
	700a	Structure Status	00	00
	701	LIB ID	<input type="text" value="A1"/>	A1
	702	Name	<input type="text" value="ALBANY COUNTY PUBLIC LIBRARY"/>	ALBANY COUNTY PUBLIC LIBRARY
	702a	Name Status	<input type="text" value="00 (No Change)"/>	00
	703	Street Address	<input type="text" value="261 WASHINGTON ST"/>	261 WASHINGTON ST
	703a	Address Status	<input type="text" value="00 (No Change)"/>	00
	704	City	<input type="text" value="LARAMIE"/>	LARAMIE
	705	ZIP Code	<input type="text" value="83414"/>	83414
	707	County	<input type="text" value="ALBANY"/>	ALBANY
	708	Phone	<input type="text" value="3015559781"/>	3015559781
	709	Outlet Type Code	<input type="text" value="CE"/>	CE
	710	Metropolitan Status Code	<input type="text" value="NO"/>	NO
	711	Square Footage of Outlet	<input type="text" value="27,624"/>	<input type="text" value="27,624"/>
712	Number of Bookmobiles	<input type="text" value="0"/>	<input type="text" value="0"/>	
713	Public Service Hours Per Year	<input type="text" value="2,184"/>	<input type="text" value="2,184"/>	
714	Number of Weeks a Library is Open	<input type="text" value="52"/>	<input type="text" value="52"/>	

**State Characteristics Data Element Definitions**

Note: The items below are answered by the state library agency.

#	<u>Data Element Name</u>	<u>Data Element Definition</u>
100	Reporting Period Starting Date	<p>This is the earliest date (month and year) for a 12-month period that applies to the state's data being submitted to IMLS.</p> <p>Note: Reporting period means data for the fiscal year that ended in the previous calendar year. If data are collected for different local reporting periods, provide the earliest starting date.</p>
101	Reporting Period Ending Date	<p>This is the latest date (month and year) for a 12-month period that applies to the state's data being submitted to IMLS.</p> <p>Note: Reporting period means data for the fiscal year that ended in the previous calendar year. If data are collected for different local reporting periods, provide the latest ending date.</p>
102	State Total Population Estimate	<p>This is the most recent total population figure for your state that matches the local population figures that you are submitting to IMLS. The State Data Coordinator should obtain this figure annually from the State Data Center or other state sources.</p>
103	Total Unduplicated Population of Legal Service Areas	<p>This is the total unduplicated population of those areas in your state that receive library services. The population of unserved areas is not included in this figure.</p> <p>Note: A state's actual total population of legal service areas may be different from the total population of legal service areas as calculated by WebPLUS. This happens in states where there are overlaps in population of legal service areas served by individual libraries, resulting in the same population being counted twice in the WebPLUS calculation. For states that have no overlapping jurisdictions, this number will be identical to your state's total population of legal service areas as calculated by WebPLUS. For states that do have overlaps in population of legal service areas served by individual libraries, this number must be calculated separately.</p> <p>Use your state's most recent state population figures for jurisdictions in your state as the basis for calculating the total unduplicated population of legal service areas.</p>

**Administrative Entity Data Element Definitions**

**Administrative Entity.** (This is not a WebPLUS Data Element.) This is the agency that is legally established under local or state law to provide public library service to the population of a local jurisdiction. The administrative entity may have a single outlet, or it may have more than one outlet.

#	<u>Data Element Name</u>	<u>Data Element Definition</u>
150	FSCS ID (Automatic Display)	This is the identification code assigned by WebPLUS to the administrative entity.
150a	Structure Status	This is the Structure Change Code to record actions such as adding, deleting, or merging.
151	LIB ID	This is the state-assigned identification code for the administrative entity.
152	Name	This is the legal name of the administrative entity.  Note: Provide the name of the public library. Do not use acronyms. Do not abbreviate the name unless it exceeds the WebPLUS field length of 60 characters. Avoid abbreviations at the beginning of the name and do not punctuate abbreviations. (See Standard Abbreviations for WebPLUS in Appendix G.)
152a	Name Status	This is the Name Change Code to identify whether the change is an official name change.
<b>Street Address</b>		
153	Street Address	This is the complete street address of the administrative entity.  Note: Do not report a post office box or general delivery.
153a	Address Status	This is the Address Change Code to identify whether the address change is an actual location change.
154	City (of street address)	This is the city or town in which the administrative entity is located.
155	ZIP Code (of street address)	This is the standard five-digit postal zip code for the street address of the administrative entity.
<b>Mailing Address</b>		
157	Mailing Address	This is the mailing address of the administrative entity.
158	City (of mailing address)	This is the city or town of the mailing address for the administrative entity.

---

**PLS ADMINISTRATIVE ENTITY DATA ELEMENT DEFINITIONS**

---

159	ZIP Code (of mailing address)	This is the standard five-digit postal ZIP code for the mailing address of the administrative entity.
161	County of the Entity	This is the county in which the headquarters of the administrative entity is physically located.
162	Phone	<p>This is the telephone number of the administrative entity, including area code.</p> <p>Note: Report telephone number without spacing or punctuation. If the Administrative Entity has no phone, enter “-3” (for Not Applicable).</p>
200	Interlibrary Relationship Code	<p>Select one of the following:</p> <p>HQ—Headquarters of a Federation or Cooperative. The library or entity that provides the physical space and staff who manage, coordinate, or administer the programs of the federation or cooperative.</p> <p>Note: Agencies that serve other libraries rather than the public should not be reported to FSCS.</p> <p>ME—Member of a Federation or Cooperative. An autonomous library joined by formal or informal agreement(s) with (a) other autonomous libraries in the same state to perform various services cooperatively, such as resource sharing, communications, etc., and (b) libraries that are part of national, multi-state or statewide library federations or cooperatives. (Do not include OCLC.) Do not include multiple-outlet administrative entities (e.g., libraries with branches and that have the word "system" in their legal name) if the entity does not have an agreement with another autonomous library.</p> <p>NO—Not a Member of a Federation or Cooperative.</p>
201	Legal Basis Code	<p>The legal basis is the type of local government structure within which the entity functions. It reflects the state or local law, which authorizes the library.</p> <p>Select one of the following:</p> <p>CC—City/County. A multi-jurisdictional entity that is operated jointly by a county and a city.</p> <p>CI—Municipal Government (city, town or village). A municipal government is an organized local government authorized in a state's constitution and statutes and established to provide general government for a specific concentration of population in a defined area.</p> <p>CO—County/Parish. An organized local government</p>

authorized in a state's constitution and statutes and established to provide general government.

LD—Library District. A library district is a local entity other than a county, municipality, township, or school district that is authorized by state law to establish and operate a public library as defined by FSCS. It has sufficient administrative and fiscal autonomy to qualify as a separate government. Fiscal autonomy requires support from local taxation dedicated to library purposes (e.g., a library tax).

MJ—Multi-jurisdictional. An entity operated jointly by two or more units of local government under an intergovernmental agreement which creates a jointly appointed board or similar means of joint governance; to be distinguished from a library which contracts to serve other jurisdictions and from special library districts.

Note: Please put city/county combinations under 'CC', rather than under Multi-jurisdictional.

NL—Native American Tribal Government. An organized local government authorized and established to provide general government to residents of a Native American reservation.

Note: Include native Alaskan villages in this category.

NP—Non-profit Association or Agency. An entity privately controlled but meeting the statutory definition of a public library in a given state; includes association libraries and libraries with 501(c) designation.

SD—School District. An organized local entity providing public elementary, secondary, and/or higher education, which under state law, has sufficient administrative and fiscal autonomy to qualify as a separate government. Excludes "dependent public school systems" of county, municipal, township, or state governments.

OT—Other.

202 Administrative  
Structure Code

This code identifies an autonomous library entity (administrative entity) that has its own governance and funding.

An administrative entity is the agency that is legally established under local or state law to provide public library service to the population of a local jurisdiction. The administrative entity may have a single outlet, or it may have more than one outlet.

Select one of the following:

MA—Administrative Entity with Multiple Direct Service Outlets where Administrative Offices are separate. An administrative entity that serves the public directly with two or

more service outlets, including some combination of one central library, branch(es), bookmobile(s), and/or books-by-mail only. The administrative offices are separate from the direct service outlets and do not provide direct library services.

MO—Administrative Entity with Multiple Direct Service Outlets where Administrative Offices are Not Separate. An administrative entity that serves the public directly with two or more service outlets, including some combination of one central library, branch(es), bookmobile(s), and/or books-by-mail only.

SO—Administrative Entity with a Single Direct Service Outlet. An administrative entity that serves the public directly with one central library, books-by-mail only, or one bookmobile.

203 FSCS Public Library Definition

Answer <Y>es or <N>o to the following question: *“Does this public library meet all the criteria of the FSCS public library definition?”*

A public library is an entity that is established under state enabling laws or regulations to serve a community, district, or region, and that provides at least the following:

1. An organized collection of printed or other library materials, or a combination thereof;
2. Paid staff;
3. An established schedule in which services of the staff are available to the public;
4. The facilities necessary to support such a collection, staff, and schedule; and
5. Is supported in whole or in part with public funds.

Note: If the library meets all of the requirements of this definition, respond with a <Y>es. If the library does not meet one or more of the requirements, respond with a <N>o.

204 Geographic Code

Choose from among the following types of readily available Census geography, one code that either exactly or most nearly describes the geographic area for which the public library has been established to offer services and from which (or on behalf of which) the library derives revenue, plus any areas served under contract for which the library is the primary service provider.

Note: The Population of Legal Service Area

(data element #208) should be reflected in the geographic code selected. For further clarification of municipal government, county/parish, and school district, refer to definitions under Legal Basis Code (data element #201). For further clarification of metropolitan area, see Metropolitan Status Code "NC—Metropolitan Area, but Not Within Central City Limits" (data element #710—Outlet Data Element Definitions).

CI1—Municipal Government (city, town or village) (exactly)

CI2—Municipal Government (city, town or village) (most nearly)

CO1—County/Parish (exactly)

CO2—County/Parish (most nearly)

MA1—Metropolitan Area (exactly)

MA2—Metropolitan Area (most nearly)

MC1—Multi-County (exactly)

MC2—Multi-County (most nearly)

SD1—School District (exactly)

SD2—School District (most nearly)

OTH—Other

205	Legal Service Area Boundary Change	<p>Answer &lt;Y&gt;es or &lt;N&gt;o to the following question: "<i>Did the administrative entity's legal service area boundaries change since last year?</i>"</p> <p>Note: Changes are likely to result, for example, when a municipality annexes land, when one municipality in a county becomes either an independent city or its own county necessitating its exclusion from the first county's geography, or when an administrative entity contracts to provide public library service for some additional geographic area other than the geographic area for which it was established (e.g., a municipal library contracts to serve county residents).</p>
206	Reporting Period Starting Date	<p>This is the starting date (month, day, and year) for a 12-month period that applies to the administrative entity's data being submitted to IMLS.</p> <p>Note: Reporting period means data for the fiscal year that ended in the previous calendar year.</p>
207	Reporting Period Ending Date	<p>This is the ending date (month, day, and year) for a 12-month period that applies to the administrative entity's data being submitted to IMLS.</p> <p>Note: Reporting period means data for the fiscal year that ended in the previous calendar year.</p>
208	Population of the Legal Service Area	<p>The number of people in the geographic area for which a public library has been established to offer services and from which (or on behalf of which) the library derives revenue,</p>

plus any areas served under contract for which the library is the primary service provider.

Note: The determination of this population figure shall be the responsibility of the state library agency. This population figure should be based on the most recent state population figures for jurisdictions in your state available from the State Data Center. The State Data Coordinator should obtain these figures annually from the State Data Center or other state sources.

209 Number of Central Libraries

This is one type of single outlet library (SO) or the library, which is the operational center of a multiple-outlet library (MO or MA). Usually all processing is centralized here and the principal collections are housed here. Synonymous with main library.

Note: Each administrative entity may report either no central library or one central library. No administrative entity may report more than one central library. In the administrative entity file, this simply means reporting "0" or "1" for central library. Where two or more libraries are considered "centrals" for state or local purposes, one central library and one or more branch libraries should be reported to FSCS. If you wish to identify a central library in the outlet file, identify the library with the largest collection as the central library for FSCS purposes, and report all others as branches. Where there are several co-equal outlets and no principal collection, report all such outlets as branches, not central libraries.

210 Number of Branch Libraries

A branch library is an auxiliary unit of an administrative entity which has at least all of the following:

1. Separate quarters;
2. An organized collection of library materials;
3. Paid staff; and
4. Regularly scheduled hours for being open to the public.

211 Number of Bookmobiles

A bookmobile is a traveling branch library. It consists of at least all of the following:

1. A truck or van that carries an organized collection of library materials;
2. Paid staff; and
3. Regularly scheduled hours (bookmobile stops) for being open to the public.

Note: Count the number of vehicles in use, not the number of stops the vehicle makes.



---

**PLS ADMINISTRATIVE ENTITY DATA ELEMENT DEFINITIONS**

---

**PAID STAFF (FULL-TIME EQUIVALENT)**

Report figures as of the last day of the fiscal year. Include all positions funded in the library's budget whether those positions are filled or not. To ensure comparable data, 40 hours per week has been set as the measure of full-time employment (FTE). For example, 60 hours per week of part-time work by employees in a staff category divided by the 40-hour measure equals 1.50 FTEs.

250	ALA-MLS	Librarians with master's degrees from programs of library and information studies accredited by the American Library Association.
251	Total Librarians	Persons with the title of librarian who do paid work that usually requires professional training and skill in the theoretical or scientific aspects of library work, or both, as distinct from its mechanical or clerical aspect. This data element also includes ALA-MLS (data element #250).
252	All Other Paid Staff	This includes all other FTE employees paid from the reporting unit budget, including plant operations, security, and maintenance staff.
253	Total Paid Employees	This is the sum of Total Librarians and All Other Paid Staff (data elements #251 and #252).

**OPERATING REVENUE**

Report revenue used for operating expenditures as defined below. Include federal, state, local, or other grants. DO NOT include revenue for major capital expenditures, contributions to endowments, revenue passed through to another agency (e.g., fines), or funds unspent in the previous fiscal year (e.g., carryover). (Funds transferred from one public library to another public library should be reported by only one of the public libraries. The State Data Coordinator shall determine which library will report these funds.)

300	Local Government Revenue	<p>This includes all local government funds designated by the community, district, or region and available for expenditure by the public library. Do not include the value of any contributed or in-kind services or the value of any gifts and donations, library fines, fees, or grants.</p> <p>Do not include state, federal, and other funds passed through local government for library use. Report these funds with state government revenue or federal government revenue, as appropriate.</p>
301	State Government Revenue	<p>These are all funds distributed to public libraries by state government for expenditure by the public libraries, except for federal money distributed by the state. This includes funds from such sources as penal fines, license fees, and mineral rights.</p> <p>Note: If operating revenue from consolidated taxes is the result of state legislation, the revenue should be reported under state revenue (even though the revenue may be from</p>

multiple sources).

- |     |                            |  |
|-----|----------------------------|--|
| 302 | Federal Government Revenue | This includes all federal government funds distributed to public libraries for expenditure by the public libraries, including federal money distributed by the state.  |
| 303 | Other Operating Revenue    | This is all operating revenue other than that reported under local, state, and federal (data elements #300, #301, and #302). Include, for example, monetary gifts and donations received in the current year, interest, library fines, fees for library services, or grants. Do not include the value of any contributed or in-kind services or the value of any non-monetary gifts and donations. |
| 304 | Total Operating Revenue    | This is the sum of Local Government Revenue, State Government Revenue, Federal Government Revenue, and Other Operating Revenue (data elements #300 through #303).  |

### OPERATING EXPENDITURES

Operating expenditures are the current and recurrent costs necessary to support the provision of library services. Significant costs, especially benefits and salaries, that are paid by other taxing agencies (government agencies with the authority to levy taxes) "on behalf of" the library may be included if the information is available to the reporting agency. Only such funds that are supported by expenditure documents (such as invoices, contracts, payroll records, etc.) at the point of disbursement should be included. Do not report the value of free items as expenditures. Do not report estimated costs as expenditures. Do not report capital expenditures under this category.

#### Staff Expenditures

- |     |                                |   |
|-----|--------------------------------|---|
| 350 | Salaries & Wages Expenditures  | This includes salaries and wages for all library staff (including plant operations, security, and maintenance staff) for the fiscal year. Include salaries and wages before deductions but exclude employee benefits.   |
| 351 | Employee Benefits Expenditures | These are the benefits outside of salaries and wages paid and accruing to employees (including plant operations, security, and maintenance staff), regardless of whether the benefits or equivalent cash options are available to all employees. Include amounts for direct paid employee benefits including Social Security, retirement, medical insurance, life insurance, guaranteed disability income protection, unemployment compensation, workmen's compensation, tuition, and housing benefits. |
| 352 | Total Staff Expenditures       | This is the sum of Salaries & Wages Expenditures and Employee Benefits Expenditures (data elements #350 and #351).  |

#### Collection Expenditures

This includes all operating expenditures from the library budget for all materials in print,

---

**PLS ADMINISTRATIVE ENTITY DATA ELEMENT DEFINITIONS**

---

microform, electronic, and other formats considered part of the collection, whether purchased, leased, or licensed. Exclude charges or fees for interlibrary loans and expenditures for document delivery.

- |     |                                   |   |
|-----|-----------------------------------|---|
| 353 | Print Materials Expenditures      | Report all operating expenditures for the following print materials: books, current serial subscriptions, government documents, and any other print acquisitions.   |
| 354 | Electronic Materials Expenditures | <p>Report all operating expenditures for electronic (digital) materials. Types of electronic materials include e-books, audio and video downloadables, e-serials (including journals), government documents, databases (including locally mounted, full text or not), electronic files, reference tools, scores, maps, or pictures in electronic or digital format, including materials digitized by the library. Electronic materials can be distributed on magnetic tape, diskettes, computer software, CD-ROM, or other portable digital carrier, and can be accessed via a computer, via access to the Internet, or by using an e-book reader. Include expenditures for materials held locally and for remote materials for which permanent or temporary access rights have been acquired. Include expenditures for database licenses. [Note: Based on ISO 2789 definition.]</p> <p>Note: Expenditures for computer software used to support library operations or to link to external networks, including the Internet, are reported under Other Operating Expenditures (data element #357).</p> |
| 355 | Other Materials Expenditures      | Report all operating expenditures for other materials, such as microform, audio and video physical units, DVD, and materials in new formats.  |
| 356 | Total Collection Expenditures     | This is the sum of Print Materials Expenditures, Electronic Materials Expenditures, and Other Materials Expenditures (data elements #353, #354, and #355).  |
| 357 | Other Operating Expenditures      | <p>This includes all expenditures other than those reported for Total Staff Expenditures (data element #352) and Total Collection Expenditures (data element #356).</p> <p>Note: Include expenses such as binding, supplies, repair or replacement of existing furnishings and equipment; and costs of computer hardware and software used to support library operations or to link to external networks, including the Internet. Report contracts for services, such as costs of operating and maintaining physical facilities, and fees paid to a consultant, auditor, architect, attorney, etc.</p>  |
| 358 | Total Operating Expenditures      | This is the sum of Total Staff Expenditures, Total Collection Expenditures, and Other Operating Expenditures (data elements #352, #356, and #357).  |

**CAPITAL REVENUE**

Report all revenue to be used for major capital expenditures, by source of revenue. Include funds received for (a) site acquisition; (b) new buildings; (c) additions to or renovation of library buildings; (d) furnishings, equipment, and initial collections (print, non-print, and electronic) for new buildings, building additions, or building renovations; (e) computer hardware and software used to support library operations, to link to networks, or to run information products; (f) new vehicles; and (g) other one-time major projects. Exclude revenue to be used for replacement and repair of existing furnishings and equipment, regular purchase of library materials, and investments for capital appreciation. Exclude income passed through to another agency (e.g., fines), or funds unspent in the previous fiscal year (e.g., carryover). Funds transferred from one public library to another public library should be reported by only one of the public libraries. Report federal, state, local, and other revenue to be used for major capital expenditures in the following categories:

400	Local Government Capital Revenue	Report all governmental funds designated by the community, district, or region and available to the public library for the purpose of major capital expenditures, except for state and/or federal money distributed by the local government.
401	State Government Capital Revenue	Report all funds distributed to public libraries by state government for expenditure by the public libraries for the purpose of major capital expenditures, except for federal money distributed by the state.
402	Federal Government Capital Revenue	Report federal governmental funds, including federal funds distributed by the state or locality, and grants and aid received by the library for the purpose of major capital expenditures.
403	Other Capital Revenue	Report private (non-governmental funds), including grants received by the library for the purpose of major capital expenditures.
404	Total Capital Revenue	This is the sum of Local Government Capital Revenue, State Government Capital Revenue, Federal Government Capital Revenue, and Other Capital Revenue (data elements #400 through #403).

Note: The amounts reported for Total Capital Revenue and Total Capital Expenditures are not expected to be equal.

**CAPITAL EXPENDITURES**

405	Total Capital Expenditures	Report major capital expenditures (the acquisition of or additions to fixed assets). Examples include expenditures for (a) site acquisitions; (b) new buildings; (c) additions to or renovation of library buildings; (d) furnishings, equipment, and initial book stock for new buildings, building additions, or building renovations; (e) library automation systems; (f) new vehicles; and (g) other one-time major projects. Include federal, state, local, or other revenue used for major capital expenditures. Only funds that are supported by expenditure documents (e.g., invoices, contracts, payroll records, etc.) at the point of disbursement should be included. Estimated costs
-----	----------------------------	---

are not included. Exclude expenditures for replacement and repair of existing furnishings and equipment, regular purchase of library materials, and investments for capital appreciation. Exclude contributions to endowments, or revenue passed through to another agency (e.g., fines). Funds transferred from one public library to another public library should be reported by only one of the public libraries.

## LIBRARY COLLECTION

This section of the survey (450-460) collects data on selected types of materials. It does not cover all materials (i.e., microform, scores, maps, and pictures) for which expenditures are reported under Print Materials Expenditures, Electronic Materials Expenditures, and Other Materials Expenditures (data elements #353, #354, and #355). Under this category, report only items the library has acquired as part of the collection, whether purchased, leased, licensed, or donated as gifts.

### 450 Print Materials

Report a single figure that includes the following:

Books in print. Books are non-serial printed publications (including music and maps) that are bound in hard or soft covers, or in loose-leaf format. Include non-serial government documents. Report the number of physical units, including duplicates. For smaller libraries, if volume data are not available, count the number of titles. Books packaged together as a unit (e.g., a 2-volume set) and checked out as a unit are counted as one physical unit.

### 451 Electronic Books (E-Books)\*

E-books are digital documents (including those digitized by the library), licensed or not, where searchable text is prevalent, and which can be seen in analogy to a printed book (monograph). Include non-serial government documents. E-books are loaned to users on portable devices (e-book readers) or by transmitting the contents to the user's personal computer for a limited time. Include e-books held locally and remote e-books for which permanent or temporary access rights have been acquired. Report the number of physical or electronic units, including duplicates, for all outlets. For smaller libraries, if volume data are not available, the number of titles may be counted. E-books packaged together as a unit (e.g., multiple titles on a single e-book reader) and checked out as a unit are counted as one unit.

Report the number of units. Report only items the library has selected as part of the collection (exclude public domain / uncopyrighted e-books that have unlimited access.

Note: For purposes of this survey, units are defined as "units of acquisition or purchase". The "unit" is determined by considering whether the item is restricted to a finite number of simultaneous users or an unlimited number of simultaneous users.

Finite simultaneous use: units of acquisition or purchase is

based on the number of simultaneous usages acquired (equivalent to purchasing multiple copies of a single title). For example, if a library acquires a title with rights to a single user at a time, then that item is counted as 1 “unit”; if the library acquires rights to a single title for 10 simultaneous users, then that item is counted as 10 “units”

Unlimited simultaneous use: units of acquisition or purchase is based on the number of titles acquired. For example, if a library acquires a collection of 100 books with unlimited simultaneous users, then that collection would be counted as 100 “units”.

452 Audio – physical units

These are materials circulated in a fixed, physical format on which sounds (only) are stored (recorded) and that can be reproduced (played back) mechanically, electronically, or both. Include records, audiocassettes, audio cartridges, audio discs (including audio-CD-ROMs), audio-reels, talking books, and other sound recordings stored in a fixed, physical format. Do not include downloadable electronic audio files.

Report the number of units, including duplicates. Items packaged together as a unit (e.g. two audiocassettes for one recorded book) and checked out as a unit are counted as one physical unit.

453 Audio – downloadable units\*

These are downloadable electronic files on which sounds (only) are stored (recorded) and that can be reproduced (played back) electronically.

Report the number of units. Report only items the library has selected as part of the collection.

Note: For purposes of this survey, units are defined as “units of acquisition or purchase”. The “unit” is determined by considering whether the item is restricted to a finite number of simultaneous users or an unlimited number of simultaneous users.

Finite simultaneous use: units of acquisition or purchase is based on the number of simultaneous usages acquired (equivalent to purchasing multiple copies of a single title). For example, if a library acquires a title with rights to a single user at a time, then that item is counted as 1 “unit”; if the library acquires rights to a single title for 10 simultaneous users, then that item is counted as 10 “units”

Unlimited simultaneous use: units of acquisition or purchase is based on the number of titles acquired. For example, if a library acquires a collection of 100 books with unlimited simultaneous users, then that collection would be counted as 100 “units”.

- 454 Video – physical units
- These are materials circulated in a fixed, physical format on which moving pictures are recorded, with or without sound. Electronic playback reproduces pictures, with or without sound, using a television receiver or computer monitor. Video formats may include tape, DVD and CD-ROM. Do not include downloadable electronic video files.
- Report the number of units, including duplicates. Items packaged together as a unit (e.g. two DVDs for one movie) and checked out as a unit are counted as one physical unit.
- 455 Video – downloadable units\*
- These are downloadable electronic files on which moving pictures are recorded, with or without sound. Electronic playback reproduces pictures, with or without sound, using a television receiver, computer monitor or video-enabled mobile device.
- Report the number of units. Report only items the library has selected as part of the collection.
- Note: For purposes of this survey, units are defined as “units of acquisition or purchase”. The “unit” is determined by considering whether the item is restricted to a finite number of simultaneous users or an unlimited number of simultaneous users.
- Finite simultaneous use: units of acquisition or purchase is based on the number of simultaneous usages acquired (equivalent to purchasing multiple copies of a single title). For example, if a library acquires a title with rights to a single user at a time, then that item is counted as 1 “unit”; if the library acquires rights to a single title for 10 simultaneous users, then that item is counted as 10 “units”
- Unlimited simultaneous use: units of acquisition or purchase is based on the number of titles acquired. For example, if a library acquires a collection of 100 books with unlimited simultaneous users, then that collection would be counted as 100 “units”.

### Licensed Databases

Report the number of licensed databases (including locally mounted or remote, full-text or not) for which temporary or permanent access rights have been acquired through payment by the library (directly or through a cooperative agreement within the state or region), or acquired by formal agreement with the State Library. A database is a collection of electronically stored data or unit records (facts, bibliographic data, abstracts, texts) with a common user interface and software for the retrieval and manipulation of the data.

Note: The data or records are usually collected with a particular intent and relate to a defined topic. A database may be issued on CD-ROM, diskette, or other direct access method, or as a computer file accessed via dial-up methods or via the Internet. Each database is counted individually even if access to several databases is supported through the same vendor interface.

## PLS ADMINISTRATIVE ENTITY DATA ELEMENT DEFINITIONS

---

Report the number of licensed databases acquired through payment or formal agreement, by source of access:

- |     |   |   |
|-----|---|---|
| 456 | Local/Other cooperative agreements        |   |
| 457 | State (state government or state library) |   |
| 458 | Total Licensed Databases                  | This is the sum of Local/Other cooperative agreements, and State, licensed databases (data elements #456 and #457). |

### Current Print Serial Subscriptions

Current serial subscriptions are arrangements by which, in return for a sum paid in advance, serials are provided for a specified number of issues. Include current serial subscriptions in print.

- |     |                                    |   |
|-----|------------------------------------|---|
| 460 | Current Print Serial Subscriptions | Report the number of current print serial subscriptions, including duplicates, for all outlets. Examples of serials are periodicals (magazines), newspapers, annuals, some government documents, some reference tools, and numbered monographic series. |
|-----|------------------------------------|---|

### SERVICES

- |     |                               |   |
|-----|-------------------------------|---|
| 500 | Public Service Hours Per Year | <p>This is the sum of annual public service hours for outlets.</p> <p>Note: Include the hours open for public service for Centrals (data element #209), Branches (data element #210), Bookmobiles (data element #211), and Books-by-Mail Only. For each bookmobile, count only the hours during which the bookmobile is open to the public. For administrative entities that offer ONLY books-by-mail service, count the hours that the outlet is staffed for service. Minor variations in scheduled public service hours need not be included, however, extensive hours closed to the public due to natural disasters or other events should be excluded even if the staff is scheduled to work.</p> |
| 501 | Library Visits                | <p>This is the total number of persons entering the library for whatever purpose during the year.</p> <p>Note: If an actual count of visits is unavailable, determine an annual estimate by counting visits during a typical week in October and multiplying the count by 52. A "typical week" is a time that is neither unusually busy nor unusually slow. Avoid holiday times, vacation periods for key staff, or days when unusual events are taking place in the community or the library. Choose a week in which the library is open its regular hours. Include seven consecutive calendar days, from Sunday through Saturday (or whenever the library is usually</p>                            |



open).

- 502 Reference Transactions A reference transaction is an information contact which involves the knowledge, use, recommendations, interpretation, or instruction in the use of one or more information sources by a member of the library staff. It includes information and referral services. Information sources include printed and non-printed materials, machine-readable databases, catalogs and other holdings records, and, through communication or referral, other libraries and institutions and people inside and outside the library. The request may come in person, by phone, by fax, or by mail, electronic mail, or through live or networked electronic reference service from an adult, a young adult, or a child.
- Do not count directional transactions or questions of rules or policies. Examples of directional transactions are "*Where are the children's books?*" and "*I'm looking for a book with the call number 811.2G.*" An example of a question of rules or policies is "*Are you open until 9:00 tonight?*"
- Note: If an annual count of reference transactions is unavailable, determine an annual estimate by counting reference transactions during a typical week in October and multiply the count by 52. A "typical week" is a time that is neither unusually busy nor unusually slow. Avoid holiday times, vacation periods for key staff, or days when unusual events are taking place in the community or in the library. Choose a week in which the library is open its regular hours. Include seven consecutive calendar days, from Sunday through Saturday (or whenever the library is usually open).
- 503 Number of Registered Users A registered user is a library user who has applied for and received an identification number or card from the public library that has established conditions under which the user may borrow library materials or gain access to other library resources.
- Note: Files should have been purged within the past three (3) years.
- 550 Total Circulation The total annual circulation of all library materials of all types, including renewals.
- Note: Count all materials in all formats that are charged out for use outside the library. Interlibrary loan transactions included are only items borrowed for users. Do not include items checked out to another library.
- 551 Circulation of Children's Materials The total annual circulation of all children's materials in all formats to all users, including renewals.

**552 Circulation of Electronic Materials\*****The total annual circulation of all electronic materials.**

Electronic Materials are materials that are distributed digitally and can be accessed via a computer, the Internet, or a portable device such as an e-book reader. Types of electronic materials include e-books and downloadable electronic video and audio files. Electronic Materials packaged together as a unit and checked out as a unit are counted as one unit.

**Note: Do not include databases.**

**INTER-LIBRARY LOANS****553 Provided To\***

These are library materials, or copies of the materials, provided by one autonomous library to another upon request. The libraries involved in interlibrary loans are not under the same library administration. "Library administration" means Administrative Entity (not anything broader). Do not include items loaned between outlets within the same library administrative entity. These data are reported as annual figures.

**554 Received From\***

These are library materials, or copies of the materials, received by one autonomous library from another upon request. The libraries involved in interlibrary loans are not under the same library administration. "Library administration" means Administrative Entity (not anything broader). Do not include items loaned between outlets within the same library administrative entity. These data are reported as annual figures.

**LIBRARY PROGRAMS****600 Total Number of Library Programs**

A program is any planned event which introduces the group attending to any of the broad range of library services or activities or which directly provides information to participants. Programs may cover use of the library, library services, or library tours. Programs may also provide cultural, recreational, or educational information, often designed to meet a specific social need. Examples of these types of programs include film showings, lectures, story hours, literacy, English as a second language, citizenship classes, and book discussions.

Count all programs, whether held on- or off-site, that are sponsored or co-sponsored by the library. Exclude programs sponsored by other groups that use library facilities.

If programs are offered as a series, count each program in the series. For example, a film series offered once a week for eight weeks should be counted as eight programs.

Note: Exclude library activities delivered on a one-to-one basis, rather than to a group, such as one-to-one literacy tutoring, services to homebound, resume writing assistance, homework assistance, and mentoring activities.

601 Number of Children's Programs

A children's program is any planned event for which the primary audience is children and which introduces the group of children attending to any of the broad range of library services or activities for children or which directly provides information to participants. Children's programs may cover use of the library, library services, or library tours. Children's programs may also provide cultural, recreational, or educational information, often designed to meet a specific social need. Examples of these types of programs include story hours and summer reading events.

Count all children's programs, whether held on- or off-site, that are sponsored or co-sponsored by the library. Do not include children's programs sponsored by other groups that use library facilities. If children's programs are offered as a series, count each program in the series. For example, a story hour offered once a week, 48 weeks a year, should be counted as 48 programs. Exclude library activities for children delivered on a one-to-one basis, rather than to a group, such as one-to-one literacy tutoring, services to homebound, homework assistance, and mentoring activities. This figure is a subset of the Total Number of Library Programs (data element #600).

Note: The National Center for Education Statistics (NCES): Children and Young Adults Defined (*Services and Resources for Children and Young Adults in Public Libraries* [August 1995, NCES 95357]) defines children as persons age 11 years and under.

602 Number of Young Adult Programs

A young adult program is any planned event for which the primary audience is young adult and which introduces the group of young adults attending to any of the broad range of library services or activities for young adults or which directly provides information to participants. Young adult programs may cover use of the library, library services, or library tours. Young adult programs may also provide cultural, recreational, or educational information, often designed to meet a specific social need. Examples of these types of programs include book clubs and summer reading events.

Count all young adult programs, whether held on- or off-site, that are sponsored or co-sponsored by the library. Do not include young adult programs sponsored by other groups that use library facilities. If young adult programs are offered as a series, count each program in the series. For example, a book club offered every two weeks, 24 weeks a year, should be counted as 24 programs. Exclude library activities for young adults delivered on a one-to-one basis, rather than to a group, such as one-to-one literacy tutoring, services to homebound,

homework assistance, and mentoring activities. This figure is a subset of the Total Number of Library Programs (data element #600).

Note: Young Adult age is defined as 12 through 18 years and includes 18 year olds. Click on the following link to view information:

- The [Young Adult Services Association](#) (YASLA) defines young adults as age 12 through 18.

603	Total Attendance at Library Programs	This is a total count of the audience at all library programs during the reporting period. (See Total Number of Library Programs, data element #600, for the definition of a library program.)
604	Children's Program Attendance	<p>The count of the audience at all programs for which the primary audience is children 11 years and under. Include adults who attend programs intended primarily for children.</p> <p>Note: Do not count attendance at library activities for children that are delivered on a one-to-one basis, rather than to a group, such as one-to-one literacy tutoring, services to homebound, homework assistance, and mentoring activities. (See Number of Children's Programs, data element #601, for the definition of a children's library program.)</p>
605	Young Adult Program Attendance	<p>The count of the audience at all programs for which the primary audience is young adults 12 to 18 years and includes 18 year olds. Include adults* who attend programs intended primarily for young adults.</p> <p>Note: Do not count attendance at library activities for young adults that are delivered on a one-to-one basis, rather than to a group, such as one-to-one literacy tutoring, services to homebound, homework assistance, and mentoring activities.</p> <p>*Please count all patrons that attend the young adult programs regardless of age.</p> <p>(See Number of Young Adult Programs, data element #602, for the definition of a young adult library program.)</p>

#### OTHER ELECTRONIC INFORMATION

650	Number of Internet Computers Used by General Public	Report the number of the library's Internet computers [personal computers (PCs) and laptops], whether purchased, leased, or donated, used by the general public in the library.
651	Number of Uses (Sessions) of Public Internet Computers Per Year	Report the total number of uses (sessions) of the library's Internet computers in the library during the last year. If the computer is used for multiple purposes (Internet access, word-processing, OPAC, etc.) and Internet uses (sessions)

cannot be isolated, report all usage. A typical week or other reliable estimate may be used to determine the annual number. Sign-up forms or Web-log tracking software also may provide a reliable count of uses (sessions).

Note: This count includes only the library's Internet computers. Do not include wifi access using nonlibrary computers. The number of uses (sessions) may be counted manually, using registration logs. Count each use (session) for public internet computers, regardless of the amount of time spent on the computer. A use (session) on the library's public internet computer(s) three times a year would count as three uses (sessions). Software such as "Historian" can also be used to track the number of uses (sessions) at each public internet computer. If the data element is collected as a weekly figure, multiply that figure by 52 to annualize it.

\* Revised or new data element name and/or definition

### Outlet Data Element Definitions

#	<u>Data Element Name</u>	<u>Data Element Definition</u>
700	FSCS ID and SEQ (Automatic Display)	This is the identification code assigned by WebPLUS. Outlets are assigned the same FSCS ID as the administrative entity to which they belong, with a unique three-digit suffix added to distinguish each outlet.
700a	Structure Status	This is the Structure Change Code to record actions such as adding, deleting, or merging.
701	LIB ID (Optional)	This is the state-assigned identification code for the outlet.
702	Name	This is the legal name of the outlet.  Note: Provide the legal name of the outlet. Do not use acronyms. Do not abbreviate the name unless it exceeds the WebPLUS field length of 60 characters. Avoid abbreviations at the beginning of the name and do not punctuate abbreviations. (See Standard Abbreviations for WebPLUS in Appendix G.)
702a	Name Status	This is the Name Change Code to identify whether the change is an official name change.
703	Street Address	This is the complete street address of the outlet.  Note: Do not report a post office box or general delivery. For a bookmobile that operates from an administrative entity, branch, or central library, report the address of the administrative entity, branch or central library from which it operates. For a bookmobile that is itself the administrative entity, report the address where the bookmobile is parked at night.
703a	Address Status	This is the Address Change Code to identify whether the address change is an actual location change.
704	City	This is the city or town in which the outlet is located.
705	ZIP Code	This is the standard five-digit postal ZIP code for the street address of the outlet.
707	County of the Outlet	This is the county in which the outlet is physically located.
708	Phone	This is the telephone number of the outlet, including area code.  Note: Report telephone number without spacing or punctuation. If the outlet has no phone, enter “-3” (for Not Applicable).
709	Outlet Type Code	An outlet is a unit of an administrative entity that provides

direct public library service.

Select one of the following:

**BM—Books-by-Mail Only.** A direct mail order service which provides books and other library materials. Books-by-mail typically serves rural residents, the disabled, the homebound, and others without access to another type of public library outlet. Requests for materials are usually received by mail and by telephone only. Only books-by-mail services that are housed separately from any other type of direct public service outlet (that is, central library, branches, or bookmobiles) should be coded here.

**BR—Branch Library.** A branch library is an auxiliary unit of an administrative entity which has at least all of the following:

1. Separate quarters;
2. An organized collection of library materials;
3. Paid staff; and
4. Regularly scheduled hours for being open to the public.

**BS—Bookmobile(s).** A bookmobile is a traveling branch library. It consists of at least all of the following:

1. A truck or van that carries an organized collection of library materials;
2. A paid staff; and
3. Regularly scheduled hours (bookmobile stops) for being open to the public.

Note: A separate outlet record may be created for each bookmobile. You may wish to create separate outlet records for individual bookmobiles if (1) they have different addresses and/or (2) they have different Metropolitan Status Codes (see outlet data element #710). Alternatively, a bookmobile outlet record may include more than one bookmobile.

**CE—Central Library.** This is one type of single outlet library (SO) or the library which is the operational center of a multiple-outlet library (MO or MA). Usually all processing is centralized here and the principal collections are housed here. Synonymous with main library.

Note: Each administrative entity may report either no central library or one central library. No administrative entity may report more than one central library. If you wish to identify a central library in the outlet file, identify the library with the largest collection as the central library for FSCS purposes, and report all others as branches. Where there are several co-equal outlets and no principal collection, report all such outlets as branches, not central libraries.

710 Metropolitan Status Code

Select one of the following. Bookmobiles should report the code which best describes their primary service area.

Note: Contact the State Data Center for specific information about Metropolitan Areas in your state.

CC—Central City. The largest central city and, in some cases, up to two additional central cities are included in the title of the Metropolitan Area; there also are central cities that are not included in a Metropolitan Area title. A Metropolitan Area central city does not include any part of that city that extends outside the Metropolitan Area boundary.

NC—Metropolitan Area, but Not Within Central City Limits. A large population nucleus, together with adjacent communities that have a high degree of economic and social integration with that nucleus. Some Metropolitan Areas are defined around two or more nuclei. Each Metropolitan Area must contain a place with a minimum population of 50,000 or a Census Bureau-defined urbanized area and a total Metropolitan Area population of at least 100,000 (75,000 in New England). A Metropolitan Area comprises one or more central counties. (Independent cities are considered county equivalents.) A Metropolitan Area may also include one or more outlying counties that have close economic and social relationships with the central county. An outlying county must have a specified level of commuting to the central counties and also must meet certain standards regarding metropolitan character, such as population density, urban population, and population growth. In New England, Metropolitan Areas are composed of cities and towns rather than whole counties.

NO—Not in a Metropolitan Area.

711	Square Footage of Outlet	Provide the area, in square feet, of the public library outlet (central library or branch). Report the total area in square feet for each library outlet (central library or branch) separately. This is the area on all floors enclosed by the outer walls of the library outlet. Include all areas occupied by the library outlet, including those areas off-limits to the public. Include any areas shared with another agency or agencies if the outlet has use of that area.
712	Number of Bookmobiles in the Bookmobile Outlet Record	<p>The number of bookmobiles in the bookmobile outlet record.</p> <p>Note: A bookmobile outlet record may include one or more bookmobiles. Complete this data element only if the outlet record is of the type BS—Bookmobile(s) (see outlet data element #709). A bookmobile is a traveling branch library. It consists of at least all of the following:</p> <ol style="list-style-type: none"> <li>1. A truck or van that carries an organized collection of library materials;</li> <li>2. A paid staff; and</li> <li>3. Regularly scheduled hours (bookmobile stops) for being open to the public. Count vehicles in use, not the number of stops the vehicle makes.</li> </ol>



- 713 Public Service Hours Per Year (actual hours) This is the number of annual public service hours for outlets (reported individually by central, branch, bookmobile and Books-by-Mail Only)
- Note: Include the **actual** hours open for public service for centrals (data element #209), branches (data element #210), and bookmobiles (data element #211), and Books-by-Mail Only. For each bookmobile, count only the hours during which the bookmobile is open to the public. For administrative entities that offer ONLY books-by-mail service, count the hours that the outlet is staffed for service. Minor variations in public service hours need not be included. Extensive hours closed to the public due to natural disasters or other events should be excluded from the count.
- 714 Number of Weeks a Library is Open (actual weeks) This is the number of weeks during the year that an outlet was open to the public.
- Note:** Include the number of weeks open for public service for Centrals (data element #209), Branches (data element #210), Bookmobiles (data element #211), and Books-by-Mail Only. For each bookmobile, count only the weeks during which the bookmobile is open to the public. For administrative entities that offer ONLY books-by-mail service, count the weeks that the outlet is staffed for service. The count should be based on the number of weeks that a library outlet was open for half or more of its scheduled service hours. Extensive weeks closed to the public due to natural disasters or other events should be excluded from the count. **Do not** calculate based on total number of service hours per year at the outlet level. For example, by dividing total hours by the average hours open per week. Round to the nearest whole number of weeks. If the library was open half or more of its scheduled hours in a given week, round up to the next week. If the library was open less than half of its scheduled hours, round down.

\* Revised or new data element name and/or definition



## Appendix B – Name, Address, and Structure Changes

### Name and Address Changes

In direct data entry, changes to the name and address information for an administrative entity/outlet can be made through the appropriate View/Update/Key screens. Note: If you make a change to either field you must also select the appropriate status code (the codes and their values are listed below) to identify whether the change is an official name change or whether the address change indicated an actual location change. For administrative entities, status code changes are made in survey item 152a – Name Status and item 153a – Address Status. For outlets, status code changes are entered in survey item 702a – Name Status and item 703a – Address Status.

If you are importing your data, the name and address status codes for all administrative entities and outlets should be recorded in the STATNAME and STATADDR fields on the import files.

### Name Changes for Administrative Entities and Outlets

Name changes do not require any additional information other than the FSCS ID# information and the code indicating the status (STATNAME) of the field.

#### No Change from Last Year

- STATNAME is '00'

#### Official Name Change

- STATNAME is '06'

#### Preferred Spelling for Library Name

- STATNAME is '14'

### Address Changes for Administrative Entities and Outlets

Address changes do not require any additional information other than the FSCS ID# information and the code indicating the status (STATADDR) of the field.

#### No Change from Last Year

- STATADDR is '00'

#### Move to New Location

- STATADDR is '07'

#### Preferred Street Address

- STATADDR is '15'

### Administrative Entity Structure Changes

In direct data entry, changes to the structure of administrative entities can be made through the Structure Changes screens by selecting **Structure Changes** and **AE** from the **Tools** menu.

If you are importing your data, the administrative entity structure changes should be recorded using the following codes in the STATSTRU field. Diagrams are included for each type of structure change to clearly indicate what the fields on the file should contain. The diagrams are only partial representations of the file. An 'X' means that information must be supplied for that field. If the information in that column is not needed for the change, please use '-3' to indicate not applicable.

#### 00 – No Change from Last Year

This simply means that nothing about the library's structure has changed from the previous year. The only information required is the FSCSKEY and STATSTRU.

- FSCSKEY = the prior year FSCSKEY
- STATSTRU = 00
- LINKID = -3
- OLDID = -3

FSCSKEY	STATSTRU	LINKID	OLDID
X	00	-3	-3

#### Example:

The New York Public Library is still the New York Public Library. The FSCSKEY is provided since the library will be included on the current-year file. No other records are involved so the LINKID is not needed. The OLDID field is not needed since no information is required for the historical tracking.

The record appears as follows:

FSCSKEY	STATSTRU	LINKID	OLDID
NY0778	00	-3	-3

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## 01 – Existing Administrative Entity Absorbs Another Administrative Entity (Adoption)

When one or more administrative entities is no longer functioning independently and now operates as part of an existing administrative entity, the LINKID is required so that we can identify which records are involved. At least two records must exist for a valid adoption to occur.

**Note: All outlet records for an adopted administrative entity must be dispatched. Please see the section on preparing outlet import files for details. Options for the existing outlets are:**

- **Adopted by another outlet of the adopting or a different parent administrative entity**
- **Closed**
- **Moved to another administrative entity**

For the record that is 'adopting' other administrative entities:

- FSCSKEY = the prior year FSCSKEY
- STATSTRU = 01
- LINKID is user defined but must be the same as the adopted entity
- OLDID = -3

For the record(s) being 'adopted':

- FSCSKEY = -3
- STATSTRU = 01
- LINKID is user defined but must be the same as the adopting entity
- OLDID = the prior year FSCSKEY

	FSCSKEY	STATSTRU	LINKID	OLDID
Adopting	X	01	X	-3
Adopted	-3	01	X	X

### Example:

The Hershey Public Library and the Middletown Public Library operated under the administrative entity of the Dauphin County Library System to form one county library in the current year.

Three records are required to adequately resolve the match. The record for Dauphin should contain the current year data because this is the currently active administrative entity. The other two administrative entities will not be included on the final release files but will be maintained on the WebPLUS file so the structure change must be properly tracked.

The resulting records appear as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Dauphin	PA0222	01	PA1	-3
Hershey	-3	01	PA1	PA0221
Middletown	-3	01	PA1	PA0223

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**02 – Newly Created Administrative Entity (Birth)**

When a completely new library has opened in the current year, we track that as a birth.

We need the following information in the following fields:

- FSCSKEY = -3
- STATSTRU = 02
- LINKID = -3
- OLDID = -3
- LIBID = State assigned (must be unique)

	FSCSKEY	STATSTRU	LINKID	OLDID	LIBID
New AE	-3	02	-3	-3	X

Since the FSCSKEY has not been assigned there is no information for the respondent to provide. Adding a new record for a new library does not involve another library so the LINKID is unnecessary. Since this is a new record, no OLDID exists from the previous year file.

Please reference the Restorable AE tab on the Match before you open a newly created administrative entity (birth) to make sure that the administrative entity you are trying to newly create is truly new. Meaning, the administrative entity was not previously reported and then closed, deleted, or temporarily closed.

For Future Administrative Entities that requested a FSCS ID in a previous year, the reporting year that the library does open, the STATSTRU will be a 02 and the FSCSKEY will be the previously assigned FSCS ID when the record was submitted initially as a Future ID as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID	LIBID
New AE	ID	02	-3	-3	X

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**03 – Closed (Death)**

If an administrative entity closed in the current year we track the change simply with the STATSTRU = 03.

The record should include the following information:

- FSCSKEY = -3
- STATSTRU = 03
- LINKID = -3
- OLDID = the prior year FSCSKEY

	FSCSKEY	STATSTRU	LINKID	OLDID
Closed AE	-3	03	-3	X

**Example:**

The River Bluffs Regional Library did not operate in the current year. The FSCSKEY is not included on the record because it will not be included in the current year. There is no other record involved so the LINKID is not needed. However, the historical file needs to be updated so the FSCSKEY from the prior year must be supplied in the OLDID field.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
River Bluffs	-3	03	-3	MO0148

To 'Delete a Future' use STATSTRU = 10, Delete an Incorrect Record.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**04 – Move Outlet to a Newly Created Administrative Entity (Divorce)**

If an outlet has broken away from a parent administrative entity to form its own independent library, we must create a parent administrative entity record to establish the new FSCSKEY.

Note: Please see instructions for Outlet Structure Changes to create the outlet record. This code is used when preparing an Import file only.

- FSCSKEY = -3
- STATSTRU = 04
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
New AE	-3	04	-3	-3

**Example:**

The Chino Valley Public Library left the Yavapai County Library administration to form an autonomous entity. A record with the current-year data should be on the file for administrative entities.

The FSCSKEY is not yet assigned, there is no OLDID, and the LINKID is not relevant since no other records are involved. Therefore these fields should have nothing but '-3'.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**



### 05 – Merge Two or More Administrative Entities to Form a New Library (Marriage)

When two or more administrative entities merge into a newly formed library at least three records should exist on the file. One includes information for the new library and current year data. Additionally, at least two records must exist for the libraries that will be forming the new library.

**Note: Outlet records for merged administrative entities must be dispatched. Please see the section on preparing outlet import files for details. Options for the existing outlets are:**

- Adopted by another outlet of a different parent administrative entity
- Closed
- Merged to another administrative entity
- Moved to another administrative entity

New administrative entity (New AE):

- FSCSKEY = -3
- STATSTRU = 05
- LINKID is the same as the LINKID for the records (below) that are merging.
- OLDID = -3

Two (or more) administrative entities that are merging out of existence (Old AEs):

- FSCSKEY = -3
- STATSTRU = 05
- LINKID is the same as the LINKID of the New AE.
- OLDID = the prior year FSCSKEY

	FSCSKEY	STATSTRU	LINKID	OLDID
New AE	-3	05	X	-3
Old AE	-3	05	X	X
Old AE	-3	05	X	X

#### Example:

The Bloomfield Public Library, Aztec Public Library, and Farmington Public Library dissolved as administrative entities and formed a wholly new administrative entity under the name of the San Juan Public Library in the current year. This change requires four records to process. One record will contain all the information for the new San Juan Public Library along with the current year data. Each of the administrative entities that are no longer in operation must be included with the same LINKID as the new record. A new FSCSKEY must be assigned to the new library so that field is not applicable. The OLDID field is valid only for the previously existing records.

	FSCSKEY	STATSTRU	LINKID	OLDID
San Juan	-3	05	NM1	-3
Bloomfield	-3	05	NM1	NM0074
Aztec	-3	05	NM1	NM0004
Farmington	-3	05	NM1	NM0014

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**08 – Restore/Undo Was a 03 (Reopen a Closed Administrative Entity)**

If a library was closed for a time and is reopening, you want to keep the previously assigned FSCSKEY identification number. You can obtain a list of administrative entities that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEYs with historical code of 03 to find the correct identification number for your record.

- FSCSKEY = FSCSKEY from the list of previously closed entities
- STATSTRU = 08
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
Restored AE	X	08	-3	-3

**Example:**

The Old Harbor Library reopened in the current year and needs to be included on the data file. Since the administrative entity existed previously we want to maintain the FSCSKEY so that needs to be entered on the record. The LINKID field is not necessary because no other records are involved. The OLDID is not needed because the record will be on the current-year file.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Old Harbor	AK0108	08	-3	-3

Please reference the Restorable AE tab on the Match to find the closed administrative entity, structure code 03, to restore the administrative entity as a restore/undo was a 03, structure code 08. This will prevent you from opening a newly created administrative entity (birth) that was previously reported and then closed.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**09 – Restore/Undo Was a 10 (Undo a Deleted Administrative Entity)**

Libraries removed from the survey for other reasons than a closure can also be restored. You can obtain a list of administrative entities that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEYs with historical code of 10 to find the correct identification number for your record.

- FSCSKEY = the FSCSKEY from the list of previously deleted entities
- STATSTRU = 09
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
Restored AE	X	09	-3	-3

**Example:**

The Winding Rivers Library System should be included in the current year submission but was deleted previously. Since the administrative entity existed at one time, the FSCSKEY should be used for the current-year file. The LINKID field is not necessary because no other records are involved. The OLDID is not needed because the record will be on the current-year file.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Winding Rivers	WI9013	09	-3	-3

Please reference the Restorable AE tab on the Match to find the administrative entity with the delete an incorrect record, structure code 10, to restore the administrative entity as a restore/undo was a 10, structure code 09. This will prevent you from opening a newly created administrative entity (birth) that was previously reported and then deleted.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**10 – Delete an Incorrect Record**

If a library record should not be on the survey, include a record on the file with the following information to indicate the record is no longer on the file:

- FSCSKEY = -3
- STATSTRU = 10
- LINKID = -3
- OLDID = the prior year FSCSKEY

	FSCSKEY	STATSTRU	LINKID	OLDID
Deleted AE	-3	10	-3	X

**Example:**

The Scotia Public Library was removed from the survey. The FSCSKEY field is not applicable because the record will not be on the current-year file. There is no other record involved so the LINKID is not necessary. The OLDID field must contain the FSCSKEY from the prior year file in order to update the historical file.

The resulting record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Scotia	-3	10	-3	NE9038

To 'Delete a Future' use STATSTRU = 10, Delete an Incorrect Record.

**NOTE:** If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.

**13 – Add an Existing Administrative Entity Not Previously Reported**

To add a library that is not brand new but now meets the FSCS requirements for a public library we require the following information:

FSCSKEY = -3  
STATSTRU = 13  
LINKID = -3  
OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
New AE	-3	13	-3	-3

Since the FSCSKEY has not been assigned the respondent has no information to provide. Adding a new record for a library does not involve another library so the LINKID is unnecessary. And again, because it is a new record, the OLDID field is not needed.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with –3.**

## 22 – Future Administrative Entity FSCS ID Request

**(NOTE to SDC: all Future Library requests MUST be cleared by the SDC before proceeding)**

If a library **has not yet opened** in the current year but requires an FSCS ID, you can request a Future ID. The library will not be carried on final files that are released to the public for the current year, but the ID will be kept on the PY file in WebPLUS file for the next reporting year. The record should include the following information:

- FSCSKEY = -3
- STATSTRU = 22
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
Future AE	-3	22	-3	-3

### Example:

The River Bluffs Regional Library was built during FY09 but will not open their doors until FY2011. The library would like to have an FSCS ID for budgetary purposes. They will first need to clear the request with their State Data Coordinator. The FSCS ID will not be carried on the final current year files that are released to the public, but the ID will be kept and the library will appear on the following year's prior year file.

Since the FSCSKEY has not been assigned, there is no information for the respondent to provide. Adding a new record for a future library does not involve another library, so the LINKID is unnecessary. Since this is a new record, no OLDID exists from the previous year.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
River Bluffs	-3	22	-3	-3

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

If a Future is reported for a second (or more) year, the FSCSKEY field contains the value previously assigned as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Future AE	ID	22	-3	-3

For the reporting year that the library does open, the STATSTRU will be a 02 and the FSCSKEY will be the previously assigned FSCS ID when the record was submitted initially as a Future ID.

**To 'Delete a Future' use STATSTRU = 10, Delete an Incorrect Record.**

**23 – Temporary Closure**

If an administrative entity closed for PART of the current year, we track the change with the STATSTRU = 23. The record should include the following information:

- FSCSKEY = X (the current FSCSKEY)
- STATSTRU = 23
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
Closed AE	-3	23	-3	X

**Example:**

The River Bluffs Regional Library closed for part of the current year due to reconstruction. The library will be kept on the current year file, but marked as temporarily closed, so we will need to keep the same FSCSKEY. There is no other record involved so the LINKID is not needed. No OLDID is needed.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
River Bluffs	-3	23	-3	MO0148

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with –3.**

## 24 – Restore/Undo Was a 23 (Reopen a Temporarily Closed Administrative Entity)

If a library was temporarily closed with a structure code of 23 and is now ready to reopen, you want to keep the previously assigned FSCSKEY identification number. You can obtain a list of administrative entities that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEYs with historical code of 23 to find the correct identification number for your record.

- FSCSKEY = FSCSKEY from the list of previously closed entities
- STATSTRU = 24
- LINKID = -3
- OLDID = -3

	FSCSKEY	STATSTRU	LINKID	OLDID
Restored AE	X	24	-3	-3

### Example:

The Old Harbor Library was temporarily closed for renovations and reopened in the current year. It needs to be included on the data file. Since the administrative entity previously existed, we want to maintain the FSCSKEY so that needs to be entered on the record. The LINKID field is not necessary because no other records are involved. The OLDID is not needed because the record will be on the current-year file.

The record appears as follows:

	FSCSKEY	STATSTRU	LINKID	OLDID
Old Harbor	AK0108	24	-3	-3

Please reference the Restorable AE tab on the Match to find the temporary closure, structure code 23, to restore the administrative entity as a restore/undo was a 23, structure code 24. This will prevent you from opening a newly created administrative entity (birth) that was previously reported and then temporarily closed.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**



### Outlet Structure Changes

In direct data entry, changes to the structure of outlets can be made through the Structure Changes screens by selecting **Structure Changes** and **Outlet** from the **Tools** menu.

If you are importing your data, the outlet structure changes should be recorded using the following codes in the STATSTRU field. Diagrams are included for each type of structure change to clearly indicate what the fields on the file should contain. The diagrams are only partial representations of the file. An 'X' means that information must be supplied for that field. If the information in that column is not needed for the change, please use '-3' to indicate not applicable.

#### 00 – No Change from Last Year

This simply means that nothing about the outlet's structure has changed from the previous year. The only information required is the FSCSKEY, FSCS\_SEQ and STATSTRU.

- FSCSKEY = the prior year FSCSKEY
- FSCS\_SEQ = the prior year FSCS\_SEQ
- STATSTRU = 00
- LINKID = -3
- PARENTID = -3
- OLDID is = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Outlet	X	X	00	-3	-3	-3

#### Example:

The Greenbrier County library operated in the current year just as it did the prior year. The FSCSKEY is provided since the outlet will be included on the current-year file. No other records are involved so the LINKID is not needed. The PARENTID is not necessary since the FSCSKEY will associate the outlet with the correct administrative entity record. The OLDID field is not needed since no information is required for the historical tracking.

The resulting record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Greenbrier	WV0082	002	00	-3	-3	-3

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## 01 –Existing Outlet Absorbs Another Outlet (Adoption)

If one or more outlets no longer function independently and now operates as part of another existing outlet, we require the following information for the records involved, i.e., you should have at least 2 records.

Outlet 'adopting' one or more outlets:

- FSCSKEY = the prior year FSCSKEY
- FSCS\_SEQ = the prior year FSCS\_SEQ
- STATSTRU = 01
- LINKID is the same as the LINKID of the outlet that is being absorbed.
- PARENTID = the LIBID of the parent administrative entity
- OLDID = -3

Outlet(s) being 'adopted':

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 01
- LINKID is the same as the LINKID of the existing outlet
- PARENTID = -3
- OLDID = the prior year FSCSKEY and FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Adopting	X	X	01	X	-3	-3
Adopted	-3	-3	01	X	-3	X

### Example:

The Ira Township Library moved its collection to the Yale Public Library and did not operate in the current year. Since the Yale Public Library was open, a current year record should be included on the outlet file with the same FSCSKEY/FSCS\_SEQ as the prior year. The LINKID is required for both outlet records to make the appropriate connection. The PARENTID is not necessary for either record. Yale has FSCSKEY value as an active outlet that associates it with the parent record and Ira Township will not be on the current-year file. The OLDID is required for Ira Township in order to make the necessary updates to the historical table.

The resulting records appear as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Yale	MI0321	011	01	MI01	-3	-3
Ira	-3	-3	01	MI01	-3	MI0321-006

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## 02 – Newly Created Outlet (Birth)

When a completely new library has opened in the current year, we track that as a birth. We need the following information in the following fields:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 02
- LINKID = -3
- PARENTID = LIBID of the parent administrative entity
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	-3	-3	02	-3	X	-3

### Example:

The Oneida County District added a bookmobile. While the FSCSKEY exists for the parent administrative entity the sequence number (FSCS\_SEQ) needs to be assigned. The LINKID is not necessary because no other record is involved. The PARENTID must be the LIBID of the parent administrative entity to determine the FSCSKEY and next available sequence number. An OLDID does not exist.

The resulting record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Oneida	-3	-3	02	-3	IDMA	-3

Please reference the Restorable Outlet tab on the Match before you open a newly created outlet (birth) to make sure that the outlet you are trying to newly create is truly new. Meaning, the outlet was not previously reported and then closed, deleted, or temporarily closed.

For Future Outlets that requested a FSCS ID in a previous year, the reporting year that the library does open, the STATSTRU will be a 02 and the FSCSKEY and FSCS\_SEQ will be the previously assigned FSCS ID when the record was submitted initially as a Future ID and the PARENTID will be -3 as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	ID	ID	02	-3	-3	-3

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**03 – Closed (Death)**

If an outlet is closed in the current year we track the change simply with the STATSTRU = 03. Include a record on the file with the following information:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 03
- LINKID = -3
- PARENTID = -3
- OLDID = the prior year FSCSKEY and FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Closed Outlet	-3	-3	03	-3	-3	X

**Example:**

The Kitsap Regional Library stopped its bookmobile service. Since the bookmobile outlet will not be on the current-year file, the FSCSKEY and FSCS\_SEQ fields are not needed. No other record is involved so the LINKID is not needed. The PARENTID field is also not needed. The OLDID is required for historical tracking.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Kitsap	-3	-3	03	-3	-3	WA0060-012

To ‘Delete a Future’ use STATSTRU = 10, Delete an Incorrect Record.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**04 – Move Outlet to Newly Created Administrative Entity (Divorce)**

If an outlet has broken away from a parent administrative entity to form its own independent library, we require the following information on the outlet file:

Note: Please see instructions for Administrative Entity Structure Changes for creating the record for the parent.

FSCSKEY = -3

FSCS\_SEQ = -3

STATSTRU = 04

LINKID = -3

PARENTID = the LIBID of the newly created administrative entity.

OLDID = the prior year FSCSKEY and FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Moved Outlet	-3	-3	04	-3	X	X

**Example:**

The Chino Valley Public Library left the Yavapai County Library administration to form an autonomous entity. A new FSCSKEY and FSCS\_SEQ must be assigned and so are not required on the record. The LINKID is not needed because there is only one record involved. The PARENTID must be the LIBID of the newly created parent administrative entity so that the outlet is associated with the correct parent record. The OLDID field is needed to track the historical change.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Chino Valley	-3	-3	04	-3	CHINO	AZ0146-002

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

### 05 – Merge Two or More Outlets to Form a New Outlet (Marriage)

When two or more outlets merge into a newly formed library you should include a record for the new library that contains the current year data as well as records for the outlets that are merging, i.e., you should have at least three records. We require the following information:

New outlet:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 05
- LINKID = the LINKID of the outlets that are merging.
- PARENTID = the LIBID of parent administrative entity
- OLDID = -3

Two (or more) outlets that are merging out of existence:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 05
- LINKID = the LINKID of the new outlet
- PARENTID = -3
- OLDID = the prior year FSCSKEY and FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	-3	-3	05	X	X	-3
Old Outlet	-3	-3	05	X	-3	X
Old Outlet	-3	-3	05	X	-3	X

#### Example:

The Cimarron City Library consolidated all of its collection into a new central facility in the county. A record for the new outlet with the current-year information must be on the file and a record for each of the outlets that will be closing as a result of the merge. The FSCSKEY and FSCS\_SEQ fields will be assigned. The LINKID ensures that the correct records are included in the structure change. The PARENTID is required for the new record only. The LIB ID of the administrative entity provides the association to the correct parent record. The OLDID is required for the old outlet records for historical tracking.

The records appear as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Gray County	-3	-3	05	KS1	KS0048	-3
Cimarron City 1	-3	-3	05	KS1	-3	KS0299-002
Cimarron City 2	-3	-3	05	KS1	-3	KS0299-004
Cimarron City 3	-3	-3	05	KS1	-3	KS0299-005

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**08 – Restore/Undo Was a 03 (Reopen a Closed Outlet)**

If a library was closed for a time and is reopening, you want to keep the previously assigned FSCSKEY/FSCS\_SEQ identification number. You can obtain a list of outlets that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEY/FSCS\_SEQ with historical code of '03' to find the correct identification number for your record.

- FSCSKEY = FSCSKEY from the list of previously closed entities
- FSCS\_SEQ = FSCS\_SEQ from the list of previously closed entities for the FSCSKEY
- STATSTRU = 08
- LINKID = -3
- PARENTID = -3
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Restored Outlet	X	X	08	-3	-3	-3

**Example:**

The Old Harbor library is restored on the administrative entity file and so the outlet record is also restored. The FSCSKEY and FSCS\_SEQ fields are required because the record will be on the current-year file. The LINKID is not needed because no other records are involved. The PARENTID is not needed because the outlet can be associated to the parent record from the FSCSKEY field. The OLDID is also not needed.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Old Harbor	AK0108	002	08	-3	-3	-3

Please reference the Restorable Outlet tab on the Match to find the closed outlet, structure code 03, to restore the outlet as a restore/undo was a 03, structure code 08. This will prevent you from opening a newly created outlet (birth) that was previously reported and then closed.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**09 – Restore/Undo Was a 10 (Undo a Deleted Outlet)**

Libraries removed from the survey for other reasons than a closure can also be restored. You can obtain a list of outlets that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEY/FSCS\_SEQ with historical code of 10 to find the correct identification number for your record.

- FSCSKEY = the FSCSKEY from the list of previously deleted outlet records
- FSCS\_SEQ = the FSCS\_SEQ from the list of previously deleted outlets for the FSCSKEY
- STATSTRU = 09
- LINKID = -3
- PARENTID = -3
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Restored Outlet	X	X	09	-3	-3	-3

**Example:**

The Winding River Library System was restored to the administrative entity file and the outlet should also be restored. The FSCSKEY and FSCS\_SEQ fields are required since it will be on the current-year file. The LINKID field is not necessary because no other records are involved. The PARENTID is not necessary because the FSCSKEY provides the association to the parent record. The OLDID is also not needed.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Winding River	WI9013	003	09	-3	-3	-3

Please reference the Restorable Outlet tab on the Match to find the outlet with the delete an incorrect record, structure code 10, to restore the outlet as a restore/undo was a 10, structure code 09. This will prevent you from opening a newly created outlet (birth) previously reported and then deleted.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**



## 10 – Delete an Incorrect Record

If a library record should not be on the survey, include a record on the file with the following information to indicate the record is no longer on the file:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 10
- LINKID = -3
- PARENTID = -3
- OLDID = the prior year FSCSKEY/FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Deleted Outlet	-3	-3	10	-3	-3	X

### Example:

The Scotia Public Library was removed from the survey. The FSCSKEY and FSCS\_SEQ fields are not applicable because the record will not be on the current-year file. There is no other record involved so the LINKID is not necessary. The OLDID field must contain the FSCSKEY/FSCS\_SEQ from the prior year file in order to update the historical file.

The resulting record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Scotia	-3	-3	10	-3	-3	NE9038-001

To 'Delete a Future' use STATSTRU = 10, Delete an Incorrect Record.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## 11 – Outlet Moves to Different Previously Existing Administrative Entity

If an outlet comes under the jurisdiction of another administrative entity that currently exists, we require the following information:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 11
- LINKID = -3
- PARENTID = the LIBID of the parent administrative entity the outlet is moving
- OLDID = the prior year FSCSKEY-FSCS\_SEQ, e.g., AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Moved Outlet	-3	-3	11	-3	X	X

### Example:

Going back to the merge example for administrative entities where the Bloomfield, Aztec, and Farmington Public libraries merged to form a county library we need to resolve the outlets. For simplicity we'll say that all of the outlets will be operating under the newly created administrative entity called San Juan Public Library. The FSCSKEY and FSCS\_SEQ fields will be assigned by the WebPLUS application. The LINKID is not necessary because even though there are several records they are processed independently in this structure change. The PARENTID is the LIB ID of the new San Juan Public Library so that the outlets can be associated with the correct parent record. The OLDID field is necessary for historical tracking.

The records appear as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Bloomfield	-3	-3	11	-3	SANJUAN	NM0074-002
Aztec	-3	-3	11	-3	SANJUAN	NM0004-002
Farmington	-3	-3	11	-3	SANJUAN	NM0014-002

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**13 – Add an Existing Outlet Not Previously Reported**

To add an outlet that is not brand new but now meets the FSCS definition for a public library, we require the following information:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 13
- LINKID = -3
- PARENTID = the LIBID of the parent administrative entity
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	-3	-3	13	-3	103-445	-3

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

**22 – Future Outlet FSCS ID Request**

**(NOTE to SDC: all Future Library requests MUST be cleared by the SDC before proceeding)**

If a library **has not yet opened** in the current year but requires an FSCS ID, you can request a Future ID. The library will not be carried on final files that are released to the public for the current year, but the ID will be kept on the PY file in WebPLUS file for the next reporting year. The record should include the following information:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 22
- LINKID = -3
- PARENTID = LIBID of the parent administrative entity
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	-3	-3	22	-3	X	-3

**Example:**

The Oneida Regional Library was built during FY09 but will not open their doors until FY2011. The library would like to have an FSCS ID for budgetary purposes. They will first need to clear the request with their State Data Coordinator. The FSCS ID will not be carried on the final current year files that are released to the public, but the ID will be kept and the library will appear on the following year's prior year file.

Any new Administrative Entity requires an associated Outlet as well. Since the FSCSKEY has not been assigned, there is no information for the respondent to provide. Adding a new record for a future library does not involve another library, so the LINKID is unnecessary. Since this is a new record, no OLDID exists from the previous year.

The resulting record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Oneida	-3	-3	22	-3	IDMA	-3

If a Future is reported for a second (or more) year, the FSCSKEY and FSCS\_SEQ fields contain the values previously assigned and the PARENTID will be -3 as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
New Outlet	ID	ID	22	-3	-3	-3

For the reporting year that the library does open, the STATSTRU will be a 02 and the FSCSKEY and FSCS\_SEQ will be the previously assigned FSCS ID when the record was submitted initially as a Future ID and the PARENTID will be -3.

**To 'Delete a Future' use STATSTRU = 10, Delete an Incorrect Record.**

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

### 23 – Temporary Closure

If an outlet closed for PART of the current year, we track the change with the STATSTRU = 23. The record should include the following information:

- FSCSKEY = -3
- FSCS\_SEQ = -3
- STATSTRU = 23
- LINKID = -3
- PARENTID = -3
- OLDID = the prior year FSCSKEY and FSCS\_SEQ, e.g. AL0002-002

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Closed Outlet	-3	-3	23	-3	-3	X

#### Example:

The Scotia Public Library closed for part of the current year due to reconstruction. The library will be kept on the current year file, but marked as temporarily closed, so we will need to keep the same FSCSKEY. There is no other record involved so the LINKID is not needed. No OLDID is needed.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Scotia Public Library	-3	-3	23	-3	-3	NE9038-001

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## 24 – Restore/Undo Was a 23 (Reopen a Temporarily Closed Outlet)

If a library was temporarily closed with a structure code of 23 and is now ready to reopen, you want to keep the previously assigned FSCSKEY identification number. You can obtain a list of administrative entities that are eligible to restore by selecting File Export under the Tools menu. Check for FSCSKEYs with historical code of '23' to find the correct identification number for your record.

- FSCSKEY = FSCSKEY from the list of previously closed entities
- FSCS\_SEQ = FSCS\_SEQ from the list of previously closed entities for the FSCSKEY
- STATSTRU = 24
- LINKID = -3
- PARENTID = -3
- OLDID = -3

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Restored Outlet	X	X	24	-3	-3	-3

### Example:

The Old Harbor Library was temporarily closed for renovations and reopened in the current year. The administrative entity and outlet files need to be included on the data file. The FSCSKEY and FSCS\_SEQ fields are required because the record will be on the current-year file. The LINKID is not needed because no other records are involved. The PARENTID is not needed because the outlet can be associated to the parent record from the FSCSKEY field. The OLDID is also not needed.

The record appears as follows:

	FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
Old Harbor	AK0108	002	24	-3	-3	-3

Please reference the Restorable Outlet tab on the Match to find the temporary closure, structure code 23, to restore the outlet as a restore/undo was a 23, structure code 24. This will prevent you from opening a newly created outlet (birth) previously reported and then temporarily closed.

**NOTE: If you are preparing an import file, it is important to remember that you cannot have any empty or blank fields on your file. Fill all non-applicable fields with -3.**

## Appendix C – Resolving the Match Report

### Resolving the Match Report by Worksheet by Message

Except for invalid codes and duplicate IDs, the messages on the match report are general because they refer to format problems on the record. The information on each record must be consistent with the status code in order for the match to complete properly.

The following information is organized by the worksheet in the report by edit message. Except for an outright invalid value and the restore options, the following instructions assume the status code is the intended value. If you find you need to change the status code, you should check the record's identifying information (e.g., FSCSKEY, OLDID, LINKID, etc.) to be sure it is consistent with the new code. You can refer to Appendix D for the correct structure codes and formats.

Examples and diagrams are provided. Please note that the diagrams are partial representations of the import record that pertain only to the match.

Reminder: Depending on how a record is formatted, you may see more than one error message that relates to a single record and possibly on different worksheets.

## I. Admin Single

Each record has a message to indicate the type of problem the must be resolved.

### A. INVALID Status Code

You can use WebPLUS to reset the record to the prior year's status code through the Structure Change menu, or you can correct the data file to import again. The only valid entries for the STATSTRU field on the administrative entity file are:

"00" – no change

"01" – one administrative entity or outlet absorbs one or more administrative entities or outlets (adoption)

"02" – new

"03" – closed

"04" – outlet forms independent administrative entity

"05" – two administrative entities or outlets merged into a new library (marriage)

"08" – previously closed administrative entity or outlet is restored

"09" – previously omitted administrative entity or outlet is restored

"10" – an administrative entity or outlet is removed from the survey

"13" – a previously existing library is added to the survey for the first time

"22" – future administrative entity FSCS ID request

"23" – temporary closure of an administrative entity or outlet

"24" – previously temporarily closed administrative entity or outlet is restored



**B. This AE was not on the PY file**

Any entry other than -3 in the FSCSKEY or OLDID fields must have a corresponding record on the prior-year public release data file. You can obtain a prior-year file from the Export Files utility under the Tools menu.

Possible solutions:

- i. A record was included on the current-year file in error and should be removed.

You can delete the record either from your import file or through the Structure Change menu option to "Delete an Incorrect Record".

- ii. The OLDID entry is incorrect. Check for a possible data entry error. If that is not the problem, check the prior-year record from the File Export to ensure you are using the correct FSCS ID information.

Example: The Beaver County Public Library System closed in the current-year. The prior-year FSCS ID# for the administrative entity is OK0010. That information was entered incorrectly in the OLDID field.

Note: This record will generate **two** error messages. In addition to the OLDID not being on the prior-year file, you will see a message that OK0010 was on the prior-year but not the current.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK1010

Corrected:

FSCSKEY	STATSTRU	LINKID	<b>OLDID</b>
-3	03	-3	<b>OK0010</b>

**C. This AE was reported last year, but is missing on the CY file**

An administrative entity was on the survey in the last collection but is not included on the current file.

- i. The record is not on the import file. You can either:
  - 1. Use the “Resolve Records Listed on Prior Year Not Included on Current Year” option on the Structure Change menu in WebPLUS.
    - a. Mark this existing Administrative Entity as being closed
    - b. Mark this Administrative Entity as being deleted (as an incorrect record)
    - c. Retain the prior year record
  - 2. Add a record to the current file with an appropriate status code.
    - a. If the administrative entity is still active, the status code is “00” or possibly “01” with the correct FSCS information in the FSCSKEY field.
    - b. If it is inactive, possible status codes are “01”, “03”, “05”, ‘10’, or ‘23’ with the FSCSKEY provided in the OLDID field.
- ii. The entry in either the FSCSKEY or OLDID field is incorrect. Check the prior-year file to ensure you have the same FSCS ID# information for the administrative entity name listed.

**Example:**

The Beaver County Public Library System prior-year FSCS ID appears to be missing because it was entered incorrectly in the OLDID field.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK1010

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK0010

**D. FSCSKEY cannot be -3 for STATUS (“00”, “08”, “09”, or “24”) Records**

You must supply FSCS ID# information for all records that will be included on the current-year file.

**Example:**

The Stillwater Public Library is being restored to the survey but the FSCSKEY information is in the wrong field. (You can obtain a list of restorable records from the File Export feature under Tools.)

FSCSKEY	STATSTRU	LINKID	OLDID
-3	08	-3	OK0089

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
<b>OK0089</b>	08	-3	-3

**Example:**

The FSCSKEY for the Inola Public Library was entered in the OLDID field.

Hint: This error will produce two messages on the report. The other is “OLDID must be -3 for STATUS 00 Records.”

FSCSKEY	STATSTRU	LINKID	OLDID
-3	00	-3	OK0050

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
<b>OK0050</b>	00	-3	-3

**E. FSCSKEY must be -3 for STATUS ("02", "03", "04", "05", "10", "13", "22", or "23") Records**

i. New records are identified by status codes "02", "04", "05" for a newly created administrative entity from a merge, and "13", or "22". Because WebPLUS assigns new FSCS IDs only after a successful match, this information does not exist for records with these structure change codes. If the status code is correct on the record, the only appropriate entry is "-3" for the FSCSKEY field.

ii. Inactive records that are excluded from the current-year are "01" for an adopted administrative entity, "03", "10", and "23". All FSCS ID information is required in the OLDID field so the information will be recorded appropriately to the historic file and omitted from the current year table.

**Example:**

The Medford Public Library is closed for the current processing year so the FSCSKEY entry should be in the OLDID field.

FSCSKEY	STATSTRU	LINKID	OLDID
OK0063	03	-3	-3

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK0063

iii. Status code "05" signals a newly formed library as well as at least two inactive records. All three records must have -3 in FSCSKEY field.

**Example:**

The Sentinel Public Library and the Chickasha Public Library are forming a new library. When the record for the new Sam Houston Memorial Library was created, the Sentinel Public Library FSCS ID was left on the record.

FSCSKEY	STATSTRU	LINKID	OLDID
OK0024	05	New1	-3

FSCSKEY	STATSTRU	LINKID	OLDID
-3	05	New1	OK0024

FSCSKEY	STATSTRU	LINKID	OLDID
-3	05	New1	OK0021

Corrected: In this instance only the 'new' record needs to be changed.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	05	New1	-3

**F. LINKID cannot be -3 for STATUS ("01" or "05") Records**

Adoptions and marriages are structure changes that involve more than one administrative entity record. In order to process the records correctly the LINKID field must be the same for all associated records.

You must identify the associated records and enter the proper LINKID value.

**Adoption Example:** The Cherokee City-County Library is adopting the Carmen Public Library. Unfortunately, the LINKID fields for the two records were not completed.

FSCSKEY	STATSTRU	LINKID	OLDID
OK0020	01	-3	-3
-3	01	-3	OK0016

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
OK0020	01	<b>OK1</b>	-3
-3	01	<b>OK1</b>	OK0040

**Merge (marriage) Example:** The Frederick Public Library and the Grandfield Public Library merged to form a new Tillman County Public Library. When the record for the new administrative entity was added to the file, the LINKID was omitted.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	05	OK4	OK0038
-3	05	OK4	OK0040
-3	05	-3	-3

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
-3	05	OK4	OK0038
-3	05	OK4	OK0040
-3	05	<b>OK4</b>	-3

**Please note: The LINKID field is the same for records in the same transaction but should be unique for each set of records.**

**G. LINKID must be -3 for STATUS ("00", "02", "03", "04", "08", "09", "10", "13", "22", "23", or "24") Records**

The LINKID field is only required when two or more records are affected by the same structure change. Any records with the values listed above for STATSTRU must have the LINKID field as -3.

**Example:**

The Vinita Public Library is closed for the current-year. This does not involve another administrative entity so the LINKID is unnecessary.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	OK0094	OK0094

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK0094

**H. OLDID cannot be -3 for STATUS ("03", "10" or "23") Record**

Records that will not be on the current-year administrative entity file must provide the OLDID field value for historical tracking purposes.

**Example:**

Wynnewood Public Library was closed for the current year. The software is looking for the FSCS ID information in the OLDID field so that the record can be successfully posted to the historic table.

FSCSKEY	STATSTRU	LINKID	OLDID
OK0103	03	-3	-3

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK0103

**I. OLDID must be -3 for STATUS ("00", "02", "04", "08", "09", "13", "22" or "24") Records**

The OLDID is not appropriate for records included on the current-year file. Any record with the listed values for STATSTRU must have the OLDID field set to -3.

**Example:**

The Oilton Public Library is reopening and must be restored to the survey. The OLDID field was mistakenly filled with the FSCS ID# that should be in the FSCSKEY field.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	08	-3	OK0072

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
OK0072	05	-3	-3



**J. Cannot restore AE, there is no old AE with STATUS (“03”, “10” or “23”) Records**

Each restore code specifically relates to the type of delete action that originally removed the record from the survey. If the current record is truly a restore, refer to the file of eligible restore records to determine the correct status code to restore the record to the survey.

**Example:**

The Elgin Community Library was temporarily closed and is now ready to reopen. The record is on the historical table with a code of '03' so the correct restore code is '08'.

FSCSKEY	STATSTRU	LINKID	OLDID
OK0115	09	-3	-3

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
OK0115	<b>08</b>	-3	-3

**K. Admin record does not have any outlets**

Every administrative entity must be associated with at least one outlet record.

Possible solutions:

- i. Check the outlet file to determine if record(s) are missing from the file
  1. If the administrative record was added or restored to the current-year file but the outlets were omitted either add or restore the records as appropriate.
  2. If the records were removed from the file through a structure change, e.g. adopted by another administrative entity or merged with another outlet:
    - a. If the action is correct, remove the administrative entity record with the appropriate structure change.
    - b. If the action is not correct:
      - i. Fix the outlet record, import, and rerun the match.
      - ii. Reset the outlet record through the Structure Change option from the Tools menu.
  3. If the records were omitted from the file:
    - a. Add the record to the import file, input again, and re-run the match.
    - b. Add the record to the database through the Structure Change option from the Tools menu.
- ii. If the appropriate record or records are on the outlet file:
  1. For a new outlet, check the PARENTID field to be sure it is the same as the LIBID of the parent administrative entity.
  2. For restored or prior-year outlets, check the FSCSKEY field to be sure it is correct.

**II. Admin Multi**

This worksheet lists all records associated by the LINKID in structure changes that involve more than one administrative entity. Only one message will be provided for each set of associated records because more than one record may require attention.

**A. All FSCSKEYs and OLDIDs must be Unique (unless -3)**

The FSCS identification information is unique for every administrative entity record whether it is active or inactive. The OLDID is the FSCSKEY from prior-years and must be uniquely referenced on the current-year file.

**Example:**

This record has the same value for the FSCSKEY and OLDID fields. Since the status code is "00" for this example, the OLDID field should be "-3".

FSCSKEY	STATSTRU	LINKID	OLDID
OK0003	00	-3	OK0003

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
<b>OK0003</b>	00	-3	<b>-3</b>

**Example:**

The Fairview City Library closed but the OLDID information was entered incorrectly and matches another record with the same FSCSKEY value.

FSCSKEY	STATSTRU	LINKID	OLDID
-3	03	-3	OK0073

Corrected:

FSCSKEY	STATSTRU	LINKID	OLDID
<b>OK0037</b>	00	-3	<b>-3</b>

In this case, you will also get a message on the Admin Single page because OK0037 is on the prior-year file but not on the current-year.

**B. All LIBIDs must be UNIQUE for AE records**

The LIBID field is used to associate outlet records with the parent administrative entity and therefore must not be duplicated on the administrative entity file.

**C. These records do not comply with the rules for Adoption**

An adoption occurs when two or more administrative entities merge but one of them remains on the current file. These records **must** share the same **LINKID** value so that the correct ones are processed together. The information required is different for the record that will be on the current file than for the record(s) that will be excluded.

Refer to Appendix D for diagrams illustrating how the records should be constructed.

Possible solutions:

- i. If your Match Report shows only one record with status "01".
  1. If a record is missing, you must include the record(s) for the other administrative entities involved.
  2. If the LINKID is missing on another record in your file, you must correct it.
- ii. If two or more records have the same LINKID but the status codes are not all "01", determine if the records listed are supposed to be associated.
  1. If they are not and the status code is correct, change the value of the LINKID field to "-3".
  2. If they are, change the status code to "01".
- iii. If two or more records exist on the current file with the same LINKID and status "01" you must examine the individual records to determine the problem.
- iv. The record that will remain on the file:
  1. The FSCSKEY must exist on the prior year file.
  2. The OLDID must be "-3".
- v. The record(s) not left on the file:
  1. The FSCSKEY must be "-3".
  2. The OLDID must exist on the prior-year file.

**D. These records do not comply with the rules for Marriage**

A marriage occurs when two or more administrative entities merge to create a wholly new administrative entity. This is different from the adoption structure change because a record must be on the file that contains the data for the newly formed administrative entity. All of the records **must** share the same **LINKID** value so that the correct ones are processed together. Different information is required for each record to determine which is the new administrative entity record and which are being removed from the survey.

Refer to Appendix B for diagrams illustrating how the records should be constructed.

Possible solutions:

- i. If your Match Report shows less than three records with status code "05"
  1. If any records are missing, you must add them to the file.
  2. If the LINKID is missing on one or more records, you must add it to the appropriate administrative entities.
- ii. If three or more records share the same LINKID but the status codes are not "05" for all, determine if the records listed are supposed to be associated.
  1. Change the LINKID to "-3" if they are not associated and the status codes are correct.
  2. Change the status code to "05" if the records are associated.
- iii. If three or more records exist on the current file with the same LINKID and status "05" you must examine the individual records to determine the problem.
  1. The record that will be created for the current file
    - a. The FSCSKEY must be "-3".
    - b. The OLDID must be "-3".
  2. The records not remaining on the file
    - a. The FSCSKEY must be "-3".
    - b. The OLDID must exist on the prior-year file.

### III. Outlet Single

Each record has a message to indicate the type of problem that must be resolved.

#### A. INVALID Status Code

The only valid entries for the STATSTRU field on the outlet file are:

“00” – no change

“01” – one administrative entity or outlet absorbs one or more administrative entities or outlets (adoption)

“02” – new

“03” – closed

“04” – outlet forms independent administrative entity

“05” – two administrative entities or outlets merged into a new library (marriage)

“08” – previously closed administrative entity or outlet is restored

“09” – previously omitted administrative entity or outlet is restored

“10” – an administrative entity or outlet is removed from the survey

“11” – an outlet moves to a different parent administrative entity

“13” – a previously existing library is added to the survey for the first time

“22” – future outlet FSCS ID request

“23” – temporarily closed outlet

“24” – previously temporarily closed outlet is restored

**B. This Outlet was not on the PY file**

Any entry in the FSCSKEY-FSCS\_SEQ or OLDID fields must have a corresponding record on the prior-year file. You can obtain a prior-year file from the Files Export utility under the Tools menu.

Possible solutions:

- i. A record was included on the current-year file in error and should be removed. You can use the “Delete an Incorrect Record” option on the Structure Change menu or simply delete the record from your data file and import again.
- ii. The FSCSKEY-FSCS\_SEQ or OLDID entry is incorrect. Check the prior-year file to make corrections to your data file. You can only correct the import file for this problem.

**Example:**

The Wright Library closed but the OLDID value is entered incorrectly.

FSCSKEY	FSCS_SEQ	STATSTR U	LINKID	PARENTI D	OLDID
-3	-3	03	-3	-3	CR0074-222

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	03	-3	-3	CR0074-022

- iii. You intended to restore a previously closed record.

**Example:**

The Tulsa City-County Library System outlet was previously closed. The record is a legitimate restore candidate so if it is to remain on the file the value for STATSTRU should be '08'.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0093	022	00	-3	-3	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0093	022	08	-3	-3	-3



**C. This Outlet was reported last year, but is missing on the CY file**

An outlet was on the survey in the last collection but is not included on the current file.

Possible solutions:

- i. The entry in either the FSCSKEY-FSCS\_SEQ or OLDID field is incorrect. Check the prior-year file to ensure you have the same FSCS ID# information for the outlet name listed.

**Example:**

The Alva Public Library (OK0003-002) is being adopted by another outlet. The OLDID field is not correct and so the record appears to be unaccounted from the previous year.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	01	OK1	-3	OK003-002

Corrected:

FSCSKEY	FSCS_SEQ	STATSTR	LINKID	PARENTI	OLDID
-3	-3	U 01	OK1	D -3	OK0003-002

Alternatively, you can use the “Resolve Records Listed on Prior Year Not Included on Current Year” option on the Structure Change menu.

- ii. The record was omitted. Add a record to the current file with an appropriate status code.
  - 1. If the outlet is still active the status code is “00”.
  - 2. If it is inactive possible status codes are “01”, “03”, “05”, “10”, or “23”.
- iii. A record was miscoded in the current-year file in error.

Please see Appendix B – Name, Address, and Structure Changes for detailed explanation of name, address, and structure codes.

**D. FSCSKEY cannot be -3 for STATUS ("00", "08", "09", or "24") Records or FSCS\_SEQ cannot be -3 for STATUS ("00", "08", "09", or "24") Records**

You must supply FSCS ID# information for all records that will be included on the current-year file.

**Example:**

The Newcastle Public Library appears missing from the file because no FSCS ID information was provided. If the value for STATSTRU is correct, check the prior-year file for the required information.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	00	-3	-3	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
<b>OK0070</b>	<b>004</b>	00	-3	-3	-3

**E. FSCSKEY must be -3 for STATUS (“02”, “03”, “04”, “05”, “10”, “11”, “13”, “22”, or “23”) Records or FSCS\_SEQ must be -3 for STATUS (“02”, “03”, “04”, “05”, “10”, “11”, “13”, “22”, or “23”) Records**

- i. New records are identified by status codes “02”, “04”, “05” for a newly created outlet from a merge, “11”, “13”, and “22”. Because the FSCS ID# has not been assigned, no information for that field exists. The only appropriate entry is “-3” for records with these codes.

**Example:**

The Ardmore Public Library central outlet is going to move to the Chickasaw Regional Library System. Even though the FSCS ID information is available for Chickasaw, the software must still assign the sequence number.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0006	-3	11	-3	1	OK0006-002

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	11	-3	1	OK0006-002

- ii. Inactive records that are excluded from the current-year are “03”, “05” where existing outlets are forming a new outlet, “10” or “23”. Any FSCS ID information is required in the OLDID field.

**Example:**

The Walters Public Library central outlet (OK0096-002) is merging with the Watonga Public Library central outlet (OK0097-0002). The FSCS ID information for these records should be in the OLDID field so it can be posted to the historical table.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0096	002	05	OK55	-3	-3
OK0097	002	05	OK55	-3	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	05	OK55	-3	OK0096-002
-3	-3	05	OK55	-3	OK0097-002

**F. LINKID cannot be -3 for STATUS (“01” or “05”) Record**

Adoptions and marriages are structure changes that involve more than one outlet record. In order to process the records correctly the LINKID field must be the same for all associated records.

You must identify the associated records and enter the proper LINKID value.

**Example:**

The Chelsea Public Library outlet record is merging with another outlet but no information is provided on the records involved in the structure change.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	05	-3	-3	OK0019-002

Corrected:

With the LINKID provided WebPLUS can now identify the other two records involved in the merge.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	05	<b>OK50</b>	BOONE	-3
-3	-3	05	OK50	-3	OK0019-002
-3	-3	05	OK50	-3	OK0020-002

**G. LINKID must be -3 for STATUS ("00", "02", "03", "04", "08", "09", "10", "11", "13", "22", "23" or "24") Record**

The LINKID field is only required when two or more records are affected by the same structure change. Any records with the values listed above for STATSTRU must have the LINKID field as -3.

**Example:**

The Florence Park Library central outlet is reopening after renovations are complete. No other outlets are required for this structure change so there is no need for a LINKID.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0093	008	08	FLO	-3	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0093	008	08	-3	-3	-3

**H. OLDID cannot be -3 for STATUS ("03", "04", "10", "11", or "23") Records**

Records that will not be on the current-year outlet file must provide the OLDID field value for historical tracking purposes.

**Example:**

The Seiling Public Library is no longer a branch of the Western Plains Library System and is now a branch of the Watonga Public Library. The outlet record will require new FSCS ID information based on the PARENTID provided for Watonga and the OLDID information is required for historical update.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0024	006	11	-3	98	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	11	-3	98	OK0024-006

**I. OLDID must be -3 for STATUS (“00”, “02”, “08”, “09”, “13”, “22”, or “24”) Records**

Records that will be on the current-year outlet file do not require OLDID information.

**Example:**

The Hollis Public Library is not undergoing any structural change for the current-year. The only identification information needed is the FSCS ID fields.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0002	002	00	-3	-3	OK0002-002

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0002	002	00	-3	-3	-3

**J. PARENTID cannot be -3 for STATUS (“02”, “04”, “11”, “13”, or “22”) Records**

The PARENTID is the field that links the outlet to the correct parent administrative entity. It is defined as the LIBID of the parent record and must be provided when outlets are added to the file or moving to a new parent.

**Example:**

The Davis Public Library is no longer a branch of the Chickasaw Regional Library System but has moved to a new parent administrative entity. New FSCS ID information will have to be assigned to the outlet record and the new parent administrative entity record. The PARENTID must be provided in order to associate the correct outlet and administrative entity records.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	04	-3	-3	OK0007-013

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	04	-3	<b>138</b>	OK0007-013



**K. PARENTID must be -3 for STATUS (“00”, “01”, “03”, “08”, “09”, “10”, “23”, or “24”) Records**

The FSCS ID# information is required for the status codes listed above so the PARENTID is not needed to identify the parent administrative entity.

**Example:**

The Pond Creek City Library is being restored to the current-year file. Restored outlet records must provide the FSCS ID information and can be associated to the corrected parent administrative entity record. The PARENTID field is not required.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0108	002	08	-3	POND	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK0108	002	08	-3	-3	-3

**L. Cannot restore Outlet, there is no old Outlet with STATUS (“03”, “10”, or “23”)**

Each restore code specifically relates to the type of delete action that originally removed the record from the survey. If the current record is truly a restore, refer to the file of eligible restore records to determine the correct status code to restore the record to the survey.

**Example:**

The Kansas Public Library was previously closed and is now reopening. The appropriate restore code for a closed outlet is “08”.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK8001	001	09	-3	-3	-3

Corrected:

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
OK8001	001	<b>08</b>	-3	-3	-3

**M. Outlet Record is not on the AE file**

Every outlet record must have an active parent administrative entity record on the current-year file.

Possible solutions:

- i. If the outlet record is active for the current-year under the FSCS ID information provided:
  1. The parent administrative entity may require correction in order to be processed as a current-year record.
  2. If the administrative entity record is missing from the current-year file, add it ensuring that it is coded properly for current processing.
- ii. If the outlet record is NOT active for the current-year under the FSCS ID information provided:
  1. Correct the FSCS ID information if appropriate.
  2. Remove the outlet record from the file.

**N. PARENTID is not on the AE File**

The PARENTID is the field that links the outlet to the correct parent administrative entity. It is defined as the LIBID of the parent record and must be provided when outlets are added to the file or moving to a new parent.

Possible solutions:

- i. If the administrative entity record is missing, add it to the file making sure that the LIBID entry matches the PARENTID entry on the outlet record.
- ii. If the administrative entity record is present, make sure the LIBID and PARENTID fields match.

**IV. Outlet Multi**

This worksheet lists all records associated by the LINKID in structure changes that involve more than one outlet. Only one message will be provided for each set of associated records because more than one record may require attention.

**A. All FSCSKEYs and OLDIDs must be Unique (unless -3)**

The FSCS ID information is unique for every outlet record whether it is active or inactive. The OLDID is the FSCSKEY from prior-years and must be uniquely referenced on the current-year file.

**Example:**

The Suburban Acres Library is moving from its current parent administrative entity to form its own administrative entity. Two records ended up on the file with the same OLDID information because an incorrect 'add' record was not removed.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	02	-3	OK200	OK0093-023
-3	-3	04	-3	OK200	OK0093-023

Corrected:

Remove the incorrect add record.

FSCSKEY	FSCS_SEQ	STATSTRU	LINKID	PARENTID	OLDID
-3	-3	04	-3	OK200	OK0093-023

**B. These records do not comply with the rules for Adoption**

An adoption occurs when two or more outlets merge but one of them remains on the current file. These records **must** share the same **LINKID** value so that the correct ones are processed together. The information required is different for the record that will be on the current file than for the record(s) that will be excluded.

Refer to Appendix D for diagrams illustrating how the records should be constructed.

Possible solutions:

1. If your Match Report shows only one record with status "01".
  - a. If a record is missing, you must include the record(s) for the other outlet involved.
  - b. If the LINKID is missing on another record in your file, you must correct it.
2. If two or more records have the same LINKID but the status codes are not all "01", determine if the records listed are supposed to be associated.
  - a. If they are not and the status code is correct, change the value of the LINKID field to "-3".
  - b. If they are, change the status code to "01".
3. If two or more records exist on the current file with the same LINKID and status "01" you must examine the individual records to determine the problem.
4. The record that will remain on the file:
  - a. The FSCSKEY-FSCS\_SEQ must exist on the prior year file.
  - b. The OLDID must be "-3".
5. The record(s) not left on the file:
  - a. The FSCSKEY-FSCS\_SEQ must be "-3".
  - b. The OLDID must exist on the prior-year file.

**C. These records do not comply with the rules for Marriage**

A marriage occurs when two or more outlets merge to create a wholly new outlet. This is different from the adoption structure change because a record must be on the file that contains the data for the newly formed outlet. All of the records **must** share the same **LINKID** value so that the correct ones are processed together. Different information is required for each record to determine which is the new outlet record and which are being removed from the survey.

Refer to Appendix D for diagrams illustrating how the records should be constructed.

Possible solutions:

1. If your Match Report shows less than three records with status code "05".
  - a. If any records are missing, you must add them to the file.
  - b. If the LINKID is missing on one or more records, you must add it to the appropriate outlets.
2. If three or more records share the same LINKID but the status codes are not "05" for all, determine if the records listed are supposed to be associated.
  - a. Change the LINKID to "-3" if they are not associated and the status codes are correct.
  - b. Change the status code to "05" if the records are associated.
3. If three or more records exist on the current file with the same LINKID and status "05" you must examine the individual records to determine the problem.
  - a. The record that will be created for the current file.
    - i. The FSCSKEY-FSCS\_SEQ must be "-3".
    - ii. The OLDID must be "-3".
  - b. The records not remaining on the file.
    - i. The FSCSKEY-FSCS\_SEQ must be "-3".
    - ii. The OLDID must exist on the prior-year file.

**V. Name Changes**

This worksheet lists inconsistencies between the name status code (STATNAME) and the year-to-year change in the administrative entity or outlet name.

**A. STATNAME Invalid**

The only valid values for STATNAME are:

1. "00" – no change from the prior year
2. "06" – the administrative entity or outlet has made an official name change
3. "14" – the administrative entity or outlet name has changed but it is not an official change

**B. STATNAME 00 and Name Change**

The name field value is not the same as the prior-year but the status code does not explain the change.

**C. STATNAME 06 and no Name Change**

The name field value is the same as the prior-year but the status code indicates an official name change.

**D. STATNAME 14 and no Name Change**

The name field value is the same as the prior-year but the status code indicates that a minor name change has occurred.



**VI. Address Changes**

This worksheet lists inconsistencies between the street address status code (STATNAME) and the year-to-year change in the physical location or street address of the administrative entity or outlet record.

**A. STATADDR Invalid**

The only valid values for STATNAME are:

1. "00" – no change from the prior year
2. "07" – the administrative entity or outlet has changed its physical location
3. "15" – the address has a minor change from the prior year but is still in the same physical location

**B. STATADDR 00 and Address Change**

The address field entry is not the same as the prior year but the status code does not explain the change.

**C. STATADDR 07 and no Name Change**

The address field entry is the same as the prior year but the status code indicates a location change.

**D. STATADDR 15 and no Name Change**

The address field entry is the same as the prior year but the status code indicates a minor change.



## Appendix D – Import File Specifications

Administrative Entity Import File Specifications					
Variable Name	Data Element Name	Width	ASCII Position	Excel / .csv Column	Type/ Decimals
FSCSKEY	NCES Identification number	6	1	A	Character
STATSTRU	Status of AE record current to prior year	2	7	B	Character
STATNAME	Status of LIBNAME current to prior year	2	9	C	Character
STATADDR	Status of ADDRESS current to prior year	2	11	D	Character
LINKID	User Defined, used to link two or more AE together.	20	13	E	Character
OLDID	Old FSCSKEY	6	33	F	Character
LIBID	State assigned identification number MUST BE UNIQUE	20	39	G	Character
LIBNAME	Legal Name	60	59	H	Character
ADDRESS	Physical Street Address	35	119	I	Character
CITY	City	20	154	J	Character
ZIP	ZIP Code	5	174	K	Character
ADDRES_M	Mailing Address	35	179	L	Character
CITY_M	Mailing City	20	214	M	Character
ZIP_M	Mailing Zip Code	5	234	N	Character
CNTY	County	20	239	O	Character
PHONE	Phone	10	259	P	Character
C_RELATN	Interlibrary Relationship Code	2	269	Q	Character
C_LEGBAS	Legal Basis Code	2	271	R	Character
C_ADMIN	Administrative Structure Code	2	273	S	Character
C_FSCS	FSCS Public Library Definition	1	275	T	Character
GEOCODE	Geographic Code	3	276	U	Character
LSABOUND	Legal Service Area Boundary Change	1	279	V	Character
STARTDAT	Reporting Period Start Date (mm/dd/yyyy)	10	280	W	Character
ENDDATE	Reporting Period End Date (mm/dd/yyyy)	10	290	X	Character
POPU_LSA	Population of the Legal Service Area	9	300	Y	Numeric/0
CENTLIB	Number of Central Libraries	3	309	Z	Numeric/0

Administrative Entity Import File Specifications					
Variable Name	Data Element Name	Width	ASCII Position	Excel / .csv Column	Type/ Decimals
BRANLIB	Number of Branch Libraries	3	312	AA	Numeric/0
BKMOB	Number of Bookmobiles	3	315	AB	Numeric/0
MASTER	ALA-MLS	9	318	AC	Numeric/2
LIBRARIA	Total Librarians	9	327	AD	Numeric/2
OTHPAID	All Other Paid Employees	9	336	AE	Numeric/2
TOTSTAFF	Total Paid Employees	10	345	AF	Numeric/2
LOCGVT	Local Government Revenue	9	355	AG	Numeric/0
STGVT	State Government Revenue	9	364	AH	Numeric/0
FEDGVT	Federal Government Revenue	9	373	AI	Numeric/0
OTHINCM	Other Revenue	9	382	AJ	Numeric/0
TOTINCM	Total Revenue	10	391	AK	Numeric/0
SALARIES	Salaries & Wages Expenditures	9	401	AL	Numeric/0
BENEFIT	Employee Benefits Expenditures	9	410	AM	Numeric/0
STAFFEXP	Total Staff Expenditures	9	419	AN	Numeric/0
PRMATEXP	Print Materials Expenditures	9	428	AO	Numeric/0
ELMATEXP	Electronic Materials Expenditures	9	437	AP	Numeric/0
OTHMATEX	Other Materials Expenditures	9	446	AQ	Numeric/0
TOTEXPCO	Total Collection Expenditures	9	455	AR	Numeric/0
OTHOPEXP	Other Operating Expenditures	9	464	AS	Numeric/0
TOTOPEXP	Total Operating Expenditures	10	473	AT	Numeric/0
LCAP_REV	Local Government Capital Revenue	9	483	AU	Numeric/0
SCAP_REV	State Government Capital Revenue	9	492	AV	Numeric/0
FCAP_REV	Federal Government Capital Revenue	9	501	AW	Numeric/0
OCAP_REV	Other Capital Revenue	9	510	AX	Numeric/0
CAP_REV	Total Capital Revenue	9	519	AY	Numeric/0
CAPITAL	Total Capital Expenditures	9	528	AZ	Numeric/0
BKVOL	Print Materials	9	537	BA	Numeric/0
EBOOK	Electronic Books	9	546	BB	Numeric/0
AUDIO_PH	Audio - Physical Units	9	555	BC	Numeric/0
AUDIO_DL	Audio - Downloadable Units	9	564	BD	Numeric/0
VIDEO_PH	Video - Physical Units	9	573	BE	Numeric/0
VIDEO_DL	Video - Downloadable Units	9	582	BF	Numeric/0
DB_LO_OT	Local/Other licensed databases	9	591	BG	Numeric/0
DB_ST	State licensed databases	9	600	BH	Numeric/0

Administrative Entity Import File Specifications					
Variable Name	Data Element Name	Width	ASCII Position	Excel / .csv Column	Type/ Decimals
DATABASE	Total Licensed databases	9	609	BI	Numeric/0
SUBSCRIP	Current Print Serial Subscriptions	9	618	BJ	Numeric/0
HRS_OPEN	Public Service Hours Per Year	9	627	BK	Numeric/0
VISITS	Library Visits	9	636	BL	Numeric/0
REFERENC	Reference Transactions	9	645	BM	Numeric/0
REGBOR	Registered Users	9	654	BN	Numeric/0
TOTCIR	Total Circulation	9	663	BO	Numeric/0
KIDCIRCL	Circulation of Children's Materials	9	672	BP	Numeric/0
ELMATCIR	Circulation of Electronic Materials	9	681	BQ	Numeric/0
LOANTO	Interlibrary Loans Provided To	6	690	BR	Numeric/0
LOANFM	Interlibrary Loans Received From	6	696	BS	Numeric/0
TOTPRO	Total Library Programs	9	702	BT	Numeric/0
KIDPRO	Children's Programs	9	711	BU	Numeric/0
YAPRO	Young Adult Programs	9	720	BV	Numeric/0
TOTATTEN	Total Program Attendance	9	729	BW	Numeric/0
KIDATTEN	Children's Program Attendance	9	738	BX	Numeric/0
YAATTEN	Young Adult Program Attendance	9	747	BY	Numeric/0
GPTERMS	Internet Computers Used by General Public	6	756	BZ	Numeric/0
PITUSR	Uses (Sessions) of Public Internet Computers Per Year	9	762	CA	Numeric/0

Outlet Import File Specifications					
Variable Name	Data Element Name	Width	ASCII Position	Excel / .csv Column	Type/ Decimals
FSCSKEY	NCES assigned identification number	6	1	A	Character
FSCS_SEQ	NCES assigned identification number suffix	3	7	B	Character
STATSTRU	Status of Outlet record current to prior year	2	10	C	Character
STATNAME	Status of LIBNAME current to prior year	2	12	D	Character
STATADDR	Status of ADDRESS current to prior year	2	14	E	Character
LINKID	User Defined, used to link two or	20	16	F	Character

Outlet Import File Specifications					
Variable Name	Data Element Name	Width	ASCII Position	Excel / .csv Column	Type/ Decimals
	more outlets together				
PARENTID	LIBID of parent AE	20	36	G	Character
OLDID	Old FSCSKEY – FSCS_SEQ	10	56	H	Character
LIBID	State assigned identification number	20	66	I	Character
LIBNAME	Legal Name	60	86	J	Character
ADDRESS	Physical Street Address	35	146	K	Character
CITY	City	20	181	L	Character
ZIP	ZIP Code	5	201	M	Character
CNTY	County	20	206	N	Character
PHONE	Phone	10	226	O	Character
C_OUT_TY	Outlet Type Code	2	236	P	Character
C_MSA	Metropolitan Status Code	2	238	Q	Character
SQ_FEET	Area in Square Footage	8	240	R	Numeric/0
L_NUM_BM	Number of Bookmobiles	2	248	S	Numeric/0
HOURS	Public Service Hours Per Year	4	250	T	Numeric/0
WKS_OPEN	Number of Weeks Open	2	254	U	Numeric/0

Annotation Import File Specifications					
Column	Description	Width	ASCII Position	Excel / .csv Column	Type
RECORD TYPE	Must always be 'ANNO'	4	1	A	Text
FSCSKEY-FSCS_SEQ	NCES assigned identification number with suffix for outlets	10	5	B	Text
EDITID	Edit number	5	15	C	Text
COMMENT	Respondent annotation	Max	20	D	Text

## Appendix E – PLS Contacts

Census Contacts	
<b>PLS Program Manager:</b>	
Patty O'Shea	patricia.mary.o'shea@census.gov
<b>PLS Analyst:</b>	
Andrea Arroyo	jorgelina.arroyo@census.gov
Regina Padgett	regina.a.padgett@census.gov
<b>Generic E-Mail:</b>	govs.pls@census.gov
Toll Free Numbers:	
	Phone: (800) 451-6235   Fax: (866) 394-0138
IMLS Contacts: LibraryStats@imls.gov	





## Appendix F – Francis Keppel Award Criteria

<b>Keppel Award Point Criteria – Group 1</b>	
<b>(Minimum points required for award = 16      Maximum Points = 20)</b>	
	<b>Points</b>
<b>Submission Points</b>	
Data Submission on or before March 12	10
Data Submission received March 13 through March 19	8
Data Submission received March 20 through March 26	6
Data Submission received after March 26	Disqualified
Final Deadline is April 9	
<b>Edit Follow-up Points</b>	
Responded to Edit Follow-up within two weeks	10
Responded to Edit Follow-up within three weeks	8
Did not responded to Edit Follow-up	Disqualified
<b>Item Non Response</b>	
A data item that has been collected over 3 years is missing for an entire state	Disqualified

Note: The IMLS makes the final decision on who receives the Keppel Award.  
A data submission includes a locked data file and an annotated Edit Report.

<b>Keppel Award Point Criteria – Group 2</b>	
<b>(Minimum points required for award = 16      Maximum Points = 20)</b>	
	<b>Points</b>
<b>Submission Points</b>	
Data Submission on or before July 2	10
Data Submission received July 3 through July 9	8
Data Submission received July 10 through July 16	6
Data Submission received after July 16	Disqualified
Final Deadline is July 30	
<b>Edit Follow-up Points</b>	
Responded to Edit Follow-up within two weeks	10
Responded to Edit Follow-up within three weeks	8
Did not responded to Edit Follow-up	Disqualified
<b>Item Non Response</b>	
A data item that has been collected over 3 years is missing for an entire state	Disqualified

Note: The IMLS makes the final decision on who receives the Keppel Award.  
A data submission includes a locked data file and an annotated Edit Report.

<b>Keppel Award Point Criteria – Group 3</b>	
<b>(Minimum points required for award = 16      Maximum Points = 20)</b>	
	<b>Points</b>
<b>Submission Points</b>	
Data Submission on or before August 6	10
Data Submission received August 7 through August 13	6
Data Submission received after August 13	Disqualified
Final Deadline is August 20	
<b>Edit Follow-up Points</b>	
Responded to Edit Follow-up within two weeks	10
Responded to Edit Follow-up within three weeks	8
Did not responded to Edit Follow-up	Disqualified
<b>Item Non Response</b>	
A data item that has been collected over 3 years is missing for an entire state	Disqualified

Note: The IMLS makes the final decision on who receives the Keppel Award.  
A data submission includes a locked data file and an annotated Edit Report.



## Appendix G – Standard Abbreviations

(Use Only if Data Exceed Field Length)

Administrative/Administration	Adm	Municipal	Mun
American	Amer	Museum	Mus
Association	Assn	National	Natl
Avenue	Ave	Park	Pk
Board	Bd	Parkway	Pkwy
Bookmobile	Bkmob	People's	Peop
Branch	Br	Public	P
Building	Bldg	Public Library(ies)	PL(s)
Bureau	Bur	Reading	Rdng
Center	Ctr	Reference	Ref
Central	Ctrl	Region	Rgn
Circle	Cir	Regional	Rgnl
Circulation, Circulating	Circ	Reorganized, Reorganization	Reorg
Committee	Com	Research	Res
Community	Cmnty	Room(s)	Rm(s)
Consolidated	Consol	Route	Rt
Cooperative, Cooperating	Coop	Saint, Street	St
County	Cnty	School(s)	Sch(s)
Court	Ct	Service(s)	Serv
Department, Departmental	Dept	Society	Soc
District	Dist	Supervisor, Supervisory	Supv
Division, Divisional	Div	System(s)	Sys
Extension	Ext	Terrace	Terr
Federal	Fed	Township	Twp
Fort	Ft	Trail, Trustee	Tr
Foundation	Fdn	University	Univ
Free	Fr		
General Delivery	Gen Del		
Headquarters	Hq		
Highway	Hwy		
Information	Inf		
Interlibrary	IL		
Interlibrary Loan	ILL		
Joint	Jt		
Library District	LD		
Library(ies)	L(s)		
Memorial	Mem		
Metropolitan	Metro		
Mount	Mt		
Mountain	Mtn		

