

Section: eRadHealth Menu

Introduction

Electronic Product Radiation Safety Reporting Form

This software application is intended to automate the hard copy product reporting forms in the effort of the Center for Devices and Radiological Health (CDRH) to become capable of accepting electronic submissions from industry and to improve our review process. This FDA Electronic Submission (eSub) software is the next version of the application developed to allow us to accept all Radiological Health reports and other submissions electronically and improve the ability of CDRH to accomplish its mandated product and industry evaluations in a timely and efficient manner.

All electronic reports and correspondence can either be transferred to CD and mailed to the address below, or can be sent via the FDA Electronic Submissions Gateway to CDRH. If you follow instructions to set up an account with the FDA Gateway, it currently may take several weeks, but when you submit through it you will receive your acknowledgement email message with Accession Number within minutes! Or, in the interest of faster turn-around for a one-time urgent report or if you submit few reports, you may simply fill out this template creating the submission and then at 'Packaging' follow the instructions to transfer the files to a CD to mail in. This method of submitting your report will be acknowledged by an email with the Accession Number within several days.

Information about the FDA Electronic Submissions Gateway can be found at

www.fda.gov/ForIndustry/ElectronicSubmissionsGateway/default.htm. Please contact the Gateway Helpdesk with your questions about that system.

Electronic submissions on CD should be mailed directly to the Document Control Center at:

**U.S. Food and Drug Administration
Center for Devices and Radiological Health
Attn: eSubmitter Team
Document Mail Center - WO66-0609
10903 New Hampshire Avenue
Silver Spring, MD 20993-0002**

Submissions received in the mail on CD will be processed within a few days of receipt.

Note about eSubmitter software:

Instructions provided in this software briefly summarize the requirements of the regulations under the Federal Food, Drug and Cosmetic Act (FFDCA), Chapter V, Subchapter C - Electronic Product Radiation Control, that applies to manufacturers of electronic products that emit radiation. The software provides questions relevant to requirements in the performance standards and may include explanations or clarification about the performance, labeling, and informational requirements of the standard. It does not replace the regulations, however, and if there is any conflict between the software and the regulations, the regulations must prevail. Throughout this application, pertinent sections of Title 21, Code of Federal Regulations, Chapter I, Subchapter J, are cited in parentheses. Please consult them before making design or procedural decisions.

Regulatory requirements for radiological products can be found at <http://www.fda.gov/Radiation-EmittingProducts/default.htm> and for medical devices are located at www.fda.gov/M/DevaDvices/default.htm. If you have specific questions about the regulations, please contact us at: DSMICA@fda.hhs.gov.

If you have specific questions regarding this software, please contact the eSub team by email at: eSubmitter@fda.hhs.gov.

Thank you for using our electronic product reporting software. Please communicate your comments and suggestions to the eSub team as often as you like.

Thank you for your continued support of the FDA Electronic Submission Program (eSub).

Definitions

Definitions for Rad Health Products

Manufacturers

Manufacturer is any person or organization engaged in the business of manufacturing, assembling, or importing of electronic products (21 CFR1000.3(n)). Manufacturers of electronic products subject to 21CFR1000-1050 must:

- Design and manufacture their products to be in compliance with applicable performance standards;
- Test their products to assure compliance;
- Certify compliance of their products;
- Maintain test and distribution records and a file of correspondence concerning radiation safety, safety complaints, and inquiries;
- Use the published reporting forms or electronic software application to submit reports to CDRH, including Product reports describing the manner of compliance of the product design and testing program and Annual Reports summarizing their compliance testing;
- Report accidental radiation occurrences (i.e., possible, suspected, or known exposures);
- Report any radiation defects or noncompliances; and
- Recall (i.e., repair, replace, or refund the purchase price of) defective or noncompliant products.

Importers

Importer is any person or organization engaged in the business of importing electronic products. An importer is considered to be a manufacturer. The requirements for Manufacturers given above also apply to importers if the requirements have not been done by the foreign manufacturer.

United States Agent for Foreign Manufacturers

Every manufacturer of electronic products, prior to offering such product for importation into the United States, shall designate a permanent resident of the United States as the manufacturer's agent upon whom service of all processes, notices, orders, decisions, and requirements may be made for and on behalf of the manufacturer as provided in section 536(d) of the Radiation Control for Health and Safety Act of 1968 (21U.S.C. 360mm(d)) and this section. The agent maybe an individual, a firm, or a domestic corporation. For purposes of this section, any number of manufacturers may designate the same agent.

From The Federal Food, Drug, and Cosmetic Act Sec 536 [21 U.S.C. 360mm](d)

Designation of agent for purposes of service

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

It shall be the duty of every manufacturer offering an electronic product for importation into the United States to designate in writing an agent upon whom service of all administrative and judicial processes, notices, orders, decisions, and requirements may be made for and on behalf of said manufacturer, and to file such designation with the Secretary, which designation may from time to time be changed by like writing, similarly filed. Service of all administrative and judicial processes, notices, orders, decisions, and requirements may be made upon said manufacturer by service upon such designated agent at his office or usual place of residence with like effect as if made personally upon said manufacturer, and in default of such designation of such agent, service of process, notice, order, requirement, or decision in any proceeding before the Secretary or in any judicial proceeding for enforcement of this part or any standards prescribed pursuant to this part may be made by posting such process, notice, order, requirement, or decision in the Office of the Secretary or in a place designated by him by regulation.

Sec. 531 [21 U.S.C. 360hh] (1) the term "**electronic product radiation**" means:

- (A) any ionizing or non-ionizing electromagnetic or particulate radiation, or
- (B) any sonic, infrasonic, or ultrasonic wave, which is emitted from an electronic product as the result of the operation of an electronic circuit in such product.

Sec. 531 [21 U.S.C. 360hh](2) the term "**electronic product**" means:

- (A) any manufactured or assembled product which, when in operation, (i) contains or acts as part of an electronic circuit and (ii) emits (or in the absence of effective shielding or other controls would emit) electronic product radiation, or
- (B) any manufactured or assembled article which is intended for use as a component, part, or accessory of a product described in clause (A) and which when in operation emits (or in the absence of effect

Role

What is your role?		[L]
Note:	If you are acting as an agent of the actual manufacturer, please select your role as, for example, perhaps an Importer or Consultant. Later in the report, under Manufacturer Data, you will be prompted to enter both manufacturer and submitter information.	
Information:	The following screen provides several options for you to accurately define what type of eSubmission you intend to create for FDA. Below are explanations of your options. Please feel free to review this screen, advance to the next screen and view the picklists, but if you're confused, come back to read this screen again to be certain you are selecting the correct report or correspondence type you want to create.	

Submission Information

Use the radio buttons to identify the type of submission you are preparing. (Supplements should be prepared using the same document type as the original submission.) [QUESTION TYPE NOT YET IMPLEMENTED: HEADER STEP]	
What Type of Submission is this? (Supplements should be submitted selecting the same document type as the original report.)	<input type="radio"/> Radiation Safety Report (Product) Report (21 CFR 1002.10) <input type="radio"/> Annual Report (21 CFR 1002.13) <input type="radio"/> Laser Light Show Documents (all relevant documents) (21 CFR 1040.11(c)) <input type="radio"/> Correspondence <input type="radio"/> Variance Request (General, not Laser Light Show) (21 CFR 1010.4)

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

- | | |
|--|--|
| | <input type="checkbox"/> Laser Original Equipment/Component Manufacturer Registration (21 CFR 1040.10(a)(3)(ii))
<input type="checkbox"/> Abbreviated Report (21 CFR 1002.12) |
|--|--|

After answering the Submission Type question above, one of the questions below may become active and required (see the blue dot to the right of the question). If there is an active question, select the appropriate product area or document type from the question's pick list. [QUESTION TYPE NOT YET IMPLEMENTED: HEADER STEP]

What Type of Product is this Radiation Safety Report about?

[L]

What Type of Product is this Annual Report about?

[L]

What Laser Light Show Document are you filing?

[L]

What Type of Correspondence is this?

[L]

What Type of Product is this Variance Request about?

[L]

FDA or State Inspector

Abbreviated Report Applicability

Abbreviated Reports are required for the following products:

- **Diagnostic X-Ray**
 - **Tables and Cradles**
 - **X-Ray Film Changers**
 - **Vertical Cassette Holders**
 - **Cephalometric Devices**
 - **Image Receptor Support Devices**
- **Products Intended to Produce Particulate Radiation or X-Rays (Ionizing radiation) that are not Diagnostic X-Ray nor Cabinet X-Ray products**
 - **Medical**
 - **Therapy (X-Ray and Accelerator)**
 - **Veterinary**
 - **Analytical X-Ray** (*Note: If the product's purpose is to teach Analytical X-Ray techniques it is subject to the Cabinet X-Ray standard and requires a product report*)
 - **X-Ray Diffraction**
 - **X-Ray Spectroscopy**
 - **X-Ray Fluorescence**
 - **Industrial Products (X-Ray, Accelerator, or Particle Beam)**
 - **Security Products (X-Ray and Accelerator)**

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

- Television Products that are ≤ 25 kilovolts and ≤ 0.1 milliroentgen per hour as determined by using the IRLC [Title 21 CFR 1020.10(c)(3)(iii)]

- Microwave

- Diathermy Products

- Heating, Drying, or Security Systems

- RF Sealers

- Electromagnetic Induction and Heating Equipment

- Dielectric Heaters (2-500 megahertz)

- R-Type Sunlamps.

- Non-Medical Ultrasound Products.

Radiation Safety (Product) Reports are required for most other products. Return to the previous screen (eRadHealthMenu: Submission Information) and select Radiation Safety (Product) Report to create a product report or supplemental report. For more information see Table 1 in Title 21 CFR 1002.1 for reporting and record keeping requirements.

Note: An abbreviated report is *not* the same as a supplemental report. An abbreviated report can *not* be used to add information to a previously submitted Product or Annual Report.

OEM Laser Applicability

Section: Manufacturer Data

General Information

General Information for Radiological Health Products

Manufacturers of products subject to performance standards under the Federal Food, Drug, and Cosmetic Act (FFDCA), Chapter V, Subchapter C - Electronic Product Radiation Control are required to furnish various reports to the Center for Devices and Radiological Health (CDRH).

The Radiological Health staff, CDRH developed this software application for the Product and Annual reports. This application will assist manufacturers of electronic products that emit radiation in providing adequate reporting of radiation safety testing and compliance with federal performance standards. Title 21 of the Code of Federal Regulations (CFR), Parts 1002 and 1003 specify Reporting and Notification requirements 1,2,3.

Reports submitted on radiation safety of electronic products must follow the appropriate form (21 CFR 1002.7). This software application serves the same report responsibility, so long as the submitter or manufacturer prints out the cover letter and sends it in along with the CD containing the report files. The submitter of the report will receive an acknowledgment letter (or email message) with the accession number that CDRH assigns to the report. Please reference this accession number in the future when providing additional information about this model family in either a supplement or the annual report. If a report is incomplete or inadequate CDRH may reject it and return it for completion. CDRH will not enter a rejected report into our database.

CDRH DOES NOT APPROVE THESE REPORTS OR THE PRODUCTS BEING REPORTED. It is the manufacturer's responsibility to certify that their products comply with all applicable standards (21 CFR 1010 - 1050), based on a testing program in accordance with good manufacturing

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

practices. Prior to the shipment of products in interstate commerce, 21 CFR 1002 requires the manufacturer to submit the product and Annual Reports and to comply with all applicable importation requirements (21CFR 1005). If there are deficiencies, CDRH may disapprove the firm's quality control and testing program, determine that the product contains a radiation defect, or determine that the product fails to comply with a standard. CDRH will notify the manufacturer if we make such a determination. CDRH may require the manufacturer to cease introduction into U.S. commerce until deficiencies are corrected, and to initiate a corrective action program (21CFR 1003 - 1004) for products already introduced into commerce.

CDRH can now accept and process 'CeSub' electronic submissions at this time, if all attachments are PDF files only, and the cover letter is printed out and included with a real signature. Translate any text that appears in a language other than English into English in a complete and accurate manner. Keep a copy (save a copy to your hard drive) of the completed report in your records.

Regulatory information is available on the Internet under www.fda.gov/Radiation-EmittingProducts/default.htm. No copyright exists for these forms.

Reproduce these forms as needed. If you would like to comment on the reporting forms, website, or future electronic submissions, you may direct the comments to cdrhsub@cdrh.fda.gov.

A complete Product Report is required for each product model or model family. Product Reports are now more generally referred to as Radiation Safety Reports to distinguish the Radiological Health submissions from medical device submissions. CDRH suggests that a complete report on one model of a family be submitted, with a separate Supplemental Report for each of the other models in the family. The Supplemental Report should respond in detail to the parts of the form where there are differences to report, referencing the number of the affected item. Items that are unchanged will still appear in the supplement from the original report.

When new models of a product are introduced, if the models satisfy the criteria for an established reporting exemption or if the new models do not involve changes in radiation emission or performance requirements, then the manufacturer need not report the models prior to introduction into commerce. Rather, the manufacturer is only required to identify them in the annual report, or in quarterly updates to the annual report. Quarterly updates to annual reports may be submitted using the Annual Report software included in this application. [See 21 CFR 1002.13(c).]

All symbols, units, and unusual terms in the report must be adequately defined and consistently used. Please use the terms as defined in Section 1040.10(b) and in the IEEE Standard Dictionary of Electrical and Electronic Terms (IEEE Std. 1001972 and ANSI C42.1001972).

Burden to Industry

Paperwork Reduction Act Statement

Public reporting burden for this collection of information is estimated to average 5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, completing, and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to:

U.S. Food and Drug Administration
Center for Devices and Radiological Health
Document Mail Center - WO66-0609
10903 New Hampshire Avenue
Silver Spring, MD 20993-0002

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number."

Manufacturer and Report Information

Confirmation:	This Manufacturer section of this report requests names, addresses, phone numbers, etc. for your firm, various officials of your firm, consultants who may assist in preparing the report, parent firm (if any), importer and designated agent (for foreign firms). Some of this information is mandatory and its
---------------	---

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

	<p>absence will prevent you from completing the report submission. Because some of these entries may be redundant, utilize the 'Contact Address Book' feature so you can save your data and reselect the entries later and in the future. (See the upload/download buttons in upper right corner of the screens).</p> <p>You can check for missing data at any time using the "Missing Data Report" from the "Output" menu across the top of this application. The Missing Data Report lists all missing responses that are required (that have the blue dot).</p>
--	--

Information:	<p>Attention: Variance Applicants</p> <p>If you are acting as an agent or consultant for, or on behalf of, or filing for, a company that will be manufacturing or producing a Class IIIb or IV projector or laser light show or both which require an approved variance, the following explanations may provide further clarification.</p> <p>Manufacturer: This is the firm or company who is requesting the variance, will certify the product or show, and will be the holder and owner of the variance. This is not the agent or consultant who may be filing this report or Variance request for the manufacturer; that agent may be the submitter, identified in a later screen.</p> <p>Responsible Individual: This person works for the Manufacturer and is responsible for compliance of the projector and/or show. In the case of laser light shows, he or she may be the company president, CEO, or the laser light show head operator or a manager who oversees the shows.</p> <p>Reporting Official: This person works for the Manufacturer and is responsible for reports, recordkeeping, and submitting FDA required documents and correspondence.</p>
--------------	---

Manufacturer Responsible for Product Compliance

Note:	<p>This is the firm that takes responsibility for certification that the product meets the performance standard. This firm develops and maintains the quality control and testing program that is the basis for the certification of this product. Additionally, this firm usually is the owner of the product design and manufacturing process design.</p> <p>Be sure to enter address information for each tab below:</p>
-------	---

Select the Manufacturer's address from the Establishment Address book: [QUESTION TYPE NOT YET IMPLEMENTED: ESTABLISHMENT COMPLEX]

Responsible Individual

Note:	<p>The responsible individual is the highest level and most responsible individual affiliated with this establishment.</p>
-------	--

Select the Responsible Individual from the Contact Address book: [QUESTION TYPE NOT YET IMPLEMENTED: CONTACT COMPLEX]

Manufacturer's Reporting Official

Note:	<p>This is the person at the manufacturing facility that is knowledgeable and responsible for addressing all aspects of the testing and quality control procedures for certification as reported to FDA in the product report. Documentation of changes in testing and quality control procedures submitted to FDA</p>
-------	--

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

	must be signed by this individual.
Select the Reporting Official from Contact Address book: [QUESTION TYPE NOT YET IMPLEMENTED: CONTACT COMPLEX]	

Report Submitter

Note:	The submitter may be a consulting individual or firm providing assistance in report preparation and maintenance. Documents or submissions such as this one that are prepared by the submitter must have an accompanying authorization letter from the manufacturer's reporting official for authenticity.
Select the Submitter from the Contact Address book: [QUESTION TYPE NOT YET IMPLEMENTED: CONTACT COMPLEX]	
Internal Reference Number:	

Parent Establishment

Is there a parent establishment?	[L]
Select the Parent Establishment and Contact from the Contact Address book: [QUESTION TYPE NOT YET IMPLEMENTED: CONTACT COMPLEX]	

Manufacturer Designated United States Agent

Note:	Manufacturers exporting to the U.S. must designate a U.S. agent, see 21 CFR 1005.25.
Is there a United States agent that has been designated by the manufacturer?	[L]

Written Agreement

Item: 1 (could contain up to 10 items with none required)

Note:	The manufacturer who is certifying the product being reported is the manufacturer of record. If this firm is not in the United States, please identify your current Importer(s).
Note:	If any of the required responses below do not apply to your designated agent, enter 'NOT APPLICABLE' or 'NA.'
Select the Designated Agent from the Contact Address book:	
Contact Name	
Occupation Title	
Email Address	
Establishment Name	
Division Name	
Address	
Telephone Number	
Fax Number	

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Attach a copy of written agreement with the designated U.S. agent:

[Multi-Line Plain Text]

File Attachment

[Single File Attachment (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]

Importer

Item: 1 (could contain up to 10 items with none required)

Select the Importer from the Contact Address book: [QUESTION TYPE NOT YET IMPLEMENTED: CONTACT COMPLEX]

Additional Manufacturing Locations

Item: 1 (could contain up to 100 items with none required)

Note:

If any of the products certified in this report are manufactured at locations other than listed in the Manufacturer Responsible for Product Compliance section, then the names, addresses, and FDA registration numbers should be provided. In addition any codes used on labels to identify a manufacturing location must be provided. Each factory location must assure all production procedures are followed identically step by step as provided in this report. If the procedures are not the same then separate reports should be filed.

Select the Manufacturer Address from the Establishment Address book: [QUESTION TYPE NOT YET IMPLEMENTED: ESTABLISHMENT COMPLEX]

Code used on identification labels:

Section: Product Data

Product and Model Identification

Attention - Information about this section

In this section you'll be asked to identify several required or optional things which will help FDA/CDRH staff to prioritize their reviews. You'll be asked to consider the following aspects:

- (1) Identify your product's radiation type and the CDRH Product Code.
- (2) Enter an Accession number if this will be a report supplement. If you are preparing a supplement, you'll see that after entering a valid 7-digit Accession number many questions will no longer be required (they will either be disabled or will be optional, meaning they will no longer have the blue dot).
- (3) You will also have several questions that are of high significance for FDA/CDRH - why you might be submitting this report or correspondence. Please read these questions carefully, referring to the 21 CFR regulations on the website www.FDA.gov if you are unsure if the question is relevant to your firm's situation.
- (4) If you find that you have more information that you want the FDA/CDRH to read but it doesn't seem to fit under other questions, we have a final "**Additional Information**" question in this section which invites you to add comments and/or attach a file that provides further information from your firm about this submission. This is the place to add that extra information.

Product Type Reported

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Report Information

Is this the first time you've submitted a report on the particular type of product selected in the Product Type Reported section?	[L]
Since this is not the first time you've reported on this type of product, then is this a report supplement to a previously reported model family?	[L]
Provide the Accession Number of the original report for which this is a supplement: (Note: Do not enter any Device Premarket Application or Notification document number here, such as PMAs, 510(k)s, IDEs, etc. See Accession number description below.)	

Are you requesting a new variance, a renewal, extension or amendment to a previous variance?	[L]
If you are requesting a renewal, extension, or amendment, please provide the variance number that was issued by CDRH.	
Stop:	If you are requesting a new variance, renewal, extension, or amendment, you must file a Variance Request separate from this report. To do this, open a new report (File > New) and select either "Laser Light Show Variance Request" or "Variance Request (General, not Laser Light Show)" as your Type of Submission in the Submission Information Screen. If you select "Variance Request (General, not Laser Light Show)r" you must select the product for which you are requesting a variance with the pick list in the bottom section of the screen.

Special Considerations

Note:	Check all items in this section that may apply to this submission.
-------	--

Information:	<p>If this product will require a formally approved Variance from a certain performance requirement, you will need to complete two Reports for FDA, both (1) this Radiation Safety Report (RSR) on this product, and (2) a Variance Request report. This eSubmitter software application package includes a general Variance Request form as well as the specific Laser Light Show Variance Request form. Both the Product RSR file and the appropriate Variance Request Correspondence file must be submitted to CDRH following the regular files packaging procedures in this application. Both may be transferred to the same CD or submitted via the FDA ESG to submit to the FDA/CDRH.</p> <p>In addition, any Variance Request form must be printed out and the signed hard-copy sent to FDA's Division of Dockets Management at:</p> <p>Division of Dockets Management (HFA-305) Food and Drug Administration 5630 Fishers Lane Rockville, MD 20852</p> <p>NOTE: There is no need to send a copy of the CD to Division of Dockets Management.</p>
--------------	--

Noncompliances or Defects

Does this document or any of its attachments contain:	
A notification of noncompliance or defect?	[L]
You may provide an explanation and/or attach a document here:	
File Attachment	[Single File Attachment (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Details	[HTML Text]
---------	-------------

Responses to Noncompliances or Defects

Does this document or any of its attachments contain any of these responses concerning noncompliances or defects?	
A refutation of noncompliances or defects identified to your firm?	[L]
A request for an exemption from notification to purchasers (see 21 CFR 1003.21 and 1003.30)?	[L]
Corrective action plans you intend to implement to correct noncompliances or defects discovered in past or current production?	[L]
Note:	If you are submitting a Corrective Action Plan (CAP) following 21 CFR 1004 and information on design changes for future production, the design change information must be submitted in a Radiation Safety (Product) Report or supplemental report. Both the proposed CAP and the design changes may be submitted in one document if you prepare a product report and choose to include the CAP in it as a file attachment. Alternatively, you may create a separate eSubmission for the CAP using the "Correspondence" type template and selecting "Follow-up correspondence to FDA."
A description of any design changes that correct noncompliances for future production?	
Note:	If you are submitting information on product design changes for future production due to a discovery of noncompliances or defects in current production, you must use the Radiation Safety (Product) Report template to create the report. Correspondence templates may be used to submit other information such as a proposed corrective action plan pertaining to a noncompliance or defect.
You may add an explanation and/or attach a document here:	
File Attachment	[Single File Attachment (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Details	[HTML Text]

Exemption Requests

Does this document or any of its attachments contain:	
Exemption of a product for government use from a standard (21 CFR 1010.5)?	[L]
Exemption for products for government use from reporting and recordkeeping (21 CFR 1002.51)?	[L]
Special exemption of products from reporting and/or recordkeeping (21 CFR 1002.50)?	[L]
Request for approval of alternate labeling?	[L]
Application for alternate test procedures (21 CFR 1010.13)?	[L]
You may provide an explanation and/or attach any relevant documents here:	
[Multi-Line Plain Text]	
File Attachment	[Single File Attachment (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]

Variance Requests

Information:	Please note: in addition to responding to these questions below, a separate General Variance Request or Laser Light Show Variance Request form must be completed and submitted to CDRH, with a hard copy sent to FDA's Division of Dockets Management as instructed below for any variance request. The information requested on this screen does not constitute the full structured content of the variance request. The 2 types of Variance forms can be created in eSubmitter by selecting the
--------------	---

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

	appropriate Variance submission type under the eRad Health Menu section of this application.
Message:	Click the plus sign to list the requirements from which you are requesting a variance.
This submission includes an application for a variance from certain requirements.	
Item 1	
Item 2	
Item 3	
Provide an explanation and attach supporting files, if necessary. Click on the plus sign below to attach files.	
Details	[HTML Text]
File Attachment	[Multiple File Attachments (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Stop:	<p>For all Variance requests, two submissions must be made to the FDA.</p> <p>The electronic version should be submitted following the Packaging Files for Submission instructions located under Output in the Menu bar, and explained in subsection 4.3 of the User Manual. If sending a CD & submittal letter, please mail to:</p> <p>U.S. Food and Drug Administration Center for Devices and Radiological Health Attn: eSubmitter Team Document Mail Center - WO66-0609 10903 New Hampshire Avenue Silver Spring, MD 20993-0002</p> <p>Additionally, a paper version (hard-copy) of the signed Variance request document should be submitted to:</p> <p>Food and Drug Administration Division of Dockets Management (HFA-305) 5630 Fishers Lane, Room 1061 Rockville, MD 20857</p>

Responses to Communications from FDA

Does this document or any of its attachments contain:	
A response to an FDA inspection?	[L]
What was the date of the inspection?	[Date]
A response to a Warning letter or a Notification of Noncompliance or Defect from the FDA?	[L]
What was the date of the Warning Letter or other notification letter?	[Date]
A response to a report review inquiry from the CDRH (the inquiry may have been in the form of a letter, email, or phone call)?	[L]
What was the date of the inquiry?	[Date]
A response to any other communication from FDA?	[L]
What was the date of the communication?	[Date]

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Provide an explanation:
[Multi-Line Plain Text]

Additional Information

Here's your opportunity to add anything else to this submission that you want to tell the FDA!	
Is there any other relevant information or additional comments that would help expedite the review of this submission? Click the plus sign below to attach any supporting files.	
File Attachment	[Multiple File Attachments (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Details	[HTML Text]

Private Labeling

Is the product sold by other companies under different brand names?	[L]
---	-----

Private Labeling-Table

Item: 1 (could contain up to 20 items with 1 required)

Give the name and address of the manufacturer:	
Establishment Name	
Division Name	
Email Address	
Address	
Telephone Number	
Fax Number	
Give the firm establishment registration number of the manufacturer listed above (if known):	

Enter brand names and/or model designations in the following table by clicking on the Add button. If you prefer to attach a file, please click on the Add button and enter the text "See File Attachment" as the first table entry.

Item 1	
Item 2	
Item 3	

List of Brand Names and/or Model Designations

File Attachment	[Single File Attachment (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Details	[HTML Text]

The Original Equipment Manufacturer (OEM) accession number (if known):	
--	--

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Explain how the brand names and model designations correspond with your own brand names and model designations:

[Multi-Line Plain Text]

Medical Devices

Provide the premarket 510(k), IDE, HDE, PDP, or PMA filing numbers related to this medical product, if one of these numbers has been assigned by FDA yet.

[Multi-Line Plain Text]

If it has not been submitted yet, or if your device is exempt from premarket clearance or approval, please provide an explanation. The device regulations can be found in 21 CFR 807 - device manufacturer registration and device listing.

[Multi-Line Plain Text]

Note:

See also <http://www.fda.gov/MedicalDevices/default.htm> for more information on medical device premarket clearance procedures.

Section: Abbreviated Report

Product Type Reported

Note:

Each product that CDRH regulates is assigned a product code by CDRH.

What is the product code?

If you know the three letter code, enter it in the space provided.

If you do not,

- Click the filter search icon (next to the trash can). You will see a product code filter dialog box.
- Enter a keyword to search the database. You will be provided a list of product codes from which to choose. (If you are not finding the correct product, try other words and/or variations of the keywords.)
- Select the best match to your product.
- The remaining fields will be filled in for you when you select your product code.
- If you do not find the code that you are looking for, use RZZ (Other) [QUESTION TYPE NOT YET IMPLEMENTED: RH SINGLE PRODUCT CODE]

If Other, please identify the specific product type.

Model Designation

Note:

Report the model name and/or number, model family, brand name, or other designation of the product. If reporting a model family, provide the model designation of each model. If you do not have a model family or brand name, leave the field blank.

Model Designation (Names and/or Numbers):

Item			
Item 1		Item 2	

3663 Abbrev Microwave non-ovens (OMB 0910-0025)

Characteristics, Use, and Radiation Levels

Please provide a brief description of operational characteristics that affect radiation emissions, transmission, leakage, or that control exposure. Click on the Add... button below to attach any supporting files.	
Details	[HTML Text]
File Attachment	[Multiple File Attachments (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Please provide a list of applications or uses. Click on the Add... button below to attach any supporting files.	
Details	[HTML Text]
File Attachment	[Multiple File Attachments (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Please provide a radiation emission, transmission, or leakage levels. Click on the Add... button below to attach any supporting files.	
Details	[HTML Text]
File Attachment	[Multiple File Attachments (.pdf, .jpg, .gif, .tif, .avi, .wmv, .xpt, .xml, .dtd, .sgml, .mol, .xls, .csv, .zip)]
Stop:	You have reached the end of this report. Please verify that all PDFs that are to be included in this submission are correctly attached to a specific file attachment question. Otherwise, they will not be packaged with your report. Check to make sure you have no missing data (select Missing Data Report from the Output menu). Once you have confirmed that there is no missing data and all your files are attached, click on the Package Submission icon on the tool bar.
Message:	Form FDA 3629 Abbreviated Report (10/31/2013)