

END1

END1

Page Order # : 10

Design Screen Type: Code 1

Fields: Field 1: INTLANG

Enable Functions: HELP No
COMMENTS No
JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _____

Context Header:

Int. Instr I: WAS THIS INTERVIEW CONDUCTED MOSTLY IN ENGLISH OR SPANISH?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

END1

Field1: INTLANG (END1005)

Cheshire Name: MRES.INTLANG

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TIntclang

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
2	English	END2 - SAVECASE (END1015)
	English text: ENGLISH	
3	Spanish	END2 - SAVECASE (END1015)
	English text: SPANISH	
91	Other	DO NOT DISPLAY.
	English text: OTHER	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

DISABLE BREAKOFF.

END2

END2

Page Order # : 20

Design Screen Type: No Entry

Fields: Field 1: SAVECASE

Enable Functions: HELP No
COMMENTS No
JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No
Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No
Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: INTERVIEWER INSTRUCTION 2:
(CASE RESULT CODE) = display BFOSDisp as specified in the
Background Assignment specifications.

(CASE DISPOSITION) = display sCaseDisp as specified in the
Background Assignment specifications.

(CASE EXPLANATION) = display sCaseExpln as specified in the
Background Assignment specifications.

QUESTION TEXT:
if Admin.CaseDisp = '40', '50', '60', or '12', display Question text
"Someone from the home office...".
Else do not display Question text.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _____

END2

Context Header:

Int. Instr I:

Question Text: (Someone from the home office may be calling to verify that I was here to conduct this interview.)

Int. Instr II: THIS CASE IS CODED (CASE RESULT CODE) (CASE DISPOSITION) (CASE EXPLANATION).

PRESS ENTER TO COMPLETE THE INTERVIEW.

INPUT FIELDS / ROUTING

Field1: SAVECASE (END1015)

Cheshire Name:

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TContinueEMPTY

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Continue	BOX END - (END1020)
English text: CONTINUE		

Attribute	Route
Empty	BOX END - (END1020)

BACKGROUND VARIABLE ASSIGNMENTS

Code frame for case disposition with instrument:

NotWorked	00	Not Worked
Breakoff	10	Breakoff
InstitutedNow	12	SP Institutionalized
InstitutedPrior	14	SP Instituted Prior
Complete	40	Complete
DeceasedPrior	44	SP Deceased Prior
DeceasedNow	50	SP Deceased Now
InstituteAfter	60	SP Instituted After

Setting Admin.CaseDisp and sCaseExpln:

IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType =

END2

```
SupSmp1sttimeUtilSkipped)
AND Admin.SPLiving = No AND tDeadInstDate < tStartYearDate THEN
    Admin.CaseDisp := DeceasedPrior /* 44 */
    sCaseExpln := 'BECAUSE THE SP DIED {' + sDecsInstDate + ' } PRIOR TO ' +
sStartYearDate

ELSE IF (Preload.IntType = SupSmp1stTimeUtil OR Preload.IntType =
SupSmp1sttimeUtilSkipped) AND
Admin.SPInstitute = Yes AND tDeadInstDate < tStartYearDate THEN
    Admin.CaseDisp := InstitutedPrior /* 14 */
    sCaseExpln := 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + ' }
PRIOR TO ' + sStartYearDate

ELSE IF Preload.IntType = NewFromSupplement AND (SPInstitute in
Intro.INMRes.Whyproxy) THEN
    Admin.CaseDisp := InstitutedPrior /* 14 */
    sCaseExpln := 'BECAUSE THE SP IS INSTITUTIONALIZED'

ELSE IF Preload.IntType = NewFromSupplement AND
(SPInDeceased in Intro.INMRes.Whyproxy) THEN
    Admin.CaseDisp := DeceasedPrior /* 44 */
    sCaseExpln := 'BECAUSE THE SP IS DECEASED'

ELSE IF (Preload.CurrentRound + 2 = Base.ExitRnd OR Preload.CurrentRound + 1 =
Base.ExitRnd) AND Admin.SPInstitute = Yes AND tDeadInstDate > tStartYearDate THEN
    Admin.CaseDisp = InstitutedAfter /* 60 */
    sCaseExpln = 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + ' }
+ AFTER ' + sStartYearDate

ELSE IF Admin.SPInstitute = Yes THEN
    Admin.CaseDisp := InstitutedNow /* 12 */
    sCaseExpln := 'BECAUSE THE SP WAS INSTITUTIONALIZED {' + sDecsInstDate + '}'

ELSE IF Admin.SPLiving = No THEN
    Admin.CaseDisp := DeceasedNow /* 50 */
    sCaseExpln := 'BECAUSE THE SP DIED {' + sDecsInstDate + '}'

ELSE
    Admin.CaseDisp := Complete
    sCaseExpln := ''
END IF

Admin.DeceasInstDate:
Populated from branching to INS2 (institutionalized date) or INS3 (deceased date).

SPLiving and SPInstitute:
Derive from INS1 (SPAStatus).

Setting MResRslt, BFOSDisp and sCaseDisp:
IF Admin.CaseDisp = NotWorked THEN
    MResRslt := '00'
    BFOSDisp := '00'
    sCaseDisp := 'NOT WORKED'

ELSE IF Admin.CaseDisp = InstitutedNow THEN
    MResRslt := '40'
    BFOSDisp := '12'
    sCaseDisp := 'INSTITUTIONALIZED'

ELSE IF Admin.CaseDisp = InstitutedPrior THEN
    MResRslt := '14'
```

END2

```
BFOSDisp:= '14'
sCaseDisp := 'INSTITUTIONALIZED PRIOR'

ELSE IF Admin.CaseDisp = Complete THEN
  MResRslt := '40'
  BFOSDisp:= '40'
  sCaseDisp := 'COMPLETE'

ELSE IF Admin.CaseDisp = DeceasedPrior THEN
  MResRslt := '44'
  BFOSDisp:= '44'
  sCaseDisp := 'DECEASED PRIOR'

ELSE IF Admin.CaseDisp = DeceasedNow THEN
  MResRslt := '50'
  BFOSDisp:= '50'
  sCaseDisp := 'DECEASED'

ELSE IF Admin.CaseDisp = InstituteAfter THEN
  MResRslt := '40'
  BFOSDisp:= '60'
  sCaseDisp := 'INSTITUTIONALIZED'

ELSE
  MResRslt := '10' /* everything else assumed Breakoff -- in progress */
  BFOSDisp:= '10'
  sCaseDisp := 'BREAKOFF'
END IF
```

BFOSDisp	Set MRES.BFOSDisp = Admin.CaseDisp as specified above in the Background Assignment specifications.
MRESRSLT	Set MRES.MRESRSLT = Admin.CaseDisp as specified above in the Background Assignment specifications.
MRESEDAT	Set MRES.MRESEDAT = today's date in YYMMDD format.
MENDDATE	If Admin.CaseDisp = Complete then MRES.MendDate = MRES.MResEdat. Else if (Admin.CaseDisp = InstitutedNow or DeceasedNow or InstituteAfter) then MRES.MendDate = tDeadInstDate in YYMMDD format.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

DISABLE BREAKOFF.

BOX END

BOX END

Page Order # : 30

BOX INSTRUCTIONS

(END1020) CASE IS COMPLETE. RETURN TO IMS .

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES
