

**PMINTROA**

Page Order # : 10

Design Screen Type: No Entry

Fields: Field 1: PMINTA

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If SP reported PM purchases in the previous round, display 1st sentence "Now let's talk ...."  
Else do not display.

If SP reported PM's in the current round utilization, display 2nd sentence "While talking about medical visits..."  
Else do not display.

If (SP did not report PM purchases in the previous round) and (SP did not report PM's in the current round utilization), display 3rd sentence "Now I'd like to talk about..."  
Else do not display.

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:**

**Report display:** If SP reported PM's in the current round utilization, display the following report.

Display report below question text.

Column 1, header = Medicine Name  
Column, 1, display = Display the name and strength of the medicine,  
EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

**TEXT:**

**Context Header:** REFERENCE DATE: (REFERENCE DATE)

**Int. Instr I:**

**Question Text:** [Now let's talk about prescribed medicines [you have/(SP) has] obtained since (REFERENCE DATE).]

(While talking about medical visits, you mentioned some medicine(s): [READ MEDICINE NAME(S) BELOW.]

(Now I'd like to talk about prescribed medicines.)

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** PMINTA ( PMQ1010 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TContinueEMPTY

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Continue	PM1 - PMFILLED ( PMQ1020 )
English text: CONTINUE		

Attribute	Route
Empty	PM1 - PMFILLED ( PMQ1020 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

---

- |     |                             |   |
|-----|-----------------------------|---|
| 176 | <b>PMPrevRnd</b>            | <p>SP reported PM purchase(s) in previous round =<br/>                 There is an EVNT &amp; PMRO where<br/>                 (PMRO.PMROEVNT=EVNT.EVNTNUM &amp;<br/>                 PMRO.PMRORND=previous round &amp;<br/>                 PMRO.PMROTYPE='PM' &amp; PMRO.PMRODFLG^=1/Yes<br/>                 &amp; (GETNUM&gt;0 or GETNUM = DK or RF)).<br/>                 Medicine Name=EVNT.PMEDNAME.</p> |
| 177 | <b>PMCurrentUtilization</b> | <p>SP reported PMs in the current round utilization =<br/>                 There is an EVNT &amp; PMRO where<br/>                 (PMRO.PMROEVNT=EVNT.EVNTNUM &amp;<br/>                 PMRO.PMRORND = current round &amp; PMRO.PMROTYPE<br/>                 = 'PM' and PMRO.PMRODFLG ^= 1/Yes).<br/>                 Medicine Name = EVNT.PMEDNAME.</p>  |

**DESIGN NOTES**

---

**PM1**

Page Order # : 20

Design Screen Type: Yes/No

Fields: Field 1: PMFILLED

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If only one PM reported during the current round utilization, display "Besides that medicine, ".  
Else if more than one PM reported during the current round utilization, display "Besides those medicines, "  
Else do not display.

If one or more PM's reported during the current round utilization, display "[since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".  
Else display "[Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If one or more PM's reported during the current round utilization, display "other".  
Else do not display.

If SP is the respondent, display "have you had".  
Else if SP is alive and not institutionalized, display "has (SP) had".  
Else display "did (SP) have".

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:**

Report display:

TEXT:

Context Header: REFERENCE DATE: (REFERENCE DATE)

Int. Instr I:

Question Text: [Besides that medicine, /Besides those medicines, ] [(Since/since) (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] [have you had/has (SP) had/did (SP) have] any (other) prescriptions filled?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMFILLED ( PMQ1020 )

Cheshire Name: HRND.PMFILLED

Item Text display: Do not display response option 3/IndicatedYesByDataprep.

Item Text:

Label:

Label Position:

Field Type: Enumerated

Type Name: TProbe

Answers Allowed: 1

Drop Down List: No

Lookup File: No

Lookup File Name:

FieldSize:

Min Value:

Max Value:

Mask:

Number	Label	Route
1	Yes	BOX PMA1 - (PMQ1030 )
	English text: YES	
2	No	PM3 - PMREFILL ( PMQ1070 )
	English text: NO	
3	IndicatedYesByDataPrep	DO NOT DISPLAY. DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	PM3 - PMREFILL ( PMQ1070 )
Refusal	PM3 - PMREFILL ( PMQ1070 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

177	<b>PMCurrentUtilization</b>	SP reported PMs in the current round utilization = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round & PMRO.PMROTYPE = 'PM' and PMRO.PMRODFLG ^= 1/Yes). Medicine Name = EVNT.PMEDNAME.
59	<b>SPStatus</b>	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty  SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY  SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute  SP is Deceased = MRES.SPALIVE=3/Deceased.

**DESIGN NOTES**

---

# BOX PMA1

## BOX INSTRUCTIONS

---

( PMQ1030 ) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM1A - PM1PMMEDS ( PMQ1040 ).  
  
ELSE GO TO PM2 - MEDICINE\_PM1 ( PMQ1050 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

<b>131</b>	<b>PMBottleProbe</b>	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

## DESIGN NOTES

---

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM1A

Page Order # : 40

**Design Screen Type:** No Entry

**Fields:** **Field 1:** PM1PMMEDS

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**  
**Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME:  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Question display:** Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Multi Field display:**

**Roster/Grid Instructions:**

Roster/Grid display:

Report display:

**TEXT:**

**Context Header:** [MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)]

**Int. Instr I:**

**Question Text:** It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** PM1PMMEDS ( PMQ1040 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TContinueEMPTY  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Continue	PM2 - MEDICINE_PM1 ( PMQ1050 )
English text: CONTINUE		

Attribute	Route
Empty	PM2 - MEDICINE_PM1 ( PMQ1050 )

**BACKGROUND VARIABLE ASSIGNMENTS**

The question displayed at PM1A is repeated in other utilization sections. Only show this

probe for prescription medicine bottles once during the current round interview.

If PM1A is asked, set flag as instructed below:

**GETPMMEDS**                      Set GETPMMEDS=1/Yes.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

- |            |                        |  |
|------------|------------------------|--|
| <b>342</b> | <b>MPDPCurrent</b>     | SP has a "current" Medicare Prescription Drug plan =<br>There is a PLAN where PLAN.PLANTYPE=7/MPDP &<br>PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &<br>PLRO.PLRORND=current round &<br>PLRO.COVCURNT=1/Yes).<br>Exclude Deleted Plans. See T.N. 52.   |
| <b>343</b> | <b>MPDPCurrPrevRnd</b> | Medicare Prescription Drug plan "current" at time of<br>previous round interview=<br>There is a PLAN where PLAN.PLANTYPE=7/MPDP &<br>PLRO where (PLROPLAN=PLAN.PLANNUM &<br>PLRO.PLRORND=previous round &<br>PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See<br>T.N. 52.<br>Exclude plans stopped in HIS. See T.N. 476. |
| <b>476</b> | <b>HISStoppedPlans</b> | Plans stopped in HIS that are not valid for displays or<br>checks =<br>Any PLAN where PLAN.PLANSFLG=1/Yes is a PLAN<br>stopped in HIS.   |

**DESIGN NOTES**

---

# PM2

Page Order # : 50

**Design Screen Type:** Roster

**Fields:** **Field 1:** MEDICINE\_PM1

<b>Enable Functions:</b>	<b>HELP</b>	No
	<b>COMMENTS</b>	Yes
	<b>JUMPBACK</b>	Yes

**Roster Name:** Prescription Medicine Roster

**Roster Type:** Multiple Item Select

<b>Roster Functions:</b>	<b>Add Item</b>	Yes	Display as ' Add a Medicine '
	<b>Edit Item</b>	Yes	Display as ' Edit a Medicine '
	<b>Delete Item</b>	No	
	<b>Search Item</b>	No	

<b>Grid Functions:</b>	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**

**Multi Field display:**

**Roster/Grid Instructions:** Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

**Report display:**

**TEXT:** -----

**Context Header:**

**Int. Instr I:**

**Question Text:** What is the name of the medicine?

**Int. Instr II:** SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

**INPUT FIELDS / ROUTING**

---

**Field1:** MEDICINE\_PM1 ( PMQ1050 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 200  
**Type Name:** TEvntPick200 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM3 - PMREFILL ( PMQ1070 )

---

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM  
 EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number  
 EVNT.EVNTRNDC Round number  
 EVNT.EVNTTYPE PM  
 EVNT.PMEDNAME Prescription Medicine name  
 EVNT.PMSTRUNI Prescription Medicine strength text field  
 EVNT.EVNTPROV 02  
 BASE.LASTEVRT Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND



# PM3

Page Order # : 60

Design Screen Type: Yes/No

Fields: Field 1: PMREFILL

Enable Functions: HELP No  
 COMMENTS Yes  
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: If SP reported one or more PM's in the current round utilization, display "In addition to what you've told be about, did". Else display "Did".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header: REFERENCE DATE: (REFERENCE DATE)

Int. Instr I:

Question Text: People sometimes forget to mention refills of earlier prescriptions. (In addition to what you've told me about, did/Did) [you/(SP)] have any prescriptions refilled [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** PMREFILL ( PMQ1070 )

**Cheshire Name:** HRND.PMREFILL

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes <b>English text: YES</b>	BOX PMA2 - (PMQ1080 )
2	No <b>English text: NO</b>	PM5 - PMDRPHON ( PMQ1110 )

Attribute	Route
Don't know	PM5 - PMDRPHON ( PMQ1110 )
Refusal	PM5 - PMDRPHON ( PMQ1110 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

**177 PMCurrentUtilization** SP reported PMs in the current round utilization =  
 There is an EVNT & PMRO where  
 (PMRO.PMROEVNT=EVNT.EVNTNUM &  
 PMRO.PMRORND = current round & PMRO.PMRATYPE  
 = 'PM' and PMRO.PMRODFLG ^= 1/Yes).  
 Medicine Name = EVNT.PMEDNAME.

**DESIGN NOTES**

---

**BOX PMA2**

Page Order # : 70

**BOX INSTRUCTIONS**

---

( PMQ1080 ) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM3A - PM2PMMEDS ( PMQ1090 ).

ELSE GO TO PM4 - MEDICINE\_PM2 ( PMQ1100 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>131</b>	<b>PMBottleProbe</b>	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

**DESIGN NOTES**

---

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM3A

Page Order # : 80

**Design Screen Type:** No Entry

**Fields:** **Field 1:** PM2PMMEDS

**Enable Functions:**

<b>HELP</b>	No
<b>COMMENTS</b>	Yes
<b>JUMPBACK</b>	Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**

<b>Add Item</b>	No
<b>Edit Item</b>	No
<b>Delete Item</b>	No
<b>Search Item</b>	No

**Grid Functions:**

<b>Add Line</b>	No
<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Question display:** Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Multi Field display:**

**Roster/Grid Instructions:**

Roster/Grid display:

Report display:

**TEXT:**

**Context Header:** [MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)]

**Int. Instr I:**

**Question Text:** It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** PM2PMMEDS ( PMQ1090 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TContinueEMPTY  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Continue	PM4 - MEDICINE_PM2 ( PMQ1100 )
English text: CONTINUE		

Attribute	Route
Empty	PM4 - MEDICINE_PM2 ( PMQ1100 )

**BACKGROUND VARIABLE ASSIGNMENTS**

The question displayed at PM1A is repeated in other utilization sections. Only show this

probe for prescription medicine bottles once during the current round interview.

If PM3A is asked, set flag as instructed below:

**GETPMMEDS**                      Set GETPMMEDS=1/Yes.

---

#### SOFT EDIT CHECKS

---

#### HARD EDIT CHECKS

---

#### TECHNICAL NOTES

<b>342</b>	<b>MPDPCurrent</b>	SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
<b>343</b>	<b>MPDPCurrPrevRnd</b>	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.
<b>476</b>	<b>HISStoppedPlans</b>	Plans stopped in HIS that are not valid for displays or checks = Any PLAN where PLAN.PLANSFLG=1/Yes is a PLAN stopped in HIS.

---

#### DESIGN NOTES

# PM4

Page Order # : 90

**Design Screen Type:** Roster

**Fields:** **Field 1:** MEDICINE\_PM2

<b>Enable Functions:</b>	<b>HELP</b>	No
	<b>COMMENTS</b>	Yes
	<b>JUMPBACK</b>	Yes

**Roster Name:** Prescription Medicine Roster

**Roster Type:** Multiple Item Select

<b>Roster Functions:</b>	<b>Add Item</b>	Yes	Display as ' Add a Medicine '
	<b>Edit Item</b>	Yes	Display as ' Edit a Medicine '
	<b>Delete Item</b>	No	
	<b>Search Item</b>	No	

<b>Grid Functions:</b>	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**

**Multi Field display:**

**Roster/Grid Instructions:** Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

**Report display:**

**TEXT:** -----

**Context Header:**

**Int. Instr I:**

**Question Text:** What is the name of the medicine?

**Int. Instr II:** SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

**INPUT FIELDS / ROUTING**

---

**Field1:** MEDICINE\_PM2 ( PMQ1100 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 200  
**Type Name:** TEvntPick200 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM5 - PMDRPHON ( PMQ1110 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM  
 EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number  
 EVNT.EVNTRNDC Round number  
 EVNT.EVNTTYPE PM  
 EVNT.PMEDNAME Prescription Medicine name  
 EVNT.PMSTRUNI Prescription Medicine strength text field  
 EVNT.EVNTPROV 02  
 BASE.LASTEVRT Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND



**PM5**

Page Order # : 100

Design Screen Type: Yes/No

Fields: Field 1: PMDRPHON

Enable Functions: HELP No  
 COMMENTS Yes  
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: If SP reported one or more PM's in the current round utilization, display "In addition to what you've told be about, did". Else display "Did".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header: REFERENCE DATE: (REFERENCE DATE)

Int. Instr I:

Question Text: People sometimes forget to mention prescriptions that were phoned in by a doctor. (In addition to what you've told me about, did/Did) [you/(SP)] get any medicine prescribed by a doctor in a telephone call to a drugstore or pharmacy [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** PMDRPHON ( PMQ1110 )

**Cheshire Name:** HRND.PMDRPHON

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PMA3 - (PMQ1120 )
	<b>English text: YES</b>	
2	No	BOX PM1 - (PMQ1150 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX PM1 - (PMQ1150 )
Refusal	BOX PM1 - (PMQ1150 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**177 PMCurrentUtilization** SP reported PMs in the current round utilization =  
 There is an EVNT & PMRO where  
 (PMRO.PMROEVNT=EVNT.EVNTNUM &  
 PMRO.PMRORND = current round & PMRO.PMRATYPE  
 = 'PM' and PMRO.PMRODFLG ^= 1/Yes).  
 Medicine Name = EVNT.PMEDNAME.

**DESIGN NOTES**

---

# BOX PMA3

## BOX INSTRUCTIONS

---

( PMQ1120 ) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM5A - PM3PMMEDS ( PMQ1130 ).

ELSE GO TO PM6 - MEDICINE\_PM3 ( PMQ1140 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

<b>131</b>	<b>PMBottleProbe</b>	Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.
------------	----------------------	--

## DESIGN NOTES

---

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM5A

Page Order # : 120

**Design Screen Type:** No Entry

**Fields:** **Field 1:** PM3PMMEDS

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**  
**Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Question display:**

Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.

If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements....". Else do not display.

MEDICARE PRESCRIPTION DRUG PLAN NAME =  
 Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

**Context Header:** [MPDP: (MEDICARE PRESCRIPTION DRUG PLAN NAME)]

**Int. Instr I:**

**Question Text:** It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** PM3PMMEDS ( PMQ1130 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TContinueEMPTY  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Continue	PM6 - MEDICINE_PM3 ( PMQ1140 )
English text: CONTINUE		

Attribute	Route
Empty	PM6 - MEDICINE_PM3 ( PMQ1140 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM5A is asked, set flag as instructed below:

**GETPMMEDS**                    Set GETPMMEDS=1/Yes.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

<b>342</b>	<b>MPDPCurrent</b>	SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
<b>343</b>	<b>MPDPCurrPrevRnd</b>	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52. Exclude plans stopped in HIS. See T.N. 476.
<b>476</b>	<b>HISStoppedPlans</b>	Plans stopped in HIS that are not valid for displays or checks = Any PLAN where PLAN.PLANSFLG=1/Yes is a PLAN stopped in HIS.

**DESIGN NOTES**

---

# PM6

Page Order # : 125

**Design Screen Type:** Roster

**Fields:** **Field 1:** **MEDICINE\_PM3**

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:** Prescription Medicine Roster

**Roster Type:** Multiple Item Select

**Roster Functions:**  
**Add Item** Yes Display as ' Add a Medicine '  
**Edit Item** Yes Display as ' Edit a Medicine '  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**

**Multi Field display:**

**Roster/Grid Instructions:** Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
 EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.
	2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

**Report display:**

**TEXT:**

---

**Context Header:**

**Int. Instr I:**

**Question Text:** What is the name of the medicine?

**Int. Instr II:** SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

**INPUT FIELDS / ROUTING**

---

**Field1:** MEDICINE\_PM3 ( PMQ1140 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 200  
**Type Name:** TEvntPick200 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX PM1 - (PMQ1150 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM  
 EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number  
 EVNT.EVNTRNDC Round number  
 EVNT.EVNTTYPE PM  
 EVNT.PMEDNAME Prescription Medicine name  
 EVNT.PMSTRUNI Prescription Medicine strength text field  
 EVNT.EVNTPROV 02  
 BASE.LASTEVRT Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

## PM6

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.  
PMRO.PMRORND = current round.

PM6 can be asked more than once if response to PM17=1/Yes, there are more PM's to enter. If at PM6, a medicine is selected that was previously displayed at PM6A and GETNUM was set to 0, we will reset GETNUM=empty so that the medicine will be displayed again at PM6A. See additional instructions below.

<b>PMROEVNT</b>	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
<b>PMRORND</b>	PMRO.PMRORND = current round.
<b>PMROTYPE</b>	PMRO.PMROTYPE = PM.
<b>GETNUM</b>	If PMRO.GETNUM = 0, set PMRO.GETNUM = empty.

### SOFT EDIT CHECKS

---

### HARD EDIT CHECKS

---

### TECHNICAL NOTES

---

### DESIGN NOTES

---

Begin Loop 1: PM6A is the first question in the 1st, larger loop in PM. It is asked the first time through PM and is also asked each time PM17=1/Yes, the probe for more medicines.

**BOX PM1**

Page Order # : 130

**BOX INSTRUCTIONS**

---

( PMQ1150 ) IF SP REPORTED AT LEAST ONE PRESCRIPTION MEDICINE IN THE CURRENT ROUND UTILIZATION THAT DOES NOT HAVE NUMBER OF PURCHASES ENTERED, GO TO PM6A - GETNUM ( PMQ1160 ).

ELSE GO TO PM17 - PMMORE ( PMQ1560 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>190</b>	<b>NeedNumOfPurchases</b>	PM reported in the current round utilization that does not have number of purchases entered = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = current round & PMRO.GETNUM = empty & PMRO.PMRODFLG ^= 1/Yes).
------------	---------------------------	---

**DESIGN NOTES**

---

BOX PM1 checks for any PM's reported during the current round utilization sections, including PMs selected at PM2, PM4 and PM6. The PM's entered in utilization sections, PM2, and PM4 do not have number of purchases entered. However, because PM6 could be asked more than once in PM and we do not prohibit PM's from being selected more than once at PM6, BOX PM1 excludes any PM that has been selected in an earlier loop and GETNUM has already been asked.

# PM6A

Page Order # : 135

Design Screen Type: Grid

Fields: **Field 1:** GETNUM

Enable Functions: **HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

Grid Functions: **Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: Display name and strength of medicine that is currently active in grid.

Multi Field display:

Roster/Grid Instructions: Display all PM's reported during the current round utilization that do not have number of purchases collected.

Display in order of entry.

Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Medicine Name	Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI. Display only.
	2	# Purchases	PMRO.GETNUM. Input column 1.

Report display:

**TEXT:**

---

Context Header: REFERENCE DATE: (REFERENCE DATE)

Int. Instr I: IF ALL MEDICINES ARE NOT LISTED, USE "PREVIOUS PAGE" AND ADD THE MEDICINE TO THE ROSTER. REFER TO STATEMENTS OR RECEIPTS, IF AVAILABLE.

**Question Text:** How many times [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] did [(you/(SP))] obtain (MEDICINE NAME)]]?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** GETNUM ( PMQ1160 )

**Cheshire Name:** PMRO.GETNUM

**Item Text display:** GRID COLUMN #2

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Integer

**Type Name:** TGetnum

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:** 0

**Max Value:** 100

**Mask:**

Number	Label	Route
1	[Continuous answer.]	BOX PM1A - (PMQ1170 )

Attribute	Route
Don't know	BOX PM1A - (PMQ1170 )

Refusal	BOX PM1A - (PMQ1170 )
---------	-----------------------

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

Edit #1

GETNUM = 1- 8, DK or RF.

If not true, display message: "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**190**      **NeedNumOfPurchases**      PM reported in the current round utilization that does not have number of purchases entered =

**PM6A**

For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM &  
PMRO.PMRORND = current round & PMRO.GETNUM =  
empty & PMRO.PMRODFLG ^= 1/Yes).

**DESIGN NOTES**

---

**BOX PM1A**

Page Order # : 140

**BOX INSTRUCTIONS**

---

( PMQ1170 ) IF AT LEAST ONE PRESCRIPTION MEDICINE DISPLAYED AT PM6A HAS NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF, GO TO BOX PM1AB - (PMQ1171 ).

ELSE GO TO PM17 - PMMORE ( PMQ1560 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>182</b>	<b>NumberOfPurchases</b>	The number of purchases for PM or OM = For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round). Number of purchases = PMRO.GETNUM.
------------	--------------------------	---

**DESIGN NOTES**

---

We do not collect PM details for PMs where number of purchases = 0. If all PMs selected at the PM roster and displayed at PM6A have PM6A - GETNUM = 0, BOX PM1A is routed to PM17, a probe for more PMs.

# BOX PM1AB

Page Order # : 145

## BOX INSTRUCTIONS

---

( PMQ1171 ) IF THIS IS ROUND 67 AND PM6AB - RXNOFILL HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM6AB - RXNOFILL ( PMQ1175 ).  
ELSE GO TO PM6A\_IN - NAVIGATOR ( PMQ1183 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

450	PM6ABNotAsked	PM6AB - RXNOFILL not asked in the current round = HRND.RXNOFILL = NULL on HRND where HRND.HRNRND = current round.
-----	---------------	---

## DESIGN NOTES

---

# PM6AB

Page Order # : 150

Design Screen Type: List

Fields:

<b>Field 1:</b>	<b>RXNOFILL</b>
<b>Field 2:</b>	<b>RXDELAY</b>
<b>Field 3:</b>	<b>RXSKIP</b>
<b>Field 4:</b>	<b>RXDOSE</b>

Enable Functions:

<b>HELP</b>	No
<b>COMMENTS</b>	No
<b>JUMPBACK</b>	No

Roster Name:

Roster Type:

Roster Functions:

<b>Add Item</b>	No
<b>Edit Item</b>	No
<b>Delete Item</b>	No
<b>Search Item</b>	No

Grid Functions:

<b>Add Line</b>	No
<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all PM's displayed at PM6A that have number of purchases > 0, DK or RF.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD

Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

**TEXT:**

---

Context Header:

**Int. Instr I:** SHOW CARD PM1

**Question Text:** Please think about the medicines you have obtained since (REFERENCE DATE), including [READ MEDICINE NAME(S) BELOW.] Since (REFERENCE DATE), how often did [you/(SP)] do any of the following things for these medicines. Did [you/(SP)] often, sometimes, or never...

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** RXNOFILL ( PMQ1175 )

**Cheshire Name:** HRND.RXNOFILL

**Item Text display:** Display "a." in front of Item Text.

**Item Text:** decide not to fill or refill a prescription because the medicine cost too much?

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TRXOFTEN

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Often	PM6AB - RXDELAY ( PMQ1176 )
	<b>English text:</b> OFTEN	
2	Sometimes	PM6AB - RXDELAY ( PMQ1176 )
	<b>English text:</b> SOMETIMES	
3	Never	PM6AB - RXDELAY ( PMQ1176 )
	<b>English text:</b> NEVER	

Attribute	Route
Don't know	PM6AB - RXDELAY ( PMQ1176 )
Refusal	PM6AB - RXDELAY ( PMQ1176 )

**Field2:** RXDELAY ( PMQ1176 )

**Cheshire Name:** HRND.RXDELAY

**Item Text display:** Display "b." in front of Item Text.

**Item Text:** delay getting a prescription filled or refilled because the medicine cost too much?

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TRXOFTEN

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Often	PM6AB - RXSKIP ( PMQ1177 )
	<b>English text:</b> OFTEN	
2	Sometimes	PM6AB - RXSKIP ( PMQ1177 )
	<b>English text:</b> SOMETIMES	
3	Never	PM6AB - RXSKIP ( PMQ1177 )
	<b>English text:</b> NEVER	
	<b>Attribute</b>	<b>Route</b>
	Don't know	PM6AB - RXSKIP ( PMQ1177 )
	Refusal	PM6AB - RXSKIP ( PMQ1177 )

**Field3:** RXSKIP ( PMQ1177 )

**Cheshire Name:** HRND.RXSKIP

**Item Text display:** Display "c." in front of Item Text.

**Item Text:** skip doses to make the medicine last longer?

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TRXOFTEN

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Often	PM6AB - RXDOSE ( PMQ1178 )
	<b>English text:</b> OFTEN	
2	Sometimes	PM6AB - RXDOSE ( PMQ1178 )
	<b>English text:</b> SOMETIMES	
3	Never	PM6AB - RXDOSE ( PMQ1178 )
	<b>English text:</b> NEVER	

Attribute	Route
Don't know	PM6AB - RXDOSE ( PMQ1178 )
Refusal	PM6AB - RXDOSE ( PMQ1178 )

**Field4:** RXDOSE ( PMQ1178 )

**Cheshire Name:** HRND.RXDOSE

**Item Text display:** Display "d." in front of Item Text.

**Item Text:** take smaller doses to make the medicine last longer?

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TRXOFTEN

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Often	PM6A_IN - NAVIGATOR ( PMQ1183 )
	<b>English text:</b> OFTEN	
2	Sometimes	PM6A_IN - NAVIGATOR ( PMQ1183 )
	<b>English text:</b> SOMETIMES	
3	Never	PM6A_IN - NAVIGATOR ( PMQ1183 )
	<b>English text:</b> NEVER	

Attribute	Route
Don't know	PM6A_IN - NAVIGATOR ( PMQ1183 )
Refusal	PM6A_IN - NAVIGATOR ( PMQ1183 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**DESIGN NOTES**

# PM6A\_IN

Page Order # : 155

**Design Screen Type:** Instance Navigator

**Fields:**                      **Field 1:**                      **NAVIGATOR**

**Enable Functions:**            **HELP**                              No  
    **COMMENTS**                      No  
    **JUMPBACK**                      No

**Roster Name:**

**Roster Type:**

**Roster Functions:**            **Add Item**                      No  
    **Edit Item**                        No  
    **Delete Item**                    No  
    **Search Item**                    No

**Grid Functions:**              **Add Line**                      No  
    **Delete Line**                    No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**            If administering PM, display all PM's displayed at PM6A that have number of purchases > 0, DK or RF.  
  
    If administering ST, display all PM's added at ST41 that have number of purchases > 0, DK or RF.  
  
    If administering NS, display all PM's added at NS41 that have number of purchases > 0, DK or RF.  
  
    Invoke NO TRAVEL I/N.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:**

**Int. Instr I:**

**Question Text:**

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** NAVIGATOR ( PMQ1183 )

**Cheshire Name:** N/A

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TInstanceNavigator  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	SelectItemInList	BOX PM1A-1 - (PMQ1184 )
<b>English text:</b> ITEM SELECTED IN INSTANCE NAVIGATOR		
2	SelectContinueInterview	BOX PM3A - (PMQ1559 )
<b>English text:</b> CONTINUE INTERVIEW SELECTED		

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**182**      **NumberOfPurchases**      The number of purchases for PM or OM =  
 For the OM or PM EVNT, there is PMRO where  
 (PMRO.PMROEVNT=EVNT.EVNTNUM &  
 PMRO.PMRORND = current round).  
 Number of purchases = PMRO.GETNUM.

**DESIGN NOTES**

---

**BOX PM1A-1**

Page Order # : 160

**BOX INSTRUCTIONS**

---

- ( PMQ1184 ) IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND), GO TO PM6A1 - PMSATVA ( PMQ1185 ).
- ELSE GO TO BOX PM1AA - (PMQ1190 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- |            |                              |   |
|------------|------------------------------|---|
| <b>423</b> | <b>SPReceivedCaretThruVA</b> | SP reported receiving health care services through V.A.in the current or any previous round =<br>There is an HRND where HRND.HRNDRND = current round and HRND.VACOVER = 1/Yes.<br>HRND.VACOVER is set at BOX HI20 or collected at HI36. |
| <b>182</b> | <b>NumberOfPurchases</b>     | The number of purchases for PM or OM =<br>For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round).<br>Number of purchases = PMRO.GETNUM.   |

**DESIGN NOTES**

---

# PM6A1

Page Order # : 170

Design Screen Type: Yes/No

Fields: Field 1: PMSATVA

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

If PMRO.GETNUM = 1, display "this purchase".  
Else display "any of these purchases".

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:**

**Question Text:** Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) through the Department of Veterans Affairs or V.A.?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** PMSATVA ( PMQ1185 )

**Cheshire Name:** PMRO.PMSATVA

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PM1AA - (PMQ1190 )
	<b>English text: YES</b>	
2	No	BOX PM1AA - (PMQ1190 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX PM1AA - (PMQ1190 )
Refusal	BOX PM1AA - (PMQ1190 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**182      NumberOfPurchases**      The number of purchases for PM or OM =  
 For the OM or PM EVNT, there is PMRO where  
 (PMRO.PMROEVNT=EVNT.EVNTNUM &  
 PMRO.PMRORND = current round).  
 Number of purchases = PMRO.GETNUM.

**DESIGN NOTES**

---

**BOX PM1AA**

Page Order # : 180

**BOX INSTRUCTIONS**

---

- ( PMQ1190 ) IF SP COVERED BY A MEDICARE MANAGED CARE PLAN OR A PRIVATE MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND, GO TO PM6B - PMSATHMO ( PMQ1200 ).
- ELSE GO TO PMINTROB - PMINTB ( PMQ1210 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- |            |                       |   |
|------------|-----------------------|---|
| <b>46</b>  | <b>SPHadMHMO</b>      | SP was covered by Medicare Managed Care plan (Medicare Advantage plan) anytime during current round =<br>There is a PLAN where PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes).<br>Exclude Deleted Plans. See T.N. 52. |
| <b>362</b> | <b>PrivHMOAnytime</b> | SP covered by Private Managed Care Plan anytime during current round =<br>There is a PLAN where PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes)).<br>Exclude Deleted Plans. See T.N. 52.     |

**DESIGN NOTES**

---

# PM6B

Page Order # : 190

Design Screen Type: Yes/No

Fields: Field 1: PMSATHMO

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

If PMRO.GETNUM = 1, display "this purchase".  
Else display "any of these purchases".

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:** Display all Medicare managed care plans and Private managed care plans SP was covered by anytime during the current round.  
Display managed care plan name(s) below question text.  
Display plans in the following order: Medicare Managed Care plans, Private Managed Care plans.  
If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".  
Column 1, display = Health insurance plan name "(PLAN NAME) Managed Care Plan".

**TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:**

**Question Text:** Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) at [READ MANAGED CARE PLAN NAME(S) BELOW] or through a service or discount offered through [READ MANAGED CARE PLAN NAME(S) BELOW]?

[PROBE: This could include obtaining the purchases at a plan pharmacy; at a pharmacy that honors [your/(SP's)] plan card; or through a mail order service that the managed care plan referred [you/(SP)] to.]

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** PMSATHMO ( PMQ1200 )

**Cheshire Name:** PMRO.PMSATHMO

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	PMINTROB - PMINTB ( PMQ1210 )
	<b>English text:</b> YES	
2	No	PMINTROB - PMINTB ( PMQ1210 )
	<b>English text:</b> NO	

Attribute	Route
Don't know	PMINTROB - PMINTB ( PMQ1210 )
Refusal	PMINTROB - PMINTB ( PMQ1210 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

---

**HARD EDIT CHECKS**


---

**TECHNICAL NOTES**


---

<b>46</b>	<b>SPHadMHMO</b>	<p>SP was covered by Medicare Managed Care plan (Medicare Advantage plan) anytime during current round =</p> <p>There is a PLAN where PLANTYPE=5/MHMO &amp; PLRO where (PLROPLAN=PLANNUM &amp; PLRORND=current round &amp; COVANYTM=1/Yes).</p> <p>Exclude Deleted Plans. See T.N. 52.</p>
<b>362</b>	<b>PrivHMOAnytime</b>	<p>SP covered by Private Managed Care Plan anytime during current round =</p> <p>There is a PLAN where PLANTYPE=4/PrivatePlan &amp; PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM &amp; PLRO.PLRORND=current round &amp; PLRO.PPRVHMO=1/Yes).</p> <p>Exclude Deleted Plans. See T.N. 52.</p>
<b>182</b>	<b>NumberOfPurchases</b>	<p>The number of purchases for PM or OM =</p> <p>For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM &amp; PMRO.PMRORND = current round).</p> <p>Number of purchases = PMRO.GETNUM.</p>

**DESIGN NOTES**


---

# PMINTROB

Page Order # : 200

Design Screen Type: No Entry

Fields: Field 1: PMINTB

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Always display "[ASK R TO GET BOTTLES...]" in brackets.

Display name and strength of medicine that is currently being asked about.

If SP was covered by a Medicare managed care plan or a private managed care plan anytime during the current round, display "more".  
Else do not display.

If SP was not covered by a Medicare managed care plan and was not covered by a private managed care plan anytime during the current round, display "Now".  
Else do not display.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:** \_\_\_\_\_

**PMINTROB**

**Context Header:** MEDICINE NAME: (MEDICINE NAME)  
**Int. Instr I:** [ASK R TO GET BOTTLES AND/OR STATEMENTS IF YOU HAVE NOT ALREADY DONE SO.]  
**Question Text:** (Now) I need to ask you a few (more) questions about the (MEDICINE NAME).  
**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** **PMINTB** ( PMQ1210 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated **FieldSize:**  
**Type Name:** TContinueEMPTY **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	Continue	BOX PM1B - (PMQ1220 )
English text: CONTINUE		

Attribute	Route
Empty	BOX PM1B - (PMQ1220 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**46** **SPHadMHMO** SP was covered by Medicare Managed Care plan (Medicare Advantage plan) anytime during current round =  
There is a PLAN where PLANTYPE=5/MHMO & PLRO

**PMINTROB**

where (PLROPLAN=PLANNUM & PLRORND=current round & COVANYTM=1/Yes).  
Exclude Deleted Plans. See T.N. 52.

**362 PrivHMOAnytime**

SP covered by Private Managed Care Plan anytime during current round =  
There is a PLAN where PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes)).  
Exclude Deleted Plans. See T.N. 52.

**DESIGN NOTES**

---

Begin Loop 4:

PMINTROB is the first question in the larger PM detail loop.

DISALLOW PREVIOUS PAGE

# BOX PM1B

Page Order # : 210

## BOX INSTRUCTIONS

---

( PMQ1220 ) GO TO PM8 - PMBOTTLE ( PMQ1240 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---

# PM8

Page Order # : 230

Design Screen Type: Code 1

Fields: Field 1: PMBOTTLE

Enable Functions: HELP No  
 COMMENTS Yes  
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

Context header display: Display name and strength of medicine that is currently being asked about.

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT.

Question Text: Do you have the medicine bottle, container, or bag available?

Int. Instr II: IF R DOES NOT HAVE BOTTLE, PROBE TO DETERMINE IF R CAN ANSWER QUESTIONS ABOUT THE FORM, STRENGTH, AND QUANTITY OF THE MEDICINE.

**INPUT FIELDS / ROUTING**

---

**Field1:** PMBOTTLE ( PMQ1240 )

**Cheshire Name:** PMRO.PMBOTTLE

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TPmbottle

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Yes	BOX PM1B-1 - (PMQ1250 )
	<b>English text:</b> YES	
2	No	BOX PM2 - (PMQ1550 )
	<b>English text:</b> NO	
3	NoButRCanAnswerQuestions	BOX PM1B-1 - (PMQ1250 )
	<b>English text:</b> NO BUT R CAN ANSWER QUESTIONS	

Attribute	Route
Don't know	BOX PM2 - (PMQ1550 )
Refusal	BOX PM2 - (PMQ1550 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**BOX PM1B-1**

**BOX PM1B-1**

**Page Order # : 240**

**BOX INSTRUCTIONS**

---

( PMQ1250 ) IF (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND FORM WAS ASKED AND DID NOT EQUAL DK) AND (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND STRENGTH WAS ASKED AND DID NOT EQUAL DK) AND ((SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND NUMBER WAS ASKED AND DID NOT EQUAL DK) OR (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND AMOUNT WAS ASKED AND DID NOT EQUAL DK)), GO TO PM8AA - SAMEFSAM ( PMQ1255 ).

IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND FORM WAS ASKED AND DID NOT EQUAL DK, GO TO PM8A - SAMEFORM ( PMQ1260 ).

ELSE GO TO BOX PM1B-2A - (PMQ1280 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>176</b>	<b>PMPrevRnd</b>	SP reported PM purchase(s) in previous round = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round & PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes & (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.
<b>181</b>	<b>PrevRndForm</b>	Previous round form for PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM and PMRO.PMRORND = previous round). PM form = PMRO.PMFORM, PMRO.PMFORMOS.
<b>193</b>	<b>FormEqualDK</b>	Previous round PM Form was asked and did not equal DK = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round & PMRO.PMFORM ^= EMPTY & PMRO.PMFORM ^= DK).
<b>183</b>	<b>PrevRndStrength</b>	Previous round strength for PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round). Strength =STRNUNIT, STRNUNOS, STRNNUM, STRNPER If compound, 2nd strength= STRNUNI2, STRNUNO2, STRNNUM2, STRNPER2.

**BOX PM1B-1**

- 184      StrengthEqualDK**      Previous round PM Strength was asked and did not equal  
DK =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT=EVNT.EVNTNUM &  
PMRO.PMRORND=previous round & PMRO.STRNUNIT  
^= EMPTY & (STRNUNIT, STRNUNI2, STRNNUM,  
STRNUM2, STRNPER, & STRNPER2 ^= DK)).
- 187      PillsSuppPatches**      PM form is stored on PMRO where PMRO.PMRORND =  
round # checking and PMRO.PMROEVNT =  
EVNT.EVNTNUM of PM being asked about:  
Pills: PMRO.PMFORM = 1/Pills  
Suppositories: PMRO.PMFORM = 5/Suppositories.  
Patches: PMRO.PMFORM=10/Patches.
- 188      PrevRndAmount**      The previous round amount for the PM =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS,  
PMRO.AMTNUM.
- 189      AmountEqualDK**      Previous round PM Amount was asked and did not equal  
DK =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM &  
PMRO.PMRORND = previous round & PMRO.AMTUNIT  
^= EMPTY & (PMRO.AMTUNIT ^= DK &  
PMRO.AMTNUM ^= DK)).
- 472      PrevRndNumber**      The previous round amount for the PM =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM number = PMRO.TABNUM.
- 473      NumberEqualDK**      Previous round PM Amount was asked and did not equal  
DK =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM &  
PMRO.PMRORND = previous round & PMRO.TABNUM  
^= EMPTY or DK).

**DESIGN NOTES**

---

**PM8AA**

Page Order # : 245

Design Screen Type: Yes/No

Fields: Field 1: SAMEFSAM

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.  
 MEDICINE FORM:  
 If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS for medicine currently being asked about.  
 Else display PMRO.PMFORM response.

STRENGTH MEDICINE FORM:  
 If previous round PMRO.PMFORM = 1/Pill, display "PILL" for medicine currently being asked about.  
 Else if previous round PMRO.PMFORM = 5/Suppository, display "SUPPOSITORY".  
 Else if previous round PMRO.PMFORM = 10/Patch, display "PATCH".  
 Else then  
 If previous round PMRO.PMFORM = 91/Other, medicine form = Other Specify text, PMRO.PMFORMOS.  
 Else display PMRO.PMFORM response.

Referring to the previous round strength, PMRO.STRNUNIT & PMRO.STRNUNI2, for PM currently being asked about:

STRENGTH 1:  
 If previous round PMRO.STRNUNIT=91/Other, display PMRO.STRNNUM + other specify text response, PMRO.STRNUNOS.  
 Else if previous round PMRO.STRNUNIT = 6/Percent, display PMRO.STRNPER + PMRO.STRNUNIT response.  
 Else display PMRO.STRNNUM + PMRO.STRNUNIT response.

STRENGTH 2:

**PM8AA**

If prescription medicine entered as a compound in the previous round, PMRO.COMPFLAG=1/Indicated, then,

If previous round PMRO.STRNUNI2=91/Other, display PMRO.STRNNUM2 + other specify text response, PMRO.STRNUNO2.

Else if previous round PMRO.STRNUNI2 = 6/Percent, display PMRO.STRNPER2 + PMRO.STRNUNI2 response.

Else display PMRO.STRNNUM2 + PMRO.STRNUNI2 response.  
Else do not display.

**PREVIOUS ROUND MEDICINE AMOUNT:**

Referring to the previous round amount, PMRO.AMTUNIT, for PM currently being asked about:

If previous round PMRO.AMTUNIT=91/Other, display other specify text response, PMRO.AMTNUM + PMRO.AMTUNOS.

Else display PMRO.AMTNUM + PMRO.AMTUNIT response.

**PREVIOUS ROUND MEDICINE NUMBER:**

Display PMRO.TABNUM

**Question display:**

**MEDICINE NAME:**

Display name and strength of medicine that is currently being asked about.

**MEDICINE FORM:**

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS for medicine currently being asked about.

Else display PMRO.PMFORM response.

Display form in lower case letters.

**STRENGTH MEDICINE FORM:**

If previous round PMRO.PMFORM = 1/Pill, display "each pill" for medicine currently being asked about.

Else if previous round PMRO.PMFORM = 5/Suppository, display "each suppository".

Else if previous round PMRO.PMFORM = 10/Patch, display "each patch".

Else then

Display "the (MEDICINE FORM)".

If previous round PMRO.PMFORM = 91/Other, medicine form = Other Specify text, PMRO.PMFORMOS.

Else display PMRO.PMFORM response.

Referring to the previous round strength, PMRO.STRNUNIT & PMRO.STRNUNI2, for PM currently being asked about:

**STRENGTH 1:**

If previous round PMRO.STRNUNIT=91/Other, display PMRO.STRNNUM + other specify text response, PMRO.STRNUNOS.

Else if previous round PMRO.STRNUNIT = 6/Percent, display

PMRO.STRNPER + PMRO.STRNUNIT response.

Else display PMRO.STRNNUM + PMRO.STRNUNIT response.

**STRENGTH 2:**

If prescription medicine entered as a compound in the previous round, PMRO.COMPFLAG=1/Indicated, then,

If previous round PMRO.STRNUNI2=91/Other, display PMRO.STRNNUM2 + other specify text response,

PMRO.STRNUNO2.

Else if previous round PMRO.STRNUNI2 = 6/Percent, display PMRO.STRNPER2 + PMRO.STRNUNI2 response.

Else display PMRO.STRNNUM2 + PMRO.STRNUNI2 response. Else do not display.

If SP reported the prescription medicine in the previous round and the previous round amount was asked, display "The amount of the (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND MEDICINE AMOUNT)."

Else if SP reported the prescription medicine in the previous round and the previous round medicine number was asked, display "The number of (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND MEDICINE NUMBER)."

PREVIOUS ROUND MEDICINE AMOUNT:

Referring to the previous round amount, PMRO.AMTUNIT, for PM currently being asked about:

If previous round PMRO.AMTUNIT=91/Other, display other specify text response, PMRO.AMTNUM + PMRO.AMTUNOS.

Else display PMRO.AMTNUM + PMRO.AMTUNIT response.

PREVIOUS ROUND MEDICINE NUMBER:

Display PMRO.TABNUM

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

**Context Header:** MEDICINE NAME: (MEDICINE NAME) STRENGTH: (STRENGTH 1) (STRENGTH 2)  
FORM: (MEDICINE FORM)  
AMOUNT (PREVIOUS ROUND MEDICINE AMOUNT) (PREVIOUS ROUND NUMBER)

**Int. Instr I:** CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND FORM, STRENGTH AND AMOUNT ARE THE SAME AS IN THE PREVIOUS INTERVIEW.

**Question Text:** At the time of the last interview, [you/(SP)] purchased (MEDICINE NAME) in the form of (MEDICINE FORM).

The strength of [each pill/each suppository/each patch/the (STRENGTH MEDICINE FORM)] was [READ STRENGTH BELOW].

(STRENGTH 1)  
(STRENGTH 2)

[The amount of the (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND MEDICINE AMOUNT)./The number of (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND NUMBER).]

**PM8AA**

Is this medicine in the same strength, form and amount?

**Int. Instr II:** CODE "NO" UNLESS STRENGTH, FORM AND AMOUNT EXACTLY MATCH PREVIOUS ROUND.

**INPUT FIELDS / ROUTING**

---

**Field1:** SAMEFSAM ( PMQ1255 )

**Cheshire Name:** PMRO.SAMEFSAM

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PM2 - (PMQ1550 )
	<b>English text: YES</b>	
2	No	PM8A - SAMEFORM ( PMQ1260 )
	<b>English text: NO</b>	
Attribute	Route	
Don't know	PM8A - SAMEFORM ( PMQ1260 )	
Refusal	PM8A - SAMEFORM ( PMQ1260 )	

**BACKGROUND VARIABLE ASSIGNMENTS**

---

If PM8AA - SAMEFSAM = 1/Yes, copy the prescription medicine form, strength, and amount from the previous round PMRO fields to the current round fields.

**PMFORM** If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.PMFORM = previous round PMRO.PMFORM.

**PMFORMOS** If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.PMFORMOS = previous round PMRO.PMFORMOS.

**STRNUNIT** If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNIT = previous round PMRO.STRNUNIT.

**PM8AA**

<b>STRNUNOS</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNOS = previous round PMRO.STRNUNOS.
<b>STRNNUM</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNNUM = previous round PMRO.STRNNUM.
<b>STRNPER</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNPER = previous round PMRO.STRNPER.
<b>STRNUNI2</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNI2 = previous round PMRO.STRNUNI2.
<b>STRNUNO2</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNO2 = previous round PMRO.STRNUNO2.
<b>STRNNUM2</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNNUM2 = previous round PMRO.STRNNUM2.
<b>STRNPER2</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNPER2 = previous round PMRO.STRNPER2.
<b>COMPFLAG</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.COMPFLAG = previous round PMRO.COMPFLAG.
<b>AMTUNIT</b>	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.AMTUNIT = previous round PMRO.AMTUNIT.
<b>AMTUNOS</b>	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.AMTUNOS = previous round PMRO.AMTUNOS.
<b>AMTNUM</b>	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.AMTNUM = previous round PMRO.AMTNUM.
<b>TABNUM</b>	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.TABNUM = previous round PMRO.TABNUM.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

<b>181</b>	<b>PrevRndForm</b>	Previous round form for PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM and PMRO.PMRORND = previous round). PM form = PMRO.PMFORM, PMRO.PMFORMOS.
<b>183</b>	<b>PrevRndStrength</b>	Previous round strength for PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round). Strength =STRNUNIT, STRNUNOS, STRNNUM, STRNPER If compound, 2nd strength= STRNUNI2, STRNUNO2, STRNNUM2, STRNPER2.

**PM8AA**

- 188      PrevRndAmount**      The previous round amount for the PM =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS,  
PMRO.AMTNUM.
- 472      PrevRndNumber**      The previous round amount for the PM =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM number = PMRO.TABNUM.

**DESIGN NOTES**

---

**PM8A**

Page Order # : 250

Design Screen Type: Yes/No

Fields: Field 1: SAMEFORM

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about. Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.  
Else display PMRO.PMFORM response.

Display form in lower case letters.

**Question display:** If PM8AA-SAMEFSAM = 2/No, display "I would...".  
Else do not display.

Display name and strength of medicine that is currently being asked about.

Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.  
Else display PMRO.PMFORM response.

Display form in lower case letters.

**Multi Field display:****Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:** -----

**Context Header:** MEDICINE NAME: (MEDICINE NAME)  
MEDICINE FORM: (MEDICINE FORM)

**Int. Instr I:** CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT,  
BOTTLE OR BAG IS PRESENT AND FORM IS SAME AS  
PREVIOUS INTERVIEW.

**Question Text:** (I would like to record what is different about this medicine.)  
  
At the time of the last interview, [you/(SP)] purchased (MEDICINE  
NAME) in the form of (MEDICINE FORM). Is this medicine in the  
same form?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** SAMEFORM ( PMQ1260 )

**Cheshire Name:** PMRO.SAMEFORM

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PM1B-2 - (PMQ1270 )
English text: YES		
2	No	BOX PM1B-2A - (PMQ1280 )
English text: NO		

Attribute	Route
Don't know	BOX PM1B-2A - (PMQ1280 )
Refusal	BOX PM1B-2A - (PMQ1280 )

**BACKGROUND VARIABLE ASSIGNMENTS**

If PM8A - SAMEFORM = 1/Yes, copy the prescription medicine form from the previous round PMRO fields to the current round fields.

**PMFORM** If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORM = previous round PMRO.PMFORM.  
**PMFORMOS** If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORMOS = previous round PMRO.PMFORMOS.

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**181 PrevRndForm** Previous round form for PM =  
 For this PM EVNT, there is a PMRO where  
 (PMRO.PMROEVNT= EVNT.EVNTNUM and  
 PMRO.PMRORND = previous round).

PM form = PMRO.PMFORM, PMRO.PMFORMOS.

**DESIGN NOTES**

---

**BOX PM1B-2**

Page Order # : 260

**BOX INSTRUCTIONS**

---

- ( PMQ1270 ) IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND STRENGTH WAS ASKED AND DID NOT EQUAL DK, GO TO PM9A - SAMESTRN ( PMQ1320 ).
- ELSE GO TO PM10 - STRNUNIT ( PMQ1340 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- |            |                        |   |
|------------|------------------------|---|
| <b>176</b> | <b>PMPrevRnd</b>       | SP reported PM purchase(s) in previous round =<br>There is an EVNT & PMRO where<br>(PMRO.PMROEVNT=EVNT.EVNTNUM &<br>PMRO.PMRORND=previous round &<br>PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes<br>& (GETNUM>0 or GETNUM = DK or RF)).<br>Medicine Name=EVNT.PMEDNAME.         |
| <b>183</b> | <b>PrevRndStrength</b> | Previous round strength for PM =<br>For this PM EVNT, there is a PMRO where<br>(PMRO.PMROEVNT=EVNT.EVNTNUM &<br>PMRO.PMRORND=previous round).<br>Strength =STRNUNIT, STRNUNOS, STRNNUM,<br>STRNPER<br>If compound, 2nd strength= STRNUNI2, STRNUNO2,<br>STRNNUM2, STRNPER2.   |
| <b>184</b> | <b>StrengthEqualDK</b> | Previous round PM Strength was asked and did not equal<br>DK =<br>For this PM EVNT, there is PMRO where<br>(PMRO.PMROEVNT=EVNT.EVNTNUM &<br>PMRO.PMRORND=previous round & PMRO.STRNUNIT<br>^= EMPTY & (STRNUNIT, STRNUNI2, STRNNUM,<br>STRNNUM2, STRNPER, & STRNPER2 ^= DK)). |

**DESIGN NOTES**

---

# BOX PM1B-2A

Page Order # : 270

## BOX INSTRUCTIONS

---

( PMQ1280 ) IF PM8 - PMBOTTLE=1/Yes, GO TO PMINTROC - PMINTC ( PMQ1290 ).  
ELSE GO TO PM9 - PMFORM ( PMQ1300 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---

# PMINTROC

Page Order # : 280

Design Screen Type: No Entry

Fields: Field 1: PMINTC

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I: COMPLETE PM9 -- PM16 USING INFORMATION FROM STATEMENT, RECEIPT, MEDICINE BOTTLE OR CONTAINER. IF THERE IS MORE THAN ONE FOR THE SAME MEDICINE, USE THE MOST RECENT CONTAINER.

Question Text:

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**PMINTROC**

**Field1:** PMINTC ( PMQ1290 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TContinueEMPTY

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Continue	PM9 - PMFORM ( PMQ1300 )
English text: CONTINUE		

Attribute	Route
Empty	PM9 - PMFORM ( PMQ1300 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**DESIGN NOTES**

**PM9**

Page Order # : 290

Design Screen Type: Code 1

Fields:                   **Field 1:**           **PMFORM**  
                               **Field 2:**           **PMFORMOS**

Enable Functions:       **HELP**               No  
                               **COMMENTS**       Yes  
                               **JUMPBACK**       Yes

Roster Name:

Roster Type:

Roster Functions:       **Add Item**           No  
                               **Edit Item**           No  
                               **Delete Item**       No  
                               **Search Item**       No

Grid Functions:         **Add Line**           No  
                               **Delete Line**       No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**   Display name and strength of medicine that is currently being asked about.

**Question display:****Multi Field display:**       Vertical Alignment**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

---

**Context Header:**            MEDICINE NAME: (MEDICINE NAME)**Int. Instr I:**                IN WHAT FORM IS THE MEDICINE?**Question Text:****Int. Instr II:****INPUT FIELDS / ROUTING**

---

**PM9**

**Field1:** **PMFORM** ( PMQ1300 )

**Cheshire Name:** PMRO.PMFORM

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TPmform

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Pills	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> PILLS (TABLETS, CAPSULES)	
2	Liquid	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> LIQUID (TO BE TAKEN ORALLY)	
3	Drops	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> DROPS (EYE/EAR/NOSE)	
4	TopicalOintment	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> OINTMENT, CREAM, LOTION (TOPICAL OR INTERNAL)	
5	Suppositories	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> SUPPOSITORIES	
6	ArerosolSpray	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> AEROSOL/SPRAY, INHALANT, SOLUTIONS, DISKUS	
7	ShampooSoap	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> SHAMPOO, SOAP	
8	Injection	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> INJECTION	
9	IV	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> IV INJECTION	
10	Patches	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> PATCHES	
11	Gel	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> GEL OR JELLY (TOPICAL OR INTERNAL)	
12	Powder	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text:</b> POWDER, GRANULES	
91	Other	PM9 - PMFORMOS ( PMQ1310 )
	<b>English text:</b> OTHER	

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430 )

---

**Field2:** PMFORMOS ( PMQ1310 )

**Cheshire Name:** PMRO.PMFORMOS

**Item Text display:** Display (SPECIFY) in the same blue font used for interviewer instructions.

**Item Text:** OTHER (SPECIFY)

**Label:**

**Label Position:**

<b>Field Type:</b>	String	<b>FieldSize:</b>	30
<b>Type Name:</b>	TOtherSpec	<b>Min Value:</b>	
<b>Answers Allowed:</b>	1	<b>Max Value:</b>	
<b>Drop Down List:</b>	No	<b>Mask:</b>	
<b>Lookup File:</b>	No		
<b>Lookup File Name:</b>			

Number	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT ( PMQ1340 )

---

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**PM9A**

Page Order # : 300

Design Screen Type: Yes/No

Fields: Field 1: SAMESTRN

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about. Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 1/Pill, display "each pill".  
 Else if previous round PMRO.PMFORM = 5/Suppository, display "each suppository".  
 Else if previous round PMRO.PMFORM = 10/Patch, display "each patch".  
 Else then  
   Display "the (MEDICINE FORM)".  
   If previous round PMRO.PMFORM = 91/Other, medicine form =  
 Other Specify text, PMRO.PMFORMOS.  
 Else display PMRO.PMFORM response.

**Question display:** Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 1/Pill, display "each pill".  
 Else if previous round PMRO.PMFORM = 5/Suppository, display "each suppository".  
 Else if previous round PMRO.PMFORM = 10/Patch, display "each patch".  
 Else then  
   Display "the (MEDICINE FORM)".  
   If previous round PMRO.PMFORM = 91/Other, medicine form =  
 Other Specify text, PMRO.PMFORMOS.  
 Else display PMRO.PMFORM response.

Referring to the previous round strength, PMRO.STRNUNIT & PMRO.STRNUNI2, for PM currently being asked about:

STRENGTH 1:

If previous round PMRO.STRNUNIT=91/Other, display other specify text response, PMRO.STRNUNOS.

Else if previous round PMRO.STRNUNIT = 6/Percent, display PMRO.STRNPER + PMRO.STRNUNIT response.

Else display PMRO.STRNNUM + PMRO.STRNUNIT response.

STRENGTH 2:

If prescription medicine entered as a compound in the previous round, PMRO.COMPFLAG=1/Indicated, then,

If previous round PMRO.STRNUNI2=91/Other, display other specify text response, PMRO.STRNUNO2.

Else if previous round PMRO.STRNUNI2 = 6/Percent, display PMRO.STRNPER2 + PMRO.STRNUNI2 response.

Else display PMRO.STRNNUM2 + PMRO.STRNUNI2 response. Else do not display.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

**Context Header:**

MEDICINE NAME: (MEDICINE NAME)  
MEDICINE FORM: (MEDICINE FORM)

**Int. Instr I:**

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND STRENGTH IS SAME AS PREVIOUS INTERVIEW.

**Question Text:**

At the time of the last interview, the strength of [each pill/each suppository/each patch/the (MEDICINE FORM)] was [READ STRENGTH BELOW].

(STRENGTH 1)  
(STRENGTH 2)

Is this medicine in the same strength?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** SAMESTRN ( PMQ1320 )

**Cheshire Name:** PMRO.SAMESTRN

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PM1B-4 - (PMQ1430 )
	<b>English text: YES</b>	
2	No	PM10 - STRNUNIT ( PMQ1340 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	PM10 - STRNUNIT ( PMQ1340 )
Refusal	PM10 - STRNUNIT ( PMQ1340 )

**BACKGROUND VARIABLE ASSIGNMENTS**

If PM9A - SAMESTRN = 1/Yes, copy the prescription medicine strength from the previous round PMRO fields to the current round fields.

- STRNUNIT** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNIT = previous round PMRO.STRNUNIT.
- STRNUNOS** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNOS = previous round PMRO.STRNUNOS.
- STRNNUM** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNNUM = previous round PMRO.STRNNUM.
- STRNPER** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNPER = previous round PMRO.STRNPER.
- STRNUNI2** If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNI2 = previous round PMRO.STRNUNI2.

**STRNUNO2** If PM9A - SAMESTRN = 1/Yes, set current round  
 PMRO.STRNUNO2 = previous round  
 PMRO.STRNUNO2.

**STRNNUM2** If PM9A - SAMESTRN = 1/Yes, set current round  
 PMRO.STRNNUM2 = previous round  
 PMRO.STRNNUM2.

**STRNPER2** If PM9A - SAMESTRN = 1/Yes, set current round  
 PMRO.STRNPER2 = previous round  
 PMRO.STRNPER2.

**COMPFLAG** If PM9A - SAMESTRN = 1/Yes, set current round  
 PMRO.COMPFLAG = previous round  
 PMRO.COMPFLAG.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**181 PrevRndForm** Previous round form for PM =  
 For this PM EVNT, there is a PMRO where  
 (PMRO.PMROEVNT= EVNT.EVNTNUM and  
 PMRO.PMRORND = previous round).  
 PM form = PMRO.PMFORM, PMRO.PMFORMOS.

**183 PrevRndStrength** Previous round strength for PM =  
 For this PM EVNT, there is a PMRO where  
 (PMRO.PMROEVNT=EVNT.EVNTNUM &  
 PMRO.PMRORND=previous round).  
 Strength =STRNUNIT, STRNUNOS, STRNNUM,  
 STRNPER  
 If compound, 2nd strength= STRNUNI2, STRNUNO2,  
 STRNNUM2, STRNPER2.

**DESIGN NOTES**

---

**PM10**

Page Order # : 320

Design Screen Type: Quantity Unit

<b>Fields:</b>	<b>Field 1:</b>	<b>STRNUNIT</b>
	<b>Field 2:</b>	<b>STRNUNOS</b>
	<b>Field 3:</b>	<b>STRNNUM</b>
	<b>Field 4:</b>	<b>STRNPER</b>
	<b>Field 5:</b>	<b>STRNUNIT96</b>

<b>Enable Functions:</b>	<b>HELP</b>	No
	<b>COMMENTS</b>	Yes
	<b>JUMPBACK</b>	Yes

Roster Name:

Roster Type:

<b>Roster Functions:</b>	<b>Add Item</b>	No
	<b>Edit Item</b>	No
	<b>Delete Item</b>	No
	<b>Search Item</b>	No

<b>Grid Functions:</b>	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** The prescription medicine current round form was either collected at PM9 or was copied from the previous round PMRO.PMFORM.

Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:

If PMFORM = 1/Pill, display "EACH PILL".  
 Else if PMFORM = 5/Suppository, display "EACH SUPPOSITORY".  
 Else if PMFORM = 10/Patch, display "EACH PATCH".  
 Else then  
   Display "THE (MEDICINE FORM)".  
   If PMFORM = 91/Other, medicine form = Other Specify text, PMRO.PMFORMOS.  
   Else medicine form = PMFORM response.

**Multi Field display:** Vertical Alignment

Display fields in order specified.

When screen is first displayed, display 1st field, STRNUNIT96 and 2nd field, STRNUNIT, at one time.

**PM10**

Display remaining fields, STRNUNOS, STRNNUM, and STRNPER,  
as specified on the route.

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:** -----

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:** WHAT IS THE STRENGTH OF [EACH PILL/EACH PATCH/THE  
(MEDICINE FORM)]?

IF COMPOUND MEDICINE: ENTER STRENGTH OF 1ST  
MEDICINE, THEN CHECK THE BOX BELOW.

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** STRNUNIT ( PMQ1340 )

**Cheshire Name:** PMRO.STRNUNIT

**Item Text display:** Do not display response option 96/Compound.

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TStrnunit

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Micrograms	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> MICROGRAMS (mcg, mc)	
2	Milligrams	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> MILLIGRAMS (mg)	
3	Grains	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> GRAINS (gr)	
4	Milliequivalents	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> MILLIEQUIVALENTS (meq)	
5	Grams	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> GRAMS (g, gm)	
6	Percent	PM10 - STRNPER ( PMQ1370 )
	<b>English text:</b> PERCENT (%)	
7	InternationalUnits	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> INTERNATIONAL UNITS (IU)	
8	Units	PM10 - STRNNUM ( PMQ1350 )
	<b>English text:</b> UNITS (U)	
91	Other	PM10 - STRNUNOS ( PMQ1345 )
	<b>English text:</b> OTHER	
96	Compound	DO NOT DISPLAY.
	<b>English text:</b> COMPOUND/MORE THAN ONE MEDICINE COMBINED	

Attribute	Route
Don't know	PM10 - STRNUNIT96 ( PMQ1375 )

**Field2:** STRNUNOS ( PMQ1345 )

**Cheshire Name:** PMRO.STRNUNOS

**Item Text display:** Display (SPECIFY) in the same blue font used for interviewer instructions.

**Item Text:** OTHER (SPECIFY)

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TOtherSpec **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM10 - STRNNUM ( PMQ1350 )

**Field3:** STRNNUM ( PMQ1350 )

**Cheshire Name:** PMRO.STRNNUM

**Item Text display:**

**Item Text:**

**Label:** NUMBER:  
**Label Position:** Left

**Field Type:** Real **FieldSize:**  
**Type Name:** TNumunit **Min Value:** 0.001  
**Answers Allowed:** 1 **Max Value:** 9999999  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT96 ( PMQ1375 )

Attribute	Route
Don't know	PM10 - STRNUNIT96 ( PMQ1375 )

**PM10**

**Field4:** STRNPER ( PMQ1370 )

**Cheshire Name:** PMRO.STRNPER

**Item Text display:**

**Item Text:**

**Label:** PERCENT:

**Label Position:** Left

**Field Type:** Real

**Type Name:** TStrnper

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:** 0.001

**Max Value:** 100

**Mask:** Percent

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	PM10 - STRNUNIT96 ( PMQ1375 )

<b>Attribute</b>	<b>Route</b>
Don't know	PM10 - STRNUNIT96 ( PMQ1375 )

**Field5:** STRNUNIT96 ( PMQ1375 )

**Cheshire Name:** NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:  
If STRNUNIT96 = 1/Compound, set PMRO.STRNUNIT = 96/Compound.

**Item Text display:**

**Item Text:**

**Label:** COMPOUND/MORE THAN ONE MEDICINE COMBINED  
**Label Position:** Right

**Field Type:** Enumerated **FieldSize:**  
**Type Name:** TStrnUnit96 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	Compound	BOX PM1B-3 - (PMQ1385 )
English text: COMPOUND/MORE THAN ONE MEDICINE COMBINED		

Attribute	Route
Empty	BOX PM1B-3 - (PMQ1385 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**COMPFLAG** If PM10 - STRNUNIT96 = 1/Compound, set PMRO.COMPFLAG=1/Indicated.

**SOFT EDIT CHECKS**

Edit #1  
If STRNUNIT = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM = .001-150, DK.  
Else if STRNUNIT = 1/Micrograms, then STRNNUM = .001-50, DK.  
Else if STRNUNIT = 2/Milligrams, then STRNNUM = .005-800, DK.  
Else if STRNUNIT = 3/Grains, then STRNNUM = .001-10, DK.  
Else if STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-100, DK.  
Else if STRNUNIT = 5/Grams, then STRNNUM = .01-30, DK.  
Else if STRNUNIT = 6/Percent, then STRNPER = .001-5, DK.  
Else if STRNUNIT = 7/International Units, then STRNNUM = .1-50,000, DK.  
Else if STRNUNIT = 8/Units, then STRNNUM = 1-1,500, DK.  
Else if STRNUNIT = 91/Other, then STRNNUM = .001-1,000, DK.  
If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

Edit #1

If STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-9,999,999, DK.

Else if STRNUNIT = 5/Grams, then STRNNUM = .01-9,999,999, DK.  
If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

**TECHNICAL NOTES**

---

<b>185</b>	<b>CurrRndForm</b>	The current round form for the PM = For this PM EVNT, there is PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM & PMRO.PMRORND = current round). Form = PMRO.PMFORM. Other Specify Form = PMRO.PMFORMOS.
------------	--------------------	--

**DESIGN NOTES**

---

# BOX PM1B-3

Page Order # : 321

## BOX INSTRUCTIONS

---

( PMQ1385 ) IF PM10 - STRNUNIT96 = 1/Compound, GO TO PM10B - STRNUNI2 ( PMQ1420 ).  
ELSE GO TO BOX PM1B-4 - (PMQ1430 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---

**PM10B**

Page Order # : 324

Design Screen Type: Quantity Unit

Fields:

<b>Field 1:</b>	<b>STRNUNI2</b>
<b>Field 2:</b>	<b>STRNUNO2</b>
<b>Field 3:</b>	<b>STRNNUM2</b>
<b>Field 4:</b>	<b>STRNPER2</b>

<b>Enable Functions:</b>	<b>HELP</b>	No
	<b>COMMENTS</b>	No
	<b>JUMPBACK</b>	No

Roster Name:

Roster Type:

<b>Roster Functions:</b>	<b>Add Item</b>	No
	<b>Edit Item</b>	No
	<b>Delete Item</b>	No
	<b>Search Item</b>	No

<b>Grid Functions:</b>	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:****Multi Field display:** Vertical Alignment**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)  
2ND MEDICINE IN COMPOUND

**Int. Instr I:** WHAT WAS THE STRENGTH OF THE 2ND MEDICINE IN THE  
COMPOUND?

**Question Text:****Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** STRNUNI2 ( PMQ1420 )

**Cheshire Name:** PMRO.STRNUNI2

**Item Text display:** Do not display response option 96/Compound.

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TStrnunit

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Micrograms <b>English text:</b> MICROGRAMS (mcg, mc)	PM10B - STRNNUM2 ( PMQ1422 )
2	Milligrams <b>English text:</b> MILLIGRAMS (mg)	PM10B - STRNNUM2 ( PMQ1422 )
3	Grains <b>English text:</b> GRAINS (gr)	PM10B - STRNNUM2 ( PMQ1422 )
4	Milliequivalents <b>English text:</b> MILLIEQUIVALENTS (meq)	PM10B - STRNNUM2 ( PMQ1422 )
5	Grams <b>English text:</b> GRAMS (g, gm)	PM10B - STRNNUM2 ( PMQ1422 )
6	Percent <b>English text:</b> PERCENT (%)	PM10B - STRNPER2 ( PMQ1423 )
7	InternationalUnits <b>English text:</b> INTERNATIONAL UNITS (IU)	PM10B - STRNNUM2 ( PMQ1422 )
8	Units <b>English text:</b> UNITS (U)	PM10B - STRNNUM2 ( PMQ1422 )
91	Other <b>English text:</b> OTHER	PM10B - STRNUNO2 ( PMQ1421 )
96	Compound <b>English text:</b> COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430 )

**Field2:** STRNUNO2 ( PMQ1421 )

**Cheshire Name:** PMRO.STRNUNO2

**Item Text display:** Display (SPECIFY) in the same blue font used for interviewer instructions.

**Item Text:** OTHER (SPECIFY)

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TOtherSpec **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM10B - STRNNUM2 ( PMQ1422 )

**Field3:** STRNNUM2 ( PMQ1422 )

**Cheshire Name:** PMRO.STRNNUM2

**Item Text display:**

**Item Text:**

**Label:** NUMBER:  
**Label Position:** Left

**Field Type:** Real **FieldSize:**  
**Type Name:** TNumunit **Min Value:** 0.001  
**Answers Allowed:** 1 **Max Value:** 9999999  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-4 - (PMQ1430 )

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430 )

**Field4:** STRNPER2 ( PMQ1423 )

**Cheshire Name:** PMRO.STRNPER2

**Item Text display:**

**Item Text:**

**Label:** PERCENT:

**Label Position:** Left

**Field Type:** Real

**Type Name:** TStrnper

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:** 0.001

**Max Value:** 100

**Mask:** Percent

Number	Label	Route
1	[Continuous answer.]	BOX PM1B-4 - (PMQ1430 )

Attribute	Route
Don't know	BOX PM1B-4 - (PMQ1430 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

Edit #1

If STRNUNI2 = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM2 = .001-150, DK.

Else if STRNUNI2 = 1/Micrograms, then STRNNUM2 = .001-50, DK.

Else if STRNUNI2 = 2/Milligrams, then STRNNUM2 = .005-800, DK.

Else if STRNUNI2 = 3/Grains, then STRNNUM2 = .001-10, DK.

Else if STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-100, DK.

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-30, DK.

Else if STRNUNI2 = 6/Percent, then STRNPER2 = .001-5, DK.

Else if STRNUNI2 = 7/International Units, then STRNNUM2 = .1-50,000, DK.

Else if STRNUNI2 = 8/Units, then STRNNUM2 = 1-1,500, DK.

Else if STRNUNI2 = 91/Other, then STRNNUM2 = .001-1,000, DK.

If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

Edit #1

If STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-9,999,999, DK.

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-9,999,999, DK.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**BOX PM1B-4**

Page Order # : 330

**BOX INSTRUCTIONS**

---

( PMQ1430 ) IF PM9A - SAMESTRN = 1/Yes AND SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND AMOUNT WAS ASKED AND DID NOT EQUAL DK, GO TO PM15A - SAMEAMNT ( PMQ1510 ).

ELSE IF THE PRESCRIPTION MEDICINE FORM IS PILLS, SUPPOSITORIES OR PATCHES, GO TO PM11 - TABNUM ( PMQ1440 ).

ELSE GO TO PM16 - AMTUNIT ( PMQ1520 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>187</b>	<b>PillsSuppPatches</b>	PM form is stored on PMRO where PMRO.PMRORND = round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about: Pills: PMRO.PMFORM = 1/Pills Suppositories: PMRO.PMFORM = 5/Suppositories. Patches: PMRO.PMFORM=10/Patches.
<b>176</b>	<b>PMPrevRnd</b>	SP reported PM purchase(s) in previous round = There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round & PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes & (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.
<b>188</b>	<b>PrevRndAmount</b>	The previous round amount for the PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM and PMRO.PMRORND = previous round). PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS, PMRO.AMTNUM.
<b>189</b>	<b>AmountEqualDK</b>	Previous round PM Amount was asked and did not equal DK = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round & PMRO.AMTUNIT ^= EMPTY & (PMRO.AMTUNIT ^= DK & PMRO.AMTNUM ^= DK)).

**DESIGN NOTES**

---

# PM11

Page Order # : 340

**Design Screen Type:** Numeric

**Fields:**                    **Field 1:**                    **TABNUM**

**Enable Functions:**        **HELP**                        No  
    **COMMENTS**                Yes  
    **JUMPBACK**                Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**        **Add Item**                No  
    **Edit Item**                 No  
    **Delete Item**             No  
    **Search Item**            No

**Grid Functions:**            **Add Line**                No  
    **Delete Line**             No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**    Display name and strength of medicine that is currently being asked about.

**Question display:**            Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:  
  
    If PMFORM = 1/Pill, display "PILLS".  
    Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".  
    Else if PMFORM = 10/Patch, display "PATCHES".

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:**                MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:**                    HOW MANY (PILLS/SUPPOSITORIES/PATCHES) WERE IN THE CONTAINER WHEN IT WAS OBTAINED?

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **TABNUM**                    ( PMQ1440 )

**Cheshire Name:**            PMRO.TABNUM

**Item Text display:**

**Item Text:**

**Label:**                    NUMBER:

**Label Position:**            Left

**Field Type:**                Integer

**Type Name:**                TTabnum

**Answers Allowed:**            1

**Drop Down List:**            No

**Lookup File:**                No

**Lookup File Name:**

**FieldSize:**

**Min Value:**                1

**Max Value:**                999

**Mask:**

Number	Label	Route
1	[Continuous answer.]	BOX PM1C - (PMQ1450 )

Attribute	Route
Don't know	BOX PM1C - (PMQ1450 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

Edit #1  
 TABNUM = 1-270, DK.  
 If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**185            CurrRndForm**            The current round form for the PM =  
 For this PM EVNT, there is PMRO where  
 (PMRO.PMROEVNT= EVNT.EVNTNUM &  
 PMRO.PMRORND = current round).  
 Form = PMRO.PMFORM.  
 Other Specify Form = PMRO.PMFORMOS.

**DESIGN NOTES**

---

# BOX PM1C

Page Order # : 350

## BOX INSTRUCTIONS

---

( PMQ1450 ) IF PRESCRIPTION MEDICINE FORM IS PILLS OR SUPPOSITORIES AND  
PM11 - TABNUM = DK, GO TO PM12 - TABSADAY ( PMQ1460 ).  
  
ELSE GO TO BOX PM2 - (PMQ1550 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

<b>187</b>	<b>PillsSuppPatches</b>	PM form is stored on PMRO where PMRO.PMRORND = round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about: Pills: PMRO.PMFORM = 1/Pills Suppositories: PMRO.PMFORM = 5/Suppositories. Patches: PMRO.PMFORM=10/Patches.
------------	-------------------------	--

## DESIGN NOTES

---

# PM12

Page Order # : 360

**Design Screen Type:** Numeric

**Fields:**  
**Field 1:** TABSADAY  
**Field 2:** TABSADAY95

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**  
**Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:  
  
 If PMFORM = 1/Pill, display "PILLS".  
 Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

**Multi Field display:** Vertical Alignment  
  
 Display all fields at one time.

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:** HOW MANY (PILLS/SUPPOSITORIES) ARE TO BE TAKEN IN A DAY?

**Question Text:**

**Int. Instr II:**



**Field2:** TABSADAY95 ( PMQ1462 )

**Cheshire Name:** NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:  
 If TABSADAY95 = 1/LessThanWhole, set  
 PMRO.TABSADAY=95.  
 Else if TABSADAY95=2/TakeAsNeeded, set  
 PMRO.TABSADAY=96.

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TTabs9596  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	LessThanWhole	BOX PM1D - (PMQ1463 )
	<b>English text:</b> LESS THAN WHOLE	
2	TakeAsNeeded	BOX PM1D - (PMQ1463 )
	<b>English text:</b> TAKE AS NEEDED	
Attribute	Route	
Empty	BOX PM1D - (PMQ1463 )	

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

Edit #1  
 TABSADAY = 1-8, DK.  
 If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

Edit #1  
 TABSADAY and TABSADAY95 cannot both be EMPTY.  
 If not true, display message, "ENTRY REQUIRED. PLEASE ENTER THE CORRECT DOSAGE."

Edit #2  
 TABSADAY and TABSADAY95 cannot both be FILLED.

**PM12**

If not true, display message, "INVALID ENTRY. PLEASE ENTER THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABSADAY = 1-12, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

**TECHNICAL NOTES**

---

<b>185</b>	<b>CurrRndForm</b>	The current round form for the PM = For this PM EVNT, there is PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM & PMRO.PMRORND = current round). Form = PMRO.PMFORM. Other Specify Form = PMRO.PMFORMOS.
------------	--------------------	--

**DESIGN NOTES**

---

# BOX PM1D

## BOX INSTRUCTIONS

---

( PMQ1463 ) IF PM12 - TABSADAY = DK, GO TO BOX PM2 - (PMQ1550 ).  
ELSE IF PM12 - TABSADAY95 = 2/TakeAsNeeded, GO TO PM13 -  
TABTAKE ( PMQ1470 ).  
ELSE GO TO PM14 - TAKEUNIT ( PMQ1480 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---

**PM13**

Page Order # : 370

Design Screen Type: Numeric

Fields:                   **Field 1:**            **TABTAKE**  
                               **Field 2:**            **TABTAKE96**

Enable Functions:       **HELP**                No  
                               **COMMENTS**        Yes  
                               **JUMPBACK**         Yes

Roster Name:

Roster Type:

Roster Functions:       **Add Item**            No  
                               **Edit Item**            No  
                               **Delete Item**         No  
                               **Search Item**         No

Grid Functions:         **Add Line**            No  
                               **Delete Line**         No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**    Display name and strength of medicine that is currently being asked about.

**Question display:**         Referring to the current round form, PMRO.PMFORM, for PM currently being asked about:

If PMFORM = 1/Pill, display "pills".  
 Else if PMFORM = 5/Suppository, display "suppositories".

If SP is deceased or institutionalized, display "did".  
 Else if SP is the respondent, display "do".  
 Else if Proxy is the respondent, display "does".

Display "usually" in bold.

**Multi Field display:**       Vertical Alignment  
 Display all fields at one time.

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

**Context Header:**            MEDICINE NAME: (MEDICINE NAME)

Int. Instr I:

**Question Text:** How many (pills/suppositories) (do/did/does) [you/(SP)] usually take in a day?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** TABTAKE ( PMQ1470 )

**Cheshire Name:** PMRO.TABTAKE

**Item Text display:**

**Item Text:**

**Label:** NUMBER:  
**Label Position:** Left

**Field Type:** Integer  
**Type Name:** TTabtake  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:** 1  
**Max Value:** 96  
**Mask:**

Number	Label	Route
1	[Continuous answer.]	PM13 - TABTAKE96 ( PMQ1472 )

Attribute	Route
Empty	PM13 - TABTAKE96 ( PMQ1472 )

Don't know	PM13 - TABTAKE96 ( PMQ1472 )
------------	------------------------------

**Field2:** TABTAKE96 ( PMQ1472 )

**Cheshire Name:** NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:  
If TABTAKE96=1/DontTakeEveryDay, set  
PMRO.TABTAKE=96.

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TTabTake96  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	DontTakeEveryDay	BOX PM1E - (PMQ1473 )
English text: DONT TAKE EVERY DAY		

Attribute	Route
Empty	BOX PM1E - (PMQ1473 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

Edit #1  
TABTAKE = 1-15, DK.  
If not true, display message, "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

Edit#1  
TABTAKE and TABTAKE96 cannot both be EMPTY.  
If not true, display message "ENTRY REQUIRED. PLEASE ENTER THE CORRECT DOSAGE."

Edit#2  
TABTAKE and TABTAKE96 cannot both be FILLED.  
If not true, display message, "INVALID ENTRY. PLEASE ENTER THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABTAKE = 1-30, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER"

**TECHNICAL NOTES**

---

<b>185</b>	<b>CurrRndForm</b>	<p>The current round form for the PM =          For this PM EVNT, there is PMRO where          (PMRO.PMROEVNT= EVNT.EVNTNUM &amp;          PMRO.PMORND = current round).          Form = PMRO.PMFORM.          Other Specify Form = PMRO.PMFORMOS.</p>
<b>59</b>	<b>SPStatus</b>	<p>SP is Alive and not institutionalized =          MRES.SPALIVE=1/Alive or empty</p> <p>SP is Alive =          MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY</p> <p>SP is Institutionalized =          MRES.SPALIVE=2/AliveAndInstitute</p> <p>SP is Deceased =          MRES.SPALIVE=3/Deceased.</p>
<b>4</b>	<b>Respondent</b>	<p>On MRES where MRES.MRESRND = current round:</p> <p>A Proxy interview (respondent is a proxy) =          MRES.SPPROXY=2/Proxy.          MRES.RROSTNUM=ROST.ROSTNUM of respondent.</p> <p>An SP interview (respondent is the SP) =          MRES.SPPROXY=1/SP.          MRES.RROSTNUM='01'.</p>

**DESIGN NOTES**

---

# **BOX PM1E**

**Page Order # : 375**

## **BOX INSTRUCTIONS**

---

( PMQ1473 ) IF PM13 - TABTAKE96 = 1/DontTakeEveryDay, GO TO BOX PM2 - (PMQ1550 ).  
ELSE GO TO PM14 - TAKEUNIT ( PMQ1480 ).

## **ASSIGNMENTS**

---

## **TECHNICAL NOTES**

---

## **DESIGN NOTES**

---

# PM14

Page Order # : 380

**Design Screen Type:** Quantity Unit

**Fields:**  
**Field 1:** TAKEUNIT  
**Field 2:** TAKENUM

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**  
**Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:**

**Multi Field display:** Vertical Alignment

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:** HOW MANY DAYS OR WEEKS WAS THE MEDICINE TO BE TAKEN?

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** TAKEUNIT ( PMQ1480 )

**Cheshire Name:** PMRO.TAKEUNIT

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**FieldSize:**

**Type Name:** TTakeunit

**Min Value:**

**Answers Allowed:** 1

**Max Value:**

**Drop Down List:** No

**Mask:**

**Lookup File:** No

**Lookup File Name:**

Number	Label	Route
1	Days <b>English text:</b> DAYS	PM14 - TAKENUM ( PMQ1490 )
2	Weeks <b>English text:</b> WEEKS	PM14 - TAKENUM ( PMQ1490 )
3	TakeUntilGone <b>English text:</b> TAKE UNTIL GONE	BOX PM2 - (PMQ1550 )
4	TakeAsNeeded <b>English text:</b> TAKE AS NEEDED	BOX PM2 - (PMQ1550 )
5	TakeEveryDay <b>English text:</b> TAKE EVERY DAY	BOX PM2 - (PMQ1550 )
Attribute	Route	
Don't know	BOX PM2 - (PMQ1550 )	

**Field2:** TAKENUM ( PMQ1490 )

**Cheshire Name:** PMRO.TAKENUM

**Item Text display:**

**Item Text:**

**Label:** NUMBER:

**Label Position:** Left

**Field Type:** Integer

**Type Name:** TTakenum

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:** 1

**Max Value:** 99

**Mask:**

Number	Label	Route
1	[Continuous answer.]	BOX PM2 - (PMQ1550 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

Edit #1  
 If TAKEUNIT = 1/Days, then TAKENUM = 1-30.  
 Else if TAKEUNIT =1/Weeks, then TAKENUM= 1-4.  
 If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**PM15A**

Page Order # : 400

Design Screen Type: Yes/No

Fields: Field 1: SAMEAMNT

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about. Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.  
Else display PMRO.PMFORM response.

Referring to the previous round amount, PMRO.AMTUNIT, for PM currently being asked about:

If previous round PMRO.AMTUNIT=91/Other, display other specify text response, PMRO.AMTUNOS.  
Else display PMRO.AMTNUM + PMRO.AMTUNIT response.

**Question display:** Referring to the previous round form, PMRO.PMFORM, for PM currently being asked about:

If previous round PMRO.PMFORM = 91/Other, display other specify text, PMRO.PMFORMOS.  
Else display PMRO.PMFORM response.

Referring to the previous round amount, PMRO.AMTUNIT, for PM currently being asked about:

If previous round PMRO.AMTUNIT=91/Other, display other specify text response, PMRO.AMTUNOS.  
Else display PMRO.AMTNUM + PMRO.AMTUNIT response.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)  
MEDICINE FORM: (PREVIOUS ROUND MEDICINE FORM)  
MEDICINE AMOUNT: (PREVIOUS ROUND MEDICINE AMOUNT)

**Int. Instr I:** CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT,  
BOTTLE OR BAG IS PRESENT AND AMOUNT IS SAME AS  
PREVIOUS INTERVIEW.

**Question Text:** At the time of the last interview, the amount of the (PREVIOUS  
ROUND MEDICINE FORM) was (PREVIOUS ROUND MEDICINE  
AMOUNT). Is this medicine in the same amount?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** SAMEAMNT ( PMQ1510 )

**Cheshire Name:** PMRO.SAMEAMNT

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX PM2 - (PMQ1550 )
English text: YES		
2	No	PM16 - AMTUNIT ( PMQ1520 )
English text: NO		

Attribute	Route
Don't know	PM16 - AMTUNIT ( PMQ1520 )
Refusal	PM16 - AMTUNIT ( PMQ1520 )

**BACKGROUND VARIABLE ASSIGNMENTS**

If PM15A - SAMEAMNT = 1/Yes, copy the prescription medicine amount from the previous round PMRO fields to the current round fields.

- AMTUNIT** If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTUNIT = previous round PMRO.AMTUNIT.
- AMTUNOS** If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTUNOS = previous round PMRO.AMTUNOS.
- AMTNUM** If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTNUM = previous round PMRO.AMTNUM.

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

181 PrevRndForm Previous round form for PM =

**PM15A**

For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT= EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM form = PMRO.PMFORM, PMRO.PMFORMOS.

**188      PrevRndAmount**

The previous round amount for the PM =  
For this PM EVNT, there is a PMRO where  
(PMRO.PMROEVNT = EVNT.EVNTNUM and  
PMRO.PMRORND = previous round).  
PM amount = PMRO.AMTUNIT, PMRO.AMTUNOS,  
PMRO.AMTNUM.

**DESIGN NOTES**

---

**PM16**

Page Order # : 410

Design Screen Type: Quantity Unit

Fields:

<b>Field 1:</b>	<b>AMTUNIT</b>
<b>Field 2:</b>	<b>AMTUNOS</b>
<b>Field 3:</b>	<b>AMTNUM</b>

<b>Enable Functions:</b>	<b>HELP</b>	No
	<b>COMMENTS</b>	Yes
	<b>JUMPBACK</b>	Yes

Roster Name:

Roster Type:

<b>Roster Functions:</b>	<b>Add Item</b>	No
	<b>Edit Item</b>	No
	<b>Delete Item</b>	No
	<b>Search Item</b>	No

<b>Grid Functions:</b>	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Always display "[PLEASE ENTER...]" in brackets.

**Multi Field display:** Vertical Alignment

**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

---

**Context Header:** MEDICINE NAME: (MEDICINE NAME)

**Int. Instr I:** HOW MUCH MEDICINE WAS IN THE CONTAINER WHEN IT WAS OBTAINED?

**Question Text:**

**Int. Instr II:** [PLEASE ENTER THE AMOUNT IN THE CONTAINER, NOT THE STRENGTH OF THE MEDICINE.]

INPUT FIELDS / ROUTING

**Field1:**                    **AMTUNIT**                    ( PMQ1520 )

**Cheshire Name:**            PMRO.AMTUNIT

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:**                Enumerated

**Type Name:**                TAmtnunit

**Answers Allowed:**         1

**Drop Down List:**         No

**Lookup File:**                No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Ounces <b>English text:</b> OUNCES (oz)	PM16 - AMTNUM ( PMQ1530 )
2	Grams <b>English text:</b> GRAMS (g, gm)	PM16 - AMTNUM ( PMQ1530 )
3	Milliliters <b>English text:</b> MILLILITERS (ml, cc)	PM16 - AMTNUM ( PMQ1530 )
4	Milliequivalents <b>English text:</b> MILLIEQUIVALENTS (meq)	PM16 - AMTNUM ( PMQ1530 )
5	Milligrams <b>English text:</b> MILLIGRAMS (mg)	PM16 - AMTNUM ( PMQ1530 )
6	Micrograms <b>English text:</b> MICROGRAMS (mcg)	PM16 - AMTNUM ( PMQ1530 )
7	Puffs <b>English text:</b> PUFFS, DOSES, BLISTERS	PM16 - AMTNUM ( PMQ1530 )
91	Other <b>English text:</b> OTHER	PM16 - AMTUNOS ( PMQ1525 )

Attribute	Route
Don't know	BOX PM2 - (PMQ1550 )

**Field2:** **AMTUNOS** ( PMQ1525 )

**Cheshire Name:** PMRO.AMTUNOS

**Item Text display:** Display (SPECIFY) in the same blue font used for interviewer instructions.

**Item Text:** OTHER (SPECIFY)

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TOtherSpec **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	PM16 - AMTNUM ( PMQ1530 )

**Field3:** **AMTNUM** ( PMQ1530 )

**Cheshire Name:** PMRO.AMTNUM

**Item Text display:**

**Item Text:**

**Label:** NUMBER:  
**Label Position:** Left

**Field Type:** Real **FieldSize:**  
**Type Name:** TNumunit **Min Value:** 0.001  
**Answers Allowed:** 1 **Max Value:** 9999999  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX PM2 - (PMQ1550 )

Attribute	Route
Don't know	BOX PM2 - (PMQ1550 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

---

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM = .01-16, DK.  
Else if AMTUNIT =2/Grams, then AMTNUM= .01-60, DK.  
Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-480, DK.  
Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-100, DK.  
Else if AMTUNIT = 5/Milligrams, then AMTNUM = .005- 800, DK.  
Else if AMTUNIT = 6/Micrograms, then AMTNUM = .001- 50, DK.  
Else if AMTUNIT = 91/Other, then AMTNUM = .01-1,000, DK.  
If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM = .01-9,999,999, DK.  
Else if AMTUNIT =2/Grams, then AMTNUM = .01-9,999,999, DK.  
Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-9,999,999, DK.  
Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-9,999,999, DK  
If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER."

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**BOX PM2**

Page Order # : 420

**BOX INSTRUCTIONS**

---

( PMQ1550 ) IF (NOT ADMINISTERING ST AND NOT ADMINISTERING NS) AND (SP IS ALIVE AND NOT INSTITUTIONALIZED) AND (UTILIZATION IS NOT BEING COLLECTED FOR THE FIRST TIME FOR THIS SP) AND (THIS IS ROUND 67) AND (AT LEAST ONE RESPONSE AT PM6AB = 1/OFTEN OR 2/SOMETIMES) AND (AT LEAST TWO PRESCRIPTION MEDICINES DISPLAYED AT PM6A HAVE NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF) AND (THIS IS ONE OF THE FIRST 15 MEDICINES BEING ASKED ABOUT IN PM), GO TO PM16A1 - NOFILLED ( PMQ1551 ).

ELSE GO TO BOX PM3 - (PMQ1558 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>59</b>	<b>SPStatus</b>	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty  SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY  SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute  SP is Deceased = MRES.SPALIVE=3/Deceased.
<b>48</b>	<b>FirstUtilization</b>	Utilization being collected for the first time = (MRES.INTTYPE = 7/SupSmp1stTimeUtil or MRES.INTTYPE = 10/SumSmp1stTimeUtilSkipped or MRES.INTTYPE = 2/NewFromFacility) on MRES where MRES.MRESRND = current round.
<b>375</b>	<b>First15PMs</b>	This PM is one of the first 15 medicines being asked about in PM = PM16A1 - TOTALPMASK < 15.
<b>441</b>	<b>PMOftenSometimes</b>	AT LEAST ONE RESPONSE AT PM6AB = 1/OFTEN OR 2/SOMETIMES = PM6AB - RXNOFILL = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXDELAY = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXSKIP = 1/OFTEN OR 1/SOMETIMES, OR PM6AB - RXDOSE = 1/OFTEN OR 1/SOMETIMES.
<b>182</b>	<b>NumberOfPurchases</b>	The number of purchases for PM or OM = For the OM or PM EVNT, there is PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND = current round). Number of purchases = PMRO.GETNUM.

**DESIGN NOTES**

---

# PM16A1

Page Order # : 425

Design Screen Type: Code 1

Fields: Field 1: NOFILLED

Enable Functions: HELP No  
 COMMENTS No  
 JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

Display "because it cost too much" in BOLD.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** REFERENCE DATE: (REFERENCE DATE)  
 MEDICINE: (MEDICINE NAME)

**Int. Instr I:** SHOW CARD PM1

**Question Text:** Since (REFERENCE DATE), how often did [you/(SP)] decide not to fill or refill (MEDICINE) because it cost too much?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **NOFILLED**                    ( PMQ1551 )

**Cheshire Name:**            PMRO.NOFILLED

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:**                Enumerated

**Type Name:**                TNoFilled

**Answers Allowed:**        1

**Drop Down List:**        No

**Lookup File:**              No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	OftenDidNotFill <b>English text:</b> OFTEN	PM16A - DELAYFIL ( PMQ1552 )
2	SometimesDidNotFill <b>English text:</b> SOMETIMES	PM16A - DELAYFIL ( PMQ1552 )
3	NeverDidNotFill <b>English text:</b> NEVER	PM16A - DELAYFIL ( PMQ1552 )

Attribute	Route
Don't know	PM16A - DELAYFIL ( PMQ1552 )
Refusal	PM16A - DELAYFIL ( PMQ1552 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Each time PM16A1 - NOFILLED is asked for a prescription medicine in PM, increment counter as specified below. This counter is used to control how many times we ask the fall round series: PM16A1, PM16A, PM16B and PM16C. We only ask these questions for the 1st 15 medicines reported in PM section if at least one response at PM6AB = 1/Often or 2/Sometimes.

**TOTALPMASK**                TOTALPMASK = TOTALPMASK + 1.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**PM16A**

Page Order # : 430

Design Screen Type: Code 1

Fields: Field 1: DELAYFIL

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

Display "because it cost too much" in BOLD.

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

---

**Context Header:** REFERENCE DATE: (REFERENCE DATE)  
MEDICINE: (MEDICINE NAME)

**Int. Instr I:** SHOW CARD PM1

**Question Text:** Since (REFERENCE DATE), how often did [you/(SP)] delay filling or refilling a prescription for (MEDICINE NAME) because it cost too much?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** DELAYFIL ( PMQ1552 )

**Cheshire Name:** PMRO.DELAYFIL

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TDelayFil

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	OftenDelayedFilling <b>English text:</b> OFTEN	PM16B - SKIPDOSE ( PMQ1554 )
2	SometimesDelayedFilling <b>English text:</b> SOMETIMES	PM16B - SKIPDOSE ( PMQ1554 )
3	NeverDelayedFilling <b>English text:</b> NEVER	PM16B - SKIPDOSE ( PMQ1554 )

Attribute	Route
Don't know	PM16B - SKIPDOSE ( PMQ1554 )
Refusal	PM16B - SKIPDOSE ( PMQ1554 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**PM16B**

Page Order # : 440

Design Screen Type: Code 1

Fields: Field 1: SKIPDOSE

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

Display "to make the medicine last longer" in BOLD.

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:**

---

**Context Header:** REFERENCE DATE: (REFERENCE DATE)  
MEDICINE: (MEDICINE NAME)

**Int. Instr I:** SHOW CARD PM1

**Question Text:** Since (REFERENCE DATE), how often did [you/(SP)] skip doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never skipped doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **SKIPDOSE**                    ( PMQ1554 )

**Cheshire Name:**            PMRO.SKIPDOSE

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:**                Enumerated

**Type Name:**              TSkipDose

**Answers Allowed:**        1

**Drop Down List:**        No

**Lookup File:**             No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	OftenSkippedDose <b>English text:</b> OFTEN	PM16C - CUTDOSE ( PMQ1556 )
2	SometimesSkippedDose <b>English text:</b> SOMETIMES	PM16C - CUTDOSE ( PMQ1556 )
3	NeverSkippedDose <b>English text:</b> NEVER	PM16C - CUTDOSE ( PMQ1556 )
4	NeverTookPM <b>English text:</b> NEVER TOOK THE MEDICINE AT ALL	BOX PM3 - (PMQ1558 )

Attribute	Route
Don't know	PM16C - CUTDOSE ( PMQ1556 )
Refusal	PM16C - CUTDOSE ( PMQ1556 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

# PM16C

Page Order # : 450

Design Screen Type: Code 1

Fields: Field 1: CUTDOSE

Enable Functions: HELP No  
 COMMENTS No  
 JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** Display name and strength of medicine that is currently being asked about.

**Question display:** Display name and strength of medicine that is currently being asked about.

Display "to make the medicine last longer" in BOLD.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:** REFERENCE DATE: (REFERENCE DATE)  
 MEDICINE: (MEDICINE NAME)

**Int. Instr I:** SHOW CARD PM1

**Question Text:** Since (REFERENCE DATE), how often did [you/(SP)] take smaller doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never took smaller doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **CUTDOSE**                    ( PMQ1556 )

**Cheshire Name:**            PMRO.CUTDOSE

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:**                Enumerated

**Type Name:**                TCutDose

**Answers Allowed:**         1

**Drop Down List:**         No

**Lookup File:**                No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	OftenCutDose <b>English text:</b> OFTEN	BOX PM3 - (PMQ1558 )
2	SometimesCutDose <b>English text:</b> SOMETIMES	BOX PM3 - (PMQ1558 )
3	NeverCutDose <b>English text:</b> NEVER	BOX PM3 - (PMQ1558 )
4	NeverTookPm <b>English text:</b> NEVER TOOK THE MEDICINE AT ALL	BOX PM3 - (PMQ1558 )

Attribute	Route
Don't know	BOX PM3 - (PMQ1558 )
Refusal	BOX PM3 - (PMQ1558 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

# **BOX PM3**

**Page Order # :** 460

## **BOX INSTRUCTIONS**

---

( PMQ1558 ) GO TO PM6A\_IN - NAVIGATOR ( PMQ1183 ).

## **ASSIGNMENTS**

---

## **TECHNICAL NOTES**

---

## **DESIGN NOTES**

---

# BOX PM3A

Page Order # : 465

## BOX INSTRUCTIONS

---

( PMQ1559 ) IF CURRENTLY ADMINISTERING ST, GO TO BOX ST43 - (STQ1930 ).  
ELSE IF CURRENTLY ADMINISTERING NS, GO TO BOX NS43 -  
(NSQ1930 ).  
ELSE GO TO PM17 - PMMORE ( PMQ1560 ).

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---

If adminstering ST or NS, BOX PM3A is routed back to ST/NS.  
Else probe for more PMs.

# PM17

Page Order # : 470

**Design Screen Type:** Yes/No

**Fields:** **Field 1:** **PMMORE**

**Enable Functions:**

<b>HELP</b>	No
<b>COMMENTS</b>	Yes
<b>JUMPBACK</b>	Yes

**Roster Name:**

**Roster Type:**

**Roster Functions:**

<b>Add Item</b>	No
<b>Edit Item</b>	No
<b>Delete Item</b>	No
<b>Search Item</b>	No

**Grid Functions:**

<b>Add Line</b>	No
<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If SP reported any Prescription Medicine purchases during the current round, display "[THE NAMES OF ALL MEDICINES REPORTED FOR THE CURRENT REFERENCE PERIOD ARE DISPLAYED BELOW.]".  
Else display "[NO MEDICINES HAVE BEEN REPORTED FOR (SP) FOR THE CURRENT REFERENCE PERIOD.]".

If SP reported any Prescription Medicine purchases during the current round, display "MORE".  
Else do not display.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:** Display the names of all prescription medicine purchases reported in the current round.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD  
Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

**TEXT:**

**Context Header:** CURRENT REFERENCE PERIOD: (REFERENCE DATE) - (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)

**Int. Instr I:** ([NO MEDICINES HAVE BEEN REPORTED FOR (SP) FOR THE CURRENT REFERENCE PERIOD/THE NAMES OF ALL MEDICINES REPORTED FOR THE CURRENT REFERENCE PERIOD ARE DISPLAYED BELOW.])

REVIEW THIS INFORMATION WITH THE RESPONDENT.

**Question Text:** [REVIEW THE INFORMATION BELOW WITH THE RESPONDENT. ASK, OR CODE AS APPROPRIATE IF R ALREADY INDICATED: Are there any (more) medicines since (REFERENCE DATE) that we haven't talked about?]

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** PMMORE ( PMQ1560 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNo  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	PM6 - MEDICINE_PM3 ( PMQ1140 )
	<b>English text: YES</b>	
2	No	BOX PMEND - (PMQ1580 )
	<b>English text: NO</b>	

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

---

<b>178</b>	<b>PMCurrRnd</b>	<p>SP reported PM purchase(s) in current round =          There is an EVNT &amp; PMRO where          (PMRO.PMROEVNT=EVNT.EVNTNUM &amp;          PMRO.PMROORND=current round &amp;          PMRO.PMROTYPE='PM' &amp; PMRO.PMRODFLG^=1/Yes          &amp; (GETNUM &gt; 0 or GETNUM = DK or RF)).          Medicine Name=EVNT.PMEDNAME.</p>
<b>180</b>	<b>PMCondition</b>	<p>Condition reported for the PM =          For this PM EVNT, there is an XCON where          (XCON.XCONEVNT=EVNT.EVNTNUM) and          (XCON.XCONCOND = COND.CONDNUM of condition          linked to PM EVNT).          Condition Name = COND.CONDTION.</p>

**DESIGN NOTES**

---

End Loop 1:

PM17 is a larger loop that is initiated the first time PM17 is asked. If PM17 = 1/Yes, return to PM6 to collect additional current round prescription medicines.

# **BOX PMEND**

**Page Order # : 480**

## **BOX INSTRUCTIONS**

---

( PMQ1580 ) GO TO NEXT SECTION .

## **ASSIGNMENTS**

---

## **TECHNICAL NOTES**

---

## **DESIGN NOTES**

---