



Dust Wipe-Organics Instrument

Event Category:	Time-Based
Event:	36M, 48M, 60M
Administration:	N/A
Instrument Target:	Child's Primary Residence
Instrument Respondent:	Primary Caregiver
Domain:	Environmental
Document Category:	Sample Collection
Method:	Data Collector Administered
Mode (for this instrument*):	In-Person, CAI
OMB Approved Modes:	In-Person, CAI
Estimated Administration Time:	1 minute
Multiple Child/Sibling Consideration:	Per Child
Special Considerations:	N/A
Version:	1.0
MDES Release:	4.0

*This instrument is OMB-approved for multi-mode administration, but this version of the instrument is designed for administration in this/these mode(s) only.

Public reporting burden for this collection of information is estimated to average 1 minute per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. **An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.** Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0593*). Do not return the completed form to this address.

This page intentionally left blank.

Dust Wipe-Organics Instrument

TABLE OF CONTENTS

GENERAL PROGRAMMER INSTRUCTIONS:.....	1
WIPE-ORGANICS INSTRUMENT - DATA COLLECTOR QUESTIONS.....	3
WIPE-ORGANICS PRIMARY SAMPLE.....	5
WIPE-ORGANICS BLANK SAMPLE.....	8
WIPE-ORGANICS DUPLICATE SAMPLE.....	10
WIPE-ORGANICS SPIKE SAMPLE.....	12

This page intentionally left blank.

Dust Wipe-Organics Instrument

GENERAL PROGRAMMER INSTRUCTIONS:

WHEN PROGRAMMING INSTRUMENTS, VALIDATE FIELD LENGTHS AND TYPES AGAINST THE MDES TO ENSURE DATA COLLECTION RESPONSES DO NOT EXCEED THOSE OF THE MDES. SOME GENERAL ITEM LIMITS USED ARE AS FOLLOWS:

DATA ELEMENT FIELDS	MAXIMUM CHARACTERS PERMITTED	DATA TYPE	PROGRAMMER INSTRUCTIONS
ADDRESS AND EMAIL FIELDS	100	CHARACTER	
UNIT AND PHONE FIELDS	10	CHARACTER	
_OTH AND COMMENT FIELDS	255	CHARACTER	<ul style="list-style-type: none"> Limit text to 255 characters
FIRST NAME AND LAST NAME	30	CHARACTER	<ul style="list-style-type: none"> Limit text to 30 characters
ALL ID FIELDS	36	CHARACTER	
ZIP CODE	5	NUMERIC	
ZIP CODE LAST FOUR	4	NUMERIC	
CITY	50	CHARACTER	
DOB AND ALL OTHER DATE FIELDS (E.G., DT, DATE, ETC.)	10	NUMERIC CHARACTER	<ul style="list-style-type: none"> DISPLAY AS MM/DD/YYYY STORE AS YYYY-MM-DD HARD EDITS: MM MUST EQUAL 01 TO 12 DD MUST EQUAL 01 TO 31 YYYY MUST BE BETWEEN 1900 AND CURRENT YEAR.
TIME VARIABLES	TWO-DIGIT HOUR AND TWO-DIGIT MINUTE, AM/PM DESIGNATION	NUMERIC	<ul style="list-style-type: none"> HARD EDITS: HOURS MUST BE BETWEEN 00 AND 12; MINUTES MUST BE BETWEEN 00 AND 59

Instrument Guidelines for Participant and Respondent IDs:

PRENATALLY, THE **P_ID** IN THE MDES HEADER IS THAT OF THE PARTICIPANT (E.G. THE NON-PREGNANT WOMAN, PREGNANT WOMAN, OR THE FATHER).

POSTNATALLY, A RESPONDENT ID WILL BE USED IN ADDITION TO THE PARTICIPANT ID BECAUSE SOMEBODY OTHER THAN THE PARTICIPANT MAY BE COMPLETING THE INTERVIEW. FOR EXAMPLE, THE PARTICIPANT MAY BE THE CHILD AND THE RESPONDENT MAY BE THE MOTHER, FATHER, OR ANOTHER CAREGIVER.

THEREFORE, MDES VERSION 2.2 AND ALL FUTURE VERSIONS CONTAIN A **R_P_ID** (RESPONDENT PARTICIPANT ID) HEADER FIELD FOR EACH POST-BIRTH INSTRUMENT. THIS WILL ALLOW ROCs TO INDICATE WHETHER THE RESPONDENT IS SOMEBODY OTHER THAN THE PARTICIPANT ABOUT WHOM THE QUESTIONS ARE BEING ASKED.

A REMINDER:

ALL RESPONDENTS MUST BE CONSENTED AND HAVE RECORDS IN THE PERSON, PARTICIPANT, PARTICIPANT_CONSENT AND LINK_PERSON_PARTICIPANT TABLES, WHICH CAN BE PRELOADED INTO EACH INSTRUMENT. ADDITIONALLY, IN POST-BIRTH QUESTIONNAIRES WHERE THERE IS THE ABILITY TO LOOP THROUGH A SET OF QUESTIONS FOR MULTIPLE CHILDREN, IT IS IMPORTANT TO CAPTURE AND STORE THE CORRECT CHILD **P_ID** ALONG WITH THE LOOP INFORMATION. IN THE MDES VARIABLE LABEL/DEFINITION COLUMN, THIS IS INDICATED AS FOLLOWS: **EXTERNAL IDENTIFIER: PARTICIPANT ID FOR CHILD DETAIL.**

WIPE-ORGANICS INSTRUMENT - DATA COLLECTOR QUESTIONS

(TIME_STAMP_WOI_ST).

PROGRAMMER INSTRUCTIONS	
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP. • PRELOAD DWELLING_UNIT_ID FOR THE DWELLING UNIT. • PRELOAD PARTICIPANT ID (P_ID) FOR CHILD AND RESPONDENT ID (R_P_ID) FOR CAREGIVER. • PRELOAD MULT_CHILD AND CHILD_NUM (IF MULT_CHILD = 1), FROM PVST INSTRUMENT. • IF MULT_CHILD = 1, PRELOAD CHILD_QNUM. 	

WOI01000/(STAFF_ID). ENTER STAFF ID

STAFF ID

WOI02000/(WIPE_ORG_SAMPLES). WHICH WIPE-ORGANICS SAMPLES ARE SCHEDULED FOR THIS VISIT?

Label	Code	Go To
WIPE-ORGANICS PRIMARY ONLY	1	WIPE_ORG_OKAY
WIPE-ORGANICS PRIMARY AND QC SAMPLE(S)	2	

WOI03000/(WIPE_ORG_SUBSAMPLES). WHICH WIPE-ORGANICS QC SAMPLES ARE SCHEDULED FOR THIS VISIT?

DATA COLLECTOR INSTRUCTIONS	
<ul style="list-style-type: none"> • SELECT ALL THAT APPLY. 	

Label	Code	Go To
WIPE-ORGANICS BLANK	1	
WIPE-ORGANICS DUPLICATE	2	
WIPE-ORGANICS SPIKE	3	

WOI04000/(WIPE_ORG_OKAY). We would like to collect a wipe sample from your home. Is that okay?

Label	Code	Go To
YES	1	
NO	2	
REFUSED	-1	
DON'T KNOW	-2	

SOURCE

New

WOI05000/(WIPE_ORG_REFUSE). RECORD REASON FOR REFUSAL IF GIVEN.

Label	Code	Go To
NONE GIVEN	1	WIPE_ORG_COMMENTS
NOT INTERESTED IN WIPE SAMPLE COLLECTION	2	WIPE_ORG_COMMENTS
OTHER	-5	

WOI06000/(WIPE_ORG_REFUSE_OTH). SPECIFY: _____

SOURCE

New

WOI07000/(WIPE_ORG_COMMENTS). RECORD ANY COMMENTS ABOUT THE WIPE-ORGANICS SAMPLE COLLECTION:
COMMENTS: _____

(TIME_STAMP_WOI_ET).

PROGRAMMER INSTRUCTIONS

- INSERT DATE/TIME STAMP.
- IF WIPE_ORG_OKAY = 2, -1, OR -2, GO TO TIME_STAMP_WOS_ET.
- OTHERWISE, GO TO TIME_STAMP_WOP_ST.

WIPE-ORGANICS PRIMARY SAMPLE

(TIME_STAMP_WOP_ST).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP.

WOP01000. COLLECTION INSTRUCTIONS

DATA COLLECTOR INSTRUCTIONS
<ul style="list-style-type: none"> • COLLECT THE WIPE-ORGANICS SAMPLE AT THE BORDER OF THE PARTICIPANT'S MOST USED ROOM FROM NON-CARPETED FLOORING IN ACCORDANCE WITH THE SOP.

WOP02000/(WIPE_ORG_COLLECT). WAS A WIPE-ORGANICS SAMPLE COLLECTED?

Label	Code	Go To
YES	1	
NO	2	

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • IF WIPE_ORG_COLLECT = 1, SET SAMPLE_NUMBER = 1 AND GO TO WOP05000. • OTHERWISE, GO TO WIPE_ORG_NOTCOLLECT.

WOP03000/(WIPE_ORG_NOTCOLLECT). WHY WAS A WIPE-ORGANICS SAMPLE NOT COLLECTED?

Label	Code	Go To
KIT NOT AVAILABLE	1	WIPE_ORG_PRIM_COMMENT S
SUPPLIES PROBLEM	2	WIPE_ORG_PRIM_COMMENT S
RAN OUT OF TIME	3	WIPE_ORG_PRIM_COMMENT S
NOT ENOUGH SPACE	4	WIPE_ORG_PRIM_COMMENT S
REFUSAL	5	WIPE_ORG_PRIM_COMMENT S
OTHER	-5	

WOP04000/(WIPE_ORG_NOTCOLLECT_OTH). SPECIFY: _____

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • GO TO WIPE_ORG_PRIM_COMMENTS.

WOP05000. DATE WIPE-ORGANICS SAMPLE COLLECTED:

(WIPE_ORG_COLL_MM) MONTH: |__|__|
M M

Label	Code	Go To
LINOLEUM	2	WIPE_ORG_ROOM_AREA
WOOD	3	WIPE_ORG_ROOM_AREA
CORK	4	WIPE_ORG_ROOM_AREA
RUBBER	5	WIPE_ORG_ROOM_AREA
CONCRETE	6	WIPE_ORG_ROOM_AREA
PAINTED	7	WIPE_ORG_ROOM_AREA
TILE	8	WIPE_ORG_ROOM_AREA
OTHER	-5	

WOP12000/(WIPE_ORG_SURF_MAT_OTH).

SPECIFY:

WOP13000/(WIPE_ORG_ROOM_AREA). WHERE IN THE ROOM WAS THE WIPE-ORGANICS SAMPLE COLLECTED?

Label	Code	Go To
LESS THAN ONE FOOT FROM WALL	1	
ONE FOOT OR MORE FROM WALL	2	

WOP14000/(WIPE_ORG_PRIM_COMMENTS). RECORD ANY COMMENTS ABOUT THE WIPE-ORGANICS PRIMARY SAMPLE COLLECTION:

COMMENTS: _____

(TIME_STAMP_WOP_ET).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP. • IF WIPE_ORG_SAMPLES = 1 OR WIPE_ORG_COLLECT= 2, GO TO TIME_STAMP_WOS_ET. • IF WIPE_ORG_COLLECT = 1 AND <ul style="list-style-type: none"> o IF WIPE_ORG_SUBSAMPLES = 2 ONLY, OR 2 AND 3, GO TO TIME_STAMP_WOD_ST. o IF WIPE_ORG_SUBSAMPLES = 3 ONLY, GO TO TIME_STAMP_WOS_ST. o IF WIPE_ORG_SUBSAMPLES = 1 ONLY, 1 AND 2, 1 AND 3, OR 1, 2 AND 3, GO TO TIME_STAMP_WOB_ST.

WIPE-ORGANICS BLANK SAMPLE

(TIME_STAMP_WOB_ST).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP.

WOB01000/(WIPE_ORG_BLANK_COLLECT). WAS THE WIPE-ORGANICS BLANK SAMPLE COLLECTED?

Label	Code	Go To
YES	1	
NO	2	

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • IF WIPE_ORG_BLANK_COLLECT = 1, SET SAMPLE_NUMBER = 2 AND GO TO SAMPLE_BL_ID. • OTHERWISE, GO TO WIPE_ORG_BLANK_NOTCOLLECT.

WOB02000/(WIPE_ORG_BLANK_NOTCOLLECT). WHY WAS THE WIPE-ORGANICS BLANK SAMPLE NOT COLLECTED?

Label	Code	Go To
KIT NOT AVAILABLE	1	WIPE_ORG_BLANK_COMMENT S
SUPPLIES PROBLEM	2	WIPE_ORG_BLANK_COMMENT S
OUT OF TIME	3	WIPE_ORG_BLANK_COMMENT S
OTHER	-5	

WOB03000/(WIPE_ORG_BLANK_NOTCOLLECT_OTH). SPECIFY:

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • GO TO WIPE_ORG_BLANK_COMMENTS.

WOB04000/(SAMPLE_BL_ID). BLANK SAMPLE ID:

|E||_|_|_|_|_|_|_|-DP01
WIPE-ORGANICS BLANK ID

DATA COLLECTOR INSTRUCTIONS
<ul style="list-style-type: none"> • ENTER THE WIPE-ORGANICS BLANK SAMPLE ID ON THE SAMPLE ID LABEL.

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • ID MUST BE FORMATTED WITH TWO ALPHA 7 NUMERIC DASH DP01. • DISPLAY SOFT EDIT IF SAMPLE_BL_ID = SAMPLE_PR_ID.

WOB05000/(WIPE_ORG_BLANK_COMMENTS). RECORD ANY COMMENTS ABOUT THE WIPE-ORGANICS BLANK SAMPLE COLLECTION:

COMMENTS: _____

(TIME_STAMP_WOB_ET).

PROGRAMMER INSTRUCTIONS

- INSERT DATE/TIME STAMP.
- IF **WIPE_ORG_COLLECT= 1** AND
 - o IF **WIPE_ORG_SUBSAMPLES = 1** ONLY, GO TO **TIME_STAMP_WOS_ET**.
 - o IF **WIPE_ORG_SUBSAMPLES = 1 AND 2, OR 1, 2, AND 3**, GO TO **TIME_STAMP_WOD_ST**.
 - o IF **WIPE_ORG_SUBSAMPLES = 1 AND 3**, GO TO **TIME_STAMP_WOS_ST**.

WIPE-ORGANICS DUPLICATE SAMPLE

(TIME_STAMP_WOD_ST).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP.

WOD01000/(WIPE_ORG_DUP_COLLECT). WAS THE WIPE-ORGANICS DUPLICATE SAMPLE COLLECTED?

Label	Code	Go To
YES	1	
NO	2	

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • IF WIPE_ORG_DUP_COLLECT = 1, SET SAMPLE_NUMBER = 3, AND GO TO SAMPLE_DP_ID. • OTHERWISE, GO TO WIPE_ORG_DUP_NOTCOLLECT.

WOD02000/(WIPE_ORG_DUP_NOTCOLLECT). WHY WAS THE WIPE-ORGANICS DUPLICATE SAMPLE NOT COLLECTED?

Label	Code	Go To
KIT NOT AVAILABLE	1	WIPE_ORG_DUP_COMMENT S
SUPPLIES PROBLEM	2	WIPE_ORG_DUP_COMMENT S
OUT OF TIME	3	WIPE_ORG_DUP_COMMENT S
NOT ENOUGH SPACE	4	WIPE_ORG_DUP_COMMENT S
REFUSAL	5	WIPE_ORG_DUP_COMMENT S
OTHER	-5	

WOD03000/(WIPE_ORG_DUP_NOTCOLLECT_OTH). SPECIFY:

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • GO TO WIPE_ORG_DUP_COMMENTS.

WOD04000/(SAMPLE_DP_ID). DUPLICATE SAMPLE ID:

|E||_|_|_|_|_|_|_|-DP01
WIPE-ORGANICS DUPLICATE ID

DATA COLLECTOR INSTRUCTIONS
<ul style="list-style-type: none"> • ENTER THE WIPE-ORGANICS DUPLICATE SAMPLE ID ON THE SAMPLE ID LABEL.

PROGRAMMER INSTRUCTIONS

- ID MUST BE FORMATTED WITH TWO ALPHA 7 NUMERIC DASH DP01.
- DISPLAY SOFT EDIT IF **SAMPLE_DP_ID = SAMPLE_PR_ID AND/OR SAMPLE_BL_ID.**

WOD05000/(WIPE_ORG_DUP_SURF). WHAT TYPE OF SURFACE WAS WIPED WHEN COLLECTING THE WIPE-ORGANICS DUPLICATE SAMPLE?

Label	Code	Go To
SMOOTH SURFACE	1	WIPE_ORG_DUP_SURF_MAT
ROUGH SURFACE	2	WIPE_ORG_DUP_SURF_MAT
OTHER	-5	

WOD06000/(WIPE_ORG_DUP_SURF_OTH).

SPECIFY:

WOD07000/(WIPE_ORG_DUP_SURF_MAT). WHAT MATERIAL WAS THE SURFACE WIPED WHEN COLLECTING THE WIPE-ORGANICS DUPLICATE SAMPLE?

Label	Code	Go To
VINYL	1	WIPE_ORG_DUP_ROOM_AREA
LINOLEUM	2	WIPE_ORG_DUP_ROOM_AREA
WOOD	3	WIPE_ORG_DUP_ROOM_AREA
CORK	4	WIPE_ORG_DUP_ROOM_AREA
RUBBER	5	WIPE_ORG_DUP_ROOM_AREA
CONCRETE	6	WIPE_ORG_DUP_ROOM_AREA
PAINTED	7	WIPE_ORG_DUP_ROOM_AREA
TILE	8	WIPE_ORG_DUP_ROOM_AREA
OTHER	-5	

WOD08000/(WIPE_ORG_DUP_SURF_MAT_OTH).

SPECIFY:

WOD09000/(WIPE_ORG_DUP_ROOM_AREA). WHERE IN THE ROOM WAS THE WIPE-ORGANICS DUPLICATE SAMPLE COLLECTED?

Label	Code	Go To
LESS THAN ONE FOOT FROM WALL	1	
ONE FOOT OR MORE	2	

Label	Code	Go To
FROM WALL		

WOD10000/(WIPE_ORG_DUP_COMMENTS). RECORD ANY COMMENTS ABOUT THE WIPE-ORGANICS DUPLICATE SAMPLE COLLECTION:
 COMMENTS: _____

(TIME_STAMP_WOD_ET).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP. • IF WIPE_ORG_COLLECT= 1 AND? <ul style="list-style-type: none"> o IF WIPE_ORG_SUBSAMPLES = 2 ONLY, OR 1 AND 2, GO TO TIME_STAMP_WOS_ET. o IF WIPE_ORG_SUBSAMPLES = 2 AND 3 OR 1, 2, AND 3, GO TO TIME_STAMP_WOS_ST.

WIPE-ORGANICS SPIKE SAMPLE

(TIME_STAMP_WOS_ST).

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • INSERT DATE/TIME STAMP.

WOS01000/(WIPE_ORG_SPIKE_COLLECT). WAS THE WIPE-ORGANICS SPIKE SAMPLE INCLUDED?

Label	Code	Go To
YES	1	
NO	2	

PROGRAMMER INSTRUCTIONS
<ul style="list-style-type: none"> • IF WIPE_ORG_SPIKE_COLLECT = 1, SET SAMPLE_NUMBER = 4 AND GO TO SAMPLE_SP_ID. • OTHERWISE, GO TO WIPE_ORG_SPIKE_NOTCOLLECT.

WOS02000/(WIPE_ORG_SPIKE_NOTCOLLECT). WHY WAS THE WIPE-ORGANICS SPIKE SAMPLE NOT INCLUDED?

Label	Code	Go To
SPIKE NOT AVAILABLE	1	WIPE_ORG_SPIKE_COMMENT S
OUT OF TIME	2	WIPE_ORG_SPIKE_COMMENT S
OTHER	-5	

WOS03000/(WIPE_ORG_SPIKE_NOTCOLLECT_OTH). SPECIFY:

WOS04000/(SAMPLE_SP_ID). SPIKE SAMPLE ID:

|E||_|_|_|_|_|_|_|_|-DP01
WIPE-ORGANICS SPIKE ID

DATA COLLECTOR INSTRUCTIONS

- ENTER THE WIPE-ORGANICS SPIKE SAMPLE ID ON THE SAMPLE ID LABEL.

PROGRAMMER INSTRUCTIONS

- ID MUST BE FORMATTED WITH TWO ALPHA 7 NUMERIC DASH DP01.
- DISPLAY SOFT EDIT IF **SAMPLE_SP_ID = SAMPLE_PR_ID, SAMPLE_BL_ID AND/OR SAMPLE_DP_ID.**

WOS05000/(WIPE_ORG_SPIKE_COMMENTS). RECORD ANY COMMENTS ABOUT THE WIPE-ORGANICS SPIKE SAMPLE COLLECTION:

COMMENTS: _____

(TIME_STAMP_WOS_ET).

PROGRAMMER INSTRUCTIONS

- INSERT DATE/TIME STAMP.