

Attachment D

CDC Digital Health Tools Survey: Digital Health Tools Screen Shots

- Group 1 = people taking the survey and randomized to observe the Microsite
 - Pages 2-7
- Group 2 = people taking the survey and randomized to observe an alternate of the Microsite
 - Pages 8-13
- Group 3 = people taking the survey and randomized to observe the Data Widget
 - Pages 14-24
- Group 4 = people taking the survey and randomized to observe an alternate of the Data Widget
 - Pages 25-29

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

Show: All Quitting Smoking Don't Start Health Effects Policy Research

NIAID has sponsored research to reduce the public health burden that asthma presents in inner-city populations. Beginning in 1991, NIAID has supported three consecutive inner-city asthma research programs, which have been successful in reducing asthma severity in children.

NIAID's Programs on Asthma in the Inner City
NIAID - July 11 2014

88%
cigarette before turning 18.

Seriously - why start?
HHS - July 11 2014

Tobacco facts and figures
HHS - July 11 2014

Secondhand Smoke
Cancer Causing Chemicals
Respiratory Illnesses
Pharmacopoeia
You breathe in these chemicals when you are around someone who is smoking.

Can secondhand smoke make me sick?
HHS - July 11 2014

A fact sheet that lists some of the cancer-causing chemicals in tobacco smoke and describes the health problems caused by smoking and the benefits of quitting.

Harms of Smoking and Health Benefits of Quitting
NCI - Oct 14 2013

A fact sheet that summarizes the studies on the health effects of exposure to environmental (secondhand) tobacco smoke.

Secondhand Smoke and Cancer
NCI - Oct 14 2013

This fact sheet provides information about helpful resources for people who have decided to quit smoking.

Where to Get Help When You Decide to Quit Smoking
NCI - Oct 14 2013

that might help.
Can Sinusitis Be Prevented?
NIAID - July 11 2014

GET ON THE PATH TO A HEALTHIER YOU! IF YOU QUIT SMOKING RIGHT NOW:
After 12 hours: Nicotine leaves your system.
After 10 weeks: Your lungs begin to heal and you may notice fewer coughs and colds.
After 1 year: Your heart disease risk drops by 50%.
After 5 years: Your stroke risk drops by 50%.
After 10 years: Your lung cancer risk drops by 50%.
After 15 years: Your heart disease risk drops to that of a non-smoker.

Get on the Path to a Healthier You >
Quitting is hard, but— you can quit.
HHS - July 11 2014

Does smokeless tobacco cause cancer?
HHS - July 11 2014

SMOKING AFFECTS YOUR PREGNANCY AND YOUR CHILDREN
SMOKING during pregnancy can harm your baby and your health. It can also affect your baby's health and development.
PREGNANT WOMEN EXPOSED TO SECONDHAND SMOKE are more likely to have low birth weight babies!
BABIES EXPOSED TO SECONDHAND SMOKE are more likely to:
- Be born with low birth weight
- Have respiratory and ear infections
- Have behavioral problems
CHILDREN EXPOSED TO SECONDHAND SMOKE are more likely to have health problems, including:
- Asthma and allergies
- Learning and behavior problems
- Heart disease
www.beTobaccofree.gov

I am pregnant and I smoke. Is it too late to quit?
HHS - July 11 2014

A fact sheet about the health risks associated with the use of smokeless tobacco.

Smokeless Tobacco and Cancer
NCI - Oct 14 2013

Information on smokeless tobacco (dip, chew, snuff, chewing tobacco). Health effects of smokeless tobacco. Help with quitting.

Smokeless Tobacco
NIH/NIDCR - July 11 2014

cooperative clinical studies and research within NIAID labs. This work ranges from demonstration and education projects that teach people how to reduce allergens in the home to identifying causes of respiratory illness to exploring new treatments for allergies.

NIAID Clinical Studies Offer Relief for Asthma Sufferers
NIAID - July 11 2014

Cancer-causing Chemicals
Tobacco smoke contains a deadly mix of chemicals.
Toxic Metals
Hundreds are toxic. About 70 can cause cancer.
Poison Gases
Here are some of the chemicals.

It's not worth it.
HHS - July 11 2014

facts truths questions answers
cigarettes

Electronic Cigarettes
HHS - July 11 2014

Free help to quit smoking, plus information on smoking and cancer, secondhand smoke, cigarettes, other tobacco products, tobacco research, and statistics.

Free Help to Quit Smoking
NCI - July 11 2014

This fact sheet answers questions about the health effects of smoking: low-tar, mild, or light cigarettes.

Light Cigarettes and Cancer Risk
NCI - Oct 14 2013

A fact sheet about the health risks associated with cigar smoking.

Cigar Smoking and Cancer
NCI - Oct 14 2013

This fact sheet provides helpful tips related to smoking cessation.

How To Handle Withdrawal Symptoms and Triggers When You Decide To Quit Smoking
NCI - Oct 14 2013

Tweets and Posts

FDA Tobacco September 29 • 12:30 PM ET

New guidance helps #tobacco product manufacturers seeking a grandfathered determination. http://t.co/jp5DFsVODL http://t.co/BbRjyIDWgs

September 29 • 11:10 AM ET

Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices #WorldHeartDay

CDC Tobacco Free September 29 • 12:48 PM ET

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth http://t.co/F8H11x25K

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth http://t.co/9bYmEmfjX

Smokefree.gov September 29 • 6:40 PM ET

#SurgeonGeneral :exposure to onscreen #smoking in movies causes people to start smoking http://t.co/Yhbvjrtz0 via @CDCgov

September 29 • 2:45 PM ET
10 years after #quitting #smoking, you are one-half as likely to die from lung #cancer

The Real Cost September 29 • 7:41 PM ET

@dddanniell Harming yourself is never a good idea. Call 800-273-TALK(8255) to talk 24/7 with a trained counselor.

September 29 • 12:20 PM ET
Got questions about quitting tobacco? Chat online with a counselor who can help. http://t.co/mzxouuz0ee

CDC Tobacco Free Facebook Posts

This World Heart Day, take a tip from Roosevelt and do your heart a favor by quitting smoking. It's the best thing you can do for your health in the short and long term. Call 1-800-QUIT-NOW for free help.

According to the 2014 SGR, it's estimated that smoking costs the US \$289 billion each year. Do yourself & your country a favor by quitting smoking today. For free help, call 1-800-QUIT-NOW.

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: http://t.usa.gov/IrgWz7B

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a fighting chance against disease and death caused by smoking. **Unequal Opportunity Killer** Cigarette smoking has devastating effects on health and it is an unequal opportunity killer. People with lower-incomes and less education, and certain racial...

Tobacco and tobacco smoke are a

Group 1

Click to Load Content

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

GET ON THE PATH TO A HEALTHIER YOU!

Quitting Smoking Don't Start Health Effects Policy Research

Get on the Path to a Healthier You >

Quitting is hard, but—you can quit.

HHS - July 11 2014

Cancer-causing Tobacco

Toxic Metals: deadly mix of more than 7,000 chemicals. Hundreds are toxic. About 70 can cause cancer. Here are some of the chemicals.

Poison Gases

It's not worth it.

HHS - July 11 2014

SMOKING AFFECTS YOUR PREGNANCY

AMERICAN COLLEGE OF OBSTETRICIANS AND GYNECOLOGISTS

Tweets and Posts

- FDA Tobacco**
September 29 • 12:30 PM ET
New guidance helps #tobacco product manufacturers seeking a grandfathered determination.
<http://t.co/g5S0F5V0Dk>
<http://t.co/bbRyIDWgs>
- September 29 • 11:10 AM ET
Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices
#WorldHeartDay
- CDC Tobacco Free**
September 29 • 12:48 PM ET
This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/F8H11Xp25K>

Content supported by Department of Health & Human Services | About Tobacco Resources

Free help to quit smoking, plus information on smoking and cancer, secondhand smoke, cigarettes, other tobacco products, tobacco research, and statistics.

Free Help to Quit Smoking
NCI - July 11 2014

This fact sheet provides helpful tips related to smoking cessation.

How to Handle Withdrawal Symptoms and Triggers When You Decide To Quit Smoking
NCI - Oct 14 2013

Detailed plan for quitting smokeless tobacco (dip, chew, snuff, chewing tobacco)

Smokeless Tobacco: A Guide for Quitting
NHN/NDCCR - July 11 2014

Smoking Causes Immediate Damage to Your Body.

Tips for Quitting Smoking
CDC - July 11 2014

After you have a lung removed, take short breaths.

Tips From Former Smokers: Annette's Story
CDC - July 11 2014

Smoking makes diabetes much worse.

Tips From Former Smokers: Bill's Story
CDC - July 11 2014

Secondhand smoke triggers severe asthma attacks.

Tips From Former Smokers: Jamason's Story
CDC - July 11 2014

Electronic Cigarettes
HHS - July 11 2014

A fact sheet that lists some of the cancer-causing chemicals in tobacco smoke and describes the health problems caused by smoking and the benefits of quitting.

Harms of Smoking and Health Benefits of Quitting
NCI - Oct 14 2013

This fact sheet provides information about helpful resources for people who have decided to quit smoking.

Where to Get Help When You Decide to Quit Smoking
NCI - Oct 14 2013

Poster of a 28-year-old man with fatal mouth cancer who used snuff (smokeless tobacco) daily for 10 years. Poster not copyrighted - print or copy as many as you need.

Take a Close Look at What the Tobacco Industry Won't Show You
NHN/NDCCR - July 11 2014

Poster of a 28-year-old man with fatal mouth cancer who used snuff (smokeless tobacco) daily for 10 years. Poster not copyrighted - print or copy as many as you need.

Let Future Generations Know About the Dangers of Secondhand Smoke

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: <http://t.usa.gov/rngWz7B>

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a fighting chance against disease and death caused by smoking. Unequal Opportunity Killer
Cigarette smoking has devastating effects on health and it is an unequal opportunity killer. People with lower-incomes and less education, and certain racial...

Tobacco and tobacco smoke are a toxic mix of more than 7,000 chemicals, including 1,3-Butadiene. What's in your lungs? <http://t.goussa.gov/Yjgx>

In this video, Michael shares the heartbreaking reality of life with COPD and how he lives in constant fear of dying. Share his story as a reminder to others to quit now before it's too late. CDC Tips From Former Smokers - Michael: I Live in Constant Fear
Michael, an Alaska Native, was shocked when doctors found serious lung damage from smoking. He was only 44. He always thought he'd be an old man before smoke...

Click To Load Content

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

Navigation: All, Quitting Smoking, Don't Start, Health Effects, Policy, Research

Quitting Smoking

The number of adult daily smokers smoked their first cigarette before turning 18.

Seriously - why start?
HHS - July 11 2014

Secondhand Smoke
Cancer-causing chemicals
Respiratory smoke has more than 6,000 chemicals
Many of these chemicals are toxic and cause cancer
What is smoking?
Tobacco, Cigarettes, Pipes, Chewing Tobacco, Snuff, Electronic Cigarettes, Secondhand smoke

Cancer-causing Tobacco
Toxic Metals
Poison Gases
Toxic mix of more than 7,000 chemicals. Hundreds are toxic. About 70 can cause cancer. Here are some of the chemicals.

It's not worth it.
HHS - July 11 2014

SMOKING AFFECTS YOUR PREGNANCY AND YOUR CHILDREN

Tobacco facts and figures
HHS - July 11 2014

facts truths questions ecigarettes

Electronic Cigarettes
HHS - July 11 2014

Tweets and Posts

FDA Tobacco
September 29 • 12:30 PM ET
New guidance helps #tobacco product manufacturers seeking a grandfathered determination. <http://t.co/jz5DfSvVDL> <http://t.co/BBrlyDWg>

September 29 • 11:10 AM ET
Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices #WorldHeartDay

CDC Tobacco Free
September 29 • 12:48 PM ET
This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/F8H1Xp25K>

Can secondhand smoke make me sick?
HHS - July 11 2014

Poster of a 20-year-old man with fatal mouth cancer who used snuff (smokeless tobacco) daily for 10 years. Poster not copyrighted - print or copy as many as you need.

Take a Close Look at What the Tobacco Industry Won't Show You
NIH/NIDCR - July 11 2014

Information on smokeless tobacco (dip, chew, snuff, chewing tobacco). Health effects of smokeless tobacco. Help with quitting.

Smokeless Tobacco
NIH/NIDCR - July 11 2014

SMOKY - Nicotine is addictive. It can keep you from getting pregnant and can harm your fetus. Quitting now can help you avoid these risks.

PREGNANT WOMEN EXPOSED TO SECONDHAND SMOKE are more likely to have a low birth weight baby.

BABES EXPOSED TO SECONDHAND SMOKE are more likely to have asthma.

CHILDREN EXPOSED TO SECONDHAND SMOKE are more likely to have asthma, ear infections, and other health problems.

I am pregnant and I smoke. Is it too late to quit?
HHS - July 11 2014

Information on smokeless tobacco (dip, chew, snuff, chewing tobacco). Health effects of smokeless tobacco. Help with quitting.

Smokeless Tobacco
NIH/NIDCR - July 11 2014

Detailed plan for quitting smokeless tobacco (dip, chew, snuff, chewing tobacco)

Smokeless Tobacco: A Guide for Quitting
NIH/NIDCR - July 11 2014

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/9bYmEmfhX>

Smokefree.gov
September 29 • 6:40 PM ET
#SurgeonGeneral: exposure to onscreen #smoking in movies causes people to start smoking <http://t.co/YhvjryZa> via @CDCgov

September 29 • 2:45 PM ET
10 years after #quitting #smoking, you are one-half as likely to die from lung #cancer

The Real Cost
September 29 • 7:41 PM ET
@dddanniel: Harming yourself is never a good idea. Call 800-273-TALK(8255) to talk 24/7 with a trained counselor.

September 29 • 12:20 PM ET
Got questions about quitting tobacco? Chat online with a counselor who can help. <http://t.co/mzxouZ0e>

Take a Look at Our Current Ads
Cigarette ads are required to show graphic health warnings. These ads are designed to get your attention.

The Real Cost: Campaign Overview
FDA - Oct 17 2014

Best Practices for Preventing Tobacco Use & Secondhand Smoke Exposure
CDC - July 11 2014

Public Education Campaigns
FDA - Oct 17 2014

Public Education Campaigns
FDA - Oct 17 2014

THE REAL COST: ADDICTION

The Real Cost: Addiction
FDA - Oct 17 2014

Public Education Campaigns
FDA - Oct 17 2014

THE REAL COST: HEALTH COSTS

The Real Cost: Health Costs
FDA - Oct 18 2014

THE REAL COST: RESEARCH • EVALUATION

The Real Cost: Research and Evaluation
FDA - Oct 18 2014

THE REAL COST: ADDICTION

The Real Cost: Addiction
FDA - Oct 17 2014

THE REAL COST: HEALTH COSTS

The Real Cost: Health Costs
FDA - Oct 18 2014

According to the 2014 SGR, it's estimated that smoking costs the US \$289 billion each year. Do yourself & your country a favor by quitting smoking today. For free help, call 1-800-QUIT-NOW.

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: <http://t.usa.gov/trqWz7B>

THAT'S HOW MANY TEEN SMOKERS

Facts about Teens & Tobacco Every Parent Needs to Know

Each day, 3,200 TEEN SMOKERS are born. EACH DAY, 700 TEEN SMOKERS die.

Teens and Tobacco Infographic
FDA - Oct 18 2014

THE REAL COST: CAMPAIGN OVERVIEW

The Real Cost: Overview
FDA - Oct 18 2014

Protecting Kids From Tobacco

Protect Kids from Tobacco
FDA - Oct 18 2014

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a fighting chance against disease and death caused by smoking. **Unequal Opportunity Killer** Cigarette smoking has devastating effects on health and it is an unequal opportunity killer. People with lower-incomes and less education, and certain racial...

Tobacco and tobacco smoke are a toxic mix of more than 7,000 chemicals, including 1,3-Butadiene. What's in your lungs? <http://g.ousa.gov/yjgx>

DID YOU KNOW?

JUST A FEW CIGARETTES PER MONTH CAN LEAD TO CRAVINGS IN SOME TEENS

Get the Facts on Addiction
FDA - Oct 18 2014

DID YOU KNOW?

3 OUT OF 4 TEEN SMOKERS WHO THINK THEY WILL STOP SMOKING IN 5 YEARS DON'T

Get the Facts on Addiction
FDA - Oct 18 2014

DID YOU KNOW?

3 OUT OF 4 TEEN SMOKERS WHO THINK THEY WILL STOP SMOKING IN 5 YEARS DON'T

Get the Facts on Addiction
FDA - Oct 18 2014

In this video, Michael shares the heartbreaking reality of life with COPD and how he lives in constant fear of dying. Share his story as a reminder to others to quit now before it's too late. **CDC Tips From Former Smokers - Michael: I Live in Constant Fear**

Click To Load Content

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

Show:
All
Quitting Smoking
Don't Start
Health Effects
Policy
Research



Can secondhand smoke make me sick?
HHS - July 11 2014

light cigarettes.

Light Cigarettes and Cancer Risk
NCI - Oct 14 2013

A fact sheet that summarizes the studies on the health effects of exposure to environmental (secondhand) tobacco smoke.

Cigar Smoking and Cancer
NCI - Oct 14 2013

A fact sheet about the health risks associated with the use of smokeless tobacco.

Secondhand Smoke and Cancer

Smokeless Tobacco and Cancer

Tweets and Posts

- FDA Tobacco**
September 29 • 12:30 PM ET
New guidance helps #tobacco product manufacturers seeking a grandfathered determination. <http://t.co/jz50FsvODI> <http://t.co/BbRlyjDWgs>
- September 29 • 11:10 AM ET
Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices #WorldHeartDay
- CDC Tobacco Free**
September 29 • 12:48 PM ET
This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/R8h11XpZ5K>

Content supported by Department of Health & Human Services | About Tobacco Resources



Know the Facts about Smoking and Exposure to Secondhand Smoke
CDC - July 11 2014



Tips From Former Smokers: Terrie's Story
CDC - July 11 2014



Tips From Former Smokers: Nathan's Story
CDC - July 11 2014

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/9b9f1mEmfhjX>

Smokefree.gov
September 29 • 6:40 PM ET
#SurgeonGeneral exposure to onscreen #smoking in movies causes people to start smoking <http://t.co/YhbjrtyZo> via @CDCgov

September 29 • 2:45 PM ET
10 years after #quitting #smoking, you are one-half as likely to die from lung #cancer

The Real Cost
September 29 • 7:41 PM ET
@diddanniell Harming yourself is never a good idea. Call 800-273-TALK(8255) to talk 24/7 with a trained counselor.
September 29 • 12:20 PM ET
Got questions about quitting tobacco? Chat online with a counselor who can help. <http://t.co/mzxouz0ee>



Tips From Former Smokers: Annette's Story
CDC - July 11 2014



Tips From Former Smokers: Brandon's Story
CDC - July 11 2014



Tips From Former Smokers: Bill's Story
CDC - July 11 2014

CDC Tobacco Free Facebook Posts
This World Heart Day, take a tip from Roosevelt and do your heart a favor by quitting smoking. It's the best thing you can do for your health in the short and long term. Call 1-800-QUIT-NOW for free help.

According to the 2014 SGR, it's estimated that smoking costs the US \$289 billion each year. Do yourself & your country a favor by quitting smoking today. For free help, call 1-800-QUIT-NOW.

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: <http://t.co/usa.gov/trqWz7B>

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a fighting chance against disease and death caused by smoking: **Unequal Opportunity Killer** Cigarette smoking has devastating effects on health and it is an unequal opportunity killer. People with lower-incomes and less education, and certain racial...

Tobacco and tobacco smoke are a toxic mix of more than 7,000 chemicals, including 1,3-Butadiene. What's in your lungs? <http://t.co/gousa.gov/vjgx>



Tips From Former Smokers: Ellie's Story
CDC - July 11 2014



Tips From Former Smokers: Shawn's Story
CDC - July 11 2014



Tips From Former Smokers: Mariano's Story
CDC - July 11 2014

Secondhand Smoke Triggers Severe Asthma Attacks.

Tips From Former Smokers: Nathan's Secondhand Smoke Commercial
CDC - July 11 2014



Tips From Former Smokers: Tiffany's Story
CDC - July 11 2014



Tips From Former Smokers: Ellie's Asthma Story
CDC - July 11 2014



Tips From Former Smokers: Terrie's Story: 'Terrie, What Are You Doing?'
CDC - Oct 24 2014



Tips From Former Smokers: Jessica's Asthma Ad
CDC - July 11 2014

In this video, Michael shares the heartbreaking reality of life with COPD and how he lives in constant fear of dying. Share his story as a reminder to others to quit now before it's too late. **CDC Tips From Former Smokers - Michael: I Live in Constant Fear** Michael, an Alaska Native, was shocked when doctors found serious lung damage from

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

Show: **All** Quitting Smoking Don't Start Health Effects Policy Research

Reponses to Frequently Asked Questions

Ensuring Compliance with the Tobacco Control Act
FDA - Oct 18 2014

Learn information on how to legally market and distribute tobacco products.

guidance under the Tobacco Control Act.

Implementing the Tobacco Control Act through Policy, Rulemaking, and Guidance
FDA - Oct 18 2014

Family Smoking Prevention and Tobacco Control Act

Electronic Cigarettes (e-Cigarettes)
FDA - Oct 18 2014

This guidance describes FDA's current policies for retailers related to tobacco products.

CDC Tobacco Free
September 29 • 12:48 PM ET

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/F8H11Xp25K>

Content supported by Department of Health & Human Services | About Tobacco Resources

Tobacco Product Review & Evaluation
FDA - Oct 18 2014

Learn how the Center for Tobacco Products is taking action to reduce the impact of tobacco on public health.

Center for Tobacco Products: Consumer Fact Sheet
FDA - Oct 18 2014

Regulations Restricting the Sale and Distribution of Cigarettes and Smokeless Tobacco
FDA - Oct 18 2014

Regulations Restricting the Sale, Distribution and Marketing of Tobacco Products: Consumer Fact Sheet
FDA - Oct 18 2014

The filter can remove SEVEN TIMES MORE TAR AND NICOTINE than any other cigarette-making it a less toxic product.

Tobacco Retailers and the FDA
FDA - Oct 18 2014

These training and guidance tools are designed to help retailers comply with tobacco regulations.

Retailer Training and Enforcement
FDA - Oct 18 2014

Are you a small business? Here's an overview of resources and information specific to you.

Small Business Assistance
FDA - Oct 18 2014

Your reports to FDA's Center for Tobacco Products helps us enforce the law.

Report Potential Tobacco Product Violations
FDA - Oct 18 2014

by Audience, Type of Tobacco, and Topics.

Tobacco Control Act
FDA - Oct 18 2014

Regulations Restricting the Sale, Distribution and Marketing of Tobacco Products: Consumer Fact Sheet
FDA - Oct 18 2014

Education and Information for Retailers and Small Businesses

Retailer Education Materials
FDA - Oct 18 2014

This information helps manufacturers understand tobacco product regulations review and evaluation, labeling and information submission to FDA.

Resources for Manufacturers
FDA - Oct 18 2014

Follow these steps to comment.

How to Comment on Proposed Regulations
FDA - Oct 18 2014

Tobacco products imported or offered for import into the United States must comply with these applicable requirements.

Resources for Importers
FDA - Oct 18 2014

Tweets and Posts

FDA Tobacco
September 29 • 12:30 PM ET

New guidance helps #tobacco product manufacturers seeking a grandfathered determination. <http://t.co/jz50FvVODL> <http://t.co/BbRjYIDWgs>

September 29 • 11:10 AM ET

Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices #WorldHeartDay

September 29 • 7:41 PM ET

@ddddanniell Harming yourself is never a good idea. Call 800-273-TALK(8255) to talk 24/7 with a trained counselor.

September 29 • 12:20 PM ET

Got questions about quitting tobacco? Chat online with a counselor who can help. <http://t.co/mzxoz0ee>

CDC Tobacco Free Facebook Posts

This World Heart Day, take a tip from Roosevelt and do your heart a favor by quitting smoking. It's the best thing you can do for your health in the short and long term. Call 1-800-QUIT-NOW for free help.

According to the 2014 SGR, it's estimated that smoking costs the US \$289 billion each year. Do yourself & your country a favor by quitting smoking today. For free help, call 1-800-QUIT-NOW.

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: <http://lusa.gov/irgWz7B>

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a fighting chance against disease and death caused by smoking. **Unequal Opportunity Killer** Cigarette smoking has devastating effects on health and it is an unequal opportunity killer. People with lower-incomes and less education, and certain racial...

Tobacco and tobacco smoke are a toxic mix of more than 7,000 chemicals, including at least 69 known carcinogens.

Click To Load Content

Facts About Smoking & Tobacco Use

Tobacco use causes many diseases. Quitting tobacco use has immediate and long-term benefits. Tobacco prevention and control efforts seek to reduce illness, disability, and death related to tobacco use and secondhand smoke exposure.

Show: **All** | **Quitting Smoking** | Don't Start | Health Effects | Policy | Research

NIAID has sponsored research to reduce the public health burden that asthma presents in inner-city populations. Beginning in 1991, NIAID has supported three consecutive inner-city asthma research programs, which have been successful in reducing asthma severity in children.

NIAID's Programs on Asthma in the Inner City
NIAID - July 11 2014

that might help.

Can Sinusitis Be Prevented?
NIAID - July 11 2014



Tobacco facts and figures
HHS - July 11 2014

cooperative clinical studies and research within NIAID Labs. This work ranges from demonstration and education projects that teach people how to reduce allergens in the home to identifying causes of respiratory illness to exploring new treatments for allergies.

NIAID Clinical Studies Offer Relief for Asthma Sufferers
NIAID - July 11 2014



Does smokeless tobacco cause cancer?
HHS - July 11 2014

Content supported by Department of Health & Human Services | About Tobacco Resources

Information on electronic cigarettes.

Electronic Cigarettes (e-Cigarettes)
FDA - Oct 18 2014

AND YOUR CHILDREN

SMOKE? You may have a harder time getting pregnant and be more likely to miscarry than non-smoking women.

SMOKING WHILE PREGNANT:

- Increases the risk of miscarriage
- Increases the risk of preterm delivery
- Increases the risk of low birth weight
- Increases the risk of stillbirth
- Increases the risk of infant death
- Increases the risk of infant respiratory problems
- Increases the risk of infant learning and behavioral problems
- Increases the risk of infant attention deficit hyperactivity disorder
- Increases the risk of infant asthma

PREGNANT WOMEN EXPOSED TO SECONDHAND SMOKE are more likely to have low-birth weight babies!

BABES EXPOSED TO SECONDHAND SMOKE are more likely to:

- Get ear infections?
- Develop asthma and allergies?
- Get Sudden Infant Death Syndrome (SIDS)?

CHILDREN EXPOSED TO SECONDHAND SMOKE are also more likely to have health problems, including:

- Learning and behavioral problems
- Attention deficit hyperactivity disorder
- Respiratory problems
- Infant death

www.Betobaccofree.gov

I am pregnant and I smoke. Is it too late to quit?
HHS - July 11 2014

An overview of FDA's tobacco-related research activities and funding opportunities.

Resources for Researchers
FDA - Oct 18 2014

Benzene
Acrolain
Arsenic
Carbon
Isoprene
Formaldehyde
Benzofalpyr
Cadmium
NNN
Crotanaldehy

Harmful and Potentially Harmful Constituents (HPHCs)
FDA - Oct 18 2014

MENTHOL CIGARETTES RAISE CRITICAL PUBLIC HEALTH QUESTIONS

WHAT IS MENTHOL? Menthol is a natural substance found in mint leaves and other plants. It has a cooling effect and is used to flavor many products, including cigarettes.

HOW DO CIGARETTES IMPACT PUBLIC HEALTH? Menthol cigarettes are addictive and can lead to lung disease and heart disease. They also contain other harmful chemicals.

NEARLY 1 BILLION AMERICANS ARE CURRENTLY SMOKING TOBACCO.

MORE THAN 10 MILLION AMERICANS SMOKE MENTHOL CIGARETTES.

Menthol Cigarettes Infographic
FDA - Oct 18 2014

PATH
Population Assessment of Tobacco and Health

FDA and NIH Study: Population Assessment of Tobacco and Health
FDA - Oct 18 2014

THE CHANGING LANDSCAPE OF YOUTH TOBACCO PRODUCT USE

1 in 15 youth use any tobacco product

1 in 4 youth use flavored tobacco products

1 in 5 youth use menthol cigarettes

2 in 5 youth use e-cigarettes

The Changing Landscape of Youth Tobacco Use
FDA - Oct 18 2014

Electronic Cigarettes
HHS - July 11 2014

This information describes how the Center for Tobacco Products funds and uses scientific research to better understand tobacco products.

Informing Tobacco Regulation through Research
FDA - Oct 18 2014

This information on public health, science and research helps explain the risks associated with tobacco use.

Public Health, Science & Research
FDA - Oct 18 2014

An overview of FDA and NIH's regulatory science tobacco program designed to generate research to inform the regulation of tobacco products.

Tobacco Centers of Regulatory Science (TCORS)
FDA - Oct 18 2014

Put this widget on your website to share the latest news from the Center for Tobacco Products

Center for Tobacco Products News Widget
FDA - Oct 18 2014

Tweets and Posts

FDA Tobacco

September 29 • 12:30 PM ET
New guidance helps #tobacco product manufacturers seeking a grandfathered determination. <http://t.co/jzS0f5VODI> <http://t.co/BbRjYlDWgs>

September 29 • 11:10 AM ET
Every year more than 30,000 nonsmoking adults die from coronary heart disease caused by secondhand smoke. #HeartChoices #WorldHeartDay

CDC Tobacco Free

September 29 • 12:48 PM ET
This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/FB8H11xP2SK>

This World Heart Day, take a tip from Roosevelt & do your heart a favor by quitting smoking. #CDCTips #HeartHealth <http://t.co/9bYmEmfhjX>

Smokefree.gov

September 29 • 6:40 PM ET
#SurgeonGeneral :exposure to onscreen #smoking in movies causes people to start smoking <http://t.co/YhbJrvry2o> via @CDCgov

September 29 • 2:45 PM ET

10 years after #quitting #smoking, you are one-half as likely to die from lung #cancer

The Real Cost

September 29 • 7:41 PM ET
@dddanniell Harming yourself is never a good idea. Call 800-273-TALK(8255) to talk 24/7 with a trained counselor.

September 29 • 12:20 PM ET

Got questions about quitting tobacco? Chat online with a counselor who can help. <http://t.co/mzxonuz0ee>

CDC Tobacco Free Facebook Posts

This World Heart Day, take a tip from Roosevelt and do your heart a favor by quitting smoking. It's the best thing you can do for your health in the short and long term. Call 1-800-QUIT-NOW for free help.

According to the 2014 SGR, it's estimated that smoking costs the US \$289 billion each year. Do yourself & your country a favor by quitting smoking today. For free help, call 1-800-QUIT-NOW.

Quit Tip: Quitting smoking is already hard enough, so make it a little easier on yourself by getting plenty of rest. Get more tips by checking out our quit guide: <http://t.usa.gov/trqWz7B>

Tobacco companies use aggressive marketing strategies that lead to troubling health disparities. Share this video and give everyone a



DEPARTMENT OF HEALTH

 Search this site

- Smoking and Tobacco Use Resources
- 1. Health Effects
- 2. Quitting Smoking
- 3. Policy
- 4. Research
- 5. Regulation
- Sitemap

Smoking and Tobacco Use Resources

Included on this website are articles from health partners including federal and state agencies. The content is provided to assist in tobacco control, including preventing teen use.

Subpages (5): [1. Health Effects](#) [2. Quitting Smoking](#) [3. Policy](#) [4. Research](#) [5. Regulation](#)



Group 2



Smoking and Tobacco
Use Resources

- 1. Health Effects
 - 2. Quitting Smoking
 - 3. Policy
 - 4. Research
 - 5. Regulation
- Sitemap

Smoking and Tobacco Use Resources >

1. Health Effects

Are the effects of smoking serious?

The effects of smoking are serious. It can harm nearly every organ of the body. It causes nearly one of nearly every 5 deaths* in the United States each year. *<http://betobaccofree.hhs.gov/health-effects/smoking-health/index.html>

Does smokeless tobacco cause cancer?

Smokeless tobacco includes chewing tobacco, dip, snuff, and betel quid. At least 28 chemicals in these products have been found to cause cancer. Find out more about the effects of smokeless tobacco at: <http://betobaccofree.hhs.gov/about-tobacco/Electronic-Cigarettes/index.html>

Are Menthol cigarettes harmful?

Yes, [learn more](#) about Menthol Cigarettes, including how they are used by cigarette companies, their effects, and some common myths.

What about E-cigarettes?

E-cigarettes are not FDA approved for therapeutic use, and are not recommended as a cessation aid. If you are thinking about using an e-cig, there are [3 things you should know](#). Find out more about e-cigarettes at: <http://betobaccofree.hhs.gov/about-tobacco/Electronic-Cigarettes/index.html>

Comments

You do not have permission to add comments.



Group 2



- Smoking and Tobacco Use Resources
- 1. Health Effects
- 2. Quitting Smoking**
- 3. Policy
- 4. Research
- 5. Regulation
- Sitemap

Smoking and Tobacco Use Resources >

2. Quitting Smoking

One of the best things you can do to improve your overall health is quit tobacco. Tobacco use is the **leading cause of preventable illness and death** in the United States.

It is never too late to quit smoking. **Quitting is hard, but you can quit.**

Quitting isn't easy. Studies show **tobacco users are two to three times more likely to quit if they receive help.** Planning ahead improves your chances of quitting smoking for good. Follow these steps to create your own individual **quit plan.**

Is second hand smoke harmful?

When you smoke, it doesn't just affect you. Smoking affects both you and your loved one's health. And it's not just irritating to those around you, **it's deadly.** Inhaling **secondhand smoke** can cause lung cancer in nonsmoking adults. In the United States, approximately 3,000 adults die each year due to lung cancer from secondhand smoke exposure. **Learn about the consequences of secondhand smoke** and how you can protect your family.

I am pregnant and smoke. Is it too late to quit?

If you are pregnant, **it is never too late to quit smoking.** Labor and delivery can be unpredictable. **If you smoke during pregnancy, labor and delivery can be even more complicated.** There are benefits to quitting smoking at any stage of your pregnancy. Quitting as soon as possible will help protect you and your baby from health problems.

I smoke when I am stressed. What can I do to quit?

Many people smoke when they feel stressed. A major part of quitting smoking is finding ways to handle your stress. **Get tips** on ways you can reduce stress in your life.

Are there medications I can take to help me quit?

Using certain medicines can double your chances of quitting smoking for good.

Learn about medications to help you quit smoking, including nicotine replacement therapy at <http://smokefree.gov/exploremedications>

Comments

You do not have permission to add comments.





- Smoking and Tobacco Use Resources**
- [1. Health Effects](#)
- [2. Quitting Smoking](#)
- [3. Policy](#)**
- [4. Research](#)
- [5. Regulation](#)
- [Sitemap](#)

[Smoking and Tobacco Use Resources >](#)

3. Policy

Overview of the Family Smoking Prevention and Tobacco Control Act: Consumer Fact Sheet

The Family Smoking Prevention and Tobacco Control Act (Tobacco Control Act) became law on June 22, 2009. It gives the Food and Drug Administration (FDA) the authority to regulate the manufacture, distribution, and marketing of tobacco products to protect public health.

The Tobacco Control Act:

- Recognizes that virtually all new users of tobacco products are under 18 – the minimum legal age to purchase these products. Many new users will become addicted before they are old enough to understand the risks and ultimately will die too young of tobacco-related diseases. The Tobacco Control Act seeks to, among other things, prevent and reduce tobacco use by these young people.
- Recognizes that tobacco products are legal products available for adult use, prohibits false or misleading labeling and advertising for tobacco products and provides the tobacco industry with several mechanisms to submit an application to FDA for new products or tobacco products with modified risk claims.
- Gives FDA enforcement authority as well as a broad set of sanctions for violations of the law, and directs FDA to contract with states to assist FDA with retailer inspections.

Comments

You do not have permission to add comments.



Group 2



- Smoking and Tobacco Use Resources
- 1. Health Effects
- 2. Quitting Smoking
- 3. Policy
- 4. Research
- 5. Regulation
- Sitemap

Smoking and Tobacco Use Resources >

4. Research

Informing Tobacco Regulation Through Research

"For the first time, under the Family Smoking Prevention and Tobacco Control Act, the federal government, through the FDA Center for Tobacco Products (CTP), is able to bring science-based regulation to the manufacturing, marketing, and distribution of tobacco products."

FDA Commissioner Margaret A. Hamburg, M.D.

Visit the following to get more information about research:

Light Cigarettes and Cancer Risk	http://www.cancer.gov/cancertopics/factsheet/Tobacco/light-cigarettes	This fact sheet answers questions about the health effects of smoking low-tar, mild, or light cigarettes.
Secondhand Smoke and Cancer	http://www.cancer.gov/cancertopics/factsheet/Tobacco/ETS	A fact sheet that summarizes the studies on the health effects of exposure to environmental (secondhand) tobacco smoke.
Smokeless Tobacco and Cancer	http://www.cancer.gov/cancertopics/factsheet/Tobacco/smokeless	A fact sheet about the health risks associated with the use of smokeless tobacco.
Know the Facts about Smoking and Exposure to Secondhand Smoke	http://www.cdc.gov/tobacco/campaign/tips/groups/general-public.html	Smoking is the leading cause of preventable death in the US, 41,000 of which are the result secondhand smoke exposure. Smoking causes immediate damage to your body and can lead to long-term illnesses.

Comments

You do not have permission to add comments.



Group 2



Smoking and Tobacco
Use Resources

- 1. Health Effects
- 2. Quitting Smoking
- 3. Policy
- 4. Research
- 5. Regulation

Sitemap

Smoking and Tobacco Use Resources >

5. Regulation

Ensuring Compliance with the Tobacco Control Act and Enforcing the Law

Importance of Complying with the Law

CTP's rigorous compliance and enforcement program aims to ensure that the tobacco industry follows the law and regulations designed to reduce the health burden of tobacco use.

Helping the Industry Understand the Law

CTP takes a 3-pronged approach to help industry comply with the law by:

- developing and giving training, presentations, and guidance on how to comply,
- monitoring compliance, and
- taking action when necessary

Training, Presentations, and Guidance

Because federal tobacco law and regulations are new to many of those who must comply, we provide several ways to learn about them:

Training sessions and webinars

Since March 2011, CTP has been hosting live, public webinars to help educate those who must comply with federal tobacco law and regulations. Topics include Substantial Equivalence reporting requirements, warning letters, civil money penalties, and what to expect during a tobacco retail inspection. [Access a list of tobacco compliance webinars.](#)

Conferences and other presentations

CTP has given presentations to public health partners as well as manufacturers, distributors, importers, and retailers. We have also provided in-person meetings, teleconferences, and one-on-one compliance education at our exhibit booths at conferences. For example, we have raised awareness about our strategic goals, extended critical outreach to important groups and provided trainings at regional and national [Synar workshops](#), the [National Conference on Tobacco or Health](#) and the [Food & Drug Law Institute Conference](#).

Guidance documents

CTP issues guidance documents to help everyone understand and comply with the law and regulations. [Access a list of guidance documents.](#)

Help for small businesses

CTP's Office of Small Business Assistance gives technical assistance to small tobacco product manufacturers and retailers to help them understand their responsibilities under the Tobacco Control Act. It works with FDA's subject matter experts to give small businesses accurate and timely responses to their questions.

Monitoring Compliance

To ensure that regulated industry complies with the requirements of the Tobacco Control Act and regulations, CTP

Inspects places where tobacco is sold

CTP contracts with states and territories to inspect places where tobacco is sold.

CTP will be conducting inspections in all states and territories.

Tobacco retail inspections include ensuring that the clerk checks the photo ID of everyone under age 27 who tries to buy tobacco products we regulate (cigarettes, cigarette tobacco, roll-your-own tobacco, and smokeless tobacco). Retailers cannot sell these products to anyone under age 18.

In addition, among other things, retailers may not give away free samples of cigarettes. They must not open packages of regulated products to sell smaller amounts, such as single cigarettes (called loosies). And they may not sell flavored cigarettes or flavored cigarette tobacco (other than menthol flavored products).

Monitors manufacturing and marketing practices

CTP monitors what manufacturers of tobacco products do by

- reviewing pre-market applications
- inspecting manufacturing facilities
- inspecting "qualified adult only facilities" that are permitted under limited circumstances to provide free samples of smokeless tobacco products to adults
- approving required plans for warning labels on smokeless tobacco products and advertisements
- monitoring advertisements in the media, such as magazines and Internet sites, and other promotional activities
- evaluating complaints and conducting targeted monitoring of publications, advertising, and tobacco retailer's websites to see if they comply with restrictions on promoting and advertising tobacco products.

Comments


You do not have permission to add comments.



In the year **2013** , in the state of **Maryland**


Group 3

2 in 30




Maryland
9th-grade
students smoked
a cigarette*

3 in 30




Maryland
10th-grade
students smoked
a cigarette*

3 in 30



Maryland
11th-grade
students smoked
a cigarette*

4 in 30




Maryland
12th-grade
students smoked
a cigarette*

* Smoked at least one cigarette in the 30 days preceding the survey.
Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)


Explore Smoking Rates in 2011 and 2013 ...

Grade: **9**



Select other states on the map to see how Kentucky compares.

2011
➤ 2013



0-10 Percent 10-20 Percent 20-30 Percent 30-40 Percent 40-50 Percent 50-60 Percent No Data

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Smoking Facts

If current rates persist, **5.6 million** U.S. children alive today will **die prematurely from smoking**.

Prevention Matters

89% of lifelong smokers started before the age of **18**

A young person who remains **smoke-free till age 26** is **less than 1%** likely to ever start.

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Free quit resources for teens and reasons to never start smoking

Want help?

- 5 Tips to Quit Smoking
Source: Centers for Disease Control & Prevention
- smokefree.gov
Source: National Institutes of Health

Learn More...
Teen.Smokefree.gov

In the year **2013** , in the state of **Georgia**


Group 3

2 in 30




Georgia
9th-grade students smoked a cigarette*

5 in 30




Georgia
10th-grade students smoked a cigarette*

3 in 30



Georgia
11th-grade students smoked a cigarette*

4 in 30



Georgia
12th-grade students smoked a cigarette*

* Smoked at least one cigarette in the 30 days preceding the survey.
Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Explore Smoking Rates in 2011 and 2013 ...


Grade: **9**

9th 10th 11th 12th



Select other states on the map to see how Kentucky compares.

2011
>2013



0-10 Percent 10-20 Percent 20-30 Percent 30-40 Percent 40-50 Percent 50-60 Percent No Data

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Smoking Facts

If current rates persist, **5.6 million** U.S. children alive today will **die prematurely from smoking**.

Prevention Matters

89% of lifelong smokers started before the age of **18**

A young person who remains **smoke-free till age 26** is **less than 1% likely to ever start**.

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Free quit resources for teens and reasons to never start smoking

Want help?

- 5 Tips to Quit Smoking
Source: Centers for Disease Control & Prevention
- smokefree.gov
Source: National Institutes of Health

Learn More...
[Teen.Smokefree.gov](#)

Explore Smoking Rates in 2011 and 2013 ...

Grade: 9

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

>2011

2013



Source: CDC.gov, Youth Risk Behavior Surveillance System

Group 3

Explore Smoking Rates in 2011 and 2013 ...


Grade: 10



Select other states on the map to see how Kentucky compares.

>2011

2013



0-10 Percent: 10-20 Percent: 20-30 Percent: 30-40 Percent: 40-50 Percent: 50-60 Percent: No Data:

Source: CDC.gov, [Youth Risk Behavior Surveillance System](http://www.cdc.gov/youthrisk)

Group 3

Explore Smoking Rates in 2011 and 2013 ...


Grade: 11

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

>2011

2013



0-10 Percent: 10-20 Percent: 20-30 Percent: 30-40 Percent: 40-50 Percent: 50-60 Percent: No Data:

Source: CDC.gov, [Youth Risk Behavior Surveillance System](http://www.cdc.gov/youthrisk)

Group 3

Explore Smoking Rates in 2011 and 2013 ...


Grade: 12

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

>2011

2013



0-10 Percent: 10-20 Percent: 20-30 Percent: 30-40 Percent: 40-50 Percent: 50-60 Percent: No Data:

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Group 3

Explore Smoking Rates in 2011 and 2013 ...

Grade: 10

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

2011

>2013



0-10 Percent: ■ 10-20 Percent: ■ 20-30 Percent: ■ 30-40 Percent: ■ 40-50 Percent: ■ 50-60 Percent: ■ No Data: ■

Source: CDC.gov, [Youth Risk Behavior Surveillance System](http://www.cdc.gov/yrbss)

Group 3

Explore Smoking Rates in 2011 and 2013 ...


Grade: 11

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

2011

>2013



0-10 Percent: ■ 10-20 Percent: ■ 20-30 Percent: ■ 30-40 Percent: ■ 40-50 Percent: ■ 50-60 Percent: ■ No Data: ■

Source: CDC.gov, [Youth Risk Behavior Surveillance System](#)

Group 3

Explore Smoking Rates in 2011 and 2013 ...


Grade: 12

9th

10th

11th


12th



Select other states on the map to see how Kentucky compares.

2011

>2013



Source: CDC.gov. Youth Risk Behavior Surveillance System

Group 3



Search this site

Explore Levels of Teen Smoking

Explore Levels of Teen Smoking

Resources

Smoking Facts

Teen Smoking Levels, 2011

Teen Smoking Levels, 2013

Sitemap

Explore Levels of Teen Smoking

The information in the [tables](#) provide data on smoking levels for 9th, 10th, 11th, and 12th graders from 2011 and 2013 in the United States. Look at the tables to see if the data for your state is available. Data in the tables is provided by the Centers for Disease Control and Prevention.

View the **Resources** and **Smoking Facts** tabs for additional tobacco information.

Group 4



Search this site

Explore Levels of Teen Smoking

Explore Levels of Teen Smoking

Resources

Smoking Facts

Teen Smoking Levels, 2011

Teen Smoking Levels, 2013

Sitemap

Resources

Want help?

- 5 Tips to Quit Smoking
 - Source: Centers for Disease Control & Prevention
 - smokefree.gov

Learn More... Teen.Smokefree.gov

Comments

You do not have permission to add comments.

Group 4

 [Search this site](#)

[Explore Levels of Teen Smoking](#)

[Explore Levels of Teen Smoking Resources](#)

Smoking Facts

[Teen Smoking Levels, 2011](#)
[Teen Smoking Levels, 2013](#)
[Sitemap](#)

Smoking Facts

If current rates persist, 5.6 million U.S. children alive today will die prematurely from smoking.

Prevention Matters, 89% of lifelong smokers started before the age of 18.

A young person who remains smoke-free till age 26 is less than 1% likely to ever start.

Comments

You do not have permission to add comments.

Group 4



Explore Levels of Teen Smoking

- [Explore Levels of Teen Smoking](#)
- [Resources](#)
- [Smoking Facts](#)
- [Teen Smoking Levels, 2011](#)**
- [Teen Smoking Levels, 2013](#)
- [Sitemap](#)

Teen Smoking Levels, 2011

Alabama	18.73	24.39	18.30	30.48
Alaska	9.55	14.71	15.26	17.84
Arizona	12.48	16.69	15.89	24.42
Arkansas	14.28	19.02	20.10	19.18
Colorado	11.85	14.12	13.92	22.22
Connecticut	13.26	9.98	19.74	21.21
Delaware	17.90	15.50	18.74	21.29
Florida	10.74	12.82	15.53	17.78
Georgia	12.54	16.47	14.83	24.97
Hawaii	8.14	5.25	10.85	17.00
Idaho	10.88	9.63	13.77	22.66
Illinois	12.89	14.48	20.60	23.12
Indiana	12.59	18.68	19.04	22.57
Iowa	10.93	14.84	20.91	25.69
Kansas	9.26	13.63	17.01	18.54
Kentucky	16.70	23.05	25.87	32.49
Louisiana	20.01	13.69	22.68	N/A
Maine	9.96	12.21	16.58	20.92
Maryland	7.79	11.13	12.85	17.83
Massachusetts	11.50	9.96	18.18	16.96
Michigan	9.74	16.10	13.26	17.12
Mississippi	13.91	18.71	18.57	20.01
Missouri				
Montana	12.08	14.29	17.53	22.76
Nebraska	9.00	13.21	19.30	18.49
Nevada				
New Hampshire	12.69	22.40	22.78	21.09
New Jersey	10.76	11.86	19.26	23.32
New Mexico	17.95	18.31	19.64	24.66
New York	9.30	10.84	13.23	16.23
North Carolina	14.93	16.22	16.58	24.40
North Dakota	12.82	15.94	22.06	26.57
Ohio	15.18	20.87	20.58	27.50
Oklahoma	17.82	22.98	20.77	30.63
Pennsylvania				
Rhode Island	9.36	11.60	12.04	12.69
South Carolina	17.85	16.62	21.46	21.21
South Dakota	13.71	25.75	18.10	36.22
Tennessee	14.89	21.74	22.83	27.90
Texas	12.72	14.96	20.14	23.28
Utah	4.60	5.71	7.15	6.28
Vermont	7.50	11.16	14.63	19.04
Virginia	12.46	13.61	12.35	21.54
West Virginia	17.68	16.24	21.51	21.80
Wisconsin	9.23	10.04	16.54	22.31
Wyoming	17.26	17.66	24.95	28.87

Comments

You do not have permission to add comments.



Explore Levels of Teen Smoking

- [Explore Levels of Teen Smoking](#)
- [Smoking Facts](#)
- [Resources](#)
- [Smoking Facts](#)
- [Teen Smoking Levels, 2011](#)
- [Teen Smoking Levels, 2013](#)**
- [Sitemap](#)

Teen Smoking Levels, 2013

Alabama	13.09	18.24	17.21	24.98
Alaska	6.73	12.48	9.47	13.61
Arizona	9.06	13.64	15.51	17.40
Arkansas	15.39	18.45	17.75	25.42
Colorado				
Connecticut	9.43	9.28	14.96	20.23
Delaware	12.22	13.53	13.35	21.20
Florida	8.57	10.33	9.80	14.04
Georgia	8.49	17.15	11.15	15.36
Hawaii	7.38	8.16	11.82	14.10
Idaho	6.42	8.38	13.75	21.72
Illinois	8.96	10.51	17.65	19.63
Indiana				
Iowa				
Kansas	7.25	8.62	11.97	13.52
Kentucky	13.14	15.53	21.91	22.76
Louisiana	9.50	10.62	13.36	16.13
Maine	7.78	9.42	14.37	18.94
Maryland	7.45	10.78	13.13	15.62
Massachusetts	6.42	10.73	12.74	13.57
Michigan	7.95	11.39	10.80	17.33
Mississippi	12.96	18.80	22.59	15.46
Missouri	8.80	12.11	15.93	22.86
Montana	10.97	15.62	17.50	16.97
Nebraska	3.87	12.22	13.20	14.02
Nevada	6.90	7.22	10.05	17.47
New Hampshire	9.75	11.83	13.67	19.58
New Jersey	6.33	11.11	14.06	20.57
New Mexico	10.71	13.64	15.19	19.20
New York	7.39	9.42	11.51	14.65
North Carolina	11.63	9.87	20.58	18.50
North Dakota	15.29	16.31	18.92	25.48
Ohio	9.95	12.79	20.12	18.37
Oklahoma	16.94	15.57	18.85	22.88
Pennsylvania				
Rhode Island	4.01	7.10	5.78	14.79
South Carolina	10.83	15.47	18.77	21.28
South Dakota	10.45	14.40	18.03	24.81
Tennessee	13.78	13.15	17.13	17.83
Texas	8.56	13.31	13.98	21.77
Utah	3.04	3.28	4.97	6.02
Vermont				
Virginia	7.03	8.65	11.85	17.21
West Virginia	14.85	21.37	21.09	21.43
Wisconsin	8.52	9.73	14.70	14.56
Wyoming	13.36	15.58	18.81	21.85

Comments

You do not have permission to add comments.