

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

Issue #	Page #	Section	Action to be Performed	Changes to the Application (Proposed IRF-PAI 2014 Item- Discharge)	Reason for the Change
1	2012 Page 3	Discharge Information	Add 44C. Was the patient discharged alive? (0- No; 1- Yes)	44C. Was the patient discharged alive? (0- No; 1- Yes)	Provides clinicians with a skip pattern to promote efficient data collection.
2	2012 Page 3	Discharge Information	Change 44A. to 44D.; add skip pattern; updated response codes.	Patient's discharge destination/living setting, using codes below: (answer only if 44C = 1; if 44C = 0, skip to item 46)(01 – Home (private home/apt., board/care, assisted living, group home; 02 Short-term General Hospital; 03 Skilled Nursing Facility (SNF); 50 Hospice; 62 Another Inpatient Rehabilitation Facility; 63 Long-Term Care Hospital (LTCH); 64 Medicaid Nursing Facility; 65 Inpatient Psychiatric Facility; 66 Critical Access Hospital; 99 Not Listed)	Provides clinicians with a skip pattern to promote efficient data collection. Response codes updated to reflect current care settings.
3	2012 Page 3	Discharge Information	Change 44 B. to 44E; add skip pattern.	Was patient discharged with Home Health Services? (Code only if item 44C =1 and 44D is 01 – Home)(0 - No; 1 - Yes)	Provides clinicians with a skip pattern to promote efficient data collection.
4	2012 Page 3	Discharge Information	Change the skip pattern on item 45.	45. Discharge to Living With (Code only if item 44C is 1- Yes and 44D is 01 - Home; Code using 1 - Alone; 2 - Family / Relatives; 3 - Friends; 4 - Attendant; 5 - Other)	Provides clinicians with a skip pattern to promote efficient data collection.
5	2012 Page 3	Quality Indicators	Quality Indicator Section: Separated Admission and Discharge into two columns	Quality Indicator Section: Separated Admission and Discharge into two columns	Admission and discharge assessment data are reported separately.
6	2012 Page 3	Quality Indicators	Added item and skip pattern	<b>M0210.</b> Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher on Discharge?	Provides clinicians with a skip pattern to promote efficient data collection.
7	2012 Page 3	Quality Indicators	Added items about Stage 1 pressure ulcers; changed numbering	<b>M0300A1.</b> Enter <b>total</b> number of pressure ulcers currently at Stage 1.	Clinical experts recommended adding Stage 1 pressure ulcer items to allow for more detailed data collection. New numbering is consistent with

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

					numbering in other item sets.
8	2012 Page 3	Quality Indicators	Added items about Stage 1 pressure ulcers; changed numbering	<b>M0300A2.</b> Of <b>these Stage 1</b> pressure ulcers present at discharge, enter number that were: (a) present on admission as a Stage 1 <b>and</b> (b) remained at Stage 1 at discharge.	Clinical experts recommended adding Stage 1 pressure ulcer items to allow for more detailed data collection
9	2012 Page 3	Quality Indicators	Added items about Stage 1 pressure ulcers; changed numbering	<b>M0300A3.</b> Of <b>these Stage 1</b> pressure ulcers, enter the number that were <b>not present on admission.</b> (i.e. – New stage 1 pressure ulcers that have developed during the IRF stay)	Clinical experts recommended adding Stage 1 pressure ulcer items to allow for more detailed data collection
10	2012 Page 3	Quality Indicators	Changed wording and numbering of item 48A.	<b>M0300B1.</b> Enter <b>Total</b> number of pressure ulcers currently at <b>Stage 2.</b>	Added instructions
11	2012 Page 3	Quality Indicators	Added sub-questions to Stage 2 pressure ulcer items.	<b>M0300B2.</b> Of <b>these Stage 2</b> pressure ulcers present at discharge, enter the number that were: (a) present on admission, <b>and</b> (b) remained at Stage 2 at discharge.	Updated wording allows for more detailed data collection items
12	2012 Page 3	Quality Indicators	Added sub-questions to Stage 2 pressure ulcer items.	<b>M0300B3.</b> Of <b>these Stage 2</b> pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <b>unstageable pressure ulcer</b> due to the presence of a <b>non-removable device and</b> (b) when it became stageable, the pressure ulcer was staged as a Stage 2, <b>and</b> (c) it remained at Stage 2 at the time of discharge.	Updated wording allows for more detailed data collection items
13	2012 Page 3	Quality Indicators	Deleted item 49A. Added sub-questions to Stage 2 pressure ulcer items.	<b>M0300B4.</b> Of <b>these Stage 2</b> pressure ulcers present at discharge, enter the number that were: (a) not present on admission; <b>or</b> (b) were at a lesser stage at admission and worsened to a Stage 2 during the IRF stay	Updated wording allows for more detailed data collection items
14	2012 Page 3	Quality Indicators	Changed wording and numbering of item 48B.	<b>M0300C1.</b> Enter <b>total</b> number of pressure ulcers currently at <b>Stage 3.</b>	Added instructions

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

15	2012 Page 3	Quality Indicators	Added sub-questions to Stage 3 pressure ulcer items.	<b>M0300C2.</b> Of <b>these Stage 3</b> pressure ulcers present at discharge, enter the number that were: (a) present on admission, <b>and</b> (b) remained at Stage 3 at discharge.	Updated wording allows for more detailed data collection items
16	2012 Page 3	Quality Indicators	Added sub-questions to Stage 3 pressure ulcer items.	<b>M0300C3.</b> Of <b>these Stage 3</b> pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <b>unstageable pressure ulcer</b> , <b>and</b> (b) when it became stageable, it was staged as a <b>Stage 3</b> ; <b>and</b> (c) it remained at <b>Stage 3</b> at the time of discharge.	Updated wording allows for more detailed data collection items
17	2012 Page 3	Quality Indicators	Deleted Item 49B. Added sub-questions to Stage 3 pressure ulcer items.	<b>M0300C4.</b> Of <b>these Stage 3</b> pressure ulcers present at discharge, enter the number that were: (a) not present on admission; <b>or</b> (b) were at a lesser stage at admission and worsened to a Stage 3 during the IRF stay; <b>or</b> (c) were unstageable at admission, initially became stageable at a lesser stage, but then progressed to a Stage 3 by the time of discharge.	Updated wording allows for more detailed data collection items
18	2012 Page 3	Quality Indicators	Changed wording and numbering of item 48C.	<b>M0300D1.</b> Enter <b>total</b> number of pressure ulcers currently at <b>Stage 4</b> .	Added instructions
19	2012 Page 3	Quality Indicators	Added sub-questions to Stage 4 pressure ulcer items.	<b>M0300D2.</b> Of <b>these Stage 4</b> pressure ulcers present at discharge, enter number that were: (a) present on admission at Stage 4, <b>and</b> (b) remained at Stage 4 at discharge.	Updated wording allows for more detailed data collection items
20	2012 Page 3	Quality Indicators	Added sub-questions to Stage 4 pressure ulcer items.	<b>M0300D3.</b> Of <b>these Stage 4</b> pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer, <b>and</b> (b) when it became stageable, it was staged as a <b>Stage 4</b> , <b>and</b> (c) it remained at <b>Stage 4</b> at the time of discharge.	Updated wording allows for more detailed data collection items
21	2012 Page 3	Quality Indicators	Deleted Item 49C. Added sub-questions to Stage 4 pressure ulcer items.	<b>M0300D4.</b> Of <b>these Stage 4</b> pressure ulcers present at discharge, enter the number that were: (a) not present on admission; <b>or</b> (b) were at a lesser stage at admission and worsened to a Stage 4 by discharge; <b>or</b> (c) were unstageable on admission, initially became stageable at a lesser stage, and then progressed to a Stage 4 by the time of discharge.	Updated wording allows for more detailed data collection items

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

22	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300E1.</b> Enter <b>total</b> number of pressure ulcers currently <b>Unstageable</b> due to a <b>Non-removable dressing or device</b> .	Updated wording allows for more detailed data collection items
23	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300E2.</b> Of <b>these Unstageable</b> pressure ulcers due to a <b>non-removable dressing or device</b> present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to <b>non-removable dressing or device; and</b> (b) remained unstageable due to <b>non-removable dressing or device</b> until discharge.	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
24	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300E3.</b> Of <b>these Unstageable</b> pressure ulcers due to <b>non-removable dressing or device</b> present at discharge, enter number that were (a) present on admission as a stageable pressure ulcer; <b>and</b> (b) became unstageable due to <b>non-removable dressing or device</b> during the IRF stay; (c) remained unstageable due to a <b>non-removable dressing or device</b> until discharge.	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
25	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300F1.</b> Enter <b>total</b> number of pressure ulcers currently <b>Unstageable</b> due to a <b>Slough and/or Eschar</b> _	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
26	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300F2.</b> Of <b>these Unstageable</b> pressure ulcers due to <b>slough and/or eschar</b> present at discharge, enter number that were: (a) present on admission as an unstageable pressure ulcer due to <b>slough and/or eschar; and</b> (b) remained unstageable due to <b>slough and/or eschar</b> until discharge.	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
27	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300F3.</b> Of <b>these Unstageable</b> pressure ulcers due to <b>slough or eschar</b> present at discharge, enter number that were: (a) present on admission as a stageable pressure ulcer <b>and</b> became unstageable due to <b>slough and/or eschar</b> during the IRF stay; <b>and</b> (b) remained unstageable due to <b>slough and/or eschar</b> until discharge.	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

28	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300G1.</b> Enter <b>total</b> number of <b>unstageable pressure ulcers with Suspected Deep Tissue Injury.</b>	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
29	2012 Page 3	Quality Indicators	Added items about unstageable pressure ulcers.	<b>M0300G2.</b> Of <b>these unstageable pressure ulcers with suspected DTI</b> present at discharge, enter number that were: <b>(a)</b> present on admission as an unstageable pressure ulcer due to a <b>suspected deep tissue injury; and (b)</b> remained unstageable due to a <b>suspected DTI</b> until discharge.	Clinical experts recommended adding unstageable pressure ulcer items to allow for more detailed data collection
30	2012 Page 3	Quality Indicators	Changed numbering and format of 50.	<b>M0900A.</b> Healed Pressure Ulcers Indicate the number of pressure ulcers that were: (a) present on <b>Admission; and (b)</b> have completely closed (resurfaced with epithelium) upon <b>Discharge-</b> Stage 1	Renumbered to harmonize with 3.0; reformatted item allows for more streamlined items and more efficient data collection
31	2012 Page 3	Quality Indicators	Changed numbering and format of 50.	<b>M0900B.</b> Healed Pressure Ulcers Indicate the number of pressure ulcers that were: (a) present on <b>Admission; and (b)</b> have completely closed (resurfaced with epithelium) upon <b>Discharge-</b> Stage 2	New numbering is consistent with numbering in other item sets; reformatted item allows for more streamlined items
32	2012 Page 3	Quality Indicators	Deleted 50A.	Deleted 50A.	Reformatted item allows for more streamlined items
33	2012 Page 3	Quality Indicators	Changed numbering and format of 50.	<b>M0900C.</b> Healed Pressure Ulcers Indicate the number of pressure ulcers that were: (a) present on <b>Admission; and (b)</b> have completely closed (resurfaced with epithelium) upon <b>Discharge-</b> Stage 3	New numbering is consistent with numbering in other item sets; reformatted item allows for more streamlined items
34	N/A	Quality	Changed numbering and	<b>M0900D.</b> Healed Pressure Ulcers Indicate the number of	New numbering is

Revision Crosswalk: IRF-PAI 2012 to Proposed IRF-PAI 2014 - Discharge

April 11, 2013

		Indicators	format of 50.	pressure ulcers that were: (a) present on <b>Admission; and</b> (b) have completely closed (resurfaced with epithelium) upon <b>Discharge</b> - Stage 4	consistent with numbering in other item sets; reformatted item allows for more streamlined items
35	N/A	Quality Indicators	Add influenza vaccination collection items	<b>O0250A.</b> Did the <b>patient receive the influenza vaccine in this facility</b> for this year's influenza <i>vaccination</i> season?	Influenza Vaccination items added for new quality measure: patient influenza vaccination
36	N/A	Quality Indicators	Add influenza vaccination collection items	<b>O0250B. Date influenza vaccine received</b>	Influenza Vaccination items added for new quality measure: patient influenza vaccination
37	N/A	Quality Indicators	Add influenza vaccination collection items	<b>O0250C. If influenza vaccine not received, state reason:</b>	Influenza Vaccination items added for new quality measure: patient influenza vaccination
38	N/A	Signature of Persons Completing the Assessment	Add signature page	<b>Item Z0400A.</b> Signature of Persons Completing the Assessment	Provides official record of signature of persons completing the assessment; harmonized other item sets.