## **PRA Disclosure Statement**

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-0842**. The time required to complete this information collection is estimated to average **50.5 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

	Identification Information*		Payer Information*
1.	Facility Information A. Facility Name	20.	Payment Source (02 - Medicare Fee For Service; 51- Medicare-Medicare Advantage; 99 - Not Listed)
			A. Primary Source
			B. Secondary Source
			Medical Information*
		21.	Impairment Group
	B. Facility Medicare Provider Number		Admission Discharge
2.	Patient Medicare Number		Condition requiring admission to rehabilitation; code according to Appendix
3.	Patient Medicaid Number	22.	A. Etiologic Diagnosis
4.	Patient First Name	22.	(Use an ICD code to indicate the etiologic problem
5A.	Patient Last Name		that led to the condition for which the patient is receiving rehabilitation)
5B.	Patient Identification Number	23.	,
6.	Birth Date $\frac{/}{\text{MM}/\text{DD}/\text{YYYY}}$		$\overline{\mathrm{MM}/\mathrm{DD}/\mathrm{YYYY}}$
7.	Social Security Number	24.	Comorbid Conditions Use ICD codes to enter comorbid medical conditions
8.	Gender (1 - Male; 2 - Female)		A J S
9.	Race/Ethnicity (Check all that apply)		B. K. T.
	American Indian or Alaska Native A.		C. L. U.
	Asian B		D. M. V.
	Black or African American C.		E N W
	Hispanic or Latino D		F O X
	Native Hawaiian or Other Pacific Islander E.		G P Y
	White F		H Q
			I R
10.	Marital Status (1 - Never Married; 2 - Married; 3 - Widowed;	25	DELETED
	4 - Separated; 5 - Divorced)	25.	DELETED
11.	Zip Code of Patient's Pre-Hospital Residence	26.	DELETED  Height and Weight
12.	Admission Date / /		(While measuring if the number is X.1-X.4 round down, X.5 or greater round
12	MM / DD / YYYY		up)
13.	Assessment Reference Date $\frac{/}{MM/DD/\overline{YYYY}}$	25A	. Height on admission (in inches)
14.	Admission Class (1 - Initial Rehab; 2 - Evaluation; 3 - Readmission; 4 - Unplanned Discharge; 5 - Continuing Rehabilitation)	26A	. Weight on admission (in pounds)  Measure weight consistently, according to standard facility practice (e.g., in
15A.	Admit From	27.	a.m. after voiding, with shoes off, etc.) Swallowing Status
	(01- Home (private home/apt., board/care, assisted living, group home, transitional living); 02- Short-term General Hospital; 03 - Skilled Nursing	21.	Admission Discharge
	Facility (SNF); 04 - Intermediate care; 06 - Home under care of organized		3- <u>Regular Food</u> : solids and liquids swallowed safely without supervision or
	home health service organization; 50 - Hospice (home); 51 - Hospice (institutional facility); 61 - Swing bed; 62 - Another Inpatient		modified food consistency
	Rehabilitation Facility; 63 - Long-Term Care Hospital (LTCH);		2- <u>Modified Food Consistency/Supervision</u> : subject requires modified food consistency and/or needs supervision for safety
	64 - Medicaid Nursing Facility; 65 - Inpatient Psychiatric Facility; 66 - Critical Access Hospital; 99 - Not Listed)		1- <u>Tube/Parenteral Feeding:</u> tube/parenteral feeding used wholly or partially
16A.	Pre-hospital Living Setting	200	as a means of sustenance
	Use codes from 15A. Admit From	28.	DELETED
17.	Pre-hospital Living With (Code only if item 16A is 01- Home: Code using 01 - Alone;		
	02 - Family/Relatives; 03 - Friends; 04 - Attendant; 05 - Other)		
18.	DELETED		
19.	DELETED		

	Function M	odifiers*			39.	FIM <sup>TM</sup> Instrum	ient*		
Com	plete the following specific functiona	l items prior to	scoring the			Admission	Discharge	Goal	
FIM	TM Instrument:			SELF	-CARE	_		_	
		Admission	Discharge	A.	Eating				
29.	Bladder Level of Assistance			B.	Grooming				
	(Score using FIM Levels 1 - 7)	_	_	C.	Bathing				
30.	Bladder Frequency of Accidents (Score as below)			D.	Dressing - Upper				
	7 - No accidents			E.	Dressing - Lower				
	6 - No accidents; uses device such as a 5 - One accident in the past 7 days	ı catheter		F.	Toileting	Ц			
	4 - Two accidents in the past 7 days			SPHI	NCTER CONTROL	_	_	_	
	<ul><li>3 - Three accidents in the past 7 days</li><li>2 - Four accidents in the past 7 days</li></ul>			G.	Bladder		H	닏	
	1 - Five or more accidents in the past 7	-	A Come Home 20	H.	Bowel	Ц			
	Enter in Item 39G (Bladder) the lower and 30 above	(more aepenaei	nt) score from 1tems 29	TRAN	NSFERS	_	_	_	
		Admission	Discharge	I.	Bed, Chair, Wheelchair				
31.	Bowel Level of Assistance			J.	Toilet				
	(Score using FIM Levels 1 - 7)			K.	Tub, Shower				
32.	Bowel Frequency of Accidents						V - Walk		
	(Score as below)			LOCO	OMOTION		Wheelchair B - Both		
	<ul><li>7 - No accidents</li><li>6 - No accidents; uses device such as a</li></ul>	a ostomy		L.	Walk/Wheelchair				
	5 - One accident in the past 7 days 4 - Two accidents in the past 7 days			M.	Stairs				
	3 - Three accidents in the past 7 days					Α -	- Auditory		
	<ul><li>2 - Four accidents in the past 7 days</li><li>1 - Five or more accidents in the past 7</li></ul>	7 days		COM	MUNICATION	\[ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	' - Visual B - Both		
	Enter in Item 39H (Bowel) the lower (rabove.	nore dependent,	) score of Items 31 and 32	N.	Comprehension				
	uoove.	Admission	Discharge	O.	Expression		/ - Vocal		
33.	Tub Transfer					LN -	· Nonvocal B - Both		
34.	Shower Transfer			SOCL	AL COGNITION		3 - DOM		
	(Score Items 33 and 34 using FIM Levocur) See training manual for scoring			P.	Social Interaction				
	, 5	Admission	Discharge	Q.	Problem Solving				
35.	Distance Walked			R.	Memory				
36.	Distance Traveled in Wheelchair								
	(Code items 35 and 36 using: 3 - 150) 1 - Less than 50 feet; 0 – activity does it	,	19 feet;	FIM I	LEVELS				
	1 - Less man so jeer, v - activity acco.	Admission	Discharge	No H					
37.	Walk		П	7	Complete Independence				
		_		6 <i>Helm</i>	Modified Independence	(Device)			
38.	Wheelchair	<b>ப</b>	<b>□</b>	Helpe 5	er - Modified Dependence Supervision (Subject = 1	00%)			
	(Score Items 37 and 38 using FIM Leve See training manual for scoring of Item			4	Minimal Assistance (Sul		ore)		
* Tl	he FIM data set, measurement scale and	l impairment co	des incorporated or	3	Moderate Assistance (Su	-	nore)		
re	ferenced herein are the property of U B	Foundation Ac	tivities, Inc. ©1993,	_	er - Complete Dependence		,		
20	001 U B Foundation Activities, Inc. Th	e FIM mark is o	owned by UBFA, Inc.	2	Maximal Assistance (Su Total Assistance (Subject	3	,		
					` '				
				0	Activity does not occur;	Use this code on	ly at admission		

	Discharge I	nformation*
40.	Discharge Date	$\frac{/}{\text{MM}/\text{DD}/\text{YYYY}}$
41.	Patient discharged against medical	advice?
42.	Program Interruption(s)	(0 - No; 1 - Yes)
43.	Program Interruption Dates (Code only if item 42 is 1 - Yes)	
	A. 1st Interruption Date	3. 1 <sup>st</sup> Return Date
	MM / DD / YYYY	MM / DD / YYYY
		D. 2 <sup>nd</sup> Return Date
	MM / DD / YYYY	MM / DD / YYYY
	E. 3 <sup>rd</sup> Interruption Date F	7. 3 <sup>rd</sup> Return Date  MM / DD / YYYY
44C	. Was the patient discharged alive?	(0 - No; 1 - Yes)
44D	O. Patient's discharge destination/live only if 44C = 1; if 44C = 0, skip to	ing setting, using codes below: (answortem 46)
	transitional living); 02- Short-tern Facility (SNF); 04 - Intermediate organized home health service org 51 - Hospice (institutional facility,	ganization; 50 - Hospice (home); ); 61 - Swing bed; 62 - Another 63 - Long-Term Care Hospital (LTCH 5 - Inpatient Psychiatric Facility;
45.	c c	nd 44D is 01 - Home; Code using 1 - Friends; 4 - Attendant;
46.	Diagnosis for Interruption or Deat (Code using ICD code)	h
47.	-	x conditions that
	A C E	B D F
re	eferenced herein are the property of	and impairment codes incorporated of U B Foundation Activities, Inc. © 19 The FIM mark is owned by UBFA, I

	Quality Indicators- Admission Assessment		Quality Indicators- Discharge Assessment
	Unhealed Pressure Ulcer(s)- Admission		Unhealed Pressure Ulcer(s)- Discharge
	<b>M0210.</b> Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher at Admission?		M0210. Does this patient have one or more unhealed pressure ulcer(s) at Stage 1 or higher on Discharge?
Enter Code	<ul> <li>No → skip to question 10900 on Admission     Assessment</li> <li>Yes → continue to question M0300A on Admission     Assessment</li> </ul>	Enter Code	<ul> <li>0. No→ skip to question M0900A on Discharge         Assessment</li> <li>1. Yes → continue to question M0300A on Discharge         Assessment</li> </ul>
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Discharge
	M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues.		M0300A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones it may appear with persistent blue or purple hues.
Enter Number	M0300A1. Number of Stage 1 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300A1. Enter total number of pressure ulcers currently at Stage 1. If patient has no Stage 1 pressure ulcers at discharge, skip to Item M0300B1.
		Enter Number	M0300A2. Of <u>these</u> Stage 1 pressure ulcers present at discharge, enter number that were: (a) present on admission as a Stage 1 and (b) remained at Stage 1 at discharge.
		Enter Number	M0300A3. Of these Stage 1 pressure ulcers, enter the number that were not present on admission. (i.e. – New stage 1 pressure ulcers that have developed during the IRF stay)
	M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.		M0300B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister.
Enter Number	M0300B1. Number of Stage 2 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300B1. Enter total number of pressure ulcers currently at Stage 2. (If patient has no Stage 2 pressure ulcers at discharge, skip to Item M0300C1.)
		Enter Number	M0300B2. Of <u>these</u> Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 2 at discharge.
		Enter Number	M0300B3. Of <u>these</u> Stage 2 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <b>unstageable pressure ulcer</b> due to the presence of a <b>non-removable device and</b> (b) when it became stageable, the pressure ulcer was staged as a Stage 2, and (c) it remained at Stage 2 at the time of discharge.
		Enter Number	M0300B4. Of these Stage 2 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 2 during the IRF stay

Version 1.2 Effective October 1, 2014

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage- Admission, Continued		M0300. Current Number of Unhealed Pressure Ulcers at Each Stage-Discharge, Continued
	M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.		M0300C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.
Enter Number	M0300C1. Number of Stage 3 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300C1. Enter total number of pressure ulcers currently at Stage 3. (If patient has no Stage 3 pressure ulcers at discharge, skip to Item M0300D1.
		Enter Number	M0300C2. Of these Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission, and (b) remained at Stage 3 at discharge.
		Enter Number	M0300C3. Of <u>these</u> Stage 3 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an <b>unstageable pressure ulcer</b> , and (b) when it became stageable, it was staged as a <b>Stage 3</b> ; and (c) it remained at <b>Stage 3</b> at the time of discharge.
		Enter Number	M0300C4. Of these Stage 3 pressure ulcers present at discharge, enter the number that were: (a) not present on admission; or (b) were at a lesser stage at admission and worsened to a Stage 3 during the IRF stay; or (c) were unstageable due to a non-removeable device at admission, initially became stageable at a lesser stage, , but then progressed to a Stage 3 by the time of discharge.
	<b>M0300D. Stage 4:</b> Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and		M0300D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.
Enter Number	tunneling.  M0300D1. Number of Stage 4 pressure ulcers: enter how many were noted at the time of admission	Enter Number	M0300D1. Enter total number of pressure ulcers currently at Stage 4. (If patient has no Stage 4 pressure ulcers at discharge, skip to Item M0300E1.)
		Enter Number	M0300D2. Of <u>these</u> Stage 4 pressure ulcers present at discharge, enter number that were: (a) present on admission at Stage 4, and (b) remained at Stage 4 at discharge.
		Enter Number	M0300D3. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) present on admission as an unstageable pressure ulcer, and (b) when it became stageable, it was staged as a Stage 4, and (c) it remained at Stage 4 at the time of discharge.
		Enter Number	M0300D4. Of these Stage 4 pressure ulcers present at discharge, enter the number that were: (a) not present on admission); or (b) were at a lesser stage at admission and worsened to a Stage 4 by discharge; or (c) were unstageable on admission, initially became stageable at a lesser stage, and then progressed to a Stage 4 by the time of discharge.

	Quality Indicators-Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	M0300E. Unstageable Pressure Ulcers due to non-removable dressing/device: Known but not stageable due to the presence of a non-removable dressing/device.		M0300E. Unstageable Pressure Ulcers due to a non-removable dressing or device: pressure ulcers that are known but not stageable due to the presence of a non-removable dressing or device.
Enter Number	M0300E1. Number of unstageable pressure ulcers due to non-removable dressing/device: enter how many were noted at the time of admission	Enter Number	M0300E1. Enter total number of pressure ulcers currently Unstageable due to a Non-removable dressing or device. (If patient has no pressure ulcers Unstageable due to Non-Removable Device at discharge, skip to Item M0300F1.)
		Enter Number	M0300E2. Of these Unstageable pressure ulcers due to a non-removable dressing or device present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to non-removable dressing or device; and (b) remained unstageable due to non-removable dressing or device until discharge.  M0300E3. Of these Unstageable pressure ulcers due to non-removable dressing or device present at discharge, enter number that were (a) present on admission as a stageable pressure ulcer and became unstageable due to non-removable dressing or device during the IRF stay; and (b) remained unstageable due to a non-removable dressing or device until discharge.
	M0300F. Unstageable Pressure Ulcers due to slough and/or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.		M0300F. Unstageable Pressure Ulcers due to slough or eschar: pressure ulcers that are known but not stageable due to coverage of wound bed by slough and/or eschar.
Enter Number	M0300F1. Number of unstageable pressure ulcers due to slough and/ or eschar: enter how many were noted at the time of admission	Enter Number	M0300F1. Enter total number of pressure ulcers currently Unstageable due to a Slough and/or Eschar. (If patient has no pressure ulcers Unstageable due to Slough and/or Eschar at discharge, skip to Item M0300G1.)
		Enter Number	M0300F2. Of these Unstageable pressure ulcers due to slough and/or eschar present at discharge, enter number that were: (a) present on admission as an unstageable pressure ulcer due to slough and/or eschar; and (b) remained unstageable due to slough and/or eschar until discharge.
			M0300F3. Of these Unstageable pressure ulcers due to slough or eschar present at discharge, enter number that were: (a) present on admission as a stageable pressure ulcer and became unstageable due to slough and/or eschar, during the IRF stay; and (b) remained unstageable due to slough and/or eschar until discharge.
	M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.		M0300G. Unstageable Pressure Ulcers with Suspected Deep Tissue Injury (DTI) in evolution: suspected deep tissue injury in evolution.
Enter Number	M0300G1. Number of unstageable pressure ulcers with Suspected Deep Tissue Injury in evolution: enter how many were noted at the time of admission	Enter Number	M0300G1. Enter total number of unstageable pressure ulcers with Suspected Deep Tissue Injury. (If patient has no Unstageable pressure ulcers with Suspected Deep Tissue Injury at discharge, skip to Item M0900A.)
		Enter Number	M0300G2. Of these unstageable pressure ulcers with Suspected DTI present at discharge, enter number that were:(a) present on admission as an unstageable pressure ulcer due to a suspected deep tissue injury; and (b) remained unstageable due to a suspected DTI until discharge.

	Quality Indicators- Admission Assessment, Continued		Quality Indicators-Discharge Assessment, Continued
	10900. Pressure Ulcer Risk Conditions- Admission		M0900. Healed Pressure Ulcers- Discharge
	Indicate below if the patient has any of the following pressure ulcer risk conditions:  (NOTE: You must also document the appropriate ICD codes for any pressure ulcer risk conditions documented below in Item 24 "Comorbid Conditions" above.)		Indicate the number of pressure ulcers that were: (a) present on <b>Admission</b> ; <b>and</b> (b) have completely closed (resurfaced with epithelium) upon <b>Discharge</b> . If there are no healed pressure ulcers noted at a given stage, enter 0.
Enter Number	I0900A. Peripheral Vascular Disease (PVD)  0. No 1. Yes	Enter Number	<b>M0900A.</b> Stage 1
Enter Number	<b>10900B.</b> Peripheral Arterial Disease(PAD) 0. No 1. Yes	Enter Number	<b>M0900B.</b> Stage 2
Enter Number	<b>12900A.</b> Diabetes Mellitus (DM)  If 12900A = 0, skip 12900B-D  0. No 1. Yes	Enter Number	<b>M0900C.</b> Stage 3
Enter Number	12900B. Diabetic Retinopathy 0. No 1. Yes	Enter Number	<b>M0900D.</b> Stage 4
Enter Number	<b>12900C.</b> Diabetic Nephropathy 0. No 1. Yes		
Enter Number	<b>12900D.</b> Diabetic Neuropathy 0. No 1. Yes		
			uenza Vaccine – Discharge - Refer to current version of I Training Manual for current influenza vaccination
			and reporting period.
		Enter Code	O0250A. Did the patient receive the influenza vaccine in this facility for this year's influenza vaccination season?
			<ul> <li>0. No → Skip to O0250C, If influenza vaccine not received, state reason</li> <li>1. Yes → Continue to O0250B, Date influenza vaccine received</li> </ul>
			O0250B. Date influenza vaccine received → Complete date and skip to Z0400A, Signature of Persons Completing the Assessment
			MM DD YYYY
			O0250C. If influenza vaccine not received, state reason:
		Enter Code	Patient not in this facility during this year's influenza
			vaccination season  2. Received outside of this facility
			3. Not eligible - medical contraindication
			4. Offered and declined 5. Not offered
			6. Inability to obtain influenza vaccine due to a declared
			shortage.  9. None of the above

## Item Z0400A. Signature of Persons Completing the Assessment\*

I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that patients receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information.

Signature	Title	Date Information is Provided	Time
A.			
B.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			