



Training Materials

Selecting Plant and Animal Species

usanpn.org



nature's notebook

- 1. Select a site
- 2. Select plant and animal species
- 3. Select individual plants
- 4. Mark your site and plants
- 5. Record your observations of animals
- 6. Record your observations of plants
- 7. Report your data online









- Plants: repeat observations of the same individual plants
- Animals: create a checklist for your site, look and listen for all species each time you visit



Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.

Sort by Common Name 💌	Filter by	
Name contains:	State: All States	~
Show me only USA-NPN plant calibration species	Partner: All Species	~
Show me only Cloned Plants Project species	Plant type: All Species 💌	
	Animal group: All Species 💌	

www.usanpn.org/species_search





Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.

Species kingdom O Both O Plants O Animals Sort by Common Name Filter by... Name contains: State: All States O Show me only USA-NPN plant calibration species Show me only Cloned Plants Project species Plant type: All Species Animal group: All Species Find species Clear filters






Species kingdom	S		
Sort by Common Name 💌	_	Filter by	
Name contains:		State: All States	~
	cies	Partner: All Species	~
		Plant type: All Species 💌	
		Animal group: All Species 💌	
Find sp	pecies	Clear filters	





Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.

Species kingdom ⊙ Both ○ Plants ○ Animals







Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.


Sort by Common Name
Name contains:
Show me only USA-NPN plant calibration
Show me only Cloned Plants Project spe

Partner: All Species


Animal group: All Species























Calibration species



C	alfalfa (Medicago sativa)		forsythia (<i>Forsythia spp.</i>)
C	annual ragweed (<i>Ambrosia artemisiifolia</i>) 🏻 🛭	C	paradise apple (<i>Malus pumila</i>)
C	big bluestem (<i>Andropogon gerardii</i>) 💎 🏻 🛭	C	ponderosa pine (<i>Pinus ponderosa</i>)
C	blue grama (<i>Bouteloua gracilis</i>)	C	quaking aspen (<i>Populus tremuloides</i>)
C	Canada thistle (Cirsium arvense)	C	red maple (Acer rubrum)
C	chokecherry (<i>Prunus virginiana</i>)	C	spotted knapweed (Centaurea bieberstein
C	common dandelion (<i>Taraxacum officinale</i>) [C	switchgrass (<i>Panicum virgatum</i>)
C	🕻 common lilac (<i>Syringa vulgaris</i>) 💎 🌉 🛛	C	twoneedle pinyon (<i>Pinus edulis</i>)
C	cuman ragweed (<i>Ambrosia psilostachya</i>) 🏻 🛭	C	Virginia strawberry (<i>Fragaria virginiana</i>)
C	eastern redcedar (Juniperus virginiana) 🔠	C	western wheatgrass (<i>Pascopγrum smithii</i>)









Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.

Species kingdom Both Plants Animals	
Sort by Common Name 💌	Filter by
Name contains:	State: All States
Show me only USA-NPN plant calibration species	Partner: All Species
Show me only Cloned Plan	ts Project species
Find species	Clear filters



www.usanpn.org/lilac



Choose any combination of boxes, then click on 'Find Species.' For example, to see a list of grasses in Tennessee, choose Tennessee from the "Filter by State" menu and Grass from the "Filter by plant type" menu.

All States	•
	_
All Species	*
oe: All Species 💌	
	pe: All Species

Click on a species in the list below to see its profile, including phenophases to observe. In this list, a ☐ indicates the species is a USA-NPN plant calibration species. Where possible, please consider observing one of these species in addition to any other species you may choose to observe. A ¾ indicates the species is a Cloned Plants Project species.

bur oak (Quercus macrocarpa)

laurel oak (Quercus laurifolia)

live oak (Quercus virginiana)

northern red oak (Quercus rubra)

sanu live oak (Quercus geminata)



- Did you know?
- Why observe this species
- Distribution
- Datasheet

nature's notebook

Quercus rubra

northern red oak



Paul Wray, Towa State University, Bugwood.org.

Did you know?:

Quercus rubra is an important source of hardwood lumber, also it is an important omamental. It is used for fumishings, fumiture, and railroad ties. Native Americans used the plant medicinally for many symptoms and its acoms for food. Many birds and animals feed on this plant; its acoms are an important food source.

What does this species look like?

Northern red oak is a deciduous • tree growing 50 to 165 feet tall. Male and female flowers are separate on the same tree. Many tiny male flowers are grouped into green caterpillar-like clusters (catkins) that hang down. The tiny female flowers occur on a tiny spike, and are surrounded by a cupule (what will become the acom cap). Flowering begins when the tree becomes mature at 20-25 years old. Flowers are wind-pollinated.

Northern red oak grows on a variety of drier to moderately moist sites, favoring full sun and well-drained, slightly acidic, sandy loam soils. It is common on well-drained uplands and moderately moist slopes, lower and middle slopes, north and east facing slopes, and can occur in rich, mesic woods, sandy plains, rock outcrops, stable interdunes, and outer edges of floodplains. Its seedlings are more successful on sunny sites but the plants can tolerate some shade as it ages.

Why observe this species?

Northem red oak is a USA-NPN regional plant species. Regional species are ecologically or economically important but are distributed more locally than calibration species. The NPN integrates these observations to understand better plant responses within the different geographic regions of the nation. In addition, this species is an allergen. Observations on its phenology will provide valuable information to benefit people with allergies and the public health community.

Where is this species found?

US States:

AL, AR, CT, DC, DE, GA, IA, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, NC, NE, NH, NJ, NY, OH, OK, PA, RI, SC, TN, VA, VT, WI, WV





Which phenophases should I observe?





Leaves

Do you see ...?

Emerging leaves

In at least 3 locations on the plant, an emerging leaf is visible. A leaf is considered "emerging" once the green tip is visible at the end of the leaf bud, but before it has fully unfolded to expose the petiole (leaf stalk) or leaf base. For Quercus rubra, the young leaf may appear pinkish. More...

Unfolded leaves

In at least 3 locations on the plant, an unfold "unfolded" when the petiole (leaf stalk) or leaf backwards to see whether the petiole or leaf

>=75% of full leaf size

For the whole plant, the majority of leaves at three-quarters (75%) of their mature size. Lea canopy as a whole. At 75% of full leaf size, t quarters (75%) full. More...

>=50% of leaves colored

For the whole plant, at least half (50%) of the ground) have changed to their late-season co

All leaves colored

For the whole plant, virtually all (95-100%) of the ground) have changed to their late-seaso the leavies.

>=50% of leaves fallen

For the whole plant, at least half (50%) of the

Flow ers

Do you see ...?

Pollen release

In at least 3 locations on the plant, pollen is released from an inflorescence when gently shaken or blown. For *Quercus rubra*, the male flowers from which pollen is released are arranged on catkins. Where catkins are out of reach, pollen release may be estimated by observing the degree of catkin elongation and looseness. Once the initially compact catkins have unfolded and are hanging loosely, pollen will be released.

Full pollen release

For the whole plant, at least half (50%) of the inflorescences release pollen when gently shaken or blown.

Fruits

Do you see...?

Ripe fruits

In at least 3 locations on the plant, a ripe fruit is visible. Check back later in the season for specific information to identify ripe fruits for this species.

All leaves fallen

For the whole plant, virtually all (95-100%) of the leaves have fallen.



Which phenophases should I observe?





Leaves

Do you see ...?

Emerging leaves

In at least 3 locations on the plant, an emerging leaf is visible. A leaf is considered "emerging" once the green tip is visible at the end of the leaf bud, but before it has fully unfolded to expose the petiole (leaf stalk) or leaf base. For Quercus rubra, the young leaf may appear pinkish. More...

Unfolded leaves

In at least 3 locations on the plant, an unfold "unfolded" when the petiole (leaf stalk) or leaf backwards to see whether the petiole or leaf

>=75% of full leaf size

For the whole plant, the majority of leaves at three-quarters (75%) of their mature size. Les canopy as a whole. At 75% of full leaf size, t quarters (75%) full. More...

>=50% of leaves colored

For the whole plant, at least half (50%) of the ground) have changed to their late-season co

All leaves colored

For the whole plant, virtually all (95-100%) of the ground) have changed to their late-seaso the leavies.

>=50% of leaves fallen

For the whole plant, at least half (50%) of the

Flow ers

Do you see ...?

Pollen release

In at least 3 locations on the plant, pollen is released from an inflorescence when gently shaken or blown. For *Quercus rubra*, the male flowers from which pollen is released are arranged on catkins. Where catkins are out of reach, pollen release may be estimated by observing the degree of catkin elongation and looseness. Once the initially compact catkins have unfolded and are hanging loosely, pollen will be released.

Full pollen release

For the whole plant, at least half (50%) of the inflorescences release pollen when gently shaken or blown.

Fruits

Do you see ...?

Ripe fruits

In at least 3 locations on the plant, a ripe fruit is visible. Check back later in the season for specific information to identify ripe fruits for this species.

All leaves fallen

For the whole plant, virtually all (95-100%) of the leaves have fallen.



American eel (Anguilla rostrata)

American goldfinch (Carduelis tristis)

American robin (Turdus migratorius)

American shad (Alosa sapidissima)

✓American toad (Anaxyrus americanus)

bicolored sallow moth (Sunira bicolorago)

✓ bumblebee (Bombus spp.)

cliff swallow (Petrochelidon pyrrhonota)

common green darner (Anax junius)

common loon (Gavia immer)

common whitetail (*Plathemis lydia*)

eastern chipmunk (*Tamias striatus*)

eastern tent caterpillar (Malacosoma americanum)

ebony jewelwing (Calopteryx maculata)

killdeer (Charadrius vociferus)

northern water snake (Nerodia sipedon)

northern water snake (Nerodia sipedon)

olive-sided flycatcher (Contopus cooperi)

osprey (Pandion haliaetus)

painted turtle (Chrysemys picta)

punctured tiger beetle (Cicindela punctulata)

racer (Coluber constrictor)

scarlet tanager (*Piranga olivacea*).

sea lamprey (Petromyzon marinus)

seaside dragonlet (*Erythrodiplax berenice*)

six-spotted tiger beetle (Cicindela sexquttata)

snapping turtle (Chelydra serpentina).

spotted turtle (Clemmys guttata)

spring azure (Celastrina ladon complex).






Identifying plants and animals

- Local gardening, birding, or naturalist group
- Cooperative extension office
- Local college or herbarium
- State or national parks
- Wildlife refuges





Identifying plants and animals: field guides





Identifying plants: Internet field guides

- eNature: www.enature.com
- Discover Life: www.discoverlife.org
- WildObs: wildobs.com
- Arbor Day Foundation: www.arborday.org/trees/whattree
- Wild Flower Center: www.wildflower.org
- USDA PLANTS: <u>plants.usda.gov</u>




Identifying animals: Internet field guides

- eNature: www.enature.com
- Discover Life: www.discoverlife.org
- All About Birds: www.allaboutbirds.org
- Birds of North America Online: bna.birds.cornell.edu/bna/



What if I still can't identify my plant?







Example datasheets



Datasheet for: Example species (check these for phenophases)

Deciduous tree/shrub with flowers sugar maple

Deciduous tree/shrub with catkins sweet birch

Broadleaf evergreen tree/shrub big sagebrush

Broadleaf evergreen ground cover kinnikinnick

Conifer balsam fir or Ponderosa pine or Ashe's juniper

Deciduous conifer larch

Forb common ragweed

Grass cheatgrass

Cactus saguaro

www.usanpn.org/participate/faq



Once you have identified your plant...

Make sure you have been recording the correct phenophases.

Which phenophases should Lobserve?



Leaves

Do you see ...?

Emerging leaves

In at least 3 locations on the plant, an emerging leaf is visible. A leaf is considered

"emerging" once unfolded to expo may appear pink

Flow ers

Do you see...?

Unfolded leaves

In at least 3 loca "unfolded" when backwards to se

Pollen release

In at least 3 locations on the plant, pollen is released from an inflores shaken or blown. For Quercus rubra, the male flowers from Which poll arranged on catkins. Where catkins are out of reach, pollen release monkers in the degree of catkin elongation and looseness. Once the in








observe@usanpn.org



















usanpn.org