

MAY 2011 FOLLOW-UP QUESTIONNAIRE v1-27-11_9-4-10

(2010-2011 Tobacco Use Supplement to the CPS series)

OMB #: 0925-0368 Expires: March 31, 2013

Public reporting burden for this collection of information is estimated to average 6 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: NIH Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0368). Do not return the completed form to this address.

<u>SECTIONS</u>	<u>Page</u>
SECTION A. SCREENING FOR EVER/EVERY DAY/SOMEDAY SMOKING	4
SECTION B. EVERY-DAY SMOKER HISTORY/CONSUMPTION SERIES	5
SECTION C. SOME-DAY SMOKER SERIES	10
SECTION D. PAST 12-MONTH QUIT ATTEMPTS FOR CURRENT EVERY-DAY AND SOME-DAY SMOKERS	16
SECTION E. METHODS USED DURING PAST (12-MONTH) QUIT ATTEMPTS (EVERY-DAY AND SOME-DAY SMOKERS)	20
SECTION F. DOCTOR/DENTIST ADVICE TO STOP SMOKING --- CURRENT AND SOME-DAY SMOKERS	23
SECTION G. STAGES OF CHANGE – EVERY DAY/SOME-DAY SMOKERS	25
SECTION H. FORMER SMOKER SECTION	26
SECTION J. OTHER TOBACCO USE – ALL RESPONDENTS	35
SECTION JJ. NEW TOBACCO RELATED PRODUCTS	49
SECTION K. WORKPLACE POLICY, HOME RULES, PUBLIC OPINION ABOUT CLEAN INDOOR AIR POLICIES	50

MAY 2011 Follow – Up Tobacco Use Supplement to the CPS

All skip paths should go to the next item unless otherwise instructed. All item questions accept don't know and refused as response. All <D> and <R> pre-codes are to be blind coded. Use blind coded <L> to go to END.

Allow Proxy interviews on the 4th callback.

PRESUP **This month we would also like to ask a few questions about your thoughts and experiences concerning tobacco use. I need to ask each individual, age 18 years old and older, these questions.**

ENTER (1) TO PROCEED

ENTER (I) FOR IMPORTANCE OF RESPONDING

H_SUPP_I ***If Respondent says “I answered these last year — why are you asking again?” FR REPLY:***

We want to be able to see if anything has changed. Also, the new set of questions is much shorter.

If Respondent asks more generally why we are asking about tobacco, or who will use the data, or how the data will be used, FR REPLY with the more general statement:

Your answers to the tobacco questions are very important. The National Institutes of Health, CDC, and other researchers will use this information to measure changes in tobacco use and to help with services and policy-making.

PRESS ENTER TO CONTINUE

NXTPR ENTER LINE NO: |_|_| FOR [fill name]

I (also) need to talk with [fill name/READ LIST OF NEEDED PERSONS]. Is he/she at home now/Are either of them at home now/Are any of them at home now)?

NO ONE ELIGIBLE, SKIP TO FIN (F10)
IF ANSWERED, JUMP FORWARD (F3)

GET SELF RESPONSE ONLY.
WHEN DONE, F10 FOR CALLBACKS
CALLBACK #: [fill number]

(CNTRL-R) Respondent Refused for
someone else

ENTER LINE NUMBER FOR
INTERVIEW: |_|_|

HOUSEHOLD ROSTER				
LN	Q	NEED NAME	M	AGE
01		(Person 1)		
02		(Person 2)		
03		(Person 3)		

NXTPR3 DO NOT ASK, INTERVIEWER CHECK ITEM

(ONLY TAKE A PROXY IF THIS IS THE 4TH CALLBACK, THE PERSON WILL NOT RETURN BEFORE CLOSEOUT OR THE HOUSEHOLD IS GETTING IRRITATED.)

Is this a Self or Proxy response?

- (1) Self [GO TO A1]
- (2) Proxy

|_|

EPROXY DO NOT ASK

POSSIBLE ERROR

You have picked PROXY for [fill name] even though [fill name] is the current respondent.

Are you currently talking to [fill name]?

- (1) Yes, SELF interview [GO TO A1]
- (2) No

|_|

NXTPER5 DO NOT ASK
ENTER LINE NUMBER OF
CURRENT RESPONDENT
|_|_|

HOUSEHOLD ROSTER

LN NAME
01 (Person 1)
02 (Person 2)
03 (Person 3)

SECTION A. SCREENING FOR EVER/EVERY DAY/SOMEDAY SMOKING

A1 (Have/Has) (you/name) smoked at least 100 cigarettes in (your/his/her) entire life?

[FR NOTE: 100 CIGARETTES = APPROXIMATELY 5 PACKS]

- (1) YES [GO TO A3]
- (2) NO [GO TO SECTION J]

[DON'T KNOW OR REFUSED: GO TO SECTION J]

A3 (Do/Does) (you/name) now smoke cigarettes every day, some days, or not at all?

- (1) Every day
- (2) Some days
- (3) Not at all

|_|

BOX 1

IF SELF RESPONDENT AND:

A3 = (1) EVERY DAY SMOKERS □ GO TO SECTION B

A3 = (2) SOME-DAY SMOKERS □ GO TO SECTION C

A3 = (3) NOT-AT-ALL SMOKERS □ GO TO SECTION H

A3 = D, R □ GO TO SECTION J

IF PROXY RESPONDENT □ GO TO SECTION J

SECTION B. EVERY-DAY SMOKER HISTORY/CONSUMPTION SERIES

B1 On the average, about how many cigarettes do you now smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY
(1-99)

|_|_|

BOX 2
IF B1 = D, R □ GO TO B1a
IF B1 > 40 □ GO TO B1v
ELSE □ GO TO B2

B1a Would you say that, on average, you now smoke more or less than 20 cigarettes each day?

- (1) MORE
- (2) LESS
- (3) ABOUT 20 (ONE PACK)

|_|

[1, 2, OR 3: GO TO B2]
[Don't Know OR Refused: GO TO B2]

B1v I have recorded that on the average, you now smoke [fill entry B1] cigarettes a day. Is that correct?

- (1) Yes [GO TO B2]
- (2) No [GO TO B1]

|_|

[Don't Know OR Refused: GO TO B2]

B2 Do you usually smoke menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

|_|

ALL GO TO B5a

B5a How soon after you wake up do you typically smoke your first cigarette of the day?

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)
ENTER (0) IF RESPONDENT INSISTS IT VARIES

B5anum ENTER NUMBER (0 – 90)
|_|_|

B5aunt ENTER UNIT REPORTED
|_| (1) Minutes (2) Hours

BOX 5
IF B5a = 0, D, R □ GO TO B5b ELSE GO TO BA6a

B5b Would you say you smoke your first cigarette of the day within the first 30 minutes?

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

|_|

[1, 2, OR 3: GO TO BA6a]
[Don't know OR Refused: GO TO BA6a]

BA6a Do you USUALLY BUY your own cigarettes?

- (1) Yes [GO TO B6a]
- (2) No [GO TO B6e1]

|_|

[Don't Know OR Refused: GO TO B6e1]

B6a Do you USUALLY buy your cigarettes by the pack or by the carton? [FR: A CARTON HAS 10 PACKS]

- (1) Pack
- (2) Carton
- (3) Buy both packs and cartons

|_|

GO TO B6d/B6d1

B6d/B6d1 Did you buy your LAST (fill appropriate term here from B6a responses (=1 or 3 or DK or R fill “pack”; =2 fill “carton”) of cigarettes in (fill respondent’s state of residence) or in some other state?

- (1) In respondent’s state of residence
- (2) In some other state (including DC)

- (3) BOUGHT SOME OTHER WAY (Internet, other country, ...)

BOX 7 IF B6d1 =1 ENTER AUTOMATICALLY RESPONDENT’S STATE OF RESIDENCE IN B6d2 → GO TO B6d3 ELSE IF B6d = 2 → GO TO B6d2 ELSE IF B6d1 = 3 → GO TO B6d3 ELSE GO TO B6e1

B6d2 In what other state did you buy your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes?

[_][_] ENTER STATE ABBREVIATION –TEXT OF AT MOST 2 CHARACTERS -

GO TO B6d3

B6d3 Did you buy your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill “pack”; =2 fill “carton”) of cigarettes from an Indian reservation?

- (1) YES- GO TO B6e1
- (2) NO GO TO B6e1

[DON’T KNOW OR REFUSED, GO TO B6e1]

B6e1 In the LAST 2 months, have you bought **or traded for** any SINGLE or INDIVIDUAL cigarettes?

[FR: RESPONDENT MAY REFER TO IT AS A “LOOSIE” OR “LOOSE OUT OF THE PACK;” “TRADED” INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY FOR CIGARETTES.]

- (1) Yes, bought
- (2) No , did not buy

(3) Traded

|_ |

IF B2 = 1, GO TO B8; ELSE IF B2 =2, 3, R, OR DK, GO TO B7c2MD

B7c2 MD During the PAST 12 months have you smoked MENTHOL cigarettes for 6 months or more?

- (1) Yes
- (2) No

|_ |

GO TO B8

B8 Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?

- (1) Every day IF B8=1 **GO TO B9**
- (2) Some days IF B8=2 **GO TO B10a**
- (3) Not at all IF B8 =3 **GO TO D1R (2nd QUESTION IN SECTION D)**

|_ |

IF B8=DK, R GO TO B11

B9 Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY
(1-99)

|_||_ |

BOX 7C

<p>IF B9 = D, R, GO TO B11 IF B9 > 40, GO TO B9v ELSE GO TO B11</p>
--

B9v I have recorded that on the average, you smoked [fill entry B9] cigarettes a day 12 months ago. Is that correct?

- (1) Yes
- (2) No GO TO B9

IF B9v =1 OR B9v = D, R → GO TO B11

B10a Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

Range 0-30

BOX 7D
IF B10a = 0 OR 30 <input type="checkbox"/> GO TO B10av
ELSE GO TO B10b

B10av You said that you smoked cigarettes some days. Is that correct?

- (1) Yes
- (2) No

BOX 7E
IF (B10av = 1 <u>AND</u> B10a= 30), OR B10av = DK, R <input type="checkbox"/> GO TO B10b
IF B10av = 1 <u>AND</u> B10a= 0 <input type="checkbox"/> GO TO D1R
IF B10av = 2 <input type="checkbox"/> GO TO B8

B10b On the average, on those [If B10a = 1-30 (Fill entry B10a days) If B10a=D, R (Fill days you smoked)], how many cigarettes did you usually smoke each day?

WE ARE STILL TALKING ABOUT “AROUND THIS TIME 12 MONTHS AGO”

(1-99) IF 40 GO TO **B11**; ELSE IF B10b = D, R→**B11**

B10bv I have recorded that on the average, when you smoked on those [fill entry B10a] days, you smoked [fill entry B10b] cigarettes a day. Is that correct?

- (1) Yes
- (2) No GO TO B10b

B11 Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

|_

EVERY-DAY SMOKERS (A3=1) GO TO D1R (2nd QUESTION IN SECTION D)

SECTION C. SOME-DAY SMOKER SERIES

C1 On how many of the past 30 days did you smoke cigarettes?

ENTER (0) FOR NONE

|_|_| (0-30)

BOX 9
IF C1 = 0 OR 30 □ GO TO C1v
ELSE IF C1=DK, R □□ GO TO C1i
ELSE GO TO C1a

C1v You said that you smoked cigarettes some days. Is that correct?

(1) Yes

(2) No

|_|

BOX 10
IF C1v = 1 <u>AND</u> C1 = 30 □ GO TO C1a
IF C1v = 1 <u>AND</u> C1 = 0 □ GO TO C2
IF C1v = 2 □ GO TO A3
IF C1v = DK, R □□ GO TO C1a□

C1i Would you say you smoked on AT LEAST 12 DAYS in the past 30 days?

(1) Yes

(2) No

|_|

C1a On the average, on those [C1 days IF entry for C1 NE D/R. OR “AT LEAST 12 days” IF C1i = 1 YES] days, how many cigarettes did you usually smoke each day?

|_|_| IF □ 40 □ GO TO C2

[IF >40, GO TO C1av]

[Don't Know OR Refused: GO TO C2]

C1av I have recorded that on the average, when you smoked on those [C1 / AT LEAST 12] days, you smoked [C1a] cigarettes a day. Is that correct?

- (1) Yes [GO TO C2]
- (2) No [GO TO C1a]

□

[Don't Know OR Refused: GO TO C2]

C2 Do you usually smoke menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

□

ALL GO TO C5anum/unt

C5anum/unt On the days that you smoke, how soon after you wake up do you typically smoke your first cigarette of the day?

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)
ENTER (0) IF RESPONDENT INSISTS IT VARIES

C5anum ENTER NUMBER (0 – 90)
□□

C5aunt ENTER UNIT REPORTED
□ (1) Minutes (2) Hours

BOX 13
IF C5a = 0, D, R GO TO C5b ELSE GO TO CA6a

C5b On the days that you smoke, would you say you smoke your first cigarette of the day within the first 30 minutes?

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

□

[GO TO CA6a]

CA6a Do you USUALLY BUY your own cigarettes?

(1) Yes (**GO TO C6a**)

(2) No (**GO TO C6e1**)

[Don't Know OR Refused: **GO TO C6e1**]

C6a Do you USUALLY buy your cigarettes by the pack or by the carton? [FR: A CARTON HAS 10 PACKS]

(1) Pack

(2) Carton

(3) Buy both packs and cartons

GO TO C6d1

C6d1 Did you buy your LAST (fill appropriate term here from C6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") of cigarettes in [fill respondent's state of residence] or in some other state?

(1) In respondent's state of residence

(2) In some other state (including DC)

(3) BOUGHT SOME OTHER WAY (Internet, other country, ...)

BOX 15

IF C6d1 =1, ENTER AUTOMATICALLY RESPONDENT'S STATE OF RESIDENCE IN C6d2 AND **GO TO C6d3**

ELSE IF C6d1 = 2, **GO TO C6d2**

ELSE IF C6d1 = 3, **GO TO C6d3**

ELSE GO TO **C6e1**

C6d2 In what other state did you buy your LAST (fill appropriate term here: pack/carton from C6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") of cigarettes?

ENTER 2 CHARACTER STATE ABBREVIATION **GO TO C6d3**

C6d3 Did you buy your LAST (fill appropriate term here from C6a responses (=1, 3, DK or R fill “pack”; = 2 fill “carton”) of cigarettes from an Indian reservation?

- (1) YES
- (2) NO

ALL GO TO C6e1

C6e1 In the LAST 2 months, have you bought or traded for any SINGLE or INDIVIDUAL cigarettes?

[FR: RESPONDENT MAY REFER TO IT AS A “LOOSIE” OR “LOOSE OUT OF THE PACK.” TRADED INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY FOR CIGARETTES.]

- (1) Yes, bought
- (2) No, did not buy
- (3) Traded

ALL GO TO C7amod

Past Smoking Behavior for Some-Day Smokers

C7amod During the PAST 12 months have you smoked cigarettes EVERY DAY for at least 6 months?

- (1) Yes
- (2) No

GO TO IF statement ahead of C7d2md

IF C2 =1 GO TO C8; ELSE IF C2=2, 3, D, R, GO TO C7d2md

C7d2md During the PAST 12 months, have you smoked MENTHOL cigarettes for 6 months or more?

- (1) Yes
- (2) No

ALL GO TO C8

C8 Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?

- (1) Every day IF C8 = 1 → GO TO C9
- (2) Some days IF C8 = 2 → GO TO C10a
- (3) Not at all IF C8 =3 → GO TO BOX 18

□

IF C8 = DK, R →GO TO C11

C9 Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY
(1-99)

□□□

BOX16B
IF C9 = D, R, GO TO C11
IF C9 > 40, GO TO C9v
ELSE GO TO C11

C9v I have recorded that on the average, you smoked [fill entry C9] cigarettes a day 12 months ago. Is that correct?

- (1) Yes → GO TO C11
- (2) No → GO TO C9

□

DK, R → GO TO C11

C10a Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

□□□ (0 – 30)

BOX 16C
IF C10a = 0 OR 30 → GO TO C10av
If C10a=D, R, GO TO C10b
ELSE GO TO C10b

C10av You said that you smoked cigarettes some days. Is that correct?

- (1) Yes
- (2) No

└─

BOX 16D
IF (C10av = 1 <u>AND</u> C10a= 30), OR C10av = DK, R, GO TO C10b
ELSE IF C10av = 1 <u>AND</u> C10a= 0, GO TO C11
ELSE IF C10av = 2, GO TO C8 AND CORRECT
ELSE GO TO C10b

C10b On the average, on those [fill entry C10a days; If C10a=D, R, then fill with “days you smoked”], how many cigarettes did you usually smoke each day?

We are still talking about “around this time 12 months ago.”

└─└─└─ (1-99)

IF C10b 40, GO TO C11; ELSE IF C10b = D, R → GO TO C11; IF C10b > 40, GO TO C10bv

C10bv I have recorded that on the average, when you smoked on those [fill entry C10a days; If C10a=D, R, then fill with “days you smoked”], you smoked [fill entry C10b] cigarettes a day. Is that correct?

- (1) Yes
- (2) No → GO TO C10b AND CORRECT

└─

C11 Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

└─

BOX 18
IF ENTRY IN C1 <input type="text"/> <input type="text"/> <input type="text"/> 12 DAYS IN THE PAST 30 DAYS, → D1R (2nd question in Section D)
ELSE IF C1i = 1 (Yes) → D1R (2nd question in Section D)
ELSE IF C1i = 2 (NO), OR C1i = DK, R → Da
ELSE IF C1 < 12 → Da

**SECTION D. PAST 12-MONTH QUIT ATTEMPTS FOR CURRENT EVERY-DAY
AND SOME-DAY SMOKERS**

**PAST 12-MONTH QUIT ATTEMPTS FOR SOME-DAY SMOKERS SMOKING <12 DAYS IN
THE PAST 30 DAYS**

Da During the PAST 12 MONTHS, have you TRIED to QUIT smoking COMPLETELY?

- (1) Yes [GO TO D3]
(2) No [GO TO F1a]

[Don't Know OR Refused: GO TO F1a]

**PAST 12-MONTH QUIT ATTEMPTS FOR EVERY-DAY AND SOME-DAY SMOKERS (some
day smokers smoking \geq 12 days during the past 30 days)**

Quit attempts of 1 day or longer:

D1R During the PAST 12 MONTHS, have you stopped smoking for ONE DAY or longer
BECAUSE YOU WERE TRYING TO QUIT SMOKING?

- (1) Yes [GO TO D3]
(2) No [GO TO D7R]

[Don't Know OR Refused: GO TO D7R]

D3 How many TIMES during the past 12 months have you stopped smoking for one
day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

FR READ CHOICES

- (1) Once (1 time)
(2) 2-3 times
(3) 4 or more times

BOX 19
IF D3 = DK/REF, GO TO D3b ELSE GO TO D4

D3b Would you say that during the past 12 months it was MORE THAN 3 TIMES that you have stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?

- (1) Yes
- (2) No

|_|

[GO TO **D4**]

D4 The LAST TIME you stopped smoking during the PAST 12 months because you were TRYING to quit, how long did you stop for?

D4num ENTER NUMBER
(1 – 365)

|_|_|_|

D4unt ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

|_|

IF D4num AND/OR D4unt = DK/REF →GO TO D4b IF D4num >18 AND D4unt = 2 →GO TO D4v IF D4num > 12 AND D4unt =3→GO TO D4v IF D4num >2 AND D4unt = 4 →GO TO D4v ELSE GO TO D4c
--

D4v I have recorded that the LAST TIME you stopped smoking in the past 12 months BECAUSE YOU WERE TRYING TO QUIT SMOKING was for a duration of [fill entry D4num AND D4unt]? Is that correct?

- (1) Yes →GO TO D4cmon/day/yr
- (2) No → GO TO D4 and correct

D4b Was it more or less than one week?

- (1) More
- (2) Less
- (3) One week

D4cmon/day/yr When was the approximate END date of this LAST QUIT ATTEMPT that lasted [fill response to D4num, D4unt OR fill response to D4b—(more than/less than equal to) 1 week]?

D4cmon FR: ENTER THE MONTH FROM THE LIST 1-12

D4cday FR: ENTER THE 2 DIGIT DAY (PRECEDE BY ZERO IF NECESSARY)

D4cyr FR: ENTER 4 DIGITS OF THE YEAR

D5 Was [fill entry D4num AND D4unt / OR D4b] the LONGEST you went without smoking in the past 12 months?

- (1) Yes → GO TO SECTION E
- (2) No

D6 During the PAST 12 MONTHS, what is the [LENGTH / LONGEST length: If D3 = 1, fill with "LENGTH;" ELSE fill with "LONGEST Length"] of time you stopped smoking because you were TRYING to quit smoking?

[FR NOTE: IF QUIT ATTEMPT BEGAN MORE THAN 12 MONTHS AGO BUT ENDED WITHIN THE PAST 12 MONTHS, COUNT ALL OF IT.]

D6num ENTER NUMBER (1 - 365)

D6unt ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

BOX 20

IF D6num AND/OR D6unt = DK/REF, GO TO D6b
IF D6num >18 AND D6unt = 2, GO TO D6v
IF D6num > 12 AND D6unt=3, GO TO D6v
IF D6num >2 AND D6unt = 4, GO TO D6v
ELSE GO TO SECTION E

D6v I have recorded that the LONGEST length of time you stopped smoking in the past 12 months because you were TRYING to quit smoking was [fill entry D6num and D6unt]? Is that correct?

- (1) Yes [GO TO SECTION E, Box 21]
- (2) No [GO TO D6/D6num/unt]

[Don't Know OR Refused: GO TO D6b]

D6b Was it more or less than one week?

- (1) More
- (2) Less
- (3) One week

[GO TO SECTION E, Box 21]

Quit attempts of less than a day (if no quit attempts lasting for one DAY or more):

D7R DURING THE PAST 12 MONTHS, have you made a serious attempt to stop smoking because you were TRYING to quit – even if you stopped for less than a day?

- (1) Yes [GO TO SECTION E, Box 21]
- (2) No [GO TO F1a]

[Don't Know OR Refused: GO TO F1a]

**SECTION E. METHODS USED DURING PAST (12-MONTH) QUIT ATTEMPTS
(EVERY-DAY AND SOME-DAY SMOKERS)**

BOX 21

**IF D3 = 1, THEN FILL E1a, E1b, E1c AND E2 WITH “The TIME”
ELSE FILL E1a, E1b, E1c AND E2 WITH “The LAST TIME”**

E1a Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months. Did you use ANY of the following PRODUCTS:

[FR: REPEAT THE STEM OF THE QUESTION AS NECESSARY]

(1) Yes

(2) No

E1a1	A nicotine patch	<input type="checkbox"/>
E1a2	A nicotine gum or nicotine lozenge	<input type="checkbox"/>
E1a3	A nicotine nasal spray or nicotine inhaler	<input type="checkbox"/>

E1abn1/u1 In total, during the LAST TIME/time you tried to QUIT smoking, how long did you use [fill with EACH E1a 1, 2, 3 = 1 (YES) OR IF all three are =1-YES, then fill with “ANY of these”]

number- n1[1-99]
 units-u1 [1= Days, 2= Weeks, 3= Months]

E1a7a Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months. Did you use ANY of the following PRODUCTS:

(1) Yes

(2) No

E1a7a	A prescription pill, called Chantix or Varenicline ?	<input type="checkbox"/>
E1a7b	A prescription pill, called Zyban, Bupropion, or Wellbutrin?	<input type="checkbox"/>
E1a7c	Another prescription pill	<input type="checkbox"/>

IF E1a7c = YES, GO TO E1a7cs; ELSE GO TO E1acn1/u1.

E1a7cs Please specify the other type of prescription pill:
_____ [FR: ENTER THE OTHER TYPE OF
PRESCRIPTION PILL USING TEXT OF AT MOST 20 CHARACTERS]

E1acn1/u1 In total, during the LAST TIME/time you tried to QUIT smoking, how long did you use [fill with EACH E1a7a,b,c =1 (YES) OR IF ALL E17a ,7b , AND 7c are =1- YES, then fill with “ANY of these prescription PILLS?”]

number--n1 [1-99]

unit-- u1 [1= Days, 2= Weeks, 3= Months]

E1b Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months:

Did you use ANY of the following: [FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

(1) Yes

(2) No

E1b1 A telephone help line or quit line

E1b2 One-on-one counseling

E1b3 A stop smoking clinic, class, or support group

E1b4 Help or support from friends or family

E1b5 Internet or web-based program

E1b6 Books, pamphlets, videos, or other materials

E1b7 Acupuncture or hypnosis IF E1b7 = 1 (YES), THEN GO TO

E1b7a; ELSE GO

TO E1c

E1b7a Which: acupuncture or hypnosis or both?

(1) Acupuncture

(2) Hypnosis

(3) Both

E1c The (LAST TIME / time) you tried to QUIT smoking in the past 12 months: Did you do ANY of the following: [FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

- (1) Yes
- (2) No

E1c1 Try to quit by GRADUALLY cutting back on cigarettes?

E1c2 Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus?

E1c2b Try to quit by SWITCHING to regular cigars, cigarillos, little filtered cigars or pipes filled with tobacco?

E1c3 Did you SWITCH to a “lighter” cigarette in order to TRY TO QUIT?

IF B2 OR C2=2 (NON-MENTHOL), 3, DK, OR R, GO TO E1c3b; ELSE IF B2 OR C2=1, GO TO E1c3c

E1c3b Did you SWITCH to menthol cigarettes in order to TRY TO QUIT?----

[IF RESPONDENT SAYS THEY WERE ALREADY SMOKING 'MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT]

IF B2 OR C2=2 (NON-MENTHOL), THEN GO TO E1c4; ELSE GO TO E1c3c

E1c3c Did you switch to non-menthol cigarettes in order to TRY TO QUIT?

[IF RESPONDENT SAYS THEY WERE ALREADY SMOKING "NON-MENTHOL" CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT]

E1c4 Did you try to give up cigarettes ALL at ONCE

IF E1c4 = 1 (YES), GO TO E1d; ELSE GO TO F1a

E1d Please tell me which one statement is true about this most recent quit attempt where you tried to give up cigarettes all at once: [IF NEEDED, We are still talking about the past 12 months.]

READ THE 4 RESPONSE CATEGORIES

- (1) I tried to quit as soon as I made the decision.
- (2) I planned the quit for later the same day.
- (3) I planned the quit for a date in the future.
- (4) I decided to quit after having **NOT** smoked for some other reason

|_

E1e When you tried to quit all at once, would you say you TRIED TO QUIT “cold turkey?”

(1) YES

(2) NO

**IF NEEDED: “COLD TURKEY” IS STOPPING ALL AT ONCE
WITHOUT ANY AIDS**

|_

(All responses GO TO F1a)

SECTION F. DOCTOR/DENTIST ADVICE TO STOP SMOKING --- CURRENT AND SOME-DAY SMOKERS

F1a In the PAST 12 MONTHS have you SEEN a medical doctor?

- (1) Yes **GO TO F1b**
- (2) No **GO TO F2a**

[Don't Know OR Refused: **GO TO F2a**]

F1b During the PAST 12 MONTHS, did any medical doctor ADVISE you to stop smoking?

- (1) Yes **GO TO F1c**
- (2) No **GO TO F2a**

[Don't Know OR Refused: **GO TO F2a**]

F1c In the PAST 12 MONTHS, when a medical doctor advised you to quit smoking, did

the doctor also: [REPEAT THE STEM OF THE QUESTION AS NEEDED.]

- (1) Yes
- (2) No

F1c1 Suggest that you call or use a telephone help line or quit line?

F1c2 Suggest that you use a smoking cessation class, program, or counseling?

F1c3 Recommend or Prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?

F1c4 Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin

F1c5 Suggest that you set a specific date to stop smoking?

GO TO F2a

F2a In the PAST 12 MONTHS have you SEEN a dentist?

- (1) Yes **GO TO F2b**
- (2) No **GO TO G1**

[Don't Know OR Refused: **GO TO G1**]

F2b During the PAST 12 MONTHS, did any dentist ADVISE you to stop smoking?

- (1) Yes **GO TO F2c**
- (2) No **GO TO G1**

[Don't Know OR Refused: **GO TO G1**]

F2c1 In the PAST 12 MONTHS, when a dentist advised you to quit smoking, did the dentist also:

- (1) Yes
- (2) No

F2c1 Suggest that you call or use a telephone help line or quit line?

F2c2 Suggest that you use a smoking cessation class, program, or counseling?

F2c3 Recommend or Prescribe a nicotine product such as a patch, gum, lozenge,

nasal spray or inhaler

F2c4 Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin

F2c5 Suggest that you set a specific date to stop smoking?

All responses GO TO G1

SECTION G. STAGES OF CHANGE – EVERY DAY/SOME-DAY SMOKERS

G1 Are you seriously considering quitting smoking within the next 6 months?

- (1) Yes [GO TO G2]
- (2) No [GO TO G3]

[Don't Know OR Refused: GO TO G3]

G2 Are you planning to quit within the next 30 days?

- (1) Yes
- (2) No

All responses GO TO G3

G3 Overall, on a scale from 1 to 10 where 1 is NOT AT ALL interested and 10 is EXTREMELY interested, how interested are you in quitting smoking?

IF G3 = 1, GO TO SECTION J; ELSE GO TO G4

G4 If you did try to quit smoking altogether in the next 6 months, how LIKELY do you think you would be to succeed --- not at all, a little likely, somewhat likely or very likely?

- (1) Not at all
- (2) A little likely
- (3) Somewhat likely
- (4) Very likely

ALL EVERY DAY/SOME DAY SMOKERS (A3=1, 2) GO TO SECTION J

SECTION H. FORMER SMOKER SECTION

H1NUM/UNT About how long has it been since you COMPLETELY quit smoking cigarettes?

H1NUM ENTER NUMBER

(1-99)

|_|_|

H1UNT ENTER UNIT REPORTED

- (1) Days
- (2) Weeks
- (3) Months
- (4) Years

|_|

BOX 24 IF H1NUM > 18 <u>AND</u> H1UNT = 2, GO TO H1v IF H1NUM > 30 <u>AND</u> H1UNT = 3, GO TO H1v IF H1NUM > = AGE <u>AND</u> H1UNT = 4, GO TO H1ERR ELSE GO TO BOX H2 UNIVERSE
--

H1ERR *** DO NOT READ ***

It was reported that this person is (fill AGE). Response of [fill entry H1NUM/UNT] is inconsistent with person's age.

(B) Back to correct

|_| |GO TO H1NUM

H1v **I have recorded that it has been about [fill entry H1NUM and H1UNT] since you completely quit smoking cigarettes? Is that correct?**

- (1) Yes [GO TO Box H2 Universe]]
- (2) No [GO TO H1NUM]

|_|

[Don't Know OR Refused: GO TO **Box H2 Universe**]

BOX H2 UNIVERSE: IF H1NUM/H1UNT < 7 MONTHS, 28 WEEKS, 99 DAYS, GO TO H2Mod; ELSE GO TO BOX 26.

H2Mod **During the PAST 12 months, have you smoked cigarettes EVERY DAY for at least 6 months?**

- (1) Yes [GO TO BOX 26]
- (2) No [GO TO BOX 26]

□

[Don't Know OR Refused: GO TO BOX 26]

BOX 26
IF H1 □□□□ 1 YEAR (12 MONTHS, 52 WEEKS, 99 DAYS), GO TO H6 ELSE → SECTION J

H6 **Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?**

- (1) Every day IF H6 = 1 → GO TO H6A
- (2) Some days IF H6 =2 → GO TO H6B
- (3) Not at all

□

[IF H6 = 3, GO TO H6C4md UNIVERSE; ELSE IF H6 = DK, R GO TO H6Ci]]

H6A **Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?**

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY

(1-99)

□□□

BOX26A
IF H6A = D, R, GO TO H6Ci IF H6A > 40, GO TO H6Av ELSE GO TO H6Ci

H6Av I have recorded that on the average, you smoked [fill entry H6A] cigarettes a day 12 months ago. Is that correct?

- (1) Yes → GO TO H6Ci
 - (2) No → GO TO H6A to CORRECT
-

IF H6Av = DK, R → H6Ci

H6B Around this time 12 MONTHS AGO, on how many of 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

□□□ (0-30)

BOX 26B
IF H6B = 0 OR 30, GO TO H6Bv
ELSE GO TO H6C

H6Bv You said that you smoked cigarettes some days. Is that correct?

- (1) Yes
- (2) No

□

BOX 26C
IF (H6Bv = 1 AND H6B = 30), OR H6Bv = DK, R, GO TO H6C
ELSE IF H6Bv = 1 AND H6B = 0, GO TO BOX H6C4MDUNIVERSE
ELSE IF H6Bv = 2, GO TO H6

H6C On the average, on those [fill entry H6B] days, how many cigarettes did you usually smoke each day?

WE ARE STILL TALKING ABOUT “AROUND THIS TIME 12 MONTHS AGO”

□□□ IF <= 40, GO TO H6Ci; ELSE IF H6C = D, R → GO TO H6Ci

H6Cv I have recorded that on the average, when you smoked on those [fill entry H6B] days, you smoked [fill entry H6C] cigarettes a day. Is that correct?

- (1) Yes
- (2) No GO TO H6C

□

(Don't Know or Refused GO TO H6Ci)

H6Ci Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?

- (1) Menthol
- (2) Non-menthol
- (3) NO USUAL TYPE

[IF H6Ci = 1, GO TO H6d1;]
[ELSE IF H6Ci = 2, 3, DK, R, GO TO BOX H6C4MD UNIVERSE]

BOX H6C4MD UNIVERSE: IF H1NUM/H1UNT < 7 MONTHS/ 28 WEEKS / 99 DAYS, ASK H6C4MD; ELSE GO TO H6d1

H6C4MD During the PAST 12 MONTHS, have you smoked MENTHOL cigarettes for 6 months or more?

- (1) Yes
- (2) No

ALL GO TO H6d1

H6d1 Now I would like to ask about HOW you went about completely quitting smoking. When you quit smoking completely, did you use ANY of the following PRODUCTS:

- (1) Yes
- (2) No

H6d1	A nicotine patch	<input type="checkbox"/>
H6d2	A nicotine gum or nicotine lozenge	<input type="checkbox"/>
H6d3	A nicotine nasal spray or nicotine inhaler	<input type="checkbox"/>

H6dnum/unt In total, how long did you use [fill with **EACH H6d 1, 2, 3 = 1 (YES) OR** IF all three are =1- YES, then fill with “ANY of these”] during your last quit attempt when you stopped smoking completely

num [1-99]
unt [1= Days, 2= Weeks, 3= Months]

H6d7a When you quit smoking completely, did you use ANY of the following PRODUCTS:

- (1) Yes
- (2) No

H6d7a A prescription pill, called Chantix or Varenicline ?

H6d7b A prescription pill, called Zyban, Bupropion, or Wellbutrin?

H6d7c Another prescription pill
IF H6d7c = YES, GO TO H6d7sp

H6d7sp --- Please specify the other prescription used: _____
FR: ENTER A TEXT OF AT MOST 20 CHARACTERS

H6d7dnum/unt In total, how long did you use [fill with EACH H6d7a,b,c =1 (YES) OR IF ALL7a and 7b and 7c are =1- YES, then fill with “ANY of these prescription PILLS”] during your last quit attempt when you stopped smoking completely?

num [1-99]
 unt [1= Days, 2= Weeks, 3= Months]

H6e1 When you quit smoking completely, did you use ANY of the following: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

- (1) Yes
- (2) No

H6e1 A telephone help line or quit line

H6e2 One-on-one counseling

H6e3 A stop smoking clinic, class, or support group

H6e4 Help or support from friends or family

H6e5 The Internet or a web-based program

H6e6 Books, pamphlets, videos, or other materials

H6e7 Acupuncture or hypnosis

[IF YES to H6e7, GO TO H6e7a; ELSE GO TO H6Fa1

H6e7a] **Which: acupuncture or hypnosis or both?**
(1) Acupuncture (2) Hypnosis (3) Both

H6Fa1 **When you quit smoking completely, did you do ANY of the following: Please mention ALL methods, whether or not you think they were effective: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]**

- (1) Yes
- (2) No

H6Fa1 **Try to quit by GRADUALLY cutting back on cigarettes?**

H6Fa2 **Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus?**

H6Fa2b **Try to quit by SWITCHING to regular cigars, cigarillos, little filtered cigars or pipes filled with tobacco?**

H6Fa3 **Did you SWITCH to a "lighter" cigarette in order to TRY TO QUIT?**

IF H6Ci = 2 (NON-MENTHOL), 3, DK, R, GO TO H6Fa3b; ELSE IF H6C4MD = 2, DK, R, GO TO H6Fa3b; ELSE GO TO H6Fa3c.

H6Fa3b **Did you SWITCH to menthol cigarettes in order to TRY TO QUIT?**

FR: IF RESPONDENT SAYS THEY WERE ALREADY SMOKING MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."

IF H2Ci = 2 (NON-MENTHOL), THEN GO TO H6Fa4; ELSE GO TO H6Fa3c.

H6Fa3c **Did you SWITCH to non-menthol cigarettes in order to TRY TO QUIT?**

FR: IF RESPONDENT SAYS THEY WERE ALREADY SMOKING NON-MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."

H6Fa4 **Did you try to give up cigarettes all at once?**

IF H6Fa4 = 1 (YES), GO TO H6f1; ELSE GO TO H61a

H6f1 Please tell me which is true about when you completely quit smoking by giving up cigarettes all at once:

READ THE 4 RESPONSE OPTIONS

- (1) I tried to quit as soon as I made the decision.**
- (2) I planned the quit for later the same day.**
- (3) I planned the quit for a date in the future.**
- (4) I decided to quit after having NOT smoked for some other reason**

H6f2 When you completely stopped smoking by quitting ALL AT ONCE, would you say you QUIT “COLD TURKEY”?

- (1) Yes
- (2) No

FR: “COLD TURKEY” IS STOPPING ALL AT ONCE WITHOUT ANY AIDS

H61a DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , did you SEE a medical doctor?

- (1) YES GO TO H61b**
- (2) NO GO TO H62a**

DON'T KNOW OR REFUSED --- **GO TO H62a**

H61b DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , did any medical doctor ADVISE you to stop smoking?

- (1) YES GO TO H61c**
- (2) NO GO TO H62a**

DON'T KNOW OR REFUSED **GO TO H62a**

H61c1 DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , when a medical doctor advised you to quit smoking, did the doctor also:

- H61c1** Suggest that you call or use a telephone help line or quit line?
H61c2 Suggest that you use a smoking cessation class, program, or counseling?
H61c3 Recommend or prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?
H61c4 Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin?
H61c5 Suggest that you set a specific date to stop smoking?

GO TO H62a

H62a DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , did you SEE a dentist?

- (1) YES **GO TO H62b**
 (2) NO **GO TO H8a**

[DON'T KNOW OR REFUSED **GO TO H8a**]

H62b DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking, did any dentist ADVISE you to stop smoking?

- (1) YES **GO TO H62c**
 (2) NO **GO TO H8a**

[DON'T KNOW OR REFUSED **GO TO H8a**]

H62c1 DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , when a dentist advised you to quit smoking, did the dentist also:

- H62c1** Suggest that you call or use a telephone help line or quit line?
H62c2 Suggest that you use a smoking cessation class, program, or counseling?
H62c3 Recommend or Prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler?
H62c4 Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, Wellbutrin?
H62c5 Suggest that you set a specific date to stop smoking?

GO TO H8aNUM/UNT

H8aNUM/UNT **DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking ,
how soon after you woke up did you typically smoke your first cigarette of
the day?**

(IF NECESSARY, ASK FOR BEST ANSWER IN MINUTES OR HOURS)
ENTER (0) IF RESPONDENT INSISTS IT VARIES

H8aNUM ENTER NUMBER (0 – 90)
|_|_|

H8aUNT ENTER UNIT REPORTED
|_| (1) Minutes (2) Hours

BOX 29
IF H8aNUM = 0, D, R, GO TO H8b ELSE GO TO Section J

H8b **DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , would you say
you smoked your first cigarette of the day within the first 30 minutes of awakening?**

- (1) Yes
- (2) No
- (3) Varies— DO NOT READ

|_|

[GO TO Section J]

SECTION J. OTHER TOBACCO USE – ALL RESPONDENTS

J The next questions are about the use of tobacco other than in cigarettes.
PRESS 1 TO CONTINUE

J1a (Have/Has) (you/name) EVER used any of the following EVEN ONE TIME?

- (1) Yes
- (2) No

J1a1 A regular cigar or cigarillo (in Spanish use “medium size cigar” instead of the word “cigarillo”) OR a little filtered cigar?

FR: Regular cigars are different from little filter cigars. They can be large cigars, or smaller in size such as cigarillos (in Spanish use “medium size cigars” instead of the word “cigarillos” here.) They are usually sold individually or in packs of 5 or 8. Some common brands are Black and Mild’s, Swisher Sweets cigarillos, and Phillies Blunts, but there are others.

FR: Little filtered cigars are different from regular cigars and cigarillos (in Spanish use “medium size cigars” instead of word “cigarillos” here). They resemble cigarettes in size, and are often sold in packs of 20. They are usually brown in color and have a spongy filter like a cigarette. Some common brands are Prime Time little filter cigars and Winchester little filter cigars, but there are others.

J1a2 A regular pipe filled with tobacco

FR: IF ASKED, “**pipe smoking**” ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. DO NOT INCLUDE WATER PIPES/HOOKAHS {who - kahs OR OTHER NAMES: SHISHA/NARGHILE/ARGILEH, OR HUBBLE-BUBBLE}

J1a3 A water pipe or hookah {pronounced: who-kah} pipe filled with tobacco?

FR: IF ASKED, “**water pipe or hookah {who -kah} pipe smoking**” ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. A WATER PIPE OR HOOKAH {who -kah} PIPE IS ALSO REFERRED TO AS A SHISHA, NARGHILE, ARGILEH OR HUBBLE-BUBBLE.

The next question is about smokeless tobacco products which are used in the mouth --

J1a4 (Have/Has) (you/name) EVER used any of the following EVEN ONE TIME?
(1) Yes
(2) No

J1a4 SMOKELESS tobacco, such as moist snuff, dip, spit, chew tobacco or snus?

FR: **Snuff or dip** is commonly placed between the gum and lip and sold in round cans in --a loose form or a pouch that looks like a small tea-bag; common brands are Skoal, Copenhagen and Grizzley but there are others.

Chewing or spit tobacco (also twist, plug or scrap) is usually placed in the side of your mouth and chewed and often sold in wallet-sized pouches; common brands are Redman, Levi- Garret, and Beech-nut, but there are others.

Snus is a spitless tobacco product that may be sold in a tin or slidepak in a loose form or in small teabag-like pouches; common brands are Camel Snus, Marlboro Snus, and Skoal Snus.

BOX 31
IF ((J1a1 THROUGH J1a4 = NO, DK or R) AND:
IF PROXY RESPONDENT GO TO S78
IF SELF RESPONDENT GO TO BOX 34)
ELSE IF ANY J1a1, 2, 3, 4 = YES (1) GO TO J2a1-4 FOR THOSE
PRODUCTS

BOX 32
ASK J2a FOR EACH YES ENTRY IN J1a1 THROUGH J1a4

J2a/J2a1-4 (Do you/Does [name] NOW (smoke/use) [fill entry in J1a] every day, some days or not at all? [J1a1-4 entries: smoke regular cigars, or cigarillos or little filtered cigars.../ smoke a regular pipe.../ use a water pipe or hookah pipe filled with tobacco.../use smokeless tobacco....]

- (1) Every day
- (2) Some days
- (3) Not at all

┌┐

FR NOTE: IF RESPONDENT MENTIONS THAT HE/SHE ONLY USED A GIVEN NON-CIGARETTE TOBACCO PRODUCT ONE OR TWO TIMES, STILL ASK THE CORRESPONDING QUESTION FOR THE J2A1-4 SERIES AND INDICATE THEIR RESPONSE TO THAT QUESTION AS APPROPRIATE .

IF (J2a2 = 1 OR 2) AND (J2a3 = 1 OR 2), THEN ASK J2a3v; ELSE GO TO BOX 33.

J2a3v Do you currently smoke BOTH regular pipes AND water pipes or hookah {who-kah} pipes?

- (1) YES
- (2) NO- GO TO J2a2 and J2a3 to correct and then proceed to BOX 33

┌┐

GO TO BOX 33

BOX 33

IF J2a = 1 OR 3:

IF PROXY: IF LAST ENTRY FROM J1a GO TO S78
ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 – 4

IF J2a=1:

IF SELF: IF J2a4 (SMOKELESS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a
→ GO TO Ja
ELSE IF J2a1 (CIGARS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a
→ GO TO Jb

ELSE LAST YES ENTRY FROM J1a1-4, GO TO JdA

ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1-4

IF J2a=3;

IF SELF: IF LAST ENTRY FROM J1a, GO TO JdA
ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 – 4

FOR EACH ENTRY J2a1-4 =3 (NOT AT ALL), ASK THE APPROPRIATE
QUESTIONS IN THE Jd SERIES (HOW MANY TIMES/ HOW LONG
HAS IT BEEN SINCE YOU COMPLETELY STOPPED SMOKING//USING
CIGARS/PIPES//SMOKELESS TOBACCO→Q JdA

IF J2a = 2: (Someday Smokers)

IF PROXY: IF LAST YES ENTRY FROM J1a 1-4, GO TO S78
ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 -4
IF SELF: GO TO J2b

IF J2a= DK/REF (-2 or -3), GO BACK TO J2a for next item (ie. cigars, etc.)

IF J2a= DK/REF (-2 or -3) AND IF LAST ENTRY FROM J1a1-4, GO TO BOX 34

J2b/J2b1-4 On how many of the past 30 days did you (smoke/use) [fill entry J1a1-4]?

[ASK SEPARATELY FOR EACH “YES” ENTRY IN J1a WITH J2a = 2]

ENTER NUMBER OF DAYS

ENTER (0) FOR NONE

(0-30)

|| IF [entry in J2b = 0 OR 30] GO TO J2b1-4v; ELSE AFTER OBTAINING ALL
RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE, GO TO Ja;
ELSE IF CIGAR CURRENT USE, GO TO Jb; ELSE GO TO JdA.,

J2b1-4v You said that you (smoked/used) [fill entry J1a] some days. Is that correct?
[ASK SEPARATELY FOR EACH “YES” ENTRY IN J1a WITH J2b = (0) OR 30]

- (1) Yes
- (2) No [GO TO RELEVANT J2a1-4 AND CORRECT]

|_|

NOTE: THE J2a, J2b, and J2bv (as needed) SERIES IS REPEATED FOR EACH YES ENTRY IN J1a1-4 AS APPROPRIATE

AFTER OBTAINING ALL RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE, GO TO Ja; ELSE IF CIGAR CURRENT USE, GO TO Jb; **ELSE GO TO JdA.**

Ja During the PAST 30 days, what BRAND of smokeless tobacco [IF necessary: moist snuff, dip, spit, chew or snus] did you use MOST OFTEN?

Allow for filling in code number OR ENTER Brand NAME by clicking on it—

Ja |_|_| (1-22)

IF BRAND IS NOT ON THE LIST, ENTER “22” for OTHER in Ja.

THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:

- 1 BEECH-NUT
- 2 CAMEL SNUS
- 3 COPE
- 4 COPENHAGEN
- 5 COUGAR
- 6 GRIZZLY
- 7 HAWKEN
- 8 HUSKY
- 9 KAYAK
- 10 KODIAK
- 11 LEVI GARRETT
- 12 LONGHORN
- 13 MARLBORO SNUS
- 14 RED MAN
- 15 RED SEAL
- 16 ROOSTER
- 17 SILVER CREEK
- 18 SKOAL
- 19 SKOAL SNUS
- 20 TAYLOR'S PRIDE
- 21 TIMBER WOLF
- 22 OTHER

[NOTE: THESE brands are 96% of the market share]

IF Ja = 22, GO TO Jasp; ELSE IF J2a1 = 1 or 2 GO TO Jb--- [If ‘cigars’ is NOW smoked every day or some days, ask Jb and Jc]—ELSE GO TO JdA.

Jasp Please specify the other brand : _____ FR:
ENTER A TEXT OF AT MOST 20 CHARACTERS.

IF J2a1 = 1 or 2 GO TO Jb--- [If ‘cigars’ is NOW smoked every day or some days, ask Jb and Jc]—ELSE GO TO JdA.

Jb During the PAST 30 days, what type of CIGAR did you use MOST OFTEN?

READ the 3 CHOICES

- (1) Regular/large cigars
- (2) “Cigarillos” (in Spanish use “medium size cigars” instead of the word “cigarillos here”)
- (3) Little, filtered cigars

Jc During the PAST 30 days, what BRAND of CIGAR did you smoke MOST OFTEN?

____ ENTER CODE FOR BRAND (1-15). ENTER 15 for OTHER BRAND NOT ON THE LIST

**NOTE: List of major brands for Coding SEE BELOW. IF indicates “ need to prompt with F/U question”, ask FU question Jcpro after asking main question
Jc It does this for certain brands that produce regular and little cigars.**

THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:

- 1 Al Capone (makes regular and little/small cigars== **prompt**)
- 2 Backwoods (regular only)
- 3 Black & Milds (makes regular and *cigarillo*-medium size cigars (in Spanish use “medium size cigars “ instead of the word “cigarillo” here) with plastic hard filters) ==**prompt**)
- 4 Captain Black (little only)
- 5 Dutch Masters (regular/large cigar)
- 6 Dutch Treats (little cigar)
- 7 Erik (little only)
- 8 Hav-a-tampa (makes regular and little/small cigars== **prompt**)
- 9 King Edward(makes regular and little/small cigars== **prompt**)
- 10 Muriel (makes regular and little/small cigars== **prompt**)
- 11 Phillies (makes regular and little/small cigars== **prompt**)
- 12 Prime Time (little only)
- 13 Smoker's Choice (little only)
- 14 Swisher Sweet* (makes regular and little/small cigars== **prompt**)

15 Other (prompt)

Jcpro—Is that a regular or little cigar? Little cigars are cigarette size with a filter.

- (1) Regular cigar
- (2) Little/small cigars

UNREAD codes:

- (3) None of the above;
- (4) More than one of the above;
DK; R

□

Jcflavr—During the past 30 days, did you USUALLY smoke flavored cigars? By flavored we mean fruit, candy, alcohol, clove or any other flavorings

- (1) Yes
- (2) No

□

ASK JdA SEPARATELY FOR EACH OF THE 4 NON-CIGARETTE OTHER TOBACCO PRODUCTS WITH A J2a 1-4=1, 2, OR 3

JdA1-4 About how many times in your life have you smoked/used [fill entry J1a1-4]?
[ASK SEPARATELY FOR EACH “YES” ENTRY IN J1a WITH J2a = 1, 2 OR 3]

- (1) 1-9 times
- (2) 10-19 times
- (3) 20-49 times
- (4) 50 or more times ---

FOR ANY JdA 1-4 =4 (50 OR MORE TIMES) IMMEDIATELY ASK CORRESPONDING JdB1-4. THEN RETURN TO ASKING JdA1-4 FOR THE NEXT APPROPRIATE PRODUCT. WHEN HAVE COMPLETED ASKING JdA1-4 AND JdB 1-4 AS APPROPRIATE, GO TO Box Jd.

JdB1-4 Was the number as many as 100 or more times!

- (1) Yes
- (2) No

Box Jd

FOR EACH ENTRY J2a1 OR 4 = 3 (NOT AT ALL) AND CORRESPONDING JdA = 2, 3, OR 4, GO TO JdC; ELSE GO TO BOX 34.

JdC1, 4 Thinking about how long it has been since you COMPLETELY quit smoking cigars, cigarillos, or little filtered cigars // smokeless tobacco, WAS it within the PAST 12 months, that is since May 2010?

(1) Yes (2) No

[FR NOTE: IF RESPONDENT ASKS IF COUNT QUITTING IN MAY 2010, SAY YES.]

IF JdC 1 OR 4 = 1 (YES), GO TO CORRESPONDING Jd1/2_1, 4; ELSE GO TO BOX 34.

Jd1/2_1, 4 About how long has it been since you COMPLETELY quit smoking cigars, cigarillos, or little filtered cigars //using smokeless tobacco?

Jd11/4 |__|__| NUMBER (1-99)

Jd2 1/4 |__| UNITS

- (1) Days
- (2) Weeks
- (3) Months

BOX 34

FOR PROXY RESPONDENT: GO TO S78

FOR SELF RESPONDENT:

IF CURRENT SMOKER OF CIGARETTES (A3=1 OR 2) → GO TO SECTION JJ

ELSE IF J1a1-4 = NO OR J2a = DK/Refused OR ANY COMBINATION OF THESE THREE STIPULATIONS FOR ALL FOUR "OTHER" TOBACCO PRODUCTS FOR ALL ENTRIES, GO TO SECTION **JJ**

ELSE IF ONLY ONE PRODUCT IS SMOKED NOW EVERY DAY OR SOME DAYS AND THAT PRODUCT IS a WATER PIPE (HOOKAH)], THEN GO TO SECTION JJ

ELSE GO TO BOX 39

Other tobacco time to first use

BOX 39

IF ONLY ONE PRODUCT MENTIONED IN J2a IS NOW USED “EVERY DAY” OR “SOME DAYS [J2a =1 OR J2a =2* (* means > = 12 days used product within the last 30 days)] AND THAT PRODUCT IS J2a1, 2 OR 4 (CIGARS, REGULAR PIPES, OR SMOKELESS) FILL J3a AS “smoke your first cigar” // “ smoke your first pipe” // “use smokeless tobacco”;

ELSE IF > 1 PRODUCT MENTIONED IN J2a, AND IF J2a=1,2* INDICATES NOW SMOKES CIGARS AND ONE OR BOTH PIPE PRODUCTS (J2a1 =1, 2* AND J2a2 OR 3 = 1,2*) FILL J3a AS “smoke your first cigar or pipe”; OR IF SMOKES ONLY BOTH TYPES OF PIPES FILL J3a AS “smoke your first pipe”;

ELSE IF J2a1-4 indicates NOW USES THESE COMBINATIONS of two or more non-cigarette tobacco products -- cigars AND smokeless; pipes (regular or hookah) AND smokeless; OR cigars, pipes (regular or hookah) AND smokeless) FILL J3a AS “use any of your non-cigarette tobacco products for the first time”;

IF respondent insists it VARIES in response to J3a1, record an "0" for VARIES and ask J3d.

ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR EQUIVALENCE, 12 MONTHS, 52 WEEKS, 99 DAYS Or use instead JdC =1) FOR ONLY ONE “OTHER TOBACCO PRODUCT” J1a1OR 4] AND [(IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR 99 DAYS -- EQUIVALENCE) OR (IF A1=2)] THEN GO TO J3f.

J3a How soon after you wake up do you typically [fill with appropriate stem and ending based on responses to J2a1-4 as directed in Box39]..... “smoke your first cigar” // “smoke your first pipe”; “first use smokeless tobacco”; “smoke your first cigar or pipe”; “ use any of your non-cigarette tobacco products for the first time”?

**(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)
ENTER (0) in J3a1 IF RESPONDENT INSISTS IT VARIES**

J3a1 ENTER NUMBER (0 - 90)

|_|_|

J3a2 ENTER UNIT REPORTED
|_| (1) Minutes (2) Hours

IF J3a1/2 = 0, D, or R, THEN GO TO J3d; ELSE GO TO BOX 39A.

J3d Would you say you first smoke a cigar/ pipe// use smokeless tobacco// smoke a cigar or pipe //(other combination of) non-cigarette tobacco products--- within the first 30 minutes of awakening?

- (1) Yes
- (2) No
- (3) Varies— **DO NOT READ**

|_|

GO TO BOX 39A

J3f1/2 In the 12 months BEFORE YOU COMPLETELY QUIT smoking (...cigars// using smokeless tobacco), how soon after you woke up did you typically [fill with appropriate stem and ending based on responses to J2a1,OR 4] smoke your first cigar -// - use smokeless tobacco?

**(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS)
ENTER (0) in J3f1 IF RESPONDENT INSISTS IT VARIES**

J3f1 ENTER NUMBER (0 - 90)
|_|_|

J3f2 ENTER UNIT REPORTED
|_| (1) Minutes (2) Hours

IF J3f1/2 = 0, D or R, THEN GO TO J3g; ELSE GO TO BOX 39A

J3g Would you say you first used cigars/ smokeless tobacco// within the first 30 minutes of awakening?

- (1) Yes
- (2) No
- (3) Varies— **DO NOT READ**

|_|

<p>BOX 39A</p> <p>IF A3 = 1 OR 2 (CURRENT CIGARETTE SMOKER) GO TO SECTION JJ- DO NOT ASK J4-J7</p> <p>ELSE IF J2a3 = 1 OR 2, THEN GO TO SECTION JJ (DO NOT ASK J4 - J7 FOR WATER PIPES (HOOKAHS))</p> <p>ELSE IF ONLY ONE PRODUCT MENTIONED IN J2a (J2a 1,2, 4) IS NOW USED "EVERY DAY" OR "SOME DAYS [J2a =1 <u>OR</u> J2a =2*] THAT PRODUCT IS USED FOR J4-J7—GO TO J4</p> <p>ELSE IF > 1 PRODUCT MENTIONED IN J2a [J2a =1 <u>OR</u> J2a =2*], GO TO SECTION JJ</p> <p>ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1, 2 ,4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR EQUIVALENCE, 12 MONTHS, 52 WEEKS, 99 DAYS Or use instead JdC =1) FOR ONLY ONE "OTHER TOBACCO PRODUCT" J1a1OR 4] AND [(IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, 99 DAYS OR OTHER EQUIVALENCE) OR (IF A1=2)] THEN GO TO Box J7a.</p> <p>ELSE GO TO SECTION JJ</p>

J4 During the PAST 12 MONTHS, have you stopped smoking/using [fill entry BOX 39A—cigars/pipes/ smokeless tobacco] for one day or longer BECAUSE YOU WERE TRYING TO QUIT?

- (1) Yes → GO TO J5
 - (2) No → GO TO SECTION JJ
- IF J4 = D, R → GO TO SECTION JJ

J5num/unt The LAST TIME you stopped smoking/using [fill entry Box 39A] in the Past 12 Months BECAUSE YOU WERE TRYING TO QUIT, how long did you stop for?

J5num ENTER NUMBER (1 - 99)

□□

J5unt **ENTER UNIT REPORTED**

- (1) Days
- (2) Weeks
- (3) Months

 IF (J5unt = 2 AND J5num >18) OR (J5num >12 AND J5unt = 3), GO TO J5v; ELSE IF J5num/unt = D or R, GO TO QUESTION J7a1; ELSE GO TO J6a.

J5v **I have recorded that the LAST TIME you stopped smoking/using [fill entry Box 39 A cigars/ pipes/ used smokeless] in the past 12 months because you were TRYING to quit was [fill entry J5num/J5unt]? Is that correct?**

- (1) Yes
- (2) No **GO TO J5num/Junt TO CORRECT**

J6a **Was [fill entry J5num/unt] the LONGEST you went without smoking/using [fill entry Box 39A- cigars/ pipes/ using smokeless tobacco] in the past 12 months?**

- (1) Yes **GO TO Question J7a1**
- (2) No

J 6b **During the past 12 MONTHS, what is the LONGEST length of time you stopped smoking/using [fill entry Box 39-- cigars/ pipes/ used smokeless] because you were TRYING to quit?**

J6bnum **ENTER NUMBER (1 -96)**

J6bunt **ENTER UNIT REPORTED**

- (1) Days
- (2) Weeks
- (3) Months

 IF (J6num >18 AND J6bunt = 2) OR (J6bnum >12 AND J6bunt = 3) GO TO J6bv; ELSE GO TO QUESTION J7a1

J6bv I have recorded that the **LONGEST** length of time you stopped smoking/using [fill entry Box 39—cigars/ pipes/ using smokeless tobacco] in the past 12 months because you were **TRYING** to quit was [fill entry J6bnum/J6bunt]? Is that correct?

- (1) Yes **GO TO QUESTION J7a1**
- (2) No **GO TO J6bnum/unt TO CORRECT**

|__|

J7a-- For J7a - J7c-- Use alternative wording for those who met criteria in **BOX 39A** for recent former users of one “other tobacco product” : ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR EQUIVALENCE , 12 MONTHS, 52 WEEKS, 99DAYS Or use instead JdC =1) FOR ONLY ONE “OTHER TOBACCO PRODUCT”J1a1OR 4] AND [(IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR EQUIVALENCE) OR (IF A1=2)] THEN GO TO QUESTION J7a1 USING ALTERNATIVE WORDING AS DIRECTED in this BOX BELOW.)

J7a-c “Now I would like to ask about **HOW** you went about completely quitting smoking...cigars//using smokeless tobacco. When you **COMPLETELY** quit smoking cigars/ using smokeless tobacco, did you use **ANY** of the following **PRODUCTS?**—For J7b and J7c alternative wording is: “When you **COMPLETELY** quit smoking cigars// using smokeless tobacco, did.....?”

J 7a1 Thinking back about the last time you tried to quit [fill entry Box 39A—smoking cigars/ smoking pipes/ using smokeless tobacco] in the past 12 months// **SUBSTITUTE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT-- CRITERIA FROM BOX 39A/ BOX J7a-- above//.....:**

Did you use any of the following PRODUCTS:

- (1) Yes
- (2) No

J7a1 A nicotine patch

J7a2 A nicotine gum or lozenge

J7a3 A nicotine nasal spray or inhaler

J7a7a A prescription pill called Chantix or Varenicline?

J7a7b A prescription pill, called Zyban, Bupropion, or Wellbutrin?

J7a7c Another prescription pill ?

IF YES TO J7a7c (J7a7c=1) GO TO J7aspc; ELSE GO TO J7b1

J7aspc -- Specify other pill: _____ FR: ENTER TEXT OF AT MOST 40 CHARACTERS

J7b1 The LAST TIME you tried to quit [fill entry Box 39A/Box J7a—smoking cigars/ smoking pipes/using smokeless tobacco], did you use ANY of the following://USE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT//:

[FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]

- (1) Yes
- (2) No

- J7b1 A telephone help line or quit line?
- J7b2 One-on-one counseling?
- J7b3 A stop smoking clinic, class, or support group?
- J7b4 Help or support from friends or family?
- J7b5 The Internet or web-based program?
- J7b6 Books, pamphlets, videos, or other materials?
- J7b6b Acupuncture or hypnosis?

IF J7b6b = 1 (YES), THEN GO TO J7b6c; ELSE GO TO J7b7.

J7b6c Which one? (1) Acupuncture (2) Hypnosis (3) Both

J7b7 Advice from a medical doctor, dentist or other health professional?

IF J7b7 = 1 (YES), THEN GO TO J7b7a; ELSE GO TO J7c.

J7b7a Which ?- (1) Doctor (2) Dentist (3) Other health professional (4) More than one of the previous choices

FR: SPECIFY DOCTOR, DENTIST, OTHER BY ENTERING THE APPROPRIATE CHOICES (1-4)

J7c The LAST TIME you tried to QUIT (fill entry Box 39A/ BOX J7a—smoking cigars /smoking pipes/using smokeless tobacco) in the past 12 months//, did you do ANY of the following: // USE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT//:

- (1) Yes
- (2) No

J7c1 Stopping by gradually cutting back on (fill entry Box 39A/J7a) ... smoking cigars/smoking pipes/using smokeless tobacco.... in order to TRY TO QUIT?

J7c2 Did you TRY GIVING IT UP ALL AT ONCE?

IF YES TO J7c2, ask J7c2a; ELSE GO TO SECTION JJ

J7c2a|__| Would you say you TRIED TO QUIT “cold turkey?”

FR: “COLD TURKEY” IS STOPPING ALL AT ONCE WITHOUT ANY AIDS

(1) Yes

(2) No

|__|

SECTION JJ. New Tobacco Related Products

(ASK ALL CURRENT CIGARETTE SMOKERS, OR CURRENT USERS OF OTHER TOBACCO PRODUCTS, OR--- RECENT FORMER USERS OF ANY TOBACCO PRODUCT (CIGARETTES OR OTHER TOBACCO PRODUCTS)-- WHO STOPPED USING THAT PRODUCT WITHIN THE LAST THREE YEARS (H1NUM/UNT <equal 3 years, 36 months, 99 weeks, or 99 days **OR JdC1, or 4 = 1 (YES- stopped within the PAST 12 months) –**

JJ1MOD Have you EVER TRIED a product called an electronic cigarette or e-cigarette, such as “Smoking Everywhere,” “NJOY,” or other brands?”

[FR: IF FURTHER INFO IS NEEDED: THESE BATTERY POWERED PRODUCTS DON'T CONTAIN TOBACCO BUT DELIVER NICOTINE THROUGH A VAPOR.]

- (1) Yes
- (2) No

IF YES TO JJ1MOD, ASK JJ2MOD; ELSE GO TO Section K

**JJ2MOD Have you ever used e-cigarettes to help you:
FR READ THE 4 CHOICES TO THE RESPONDENT**

- (1) quit smoking cigarettes or other tobacco products? OR
- (2) help you when you couldn't smoke regular cigarettes or other tobacco products?
- (3) both of these?
- (4) none of these?

GO TO SECTION K

SECTION K. WORKPLACE POLICY, HOME RULES, PUBLIC OPINION ABOUT CLEAN
INDOOR AIR POLICIES

– ALL RESPONDENTS

BOX 41 -- CONTEXT FOR K1 same as always been: IF NOT RETIRED <u>AND</u> HAVE BEEN WORKING FOR PAY OR EMPLOYED IN PAST WEEK <u>AND</u> ARE NOT SELF-EMPLOYED:
--

K1a The next questions are about your place of work.

[FR NOTE: IF RESPONDENT HAS MORE THAN 1 JOB, HAVE THEM ANSWER FOR THEIR MAIN JOB.]

K1a. Do you mainly **work indoors or outdoors?**

[FR NOTE: DO NOT READ THE FIRST 2 CATEGORIES UNLESS NECESSARY. NEVER READ THE REMAINING CATEGORIES.]

(1) Indoors [GO TO K1b]

(2) Outdoors [GO TO K4]

(3) About equally indoors and outdoors [**GO TO K1b2**]

(4) Works mainly indoors in a non-traditional environment such as warehouse or other similar large semi-structured area --[**GO TO K1b1**]

(5) Mainly travel around to different clients or sites or mainly in a motor vehicle /bus /train /boat /airplane /underground /in a mine, etc. [GO TO K4]

(6) Varies [**GO TO K4**]

□

K1b Do you mainly work in an office building, in your own home, in someone else's home, or in another indoor place?

(1) Office building [**GO TO K1b1**]

(2) Own home [**GO TO K4**]

(3) Someone else's home [**GO TO K4**]

(4) Another indoor place [**GO TO K1b1**]

DON'T KNOW OR REFUSED [**SKIP TO K1b1**]

K1b1 In which State (including DC), do you work?

□□□

FR: ENTER 2 LETTER ABBREVIATION FOR THE STATE.

GO TO K2a

K1b2. When you work INDOORS: Do you mainly work in an office building, in your own home, in someone else’s home, or in another indoor place?

- (1) Office building [GO TO K1c]
- (2) Own home [GO TO K4]
- (3) Someone else’s home [GO TO K4]
- (4) Another indoor place [GO TO K1c]

DON’T KNOW OR REFUSED [GO TO K1c]

K1c In which State (including DC), do you work on your main indoor job or business?

|_|_| ENTER 2 LETTER STATE ABBREVIATION

K2a. Is smoking restricted in ANY WAY at your place of work?

[READ IF NECESSARY]: “By ‘restricted’, we mean any limitation on smoking , regardless of who is responsible for that restriction (including owner, employer, gov’t , union, etc.).

- (1) YES
- (2) NO [GO TO K4]

DON’T KNOW OR REFUSED [GOTO K4]

|_|

K3a Which of these best describes the smoking policy at your place of work for INDOOR PUBLIC OR COMMON AREAS, such as lobbies, rest rooms, and lunch rooms?

READ THE FIRST 3 ANSWER CATEGORIES ONLY

- (1) Not allowed in ANY public areas
- (2) Allowed in SOME public areas
- (3) Allowed in ALL public areas

ENTER (4) IF NOT APPLICABLE

|_|

K3b Which of these best describes the smoking policy at your place of work for INDOOR WORK AREAS?

EAD THE FIRST 3 ANSWER CATEGORIES ONLY

- (1) Not allowed in ANY work areas
- (2) Allowed in SOME work areas
- (3) Allowed in ALL work areas

ENTER (4) IF NOT APPLICABLE

|_

K4 The final set of questions are about your home and other places.

K4 Which statement best describes the rules about smoking INSIDE YOUR HOME?

[READ IF NECESSARY]: “HOME” IS WHERE YOU LIVE. “RULES” INCLUDE ANY UNWRITTEN “RULES” AND PERTAIN TO ALL PEOPLE WHETHER OR NOT THEY RESIDE IN THE HOME OR ARE VISITORS, WORKMEN, ETC.

- (1) No one is allowed to smoke anywhere INSIDE YOUR HOME
- (2) Smoking is allowed in some places or at some times INSIDE YOUR HOME
- (3) Smoking is permitted anywhere INSIDE YOUR HOME

|_

K6g Inside casinos, do you THINK that smoking SHOULD be allowed in all areas, allowed in some areas, or not allowed at all?

- (1) Allowed in all areas
- (2) Allowed in some areas
- (3) Not allowed at all

|_

K6h Inside a car, when there are other people present, do you THINK that smoking SHOULD...

- (1) Always be allowed,
- (2) Be allowed under some conditions, or
- (3) Never be allowed?

GO TO K7 IF B2=1 OR C2=1 (MENTHOL SMOKER); ELSE GO TO SINTTP

K7 If menthol cigarettes were no longer sold, which of the following would you MOST LIKELY do:

- (1) Switch to non-menthol cigarettes
- (2) Switch to some other tobacco product; or
- (3) Quit smoking and not use any other tobacco product

DO NOT READ CATEGORY #4.

- (4) NONE OF THE ABOVE

|_

IF K7 = 4 (NONE OF THE ABOVE), GO TO K7SPC; ELSE GO

TO SINTTP

K7SPC Please specify what you would **MOST LIKELY DO** if menthol
cigarettes were no longer sold _____ **(60**
characters)

SINTTP *** DO NOT READ ***

In what language was the interview conducted for this person?

- (1) English
- (2) Spanish
- (3) Chinese
- (4) Korean
- (5) Vietnamese
- (6) Khmer
- (7) Other Asian or Asian unspecified
- (8) Other

□